CZECH MYCOLOGY

VOLUME 62
INDEX

2

CZECH SCIENTIFIC SOCIETY FOR MYCOLOGY PRAHA

CABI BIOSCIENCE
EGHAM LIBRARY
- 4 JUN 2013

ISSN 1211-0981 (printed version)
ISSN 1805-1421 (online version)

Vol. 62, No. 2, May 2013 (INDEX)

CZECH MYCOLOGY
established in 1947 as Česká mykologie
published semiannually by the Czech Scientific Society for Mycology
http://www.czechmycology.org

EDITORIAL BOARD

Editor-in-Chief
VLADIMÍR ANTONÍN (Brno)

Managing editor
JAN HOLEC (Praha)

ROSTISLAV FELLNER (Praha)
JAN W. JONGEPIER (Veselí nad Moravou)
JAROSLAV KLÁN (Praha)
ALENA KUBÁTOVÁ (Praha)
ALEŠ LEBEDA (Olomouc)
PAVEL LIZOŇ (Bratislava)
LUDMILA MARVANOVÁ (Brno)
HANS PETER MOLITORIS (Regensburg)
SYLVIE PAŽOUTOVÁ (Praha)
ZDENĚK POUZAR (Praha)
VLADISLAV RACLAVSKÝ (Olomouc)
MARTINA RÉBLOVÁ (Průhonice)
PETER J. ROBERTS (Kew)
PETER T. N. SPENCER-PHILLIPS (Bristol)
MIRKO SVRČEK (Praha)

Czech Mycology is an international scientific journal publishing papers in all aspects of mycology. Publication in the journal is open to members of the Czech Scientific Society for Mycology and non-members.

Contributions to: Czech Mycology, National Museum, Mycological Department, Cirkusová 1740, 193 00 Praha 9, Czech Republic.

SUBSCRIPTION. Annual subscription is Kč 650,– (including postage). The annual subscription for abroad is EUR 83,– (including postage). The annual membership fee of the Czech Scientific Society for Mycology (Kč 550,– or EUR 53,– for foreigners) includes the journal without any other additional payment. For subscriptions, address changes, payment and further information please contact **The Czech Scientific Society for Mycology, P.O. Box 106, 111 21 Praha 1, Czech Republic. http://www.czechmycology.org**

This journal is indexed or abstracted in:

Biological Abstracts, Abstracts af Mycology, Chemical Abstracts, Excerpta Medica, Bibliography of Systematic Mycology, Index of Fungi, Review of Plant Pathology, Veterinary Bulletin, CAB Abstracts, Rewiew of Medical and Veterinary Mycology.

Copyright © The Czech Scientific Society for Mycology, Prague, 2013

Financially supported by the Academy of Sciences of the Czech Republic

CZECH MYCOLOGY 62(2): 103–384, 2013

Index to fungal genera and species published in Czech Mycology, formerly Česká Mykologie, Volumes 1–64

JAN HOLEC[1]*, JAROSLAV LANDA[2], MARTIN KŘÍŽ[1], PETR DANEŠ[3]

[1]National Museum, Mycological Department, Cirkusová 1740, CZ 193 00 Praha 9, Czech Republic; jan_holec@nm.cz
[2]Bouřilova 1104, CZ 198 00 Praha 9, Czech Republic
[3]National Museum, Department of Palaeontology, Cirkusová 1740, CZ 193 00 Praha 9, Czech Republic
*corresponding author

Holec J., Landa J., Kříž M., Daneš P. (2013): Index to fungal genera and species published in Czech Mycology, formerly Česká Mykologie, Volumes 1–64. – Czech Mycol. 62(2): 103–384.

Czech Mycology, established in 1947 as Česká Mykologie, is the most important peer-reviewed mycological journal in the Czech Republic (formerly Czechoslovakia). It contains papers on all aspects of mycology. Its international character is stressed by full publication in English since Vol. 47. Numerous new taxa, nomenclatural novelties and type studies have been described in it. Geographically, the journal mostly covers the area of the Czech Republic and Slovakia, however, fungal collections from almost all parts of Europe are included and often also material from other continents, especially Asia, North America and Africa. The cumulative index of Volumes 1–64 contains 3,353 generic names and 22,701 specific names (including infraspecific taxa). Altogether it contains 108,378 records, i.e. occurrences of names on specific pages of particular volumes. Pages containing detailed information on a certain species are underlined to highlight them.

Key words: Fungi, Lichenes, taxonomy, nomenclature, biodiversity, biology, physiology, phytopathology.

Holec J., Landa J., Kříž M., Daneš P. (2013): Index rodových a druhových jmen hub publikovaných v časopisu Czech Mycology, dříve Česká Mykologie, ročnících 1–64. – Czech Mycol. 62(2): 103–384.

Časopis Czech Mycology, založený v roce 1947 jako Česká Mykologie, je nejvýznamnějším recenzovaným mykologickým časopisem v České republice (resp. bývalém Československu). Obsahuje články týkající se všech oblastí mykologie. Jeho stále vzrůstající mezinárodní charakter je od ročníku 47 zdůrazněn plným publikováním v angličtině. V časopisu bylo zveřejněno velké množství taxonů nových pro vědu, nomenklatorických změn a studií typového materiálu. Z územního hlediska pokrývá zejména Českou republiku a Slovensko, ale je zahrnut i materiál z většiny zemí Evropy a dalších kontinentů, hlavně Asie, severní Ameriky a Afriky. Souhrnný rejstřík ročníků 1–64 obsahuje 3 353 jmen rodů a 22 701 jmen druhů (včetně jejich vnitrodruhových taxonů). Celkově obsahuje 108 378 záznamů o výskytu jmen hub na konkrétních stranách jednotlivých ročníků. Strany, na kterých jsou rody nebo druhy probírány podrobně, jsou v rejstříku podtrženy.

INTRODUCTION

Czech Mycology, established in 1947 as Česká Mykologie and published by the Czech (formerly Czechoslovak) Scientific Society for Mycology, is the most important peer-reviewed mycological journal in the Czech Republic (formerly Czechoslovakia). It contains papers from all aspects of mycology, including taxonomy, diversity, ecology, physiology, and phytopathology, as well as mycological topics in forestry, agriculture and medicine. A significant number of papers on lichens have been published as well, although the journal is not primarily a lichenological one. Current volumes are published in English (rarely in German and French). In the past, Czech, Latin and Russian were also used, but papers usually included summaries in English or German. Geographically, the journal mostly covers the area of the Czech Republic and Slovakia, and neighbouring countries of Central Europe (especially Poland, Hungary, east part of Germany and Ukraine). However, fungal collections from almost all parts of Europe are included (especially from the Balkans, Scandinavia and Russia) as well as material from other continents (e.g. Asia: Russia, China; North America; the Caribbean: Cuba; central Africa) except for the Antarctic. All leading Czech and Slovak mycologists have published in Czech Mycology/Česká Mykologie. Due to the increasingly international character of the journal, the list of non-Czechoslovak authors has grown as well, especially since Vol. 47, when only papers in world languages were accepted. For a list of authors and their papers including abstracts (plus full-text PDF reprints since Vol. 58), see the journal content at www.czechmycology.org. The accessibility of current volumes has been increased by introduction of an on-line version (since Vol. 64).

A complete index to names/papers of Mykologia, an older scientific mycological journal published in former Czechoslovakia (not to be confused with the American journal Mycologia!) was published by Hlůza (1999).

The preceding paragraphs show the richness and broadness of mycological data contained in 64 volumes of Czech Mycology/Česká Mykologie. The aim of this index is to make its content more easily accessible to the mycological community. The printed index will be followed by its on-line version with a user-friendly interface, including database functions like searching, sorting and filtering.

MATERIALS AND METHODS

The cumulative index published here is not a mere transcription of all names from all pages of the journal, but a corrected version in which most names are listed in accordance with the current standards (McNeill et al. 2012, Index Fungorum: http://www.indexfungorum.org). The method of compiling the index is described below.

Abbreviations: CM: Czech Mycology/Česká Mykologie; ICN: International Code of Nomenclature for algae, fungi, and plants (McNeill et al. 2012), JH: Jan Holec, JL: Jaroslav Landa, MK: Martin Kříž, PD: Petr Daneš.

Problems

Compilation of the index was a rather complex process. The most difficult problems to cope with, mostly encountered in the original source (journal pages), were:
(1) Huge amount of data (hundreds of thousands of records, i.e. occurrences of names on concrete pages of particular volumes).
(2) Scientific or typographic errors in the names.
(3) Orthographic variants of the same name used in the course of time.
(4) Usage of Czech names instead of the Latin ones (in initial volumes only).
(5) Occasional usage of provisional, i.e. invalid names, mostly indicated by abbreviations like ad int., nom. prov., in schaedis, or given in quotation marks.
(6) Non-standard ranks of infraspecific taxa, mostly due to their citation according to old taxonomic literature (ranks indicated by Greek letters, capitals, etc.).
(7) Usage of polynomials (rarely).

Data sources

Only names of genera, species and infraspecific taxa were selected. Polynomial names were omitted. Names given in literature citations (references) were excluded. Czech names present in some initial volumes were translated into Latin (JL, MK). For each name, volume and page (or page range) were recorded (JL, JH).

For Vols. 1–54, the basic data (genus, species, infraspecific taxon, volume, page) were taken from annual indices of each volume, either published (since Vol. 13) or unpublished (Vols. 1–12, personal data by JL). This was much faster than to create a completely new index based on the journal content. However, we discovered that the printed indices contained some errors, resulting both from transcription (man-made work) and the methods used.

The most glaring discrepancy was the fact that page ranges (e.g. Vol. 33, pp. 24–34) given for key taxa of a paper were too general – a name is often not present on all pages of the range. In some cases, the pages of an entire paper were given including the references. When the ranges were converted to a progressive sequence of numbers (necessary for database purposes; JH, PD), some page numbers given for particular names were found not to be in agreement with reality. In the cumulative index, this is indicated by page numbers in italics.

Another illogical rule used for the creation of older indices was the occasional addition of names (mostly homotypic synonyms, i.e. specific epithets combined with other generic names), which are in fact absent from the actual journal pages (e.g. addition of the name *Lanzia aesculi* for a page containing only *Helotium aesculi*).

In some cases, we found page numbers given for certain names to be erroneous (mostly off by one number lower or higher). However, in most cases the erroneous numbers originated from the same paper, so we were able to find the correct page numbers.

For Vols. 55–64 the basic data were taken from digital indices (MS Excel files) used for the preparation of annually printed indices. These are error-free due to the careful control during their print preparation (JH).

Data check

After entering all records into MS Excel tables, the following corrections were made:

(1) Mycological or typographic errors were corrected using Index Fungorum as a reference (JH, MK).

(2) We deleted most of the added homotypic synonyms (JH, MK) absent from the original journal pages. However, complete deletion by checking "page by page, line by line" was impossible due to time constraints. Consequently, some homotypic synonyms added to volume indices by our predecessors may have remained in the cumulative index.

(3) Checking of the name's presence on particular journal pages. For Vols. 1–54, the check was either fairly cursory (Vols. 13–54: a fast comparison to see if a name on a journal page was present in the Excel index and vice versa; this was done completely for pages containing dozens of names but incompletely for pages with hundreds of names, e.g. species lists; JH) or intensive (vols. 1–12: exact control "page by page, line by line"; JL, MK). An intensive check of all volumes was impossible due to time constraints. We are aware of the fact that a very small percentage of names might have remained unnoticed and thus have not been included in the cumulative index (especially those cited in species lists, surveys of synonyms and complicated discussions); however, these never concern key species (those described in detail, and thus most important).

(4) Vols. 55–64 are error-free (see last paragraph of the previous chapter).

Data indexing

The basic data (genus, species, infraspecific taxon, volume, page) were enriched by addition of an importance index, i.e the key taxa of each paper have been highlighted in the index by underlining pages containing such names. The following taxa were included in the importance index:

(1) Taxa to which an entire paper is devoted. Such names mostly appear in its title.

(2) Taxa studied in detail, i.e. described, illustrated and discussed.

(3) Taxa included in identification keys.

(4) Taxa from papers dealing with diversity in case they are discussed or supplemented with important data, e.g. on locality, habitat, substrate and voucher specimens.

If a key taxon appears on several pages of a paper, only the most important page is listed. On such journal pages, the name is usually highlighted e.g. by title, subtitle, a bold font, number, paragraph preceded by a space, indented paragraph, etc.

Data standardisation

(1) Specific epithets with a capitalised initial letter were converted to lower-case (*Phellinus Baumii* transcribed to *Phellinus baumii*, etc.).
(2) Diacritics of some languages (e.g. Czech, Slovak, German) were transcribed (*Geastrum Šmardae* corrected to *Geastrum smardae*, *Pholiota mülleri* to *Pholiota muelleri*; similarly, *ö* to *oe*, *ä* to *ae*, etc.). However, the letter *ë* was retained (*Frommeëlla*, *Tricholoma borgsjoeënse* etc.) in accordance with the ICN.
(3) Orthographic variants were unified. In the case of two or more variants, the one given in Index Fungorum was retained and the others were corrected to match. The most frequent case was the addition of "*ii*" to specific epithets derived from people's surnames (*Agaricus bernardi* corrected to *Agaricus bernardii*, etc.)
(4) Use of a hyphen in compound specific epithets. The hyphen was deleted except for epithets made up of two words that usually stand independently (e.g. *flos-sulphuris*, *nidus-pici*, *mors-uvae*, *pes-caprae*, *auricula-judae*, *emilii-dlouhyii*, *krizii-josephii*, *alma-atensis*, *caricis-ampullaceae*, *tritici-repentis*).

Database procession

These steps were programmed by PD according to the requirements of JH. Advanced functions of Microsoft Office (sorting in MS Excel; queries, reports and modules in MS Access; final formatting in MS Word) were used, including SQL expressions and VBA programming.

Non-standard phenomena left in the cumulative index

(1) Names of bacteria mentioned in some papers have been included.
(2) Names cited in book reviews have not been included in the indices of Vols. 1–54; however in Vols. 55–64, they were included in some cases (when the review was deep and providing e.g. a taxonomic or nomenclatoric clarification).
(3) In case the original sense of a paper has to be preserved (e.g. older orthographic variants cited as examples etc.), formally or grammatically erroneous names are cited in their original form.

(4) Some names given in the cumulative index are absent from Index Fungorum, either due to their absence in this on-line database or due to their invalid status (provisional names, mostly indicated by abbreviations ad. int., ined., nom. prov., in schaedis, in herb. etc.).

ACKNOWLEDGEMENTS

Lenka Edrová (Mycological Department, National Museum, Prague), Eva Novozámská (Prague Botanical Garden) and Jan Matouš (Dept. of Botany, Charles University, Prague) helped us with data collection and indexing. The work was financially supported by the Ministry of Culture of the Czech Republic (NAKI project no. DF12P01OVV021).

REFERENCES

HLŮZA B. (1999): The contents and bibliographic index of vol. 1–8 of the journal Mykologia (Praha) 1924–1931. – Czech Mycol. 51: 209–271. [on the title page, the journal name is erroneously written as Mycologia]

MCNEILL J. et al., eds. (2012): International Code of Nomenclature for algae, fungi, and plants (Melbourne Code). – In: Regnum Vegetabile, Vol. 154, 240 p. Königstein.

INDICES

Searching instructions

Search for a genus

When searching for a generic name, there are two options:

(1) Start in the Index to genera and species (110–364), which is arranged alphabetically according to genera and species. This shows the species coverage of each genus in Czech Mycology/Česká Mykologie. If the name is not found, go to the next step.

(2) If only more complex papers on a particular genus (containing descriptions, illustrations, nomenclatural novelties, etc.) are wanted, search in the Index to genera (365–384). Names of such genera are printed in large letters. The names of genera written in small letters are never connected with any specific epithet (otherwise they would have been included into the Index to genera and species). They are mentioned only in discussions or synonymy.

Search for species and their infraspecific taxa

The most important information for a particular taxon is present on pages whose numbers are underlined. On pages indicated by regular numbers, the name is usually mentioned with incomplete data or without any data (e.g. in discussions or species lists). However, one should be aware of the fact that synonyms of the key taxa are not highlighted. For example, there is a detailed paper on *Boletus moravicus*. The page containing its detailed description is underlined; however, the same page mentioned under the synonymous name *Xerocomus moravicus* is not underlined.

If a name cannot be found on the indicated journal page, try the following possibilities:

(1) Search for it on other pages of the same paper (its presence within the paper is error-free in 99.9 % of cases).

(2) If it is a species name, search for it under a different generic name (homotypic synonym) from the same fungal group.

(3) Search an orthographic variant of the same name (e.g. *sylvaticus* vs. *silvaticus*, *galopus* vs. *galopoda*, *trachycarpus* vs. *trachycarpa*, *murrai* vs. *murrayi*, *caeruleus* vs. *coeruleus*, *aureofulvus* vs. *aureo-fulvus*, etc.).

(4) You have located the name on a page where the names are given in Czech (this concerns only several initial volumes of the journal). Ask Czech colleagues for help.

INDEX TO GENERA AND SPECIES, INCLUDING INFRASPECIFIC TAXA*

* Genera cited separately (having no specific epithets in any volumes of CM) are included in the Index to genera.

Explanations

BOLETUS edulis **1**: 24, 26; **2**: 33, 35, 36, 38; **5**: 276; **28**: *232, 233, 234*.

UPPERCASE **in *BOLD* and *ITALICS***: genus
Bold + italics: species
Number in bold: volume
Underlined number: page containing comprehensive information on the taxon (= key taxon).
Italics: page range of a taxon whose name is not necessarily present on each page; in other words, the pages given in italics (a progressive sequence of whole numbers) show that the name is frequent in the paper but can be absent from some of the pages.
Underlined number in italics: page range of a key taxon whose name is not necessarily present on each page; in other words, the pages given in underlined italics (a progressive sequence of whole numbers) show that the name of the key taxon is frequent in the paper but can be absent from some of the pages.
Number in regular font: pages on which the name is not highlighted; on such pages, the name is present among synonyms, in the body text, in discussions, species lists, collections studied, or in legends.

ABORTIPORUS biennis **10**: 59; **11**: 156, 168; **13**: 143, 145, 150; **20**: 98, 103; **24**: 84; **30**: 184; **32**: 221; **49**: 131, 141, 143, 144; **55**: 104, 197; ***biennis*** **f. *lindtneri*** **13**: 145; ***borealis*** **var. *spathulatus*** **12**: 101; ***fractipes*** **30**: 181; ***humilis*** **30**: 181.
ABROTHALLUS caerulescens **51**: 183, 184.
ABSCONDITELLA delutula **50**: 224, 276, 290, 291; **56**: 156; ***lignicola*** **50**: 224, *295*, *296*, *297*; **56**: 156; ***sphagnorum*** **50**: 225; **56**: 156.
ABSIDIA anomala **23**: 188; **25**: 174; **37**: 155; ***blakesleeana*** **23**: 187; **24**: 207, 210, 212; **34**: 114, 115, 118, 120; **37**: 168; **45**: 26; ***brasiliensis*** **25**: 175, 176; ***caerulea*** **22**: 296, 299; **23**: 188; **32**: 228, 230; **34**: 114, 117, 118, 120; **37**: 151, 152; **39**: 85, 86, *88*, *89*, *90*, *91*, *92*, *93*; **43**: 170; **55**: 87, 95; ***caerulea*** **var. *caerulea*** **39**: 89; ***caerulea*** **var. *saccardoi*** **34**: 114; **37**: 152; **39**: 85, 86, 88, 89; **43**: 170; ***californica*** **22**: 299; **39**: 86; ***capillata*** **23**: 188; **34**: 113, *116*, *117*, *118*, 121; **37**: 151, 152, 162, 164; ***clavata*** **37**: 166; ***cornealis*** **22**: 72; **37**: 167; ***corymbifera*** **22**: *68*, *69*, *70*, *71*, *72*, *73*, *74*, *75*; **23**: 187, 188; **24**: 163; **26**: 167; **29**: *119*, *120*, *121*, *122*, *123*; **30**: 115; **32**: 61; **33**: 231, 232; **34**: 113, 115, *117*, *118*, *119*, *120*, 121, *121*; **37**: 90, *151*, *152*, *153*, 159, 164, *166*, *167*, *168*, *169*, *252*, *253*, *254*, *255*; **39**: *150*, *151*, *152*, *153*, *154*, 156; **41**: 168; **43**: 170, 243; **44**: 6, 194; **53**: 166; **55**: 256, 257; ***corymbifera*** **var. *ramosa*** **37**: 168; **39**: 156; ***corymbifera*** **var. *regnieri*** **22**: *68*, *69*, *70*, *71*, *72*, *73*, *74*, *75*; **37**: 167; ***cuneospora*** **23**: 187; ***cylindrospora*** **23**: *187*, *188*, *189*;

24: 207, 212; **25**: 174, 176; **32**: *227*, *228*, *229*, *230*; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **34**: 115, 117, 118, 120, 121; **37**: 19, 24, 27, 151, 152, 156, 157, 161, 162, 166; **43**: 170; **46**: 87, 90, 91; **53**: 214, 217; **55**: 91; ***cylindrospora* var. *cylindrospora* 37**: 157; ***cylindrospora* var. *nigra* 23**: *245*, *246*, *247*, *248*, *249*; **25**: 176; **34**: 115; **37**: 152, 157, 158, 161; **43**: 170; **55**: 95; ***cylindrospora* var. *rhizomorpha* 25**: 176; **37**: 162; ***dubia* 29**: 122; ***fassatiae* 25**: *173*, *174*, *175*, *176*; **34**: 115, 118, 120, 121; **37**: 151, 152, 162; **43**: 170; ***fusca* 25**: 174, 175; ***ginsan* 37**: 167; ***glauca* 22**: *296*, *297*, *298*, 299, *299*; **23**: 187, 189; **32**: 228, 230; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **34**: 114, 117, 118, 120; **37**: 151, 152, 157; **39**: 85, 86, 88, 89, *91*, *92*, *93*, *94*; **43**: 170; **53**: 164; **55**: 87, 91, 95, 97, 99; **59**: 129; ***glauca* var. *asparagi* 39**: 89; ***glauca* var. *glauca* 39**: 92, 93; ***glauca* var. *paradoxa* 22**: 299; **34**: 115; **37**: 152; **39**: 92, 93; **43**: 170; ***gracilis* 22**: 72; **37**: 167; ***heseltinii* 37**: 167; ***heterospora* 23**: 248; **25**: *173*, *174*, *175*; **34**: 115, 117, 118, 120; **37**: 151, 152, 156, 161, 162; **43**: 170; ***hyalospora* 34**: 119; **37**: 168; ***italiana* 34**: 116; **37**: 169; ***japonica* 23**: 188; **37**: 166; ***lichtheimii* 22**: 72; **37**: 167; **39**: 156; **43**: 170; ***lichtheimii* var. *rastii* 37**: 168; ***lichtheimii* var. *zurcheri* 37**: 169; ***macrospora* 22**: *296*, *297*, *298*, 299, *299*; **23**: 187, 188; **34**: 115, 118, 120; **37**: 151, 152; **39**: 85, 86, 92, 93; **43**: 170; ***orchidis* 34**: 114, 117, 118; **39**: 85, 86, 88, 89; **43**: 170; ***orchidis* var. *caerulea* 39**: 85; ***ornata* 22**: 72; **37**: 167; ***parricida* 25**: 174; **34**: 119; ***pseudocylindrospora* 23**: 189; **25**: *173*, *174*, *175*, *176*; **37**: 157, 158, 160, 168; ***psychrophilia* 23**: 189; **25**: 174, 175; **34**: 119; ***ramosa* 23**: 187; **26**: 167, 170, 171; **29**: 119, 122, 123; **30**: 115, 116; **31**: 207, 208; **32**: 61; **34**: 113, 115, 116, *118*, *119*, *120*, 121, *121*; **35**: 162; **37**: 151, 152, 160, 165, 167, 168; **39**: 156; **41**: 168; **43**: 170; **44**: 194; ***ramosa* var. *rastii* 37**: 168, 169; ***ramosa* var. *zurcheri* 37**: 169; ***reflexa* 22**: 299; **23**: 188; **34**: 113; ***regnieri* 22**: 72; **37**: 167; ***repens* 23**: 187, 188, 247; **34**: 113, 115, 118, 120; **37**: 151, 152, 158, 163, 166; **43**: 170; ***scabra* 22**: 299; **23**: 187, 188, 248; **34**: 117, 118, 120; **37**: 151, 152; **39**: 85, 94; **43**: 170; ***septata* 22**: 299; **34**: 113, 117, 120; **37**: 151, 152; **39**: 85, 94; ***sphaerosporangioides* 34**: 114; **39**: 89; ***spinosa* 23**: 187, 188, 245; **25**: 174, 175; **27**: 48, 50; **31**: 208, 210; **32**: 228, 230; **34**: 115, 117, 118, 120, 121; **37**: 151, 152, 154, 157; **43**: 170, 171; ***spinosa* var. *azygospora* 37**: 155; ***spinosa* var. *biappendiculata* 23**: 188; **34**: 115; **37**: 152, 155, 156; **43**: 171; ***spinosa* var. *madecassensis* 37**: 155; ***spinosa* var. *spinosa* 37**: 155, 156; ***tieghemii* 39**: 85, 86, 88, 89; ***truchisii* 37**: 168; ***verticillata* 34**: 119; ***xylogena* 37**: 157.

***ACANTHOBASIDIUM delicatum* 22**: 250.

***ACANTHOCYSTIS petaloides* 15**: 33; **34**: *63*, *64*, *65*, *66*.

***ACANTHONITSCHKIA tristis* 49**: 202.

***ACANTHOPHIOBOLUS chaetophorus* 28**: 179, 180; ***helminthosporus* 28**: 179.

***ACANTHOPHYSELLUM cerussatum* 23**: 76.

***ACANTHOPHYSIUM mirabile* 23**: 76; ***oakesii* 23**: 76.

***ACANTHOSPERMUM hispidum* 46**: 304.

***ACANTHOSTIGMA byssophilum* 27**: 86; ***decastylum* 51**: 19, 23; ***fennicum* 51**: 24; ***moravicum* 52**: 51.

***ACAROSPORA fuscata* 51**: 175; ***hilaris* 56**: 156; ***lavicola* 56**: 156; ***sinopica* 56**: 156.

***ACAULOPAGE rhaphidospora* 1**: 34; ***tetraceros* 1**: 31, 34.

ACERVUS aurantiacus **37**: *237*, *238*, *239*; ***epispartius*** **37**: *237*, *238*, *239*, *240*; ***flavidus*** **37**: 239; ***lusakianus*** **37**: 237, *240*, *241*, *242*; **47**: 194; **52**: 51.

ACETABULA acetabulum **7**: 183; ***leucomelas*** **13**: 20; **35**: 16, 143; ***leucomelas*** **f. *depauperata*** **35**: 15; ***leucomelas*** **var. *semihypogaea*** **13**: *20*, *21*, *22*, *23*, *24*, *25*; **35**: 15; ***ochroleuca*** **35**: 13; ***sulcata*** **14**: 225; **18**: 12; **35**: 13; ***vulgaris*** **13**: 21; **15**: 75; **18**: 10; **35**: 13; ***vulgaris*** **var. *alba*** **35**: 14; ***vulgaris*** **var. *lobata*** **35**: 13; ***vulgaris*** **var. *ochroleuca*** **35**: 13, 16.

ACETABULUM ancile **35**: 11; ***sulcatum*** **35**: 134; ***vulgare*** **35**: 13.

ACHORION gallinae **12**: 43; ***gypseum*** **12**: 109; ***quinckeanum*** **10**: 105, 110, *112*, *113*; **12**: 43; ***schoenleinii*** **12**: 45; ***violaceum*** **12**: 46.

ACHROOMYCES bisporus **54**: 38; ***sebaceus*** **54**: 11.

ACIA licentii **30**: *38*, *39*, *40*; ***nodulosa*** **18**: 175; ***setosa*** **4**: 48; **6**: 77; **7**: 118; **30**: 56; ***sibirica*** **30**: *38*, *39*, *40*; ***stenodon*** **8**: 129, 131.

ACLADIUM capitatum **30**: 3; ***conspersum*** **30**: 4.

ACREMONIELLA acra **26**: 157; ***atra*** **27**: *35*, *36*, *37*, *38*, *39*, *40*; **32**: 228, 230; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **38**: *235*, *236*, *237*, *238*, *239*; **43**: 171; ***brevis*** **18**: 103, 105, 107; ***occulta*** **17**: 14; ***toruloides*** **18**: *102*, *103*, *104*, 107; **27**: 35; ***vaccinii*** **27**: 35; ***velutina*** **27**: 35; ***verrucosa*** **43**: 171.

ACREMONIUM alternatum **27**: 35; **43**: 102, 171; **56**: 3; ***apii*** **43**: 171; ***atrogriseum*** **46**: 245, 248; **57**: 239, 240, 241, 247; ***atrum*** **27**: 35; ***atrum*** **var. *saccardoi*** **27**: 35, *38*, *39*, 40, *40*; ***bacillisporum*** **57**: 226, 227, 229, 231; ***bactrocephalum*** **43**: 171; **55**: 87, 91, 97; ***berkeleyanum*** **55**: 87; ***bonordenii*** **27**: 35; ***brassicae*** **27**: 35; ***butyri*** **31**: 207, 208, 210, 212; **41**: 10; **43**: 171, 175; **46**: 255; **48**: 81; **53**: 214, 217; ***camptosporum*** **43**: 171; ***cerealis*** **43**: 171; ***charticola*** **43**: 171, 175; **55**: 87, 91; ***chrysogenum*** **48**: 7; ***cleoni*** **21**: 177; **35**: 218, 219; ***crotocinigenum*** **33**: *171*, *172*, *173*; **43**: 171; ***curvulum*** **43**: 171; **53**: 214, 217, 218, 219; **55**: 76, 78; ***falciforme*** **39**: 156; ***furcatum*** **47**: *151*, *152*, *153*; ***guillematii*** **31**: 207, 208, 210, 212; ***inflatum*** **57**: 241; ***kiliense*** **30**: 33, 34, 37; **39**: 156; **43**: 171; **46**: 248; **55**: 87; **61**: 152; ***luzulae*** **40**: 22, 26; ***minutisporum*** **43**: 175; ***murorum*** **40**: 22, 26; **43**: 171, 175, 242; **44**: 170; **46**: 109, 248, 255; **55**: 87, 91, 97; **57**: 242; ***persicinum*** **55**: 76; ***polychromum*** **43**: 171; **55**: 97; ***potronii*** **39**: 156; **43**: 171; ***pteridii*** **31**: 207, 208, 210, 212; ***recifei*** **39**: 157; ***roseogriseum*** **39**: 157; **43**: 175; **57**: 239, 241, 242, 247; ***roseum*** **43**: 171; ***rutilum*** **43**: 171; ***sclerotigenum*** **43**: 171; **48**: 74; ***spinosum*** **43**: 171; **57**: 239, 243, 244, 247; ***striatisporum*** **38**: 241; ***strictum*** **40**: 22, 26; **41**: 10; **43**: 171; **46**: 102, 109, 255; **48**: 7, 81, 82; **50**: 102; **51**: 163; **52**: 222; **55**: 87, 91, 97; **56**: 228; **59**: 129, 131, 205, 208, 209, 210, 211, 231, 233; **61**: 151, 152; **63**: 98; ***tsugae*** **59**: 129; ***tubakii*** **31**: 207, 208, 210; ***verruculosum*** **46**: 245, 248; ***vitellinum*** **43**: 171; ***zeae*** **43**: 171.

ACROCORDIA macrospora **56**: 156.

ACRODICTYS atroapiculata **38**: 99; ***bambusicola*** **38**: 98; **40**: 143; ***elaeidicola*** **38**: 99; ***elaeidis*** **37**: 12, 13; **40**: 143; ***elaeidis*** **var. *cubensis*** **37**: 12, 13; ***elaeidis*** **var. *elaeidis*** **37**: 12, 13; ***fimicola*** **38**: 98; **40**: 143; ***obliqua*** **40**: 143; ***similis*** **38**: *98*, *99*, *100*, *101*.

ACRODONTIUM salmoneum **53**: *237*, *238*, *239*, *240*.

ACROGENOSPORA sphaerocephala **33**: *139*, *140*, *141*.

ACROPHIALOPHORA fusispora **44**: 49; **50**: 102, 104.

ACROSPORIUM aureum **30**: 3; ***cerasi*** **25**: 168, 169, 171.

ACROSTALAGMUS cinnabarinus **43**: 171; *fungicola* **14**: 193, 195; *parasitans* **12**: 151, 154, 155.
ACROTHECA aquaspersa **39**: 162; **44**: 136; *zignoëllae* **51**: 7.
ACROTHECIUM delicatulum **51**: 34; *lunatum* **44**: 73; *simplex* **26**: 223.
ACTIDIUM hysterioides **49**: 208, 209, 210; *nitidum* **49**: 209, 210, 211.
ACTINOCLADIUM rhodosporum **38**: 99.
ACTINODENDRON verticillatum **33**: *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*.
ACTINOMUCOR elegans **35**: 212; **43**: 171, 172; **44**: 37; **46**: 102; **55**: 141; *repens* **35**: 212; **43**: 172.
ACTINOMYCES bovis **44**: 65; *israelii* **44**: 5, 65, 66; *lavendulae* **3**: 11.
ACTINOSPORA megalospora **63**: 138.
ACTINOSPORELLA **63**: 138.
ACURTIS sinuata **15**: 168.
ADELLA olympica **29**: 101.
AECIDIUM albilabrum **46**: 316; *berberidis* **37**: 132; *crini* **46**: 316; *crypticum* **46**: 316; *cussoniae* **46**: 316; *elatinum* **18**: 158; *grossulariae* **53**: 98; *inornatum* **46**: 316; *mirsiphylli* **46**: 316; *ornamentale* **46**: 316; *ranunculacearum* **53**: 98; *rhamni-tertiaria* **47**: 211; *senecionis-crispati* **56**: 128; *stolbae* **46**: 316; *symphyti* **21**: 13; *teodorescui* **56**: 128; *viborgiae* **52**: 51.
AEGERITA candida **33**: 156; **40**: 79.
AEGERITELLA lenkoi **44**: 165; *superficialis* **44**: *165*, *165*, *166*, *166*, *167*, *167*, *168*, *168*, *169*, *169*; *tuberculata* **44**: *165*, *165*, *166*, *166*, *167*, *167*, *168*, *168*, *169*, *169*.
AESSOSPORON dendrophilum **38**: 12; *salmonicolor* **32**: 155; *salmonicolor* var. *salmoneus* **32**: 155.
AGARICUS abbreviatus **46**: 316; *abruptibulbus* **15**: 16; **16**: 21; **18**: 11; **19**: 16; **30**: 50; **34**: 9, 77; **35**: 109; **41**: 51, 53; **44**: 221; *absistens* **27**: 15, 18; *actinipes* **46**: 316; *acutatus* **46**: 316; *acutesquamosus* **58**: 234; *adiposus* **50**: *202*, *203*, *204*, *205*, 214; *adustus* **43**: 197; *aestivalis* **10**: 202, 204; **23**: 39; *aestivalis* var. *flavotactus* **10**: 202, 204; *albobrunneus* **6**: 188; *albocrenulatus* **21**: 35; *alcalinus* **9**: 34; **35**: 34, 36; *alneti* **60**: 145; *altipes* **23**: 39; *alutaceus* **43**: 195; *alveolatus* **46**: 316; *amanitoides* **36**: 7; *amarus* **10**: 173; **12**: 78; **20**: 230; *amarus* var. *gracilis* **46**: 324; *amianthinus* **58**: 246; *ammophilus* **58**: 8; *analogicus* **28**: 143; *anatriches* **28**: 58; *androsaceus* **36**: 5; **41**: 86; *annae* **5**: 88; **14**: 77; *araneosus* **18**: 20; *ardosiacus* **10**: 162; *arenarius* **8**: 144; *arenatus* **18**: 78; *arenicolus* **23**: 40, 41, 44; *argutus* **46**: 316; *argyreus* **46**: 316; *aromaticus* **19**: 215; *artemisiae* **58**: 22; *arvensis* **4**: 109; **8**: 37, *162*, *163*, *164*, 165; **10**: 185, 202; **12**: *52*, *53*, *54*; **14**: 106, 117; **18**: 233; **26**: 226, 227; **30**: 50, 123, 195; **32**: 221; **33**: 163; **34**: 9, 77, 80; **35**: 109; **37**: 122; **38**: 51; **41**: 51; **42**: 160, 163, 165, 167; **43**: 181; **44**: 221; *arvensis* subsp. *cretatus* **14**: 223; *arvensis* subsp. *macrosporus* **23**: 40; *arvensis* subsp. *osecanus* **23**: 40; *arvensis* subsp. *stramineus* **23**: 40; *arvensis* var. *macrolepis* **23**: 38, 44; *asininus* **46**: 316; *asper* **58**: 234; *atramentosus* **46**: 316; **60**: 127; *atromarginatus* var. *pseudoianthinus* **9**: 29; *atropurpureus* **43**: 199; *atrorubens* **56**: 86; *atrotomentosus* **46**: 50; *augustus* **8**: 164; **10**: 185; **12**: 255; **14**: 77; **30**: 50, 195; **33**: 163; **34**: 77, *99*, *100*, *101*; **35**: 109; **42**: 160; *auratus* **6**: 188; *aureola* **46**: 316; *aureotomentosus* **46**: 316; *auricomus* **32**: 23, 25; *aurivellus* **50**: *202*, *203*, *204*, *205*, 207, 208, 212, 218; *aurivenius* **32**: 23,

25; ***aurora*** **43**: 204; ***avenaceus*** **9**: 31; ***badhami*** **58**: 236; ***benesii*** **8**: 37; **10**: 56; **14**: 77, 223; **15**: 159, 160; **19**: 52; **23**: 37, 38, 43; **26**: 65, 68; **34**: 232; ***bernardii*** **6**: *97*, *98*, *99*, *100*, *101*; **8**: 163, 164; **21**: 121; **26**: *65*, *66*, *67*, *68*; ***bicinctus*** **46**: 316; ***bicolor*** **4**: 37; **36**: 5; ***bifrons*** **58**: 7; ***birnbaumii*** **2**: 78, 81; **9**: 125; ***bisporus*** **5**: 89; **6**: 118; **9**: 70, 75; **12**: 173, 177; **18**: 233; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **23**: 37, 43; **29**: 150; **30**: 21, 50; **32**: *65*, *66*, *67*, 120, 122; **33**: 163; **34**: 77, 79, 232; **38**: *2*, *3*, *4*, *5*, *6*, *7*; **40**: 55, 56, 67; **41**: 51, 167; **42**: 160; **46**: 18; **47**: 178, 179; **48**: 57, 58; **52**: 196, 206; ***bitorquis*** **30**: 167, 168; **32**: 65, 66, 120, 122; **34**: 77, 79; **40**: 55; **41**: 167; **42**: 160; **43**: 93; ***blazei*** **9**: 97; ***bonii*** **48**: *243*, *244*; ***bretschneideri*** **46**: 316; ***brunnescens*** **6**: 105; ***bryophilus*** **54**: 151; ***bucknallii*** **58**: 240; ***caesiellus*** **46**: 316; ***caffrorum*** **46**: 316; ***caffrorum*** **var. *sulonensis*** **46**: 324; ***callosus*** **60**: 188; ***calolepis*** **54**: 96; ***camarophyllus*** **3**: 27, 109; **21**: 2, 9; ***campanella*** **38**: 205, *213*, *214*, *215*; ***campanella*** **var. *myriadea*** **46**: 324; ***campester*** **5**: 88; **6**: *100*, *101*, *102*; **8**: 25, 37; **9**: 73, 102; **10**: 199, 202, 203; **11**: 206; **29**: 111, 185; **30**: 24, 25; **34**: 77, 79; **40**: 95; **42**: 160; **48**: *252*, *253*; ***campestris*** **4**: 26, 38; **5**: 14, 18; **6**: 100, 105; **7**: 72; **8**: 38, 122; **17**: 11; **18**: 233; **23**: 37, 42; **26**: 68; **35**: 199; **36**: 164; **43**: 30; ***campestris*** **B. *pratensis*** **α *vaporarius*** **2**: 124; ***candolleanus*** **58**: 15; ***capensis*** **46**: 316; ***capnolepis*** **46**: 316; ***caput-medusae*** **58**: 9; ***carcharias*** **58**: 246; ***cardarella*** **3**: 96; ***cardarella*** **var. *marzuola*** **3**: 26; ***careoflavidus*** **46**: 316; ***caroli*** **5**: 88; **8**: 31, *35*, *36*, *37*, *38*, *39*; **10**: 55, 56; **13**: 60; **16**: 144; **23**: 40, 43; ***carptus*** **28**: 143; ***cascus*** **58**: 20; ***caseosus*** **43**: 205; ***caussetta*** **19**: 142, 143, 145; ***centurio*** **46**: 316; ***cepaestipes*** **2**: 80; **9**: 125; **58**: 244; ***cepaestipes luteus*** **2**: 78, 81; ***cerealis*** **19**: 101; ***ceriferus*** **50**: 208, 213, 218; ***cernuus*** **58**: 15; **60**: 145, 150; ***chionodermus*** **5**: 88; **10**: *197*, *198*, *199*, *200*, *201*, *202*, *203*, *204*; **14**: 77; ***chondrodermus*** **58**: 17; ***chrysophyllus*** **16**: 191; ***cilicioides*** **22**: *20*, *21*, *22*, *23*; ***cinereocyaneus*** **49**: 163; ***cinereus*** **15**: 133, 134; ***citrinus*** **2**: 78, 79, 81; **9**: 125; ***clandestinus*** **9**: 6; ***clusilis*** **46**: 316; ***clypeolarius*** **58**: 228; ***coalescens*** **9**: 24; ***coerulescens*** **4**: 18; ***coeruleus*** **43**: 196; ***colossus*** **6**: 188; **19**: *197*, *198*, *199*; ***compactus*** **β *sarcocephalus*** **60**: 167; ***compressipes*** **48**: 200; ***comtulus*** **8**: 37; **15**: 225; **28**: 175; ***congestus*** **46**: 316; ***congregatus*** **62**: 49; ***conopilus*** **58**: 8; ***conspicuus*** **20**: 230; ***contrarius*** **46**: 316; ***cookei*** **9**: 160; ***craterellus*** **54**: 93; ***cretaceus*** **2**: 80; **16**: 144; **28**: 176; ***crinitus*** **22**: 22, 23; ***cristatus*** **58**: 233; ***crocatus*** **21**: 232; **48**: 310; ***croceoviridis*** **36**: 7; ***crocodilinus*** **6**: 100, 101, 106, 107; **8**: 164; ***crocophyllus*** **24**: 80; ***cupreobrunneus*** **34**: 77; ***cupreus*** **13**: 117; ***curreyi*** **31**: 191; ***curvatus*** **60**: 141; ***cyanoxanthus*** **43**: 205; ***cyathiformis*** **7**: 13; **53**: 54; ***decolorans*** **43**: 196, 201; ***decoratus*** **23**: 39; ***decussatus* * *illustris*** **46**: 324; ***deglubens*** **27**: 15, 17, 18; ***deglubens*** **f. *trivialis*** **31**: 15; ***dehiscens*** **46**: 316; **49**: 166; ***delicatus*** **58**: 247; ***demissus*** **29**: 165; ***denticulatus*** **4**: 152, 153; ***denudatus*** **58**: 244; ***depallens*** **43**: 200, 201; ***depilatus*** **11**: 13, 16, 18; ***descissus*** **32**: *22*, *23*, *24*, *25*, *26*, *27*, *28*, *29*, *30*, *31*; ***descissus*** **f. *aurivenia*** **32**: 23; ***descissus*** **var. *auricomus*** **32**: 23; ***destrictus*** **27**: 18, 19; ***devoniensis*** **23**: 41, 44; ***deylii*** **5**: 88; **10**: 56; **14**: 77; **19**: 52; ***dictyotus*** **46**: 316; ***divulosus*** **var. *amarus*** **20**: 229; ***dorsalis*** **24**: 80; ***echinatus*** **8**: 82; ***edulis*** **4**: 109; **6**: *98*, *99*, *100*, 101, *101*, *102*, *103*, *104*, *105*, *106*, *107*; **8**: 37, 163; **10**: 202, 204; **12**: 255; **16**: 21; **21**: 121; **24**: 67; **26**: 67, 68; **30**: 167; **34**: 10; ***effusus*** **46**: 317; ***elixus*** **3**: 96; ***elvensis*** **34**: *98*, *99*, *100*, *101*; ***emeticus*** **43**: 202; ***ephemeroides*** **63**: 22; ***ephemerus*** **62**: 52; ***eradicatus*** **46**: 317; ***erinaceus*** **33**: 72, 74; ***ermineus*** **58**: 229; ***erophilus*** **10**: 2; ***eryngii*** **28**: 58; ***eugrammus*** **34**: 71; ***eugrammus*** **f. *verraecrucis*** **34**: 72; ***eutheles*** **28**: 199, *202*, *203*,

204, *205*, *206*, *207*, *208*, *209*, *210*, *211*, 216; ***exalbicans*** **43**: 200, 201; ***excellens*** **23**: 40; ***excoriatus*** **58**: 242; ***exsertus*** **8**: 36; ***exsuccus*** **43**: 196, 197; ***familia*** **63**: 3; ***farinulentus*** **60**: 145; ***fastigiatus*** **31**: 191; ***felinus*** **58**: 230; ***fenzlii*** **60**: 123, 124; ***fimetarius*** **15**: 133, 134; ***fissuratus*** **23**: 40; ***flammula*** **2**: 78, 81; **9**: 125; ***flavescens*** **10**: 202; ***flavipes*** **9**: 26; ***flavobrunneus*** **6**: 188; ***floccipes*** **48**: 244; ***flocculosus*** **31**: 18; ***flos-sulphuris*** **2**: 78; **9**: 125; ***focalis*** **19**: 142; ***focalis*** **var.** ***goliath*** **4**: 34, 39; **19**: 151; ***fodiens*** **46**: 317; ***foetens*** **43**: 198; ***forestiae*** **46**: 317; ***fragilis*** **24**: 126; ***friesii*** **58**: 235; ***fritillarius*** **21**: 5; ***frumentaceus*** **6**: 188; ***fuliginarius*** **9**: 21; **16**: 190; **60**: 127; ***fuliginosus*** **26**: 142, 147; ***fulvellus*** **6**: 188; ***furnaceus*** **6**: 49, 51, 54; ***fuscofibrillosus*** **23**: 39; ***fuscopurpureus*** **48**: 309; ***fuscus*** **58**: 20; ***fusus*** **52**: 243, 244, *247*, *248*, *249*, *250*; ***fusus filius*** **52**: 249; ***gambo*** **8**: 71; ***gambosus*** **5**: 73; ***gausapatus*** **21**: 5; ***geesteranii*** **48**: *248*, *249*; ***gennadii*** **48**: 239, 246; ***gennadii*** **subsp.** ***microsporus*** **48**: *245*, *246*; ***gennadii*** **var.** ***microsporus*** **48**: *245*, *246*; ***gentianeus*** **20**: *229*, *230*, *231*, *232*, *233*, *234*, *235*; ***georgii*** **8**: 71; ***geotropus*** **var.** ***marzuola*** **3**: 26; ***giganteus*** **43**: 197; ***gilvescens*** **46**: 317; ***glaucescens*** **46**: 317; ***glaucus*** **7**: 10, 12; ***gliodermus*** **58**: 247; ***gomphodes*** **46**: 317; ***gomphus*** **26**: 219; ***gossypinus*** **58**: 23; ***gracilentus*** **2**: 29; **58**: 241; ***gracilis*** **58**: 4; ***granulosus*** **58**: 247; ***granulosus*** **var.** ***cinnabarinus*** **58**: 246; ***graveolens*** **5**: 73; ***gueguenii*** **2**: 80; ***haematites*** **58**: 246; ***haematocephalus*** **56**: 103; ***haematospermus*** **8**: 82; **48**: 241; ***haemorrhoidarius*** **8**: 31; **10**: 49, 56; **23**: 40; **30**: 195; **33**: 163; ***hapalopus*** **46**: 317; ***helobius*** **46**: 317; ***helvelloides*** **4**: 4; ***helvolus albipes*** **17**: 59; ***hendersonii*** **63**: 22; ***hercynicus*** **18**: 20; ***herinkii*** **48**: *238*, *239*; **52**: 95; ***hispidus*** **16**: *219*, *220*, *221*, *222*, *223*, *224*, *225*, *226*, *227*, *228*, *229*, *230*, *231*, *232*; **58**: 235; ***holoianthinus*** **46**: 317; ***holosericeus*** **58**: 237; ***hornemannii*** **11**: 13, 16, 18; ***hornemannii*** **var.** ***depilatus*** **11**: 14; ***hortensis*** **5**: 83, 89; **6**: 105; **8**: 2; **9**: 69, 70; **10**: 119; **11**: *176*, *177*; **12**: *173*, *174*, *175*, *176*, *177*, *178*, *179*, 255; **13**: *241*, *242*, *243*, *244*, *245*, *246*, *247*, *248*, *249*, *250*, *251*; **48**: 104; ***hydrogrammus*** **18**: 164; ***icterinus*** **9**: 6; ***illinitus*** **58**: 247; ***imberbis*** **46**: 317; ***imbricatus*** **21**: 4; ***immaculatus*** **61**: 49; ***imperialis*** **19**: 198; ***impuber*** **17**: 59; ***impudicus*** **23**: 40, 43; ***infundibuliformis*** **43**: 197; ***ingratus*** **23**: 39, 43; **26**: 67; ***injunctus*** **27**: 13; ***integer*** **43**: 202; ***intermedius*** **22**: 22, 23; ***involutus*** **46**: 51; ***ionus*** **18**: 20; ***isabellinus*** **12**: 12; ***juglandinus*** **46**: 317; ***kirtoni*** **46**: 317; ***laeticolor*** **46**: 317; ***langei*** **23**: 40; ***lanipes*** **6**: *116*, *117*, *118*; **7**: 160; **23**: 38, 43; ***lanuginosus*** **16**: 220; ***lecomtei*** **53**: 61; ***lenticula*** **46**: 317; ***lentus*** **10**: 173; ***leoninus*** **11**: 47; ***lepidomyces*** **18**: 78; ***lepidus*** **43**: 203; ***lepiotoides*** **48**: 249; ***leucotephrus*** **58**: 12; ***leucothites*** **46**: 19; **58**: 237; ***leucotrichus*** **23**: 40; ***lignatilis*** **19**: 4; ***linnaei*** **var.** ***sanguinarius*** **43**: 203; ***linopus*** **46**: 317; ***listeri*** **43**: 197; ***littoralis*** **23**: 40, 41, 43; ***livescens*** **43**: 199; ***lucifugus*** **27**: *15*, *16*, *17*, *18*; **31**: 15, 18; ***luridus*** **64**: 226; ***luteoaurantius*** **46**: 317; ***luteocyaneus*** **17**: 60; ***luteomaculatus*** **23**: 40; ***luteovirens*** **11**: 49, 50; **12**: 35; ***luteus*** **2**: 80; **9**: 125, 126; **13**: 109, 110, 114; **43**: 194, 202; **58**: 245; ***lutosus*** **23**: 40; ***macrocarpus*** **23**: 199; ***macrorhizus*** **15**: 134; ***macrosporus*** **8**: 159, 162, 163, 164, 165, 186; **21**: 121; **23**: 44; **26**: 65, 68; ***magnannulatus*** **46**: 317; ***maleolens*** **23**: 39, 40, 43; ***maluvium*** **36**: *7*, *8*, *9*; ***marzuolus*** **3**: 26, 96, 109; ***maskae*** **8**: *159*, *160*, *161*, *162*, *163*, *164*, *165*; **21**: *120*, *121*; **22**: 101; **28**: *54*, *55*, *56*; ***mastoideus*** **58**: 241; ***mediofuscus*** **23**: 39; ***medullatus*** **58**: 245; ***megalotheles*** **46**: 317; **49**: 163; ***melanotus*** **46**: 317; ***meleagris*** **2**: 80; **23**: 37, 43; **34**: 77, 79; **46**: 19; **58**: 238; ***meleagris*** **var.** ***nigricans*** **22**: *81*, *82*, *83*, *84*, *85*, *86*; ***melinosarcus*** **46**: 317; ***melleus*** **subsp.**

oedipus **46**: 324; ***mendicus*** **46**: 317; ***mesomorphus*** **58**: 248; ***micropholis*** **58**: 233; ***microrrhizus*** **58**: 6; ***miculatus*** **20**: 230; ***minimus*** **14**: 104; ***miratus*** **12**: 38; ***momentaneus*** **62**: 52; ***mongolicus*** **46**: 317; ***montagnei*** **46**: 317; ***morchelloides*** **20**: 77; ***mougeotii*** **10**: 162; ***muscarius*** β ***regalis*** **7**: 114; ***mycenoides*** **37**: 228; ***myomyces*** **21**: 4, 5, 10; ***myomyces pardinus*** **5**: 98; ***myriadophyllus*** **7**: 80, 81; ***nasutus*** **46**: 317; ***naucinus*** **46**: 19; ***necator*** **43**: 205; ***nevoi*** **48**: 239, *244*, *245*; ***nictitans*** **6**: 188; ***nitidus*** **43**: 199, 200; ***nitrosus*** **36**: 7; ***nivescens*** **15**: 16; **23**: 40; ***niveus*** **63**: 23; ***noli-tangere*** **58**: 19; ***nympharum*** **46**: 317; **58**: 238; ***obscurus*** **36**: 96; ***ochraceus*** **43**: 202, 203; ***ochroleucus*** **43**: 200; ***olivaceoflavus*** **46**: 317; ***olivaesporus*** **8**: 86; ***ornatus*** **64**: 99; ***osecanus*** **5**: 88; **25**: 22; ***ostreatus*** **4**: 76; ***palomet*** **36**: 7; ***panuoides*** **46**: 50, 53; ***papyraceus*** **60**: 145, 150, 151; ***paradoxus*** **46**: 317; ***parvannulatus*** **58**: 232; ***pascuus*** **10**: 1, 2, 9; ***pattersonae*** **10**: 56; ***pelletieri*** **57**: 43; **60**: 43; ***peltastes*** **46**: 317; ***pennatus*** **58**: 22; ***pequinii*** **48**: 246, *247*, *248*; ***perdicinus*** **8**: 168; **10**: 185, 188; **15**: 16; ***perforans*** **60**: 25; ***permixtus*** **22**: 93, 94; ***perrarus*** **12**: 124; **14**: 77; **18**: 11; **30**: 195; **34**: 77; ***pessundatus*** **6**: 188; ***petaloides*** **34**: *63*, *64*, *65*, *66*; ***phaecomis*** **36**: 96; ***phaeolepitodus*** **23**: 40; ***pholideus*** **18**: *77*, *78*, *79*, *80*, *81*; ***piceus*** **46**: 317; ***piluliformis*** **18**: 173; **58**: 17; ***pinastri*** **46**: 317; ***pinguis*** **58**: 248; ***placomyces*** **48**: 98; ***plagiotus*** **46**: 317; ***platyphyllus*** **26**: 220; ***plebejus*** **46**: 317; ***plexipes*** **5**: 120; **16**: 182; ***plumipes*** **46**: 317; ***plumosus*** **36**: 96; ***pogonatus*** **46**: 317; ***polypus*** **46**: 317; ***polysarcos*** **46**: 317; ***populinus*** **58**: 9; ***porphyreus*** **23**: 39, 43; ***porphyrizon*** **43**: 86, *88*, *89*, *90*; **46**: 81; ***porphyrocephalus*** **23**: 39, 40, 43; ***porreus*** **48**: 309, 310; ***posterulus*** **27**: 11, 13; ***postii*** **46**: 122; ***potanini*** **46**: 317; ***praecellens*** **46**: 317; ***praecox*** **23**: 264; ***prasiosmus*** **48**: 309, 310; ***pratulorum*** **48**: 239, 245; ***procerus*** **58**: 240; ***prominens*** **58**: 241; ***pronus*** **58**: 7; ***proteus*** **46**: 317; ***pruinosus*** **7**: 13; **8**: 136; ***psammocephalus*** **18**: 78; ***psammopus*** **46**: 317; ***pteropus*** **46**: 317; ***pubescens*** **43**: 206, 207; ***pubescentipes*** **13**: 167, 168; ***pudicus*** **46**: 19, 20; ***pulmonarius*** **53**: 81; ***pumilio*** **46**: 317; ***punctulatus*** **46**: 317; ***purpurascens*** **23**: 41; ***purpurellus*** **23**: 40; ***purpureofuscus*** **9**: 29; ***purpureus*** **43**: 200; ***pustulatus*** **15**: 168; ***putillus*** **48**: 309; ***pygmaeus*** **58**: 15; **60**: 151; ***pyriodorus*** **33**: 68; ***pyrogalus*** **26**: 141, 142; ***rachodes*** **58**: 243; ***radiatim-plicatus*** **46**: 317; ***radiatus*** **63**: 16; ***radiosus*** **8**: 144; ***remyi*** **46**: 317; ***rhachodes*** **58**: 243; ***rhachodes*** **var.** ***puellaris*** **58**: 243; ***rhodiophyllus*** **46**: 317; ***rhodoleucus*** **10**: 173; ***rimosus*** **27**: 18, 22; ***risigallinus*** **43**: 194, 200, 202; ***rivulosus*** β ***amarus*** **10**: 173; ***rivulosus*** **var.** ***amarus*** **12**: 78; **20**: 230; ***robustissimus*** **19**: 198; ***robustus*** **19**: 143, 151, 198; ***rodmanii*** **6**: 105; **26**: 68; **30**: 167; ***rosaceus*** **43**: 203, 204; ***rosaceus*** β ***exalbicans*** **43**: 200; ***roseus*** **43**: 203, 204; ***rubellus*** **17**: 59; ***rubens*** **15**: 168; ***ruber*** **43**: 201; ***rubescens*** **9**: 178; ***rufidulus*** **46**: 317; ***rusiophyllus*** **12**: 214; **14**: 112; ***russula*** **6**: 188; **43**: 202; ***rusticanus*** **26**: 142; ***sagatus*** **14**: 104; ***sagittaeformis*** **46**: 317; ***salicinus*** **50**: 207, 208; ***sanguinarius*** **43**: 204; ***sanguineus*** **43**: 202, 204; ***saponaceus*** **21**: 2; ***sarcocephalus*** **60**: 167; ***scabellus*** **28**: 197; ***scaber*** **33**: 72, 76; ***schaefferi*** **53**: 54; ***schultzii*** **46**: 317; ***schulzeri*** **46**: 317; ***sciadium*** **46**: 317; ***sciadium*** **var.** ***salmoneus*** **46**: 324; ***sciolus*** **46**: 317; ***sciophanus*** **24**: 126; ***scrobiculatus*** **43**: 206; ***seminudus*** **13**: 114; **15**: 219, 233; **58**: 239; ***semotus*** **14**: 126; **18**: 11, 116; **19**: 17; **33**: 163; **34**: 77; ***serenus*** **58**: 238; ***sericellus*** **9**: 21; ***sericeodryinus*** **23**: 264; ***serotinoides*** **19**: 2; ***shiitake*** **1**: *100*, *101*; ***siligineus*** **59**: 32; ***silvaticus*** **6**: 116; **8**: 38; **10**: 56, 185, 188; **18**: 11, 233; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **30**: 51, 195; **32**: 221; **33**: 122, 163; **34**: 77, 80;

52: 11; ***silvaticus* var. *pallens* 14**: 77; ***silvicola* 8**: 37, 162, 164, 165; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **30**: 51, 195; **32**: 221; **33**: 163; **34**: 77; **52**: 9; ***sindonius* 28**: 199, 205, 206; ***sistratus* 13**: 114; **15**: *217*, *218*, *219*, 221, *223*, *224*, *225*, *226*, 233; **58**: 240; ***socialis* 58**: 213; ***spadiceogriseus* 58**: 21; ***spadiceus* 58**: 16; **60**: 141, 143; ***spiculus* 16**: 166; ***spintriger* 58**: 12; ***spissicaulis* 23**: 39, 40, 43; ***spissus* 23**: 39, 43; ***splachnoides* 36**: 1, 4, 5; ***spurius* 17**: 59; ***squamulifer* 8**: *30*, *31*, *32*, *33*, *34*, *35*, *36*, *37*, *38*, *39*; **10**: 55; **13**: 60; **16**: 144; **23**: 39, 40, 43; **30**: 193, 195; ***squamulifer* var. *caroli* 26**: 65, 68; ***squarrosus* 11**: 14; ***stans* 6**: 188; ***stans* var. *campester* 2**: 14; ***stans* var. *montanus* 2**: 14; ***straminellus* 2**: 82; **13**: 110; ***stramineus* 4**: 141; **11**: 49; **23**: 13, 14, 38, 43, 44; **32**: 221; ***stridulus* 27**: 27, 28; ***strigosus* 53**: 61; ***subcernuus* 60**: 168; ***subfloccosus* 9**: *69*, *70*, *71*, *72*, *73*, *74*, *75*; **15**: 16; ***sublanatus* 18**: 78; ***subperonatus* 19**: *233*, *234*, *235*, *236*, *237*, *238*; **23**: 38, 43, 78; **30**: 51; ***subrufescens* 34**: 101; ***sulcatipes* 52**: 299, 300, 302; ***sulphurellus* 46**: 318; ***sylvaticus* 35**: 109; **38**: 220; **42**: 160, 163, 165, 167; **52**: 212; ***sylvicolus* 35**: 109; ***syndesmius* 46**: 318; ***tabescens* 58**: 213; ***taediosus* 46**: 318; ***tener* var. *siligineus* 59**: 32; ***tenuivolvatus* 23**: 40; ***tephrotrichus* 53**: 71; ***terginus* 48**: 309; ***tessulatus* 34**: *57*, 58, *58*, *59*; ***tigrinus* 3**: 27; **5**: 98; **21**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*, *10*; ***tilopus* 46**: 318; ***togularis* var. *filaris* 58**: 280; ***tomentoso-hirsutus* 36**: 249; ***tomentosus* 22**: 20, 22; ***torminosus* 43**: 205, 206; ***trachycephalus* 46**: 318; ***tricolor* 9**: 24; ***tubaeformis* 53**: 54; ***tumulosus* 46**: 318; ***turbinipes* 46**: 318; ***turpis* 43**: 205; ***typhae* 6**: *169*, *170*, *171*; **10**: 49; **46**: 318; **58**: 10; ***unicolor* 52**: 24; ***urinascens* 6**: 100, 106, 107; **8**: 164; **23**: 38, 43; ***ustalis* 6**: 188; ***ustalis* f. *major* 2**: 14; ***vaporarius* 34**: 99, 100; ***varians* 46**: 318; ***variegans* 23**: 40; ***variegatus* 23**: 39, 43; ***velenovskyi* 22**: *81*, *82*, *83*, *84*, *85*, *86*; ***vellereus* β *exsuccus* 43**: 196; ***velutipes* var. *rubescens* 32**: 213; ***venustissimus* 20**: 135, 140; ***versatilis* 9**: 5, 6, 8; ***villaticus* 6**: 101, 105; **12**: 255; ***vitellinus* 43**: 93, 194, 195; ***volvatus* 12**: 255; **48**: 245; ***vulpecula* 46**: 318; **49**: 163; ***vulpeculus* 20**: 230; ***worthingtonii* 4**: 16; ***xanthoderma* 6**: 117; **8**: 192; **10**: 119, 185; **12**: 251; **14**: 77, 226; **16**: 21, 83, 84, 86, 157; **18**: 11; **23**: 79, 171, 173, 176, 179; **32**: 208, 211; **34**: 77; **35**: 109, 116, 118; **37**: 122; **38**: 51; **42**: 160, 163; **43**: 86, 88, 89, 90, 93, 181; **44**: 221; **48**: 98; ***xanthoderma* var. *lepiotoides* 48**: 249; ***xantholepis* 23**: 40; ***zahlbruckneri* 57**: 299, 303; ***zeyheri* a) *telosus* 46**: 324.

***AGLAOSPORA effusa* 27**: 86; ***occulta* 49**: 200.

***AGONIMIA opuntiella* 50**: 232; **56**: 155, 156; ***repleta* 56**: 156; ***tristicula* 50**: 225, 226.

***AGROBACTERIUM radiobacter* 39**: 56.

***AGROCYBE acuum* 41**: 163; ***aegerita* 12**: 27; **23**: 264, 265; **25**: 188; **28**: 175; **30**: 21, 51; **32**: 67; **36**: *160*, *161*, *162*, *163*, *164*; **37**: 123, 125; **38**: 180; **40**: 55; **41**: 167; **43**: 85; ***arenaria* 39**: 61; **43**: 93; **46**: 81; ***arvalis* 26**: 123; ***cylindracea* 28**: 57; **30**: 51; **42**: 234; ***dura* 14**: 78, 223; **41**: 51; **43**: 93; **44**: 204, 207, 209, 222; **46**: 26, 81; ***erebia* 14**: 226; **15**: 225; **16**: 158; **20**: 71; **23**: 79; **29**: 73; **35**: 240; **41**: 51; **44**: 85, 221, 223; **59**: 71; ***firma* 59**: 71; ***gibberosa* 46**: 7, 26; ***molesta* 46**: 6, 13, 26; ***paludosa* 41**: 51; ***pediades* 37**: 223; **46**: 7, 9, 26; ***praecox* 8**: 171; **9**: 144; **11**: 15, 20; **18**: 10, 12; **25**: 106; **32**: 221; **41**: 51; **43**: 88, 90; **46**: 6, 26, 175, 181, 284, 287; **47**: 295; **56**: 273; ***semiorbicularis* 14**: 78, 104, 223; **32**: 208; **37**: 223, 233; **41**: 51; **44**: 222; **46**: 26; ***stepposa* 37**: 212, 221, 222, 233; ***subpediades* 37**: 223, 233; ***tabacina* 14**: 104; ***temulenta* 46**: 26.

***AHLESIA strasseri* 50**: 272, 296, 297.

AIVENIA aconiti **43**: *215*, *216*, *217*; *calthae* **43**: *215*, *216*, 217, *217*; *foliicola* **43**: 215, 216; *tantula* **31**: 132, 134; **43**: 217.

AJELLOMYCES capsulatus **39**: 157; **44**: 129, 130; *capsulatus* **var.** *capsulatus* **39**: 160; *capsulatus* **var.** *duboisii* **39**: 160; *crescens* **61**: 100; *dermatitidis* **35**: 214; **39**: 157, 158; **44**: 69.

ALATOSPORA acuminata **26**: 232; **53**: 4, 278, 280; **54**: 252, 254, 255; **60**: 66, 68, 71, 72; **63**: 120, 124, 128, 135, 138, 148; *constricta* **53**: 3, 5, 25; *flagellata* **53**: 3; **63**: 138; *pulchella* **54**: 255; **63**: 120, 124, 128.

ALBATRELLUS albidus **11**: 154, 167; *avellaneus* **26**: 194, 196, 197; *caeruleoporus* **26**: 195, 198; *cantharellus* **26**: 196; *confluens* **11**: 154, 167; **18**: 115; **20**: *97*, *98*, *99*, 102; **25**: 149; **26**: 195, 198; *cristatus* **11**: 154, 167; **24**: 117; **26**: 195, 196, 198; **44**: 228; *dispansus* **26**: 195, 198; *ellisii* **26**: 195, 199; *flettii* **26**: 194, 195, 198; *hirtus* **26**: 194, 195, 200; **43**: *61*, *62*, *63*; **61**: 187, 192; *ovinus* **11**: 154, 167; **18**: 115; **26**: 196, 197; **57**: 326; **61**: 194; *peckianus* **26**: 195, 199; *pescaprae* **26**: 195, 199; **30**: 228; *similis* **21**: 55, 58; **26**: 194, 196; *skamanius* **26**: 195, 199; *sublividus* **26**: 195, 199, 200; *subrubescens* **26**: 194, 196; **57**: 326; *sylvestris* **26**: 194, 199, 200; *syringae* **26**: 195, 199; *tianschanicus* **26**: 196; *yasudai* **26**: 195, 199.

ALBOFFIELLA argentina **48**: 275.

ALBOTRICHA acutipila **41**: 202; *lupini* **41**: 16, 17, 19, 205.

ALBUGO amaranthi **53**: 94; **56**: 123; **57**: 272; **60**: 92, 93; *bliti* **60**: 92, 93; *candida* **6**: 17, 155; **43**: 25; **53**: 94, 113; **56**: 123; **57**: 259; **60**: 93; **62**: 91, 99; *candida* **var.** *macrospora* **60**: 93; *caryophyllacearum* **56**: 123; **60**: 93; *portulacae* **56**: 123; **60**: 93; *tragopogonis* **48**: 162; **56**: 123; **57**: 259; **60**: 93.

ALECTORIA ochroleuca **56**: 156; *sarmentosa* **63**: 230; *sulcata* **23**: 21.

ALEURIA ampliata **24**: 59; *ampliata* **var.** *palustris* **17**: 70; **24**: 64; *amplissima* **24**: 75; *aphanodictyon* **49**: 154; *arvernensis* **24**: 73, 75; *aurantia* **14**: 193; **16**: 107; **25**: 109; **26**: *74*, 75, *75*, *76*, *77*, *78*; **28**: 129; **32**: 221; **35**: 3, 139, 141, 142, 240; **44**: 143; **47**: 238, 239, 241, 244, 248, 251; **54**: 224; **63**: 252, 255; *aurantiaca* **1**: 97; *balfour-browneae* **47**: 239, 241; *bicucullata* **26**: *74*, *75*, 76, *76*, *77*; **34**: 218, 219; **35**: 3, 141, 142; **39**: 167; **47**: 239, 241; *boudieri* **47**: 237, 238, 241, 254, 255; *carbonicola* **47**: 237, 238, 241, *248*, *249*, *250*, 253; *cerea* **24**: 64; *cestrica* **28**: *129*, *130*; **34**: *217*, *218*, *219*, *220*, *221*; **35**: 3, 141, 142; **47**: 239, 241, 257, 258; *congrex* **35**: 3, 23, 141, 142; **47**: 241; *cornubiensis* **47**: 237, 238, *241*, *242*, *243*, *243*, 248, 251, 253; *crassipes* **24**: 62, 63, 64; *dalhousiensis* **34**: 217, 219, 220; **47**: 194, 239; **52**: 52; *delectans* **28**: 131; *depressa* **28**: 226; *exigua* **47**: 241; *flavida* **47**: 237, 238, 241, *251*, *252*, *253*; *flavorubens* **47**: 237, 238, 241, 243, *253*, *254*, *255*; *gigantea* **34**: 220, 221; *howsei* **23**: 31, 32; **35**: 70; *labessiana* **31**: 70; *latispora* **47**: *237*, *238*, *239*, 241, *246*, *247*, *247*, *248*, *248*; **52**: 52; *lilacina* **30**: 129, 130; *lloydiana* **34**: 218; *luteonitens* **47**: 239, 241, 257; *micropus* **24**: 62, 67, *68*, *69*, *70*, *71*, *72*, *73*, *74*, *75*; *muralis* **24**: 65; *murreana* **47**: 241; *paludicola* **17**: 70; **24**: 64; *palustris* **17**: 70; **24**: 64; *pectinospora* **35**: 3; *phlyctispora* **47**: 265, 266; *proteana* **36**: *109*, *110*, *111*, *112*, *113*; *proteana* **f.** *campbellii* **36**: 112; *proteana* **f.** *sparassoides* **36**: *109*, *110*, *111*, *112*, *113*; *proteana* **var.** *slavkoviensis* **14**: 111, 112; **17**: 207; **35**: 71; **36**: *109*, *110*, *111*, *112*, *113*; **57**: 254; *proteana* **var.** *sparassoides* **36**: 110; *radula* **52**: 261; *rapulum* **15**: *137*, *138*, *139*; *rhenana* **39**: *165*, *166*, *167*;

42: *193*, *194*, *195*, *196*, 198; ***rubra*** **47**: 237, 238, 241, 251, 252; ***rutilans*** **14**: 112; **35**: 20; ***scotica*** **47**: 237, 238, 241, *255*, *256*, *257*; ***splendens*** **39**: 167; ***sylvestris*** **16**: 111; **24**: 72, 75; ***tectipus*** **47**: 265; ***tectoria*** **17**: 68; **24**: 65; ***tuberculata*** **47**: 261, 263, 265; ***umbrina*** **15**: 74; ***umbrina*** **var. *assimilata*** **15**: 74; ***unicolor*** **23**: *123*, *124*, *125*, *126*; **42**: 198; ***varia*** **24**: 65, *71*, *72*, *73*, *74*; ***varia*** **f. *lignicola*** **24**: 68; ***varia*** **f. *terrestris*** **24**: 72; ***venustula*** **26**: 75.

ALEURINA imaii **62**: 10; ***nigrodisca*** **52**: 296.

ALEURISMA guilliermondi **19**: 223; ***lugdunense*** **19**: 223.

ALEUROCYSTIDIELLUM subcruentatum **21**: 57, 59.

ALEURODISCUS acerinus **8**: 125; ***amorphus*** **10**: 127; **13**: 219; **14**: 88; **18**: 162; **27**: 220; **56**: 276, 286; ***aurantius*** **7**: 138; **44**: 141; ***delicatus*** **23**: 76; ***disciformis*** **7**: 138; **8**: 125; **14**: 75; ***macrosporus*** **7**: 178; **8**: 125; **14**: 72, 82; ***sajanensis*** **7**: 155; ***scutellatus*** **21**: 57, 59.

ALEUROSPORIA acuminata **12**: 45; ***effracta*** **12**: 45; ***plicatilis*** **12**: 45; ***rosacea*** **12**: 44.

ALLANTOPHOMOPSIS lycopodina **61**: 122.

ALLESCHERIA boydii **39**: 162, 163; **44**: 136.

ALLESCHERIELLA crocea **23**: 220; **38**: 99.

ALLOMYCES macrogynus **28**: 230, 231.

ALLOPHYLARIA campanuliformis **43**: 215, 224; ***clavuliformis*** **44**: 140, 143; ***filicum*** **43**: 215, 222, 224; ***soederholmii*** **40**: *203*, 204, *204*, *205*, 207; ***subhyalina*** **44**: 143; ***subliciformis*** **37**: 69; **40**: 205; ***sublicoides*** **40**: 205; ***vulgaris*** **13**: 214.

ALNICOLA alnetorum **14**: 78; **16**: 161, 162; **20**: 142; ***bohemica*** **62**: 33, 35; ***bohemica*** **var. *gracilis*** **62**: 35; ***celluloderma*** **16**: 162; **20**: 141; **34**: 38; ***escharoides*** **16**: 163; **20**: 142; **34**: 38, 39, 43; **44**: 85; ***fellea*** **14**: 78; ***luteolofibrillosa*** **14**: 78; ***melinoides*** **16**: 146; **56**: 272; ***phaea*** **16**: 146; ***scolecina*** **16**: 162, 163; **34**: 38; **44**: 85; ***scolecina*** **var. *fellea*** **16**: 162, 163; ***submelinoides*** **20**: 142.

ALPHITOMORPHA guttata **12**: 168; ***lamprocarpa*** **43**: 135; **60**: 253; ***penicillata*** **var. β *grossulariae*** **12**: 165.

ALTERNARIA alternata **14**: 246; **28**: 157; **31**: 101; **32**: 112, 227, 228, 230; **33**: *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*, 139; **34**: 19; **37**: 74, 115; **39**: 157; **40**: 22, *25*, *26*, *27*, *28*; **41**: 8, 10, 13; **43**: 172; **46**: 89, 102, 109, 246, 248; **47**: 295; **48**: 79, 80, 81, 82, 83, 84, 85; **49**: 123; **50**: *36*, *37*, *38*, *39*, *40*, 42, 101, 102; **51**: 163; **52**: 130, *151*, *152*, 168, 222; **53**: 154; **55**: 76, 95, 106, 110; **56**: 227, 228, 229, 230, 235; **57**: 313; **59**: 129, 131, 134, 205, 208, 209, 210, 211, 212, 231, 233, 234, 238, 241, 242, 243, 247, 248; **61**: 151, 152, 157; **63**: 77, 79, 80; ***anthyllidis*** **49**: 120, 121; ***brassicae*** **32**: 112; ***brassicae*** **var. *dianthi*** **8**: 15; ***brassicicola*** **32**: 112; **43**: 172; ***calendulae*** **49**: 120, 121; ***caricina*** **49**: 125, 126; ***chartarum*** **31**: 100, 102, *104*, *105*, *106*, *107*; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **39**: 157; **41**: 9; **43**: 172; ***chlamydospora*** **53**: 154; **55**: 245; **61**: 152; ***consortialis*** **24**: 163; **31**: 102, 107; **34**: 16; **37**: 115; **43**: 172; ***corymbifera*** **48**: 84; ***crassa*** **10**: 239; **43**: 172; ***cucumerina*** **34**: 18; ***curreyi*** **33**: *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; ***dendritica*** **31**: 100, 102, 103, *105*, *106*, *107*; ***dianthi*** **8**: *15*, *16*, *17*; ***dianthicola*** **8**: 16, 17; ***gypsophilae*** **8**: 16; ***harzii*** **31**: 100, 102, *104*, *105*, *106*, *107*; **43**: 172; ***helianthi*** **49**: 123; ***helianthinficiens*** **49**: 122, 123; ***humicola*** **43**: 172; **50**: 39; ***infectoria*** **49**: 122, 123; ***leucanthemi*** **49**: 123, 124; ***macrospora*** **53**: 154; ***pluriseptata*** **32**: 110; **34**: *13*, *14*, *15*, *16*, *17*, *18*, *19*, *20*; ***porri*** **49**: 120, 121; ***porri*** **f. *solani*** **32**: 110; ***radicina***

5: *27*, *28*, *29*; ***renuissima*** **24**: 163; ***scirpicola*** **49**: 126; ***solani*** **31**: 61; **43**: 172; ***tenuis*** **13**: 244, 248; **19**: 62, 63; **24**: 163; **31**: *100*, *101*, *102*, *103*, *105*, *106*, *107*; **39**: 157; **43**: 172; **49**: 125; **53**: 151, 152; ***tenuissima*** **31**: *100*, *101*, *102*, *105*, *106*, *107*; **32**: 227, 228, 230; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **34**: 19; **37**: 115; **40**: 22, 26; **43**: 172; **46**: 102, 109; **48**: 82, 84; **50**: 102; **51**: 163; **53**: 151, 154, 214, 217; **59**: 208, 210; ***thalictrina*** **49**: 124.

ALYSIDIUM resinae **38**: 240; **43**: 172; ***resinae*** **var.** ***microsporum*** **35**: 110.

AMANDINEA punctata **50**: 290; **51**: 175.

AMANITA abietum **28**: 121; **40**: 241, 245; ***abrupta*** **48**: 112; ***alba*** **29**: 26; **44**: 221, 223; ***alnicola*** **34**: 92, 95; ***argentea*** **32**: 45; **35**: 109; ***aspera*** **7**: 152; **23**: 198; ***baccata*** **20**: 239; ***battarrae*** **44**: 85, 140; **46**: 170, 172; **63**: 255; ***beckeri*** **25**: 62; **36**: *114*, *115*, *116*, *117*; **39**: *138*, *139*, *140*, *141*, *142*, *143*; **40**: 167; ***bisporigera*** **23**: 153, 155; **48**: 110, 111, 112; ***boudieri*** **20**: 239; **30**: 228; ***bulbosa*** **2**: 18; **3**: 79; **44**: 225; ***caesarea*** **1**: 23, 91; **2**: 4, 105; **3**: 3, 4, 123; **4**: 45, 136; **5**: 75, 129; **8**: 51, 190; **10**: 14; **14**: 118, 120, 124, 127, 128, 152; **15**: 16, 50; **16**: 157; **17**: 108; **18**: 9, 11, 184; **19**: 114; **20**: 110, 129, 170, 240; **21**: 97; **22**: 192, 193; **23**: 79; **24**: 107, 178; **28**: 121; **32**: 45; **36**: *114*, *115*, *116*, *117*; **40**: 119; **42**: *66*, *67*, *68*; **45**: 36; **47**: 312; **48**: 105; **52**: 9; **64**: 171; ***caesarea*** **f.** ***alba*** **31**: 35; ***ceciliae*** **39**: 138, *140*, *141*, *142*; **44**: 221; ***citrina*** **2**: *17*, *18*, *19*, *20*, *21*, *22*; **3**: 78, 79; **4**: 148; **8**: 114; **9**: 98, 148; **10**: 45, 168; **14**: 226; **16**: 76, 157; **18**: 11, 115, 159, 224; **19**: 15, 17, 19, 20, 114, 115; **20**: 110; **22**: 50, 53, 54; **24**: 178; **30**: 51; **32**: 221; **33**: 163, 252; **34**: 77, 195; **35**: 119; **36**: *114*, *115*, *116*, *117*; **38**: 220; **42**: *66*, *67*, *68*, *69*, *70*, 115, 120, 160, 224, 225; **44**: 221, 223, 224, 225; **46**: 186; **52**: 6; **56**: 175; **63**: 255; ***citrina*** **var.** ***alba*** **2**: 17, 20; **19**: *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; ***codinae*** **30**: 228; ***cothurnata*** **48**: 107; ***crocea*** **24**: 80; **36**: *114*, *115*, *116*, *117*; **44**: 85, 222; **52**: 9; ***echinocephala*** **14**: 111, 124; **20**: *237*, *238*, *239*, *240*; **24**: 108; **28**: 121; ***eliae*** **7**: 152; **16**: 13; **32**: 221; **44**: 125; ***excelsa*** **5**: 57; **7**: 31, 160; **12**: 123; **28**: 121; **43**: 181; **44**: 222; ***excelsa*** **f.** ***alba*** **31**: 36; ***farinosa*** **34**: 95; ***flavescens*** **43**: 117; ***friabilis*** **34**: 38, 39, *41*, *42*, *43*, *92*, *93*, *94*, *95*, *96*; **36**: *114*, *115*, *116*, *117*; **40**: 167; ***fulva*** **14**: 96; **25**: 106; **32**: 221; **33**: 163; **36**: *114*, *115*, *116*, *117*; **37**: 121; **40**: 241; **44**: 85; **56**: 271; **63**: 255; ***gemmata*** **2**: 18; **4**: 115, 118; **9**: 148; **10**: 45, 164; **11**: 179; **12**: 58, 251; **14**: 126; **19**: 18; **23**: 176; **32**: 221; **33**: 163, 252; **34**: 77, 92, 96; **36**: *114*, *115*, *116*, *117*; **44**: 221; **46**: 171; **48**: 107; **52**: 212; **56**: 175; ***gemmata*** **var.** ***eliae*** **28**: 121; ***hemibapha*** **34**: 95; ***hygroscopica*** **48**: 110, 111; ***inaurata*** **28**: 121; **36**: *114*, *115*, *116*, *117*; **44**: 223; ***junquillea*** **2**: 18; **4**: 118; ***lactea*** **30**: 228; ***lividopallens*** **25**: 106; ***mairei*** **32**: *43*, *44*, *45*, *46*; **35**: 109; **36**: *114*, *115*, *116*, *117*; **40**: 167; ***mappa*** **2**: *17*, *18*, *19*, *20*, *21*, *22*; **10**: 185; **21**: 162; **46**: 170; ***mira*** **34**: 95; ***muscaria*** **1**: *56*, *57*, 95; **2**: 19, 45, 94, 104, 105; **4**: 115, 118, 147, 151; **5**: 56, 70, 127, 129; **7**: 112, 114, 115; **8**: 68, 69, 112, 167, 192; **9**: 146, 148; **10**: 44, 119, 168; **11**: 170, 179, 194, 195; **12**: *114*, *115*, *116*, *117*, *118*, 251; **13**: 40, 45, 48; **15**: 168; **17**: 11; **18**: 115, 184, 224, 225; **19**: 16, 114, 231, 238; **22**: 50, 53, 54, 193; **23**: 175, 201; **24**: 107; **26**: 83; **28**: 122; **30**: 51; **32**: 221; **33**: 162, 252; **34**: 77, 95, *192*, *193*, *194*, *195*; **35**: 119; **36**: *114*, *115*, *116*, *117*; **38**: 28, 220; **39**: 60; **42**: 115, 120, 160, 163, 164, 224, 225; **43**: 185; **44**: 85, 222; **45**: 35, 49; **46**: *257*, *258*, *259*, 261; **48**: 12, 14, 55, 100, 106, 113; **52**: 212; **56**: 175; **57**: 311; ***muscaria*** **subsp.** ***regalis*** **14**: 125, 128, 129; ***muscaria*** **var.** ***mexicana*** **12**: 114; ***obsita*** **34**: 95; ***ocreata*** **48**: 110, 112; ***ovoidea*** **1**: 91; **8**: 190; **10**: 14; **28**: 121; **30**: 228; **36**: *114*, *115*, *116*, *117*, 188; **38**: 51; ***pantherina*** **1**: 55, 95; **2**: 104, 105, 110; **4**: *115*, *116*, *117*, *118*, *119*, *120*, 149, 151; **5**: 44, *53*, *54*, *55*, *56*, *57*, *58*, *59*, *60*, 70; **6**: 138,

142, 143; **8**: 68, 69, 166, 168, 192; **9**: 146, 148; **10**: 45, 46, 119, 120, 164; **11**: 179, 191, 195; **12**: 114, 117, 251; **13**: 7, 9; **14**: 112, 126; **18**: 11; **19**: 15, 16, 19; **21**: 161; **22**: 193; **23**: 171, 173, 175, 179; **25**: 106; **29**: 26; **32**: 221; **33**: 252; **34**: 77; **35**: 116, 118; **36**: *114*, *115*, *116*, *117*; **37**: 121, 122; **38**: 28, 220; **40**: 118, 123; **42**: 67, 68, 115, 120, 224, 225; **43**: 178, 181; **44**: 222; **46**: 257, 259, 261; **48**: 12, 14, 100, 105, 106, 107; **52**: 7, 212; **56**: 175; ***pantherina* var. *abietum*** **24**: 117; ***phalloides*** **1**: 55, 58, 62, 95, 97; **2**: 18, 19, 22, *104*, *105*, *106*, 110; **3**: 52, *76*, *77*, *78*, *79*, *80*, *81*, *82*, *83*, 128; **4**: 110, *115*, *116*, *117*, *118*, 149, 151, 157; **5**: 57, 59, 113, 127; **6**: 39; **7**: *97*, *98*, *99*, *100*, 152; **8**: 54, *66*, *67*, *68*, *69*, 192; **9**: 148; **10**: 114, *116*, *117*, *118*, *119*, *120*, 135, 185; **11**: 60, 191, 195; **12**: *52*, *53*, *54*, 113, 249, 251; **13**: 4, 5, *7*, *8*, *9*, 170; **14**: 74, 111, 117; **15**: 26, 168; **16**: 21, *71*, *72*, *73*, *74*, *75*, *76*, *77*, *78*, *79*, *80*, *81*, 157; **17**: 11, 164; **18**: 11, 224; **19**: 15, 17, 19, 83, 84, 127, 128, *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **20**: 60, 110, 178; **21**: 97, 129; **22**: 312; **23**: 153, 172, 175, 176; **24**: 104, 178; **27**: 124, 188; **28**: 106, 121; **29**: 26; **30**: 60, 121; **32**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*, *10*, 221; **33**: 57, *121*, *122*, *123*, 163, 245, 246, *250*, *251*, *252*; **34**: 4, 77; **35**: 112, 113, 116, 118, 119; **36**: *114*, *115*, *116*, *117*, 251; **37**: 101, 121, 122; **38**: *21*, *22*, *23*, *24*, *25*, *26*, *27*, *28*, 220; **40**: *116*, *117*, *118*, *119*, *120*, 122, 123; **42**: 67, 68, 70, 120, *224*, *225*, *226*; **43**: 178, 181, 182; **44**: 117, 220, 221, 223, *225*, *226*, *227*; **45**: 35, 47; **46**: 171, 186, *256*, *257*, *258*, *259*, *260*, *261*; **47**: *145*, *146*, *147*, *148*, *149*; **48**: 54, 109, 110, 111, 112, 113; **52**: 5; **56**: 175; **57**: 311; ***phalloides* f. *bicolor*** **3**: 78; ***phalloides* f. *citrina*** **3**: 78; ***phalloides* f. *ochroleuca*** **3**: 78; ***phalloides* f. *olivacea*** **3**: 78; ***phalloides* f. *umbrina*** **3**: 78; ***phalloides* f. *viridis*** **3**: 78; ***phalloides* subsp. *verna*** **2**: 104; **3**: 78; **16**: 72; **20**: 129; ***phalloides* subsp. *virosa*** **7**: 94; **14**: 125, 128, 129; ***phalloides* var. *alba*** **35**: 119; **36**: *188*; **64**: 198; ***phalloides* var. *moravecii*** **20**: 25, 26; ***phalloides* var. *verna*** **35**: 119; ***porphyria*** **1**: 97; **7**: 153; **8**: 62, 65, 66; **9**: 148; **10**: 45; **14**: 125, 128, 129; **16**: 157, 169; **19**: 18, 114; **21**: 97; **25**: 106; **32**: 221; **33**: 252; **34**: 77; **36**: *114*, *115*, *116*, *117*; **38**: 51; **42**: 67, 120; **44**: 221, 224; **56**: 175; **63**: 255; ***pseudorubescens*** **9**: *176*, *177*, *178*, *179*; ***puellaris*** **2**: 5; ***regalis*** **5**: 56; **7**: *112*, *113*, *114*, *115*; **18**: 184; **21**: 57; **23**: 78; **24**: 107, 117; **33**: 252; **36**: *114*, *115*, *116*, *117*; **37**: 122; **48**: 14, 15, 106; **56**: 175; ***rubens*** **2**: *45*, *46*; **5**: 127; **7**: 158; ***rubens* f. *morchelloidea*** **4**: 55; ***rubens* f. *virescens*** **2**: *45*, *46*; ***rubens* var. *areolata*** **2**: *45*, *46*; **52**: 52; ***rubescens*** **2**: 94; **5**: 53, 75, *132*, *133*, *134*, 146; **6**: 138, 140, 141, 143; **7**: 73, 77, 79, 97, 115, 141, 142, 159; **8**: 68, 168; **9**: 73, 148, *176*, *177*, *178*, *179*; **10**: 45, 164, 168, 191; **11**: 62, 207; **12**: 60, 120, 121, 197, 214, 247; **14**: 59, 60, 111; **15**: 168, 213; **16**: 188; **18**: 12, 115; **19**: 115, *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **20**: 59; **25**: 106; **29**: 26; **30**: 51; **32**: 221; **33**: 163; **34**: 77, 196; **35**: 109, 116; **36**: *114*, *115*, *116*, *117*; **38**: 220; **40**: 241; **42**: 67, 115, 120, 160, *163*, *164*, *165*; **43**: 181; **44**: 85, 222, 224; **46**: 169, 170, 172; **48**: 105, 113; **52**: 4, 5, 212, 215; **56**: 270, 271; **63**: 255; ***rubescens* f. *annulosulfurea*** **32**: 220; ***rubescens* var. *radicata*** **28**: 121; ***rubra*** **43**: 201, 202; ***solitaria*** **8**: 122; **14**: 75, 152; **16**: 13; **19**: 115; **33**: 159, 161, 163; **44**: 222; ***spissa*** **2**: 104; **5**: 44, *52*, *53*, *54*, *55*, 57, 59, 70; **6**: 138, 139, 141, 143; **7**: 31, 115; **8**: 68; **9**: 148, 178; **10**: 45, 164, 168; **12**: 120, 121, 247; **18**: 12; **19**: 18, *233*, *234*, *235*, *236*, *237*, *238*; **21**: 161; **23**: 173; **36**: *114*, *115*, *116*, *117*; **42**: 67, 115, 120, 160, 164; **44**: 85; **56**: 271; **63**: 255; ***spissa* var. *ampla*** **12**: 123; **32**: 221; ***spissa* var. *exannulata*** **2**: 36; ***spissa* var. *excelsa*** **7**: 31, 32, 33, 161; ***sternbergii*** **34**: *92*, *93*, *94*, *95*, *96*; ***strangulata*** **22**: 230; **39**: 138, 140, 142; ***strobiliformis*** **1**: 23, 91; **4**: 137; **6**: 24; **7**: 157; **8**: 190; **12**: 58; **14**: 75, 111, 117, 124, 152; **15**: 16, 81; **16**: 21, 157; **17**: 108; **18**: 11; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **20**: 239, 240; **26**: 37; **28**: 176;

29: 26, 30; **32**: 221; **36**: *114*, *115*, *116*, *117*, 188; **40**: 119; **44**: 222; **47**: 312; ***subalbiacea*** **48**: 110, 111; ***subalpina*** **46**: 171, 172, 186; ***submembranacea*** **39**: *141*, *142*, *143*; **40**: 241, 245; **46**: 171, 186; **56**: 271; ***subvaginata*** **34**: 95; ***sychnopyramis*** **34**: 95; ***umbrina*** **5**: 54; **7**: 115; ***umbrinolutea*** **14**: 87; **18**: 159; **22**: 193; **24**: 117; **27**: 213; **36**: *114*, *115*, *116*, *117*, 184; **37**: 128; **42**: *66*, *67*, *68*; **54**: 200; ***vaginata*** **2**: 36; **8**: 168; **9**: 53; **12**: 58, 120, 121; **14**: 87, 96, 104; **18**: 12, 159; **19**: 17, *233*, *234*, *235*, *236*, *237*, *238*; **23**: 176; **25**: 62; **27**: 213; **29**: 26; **32**: 43, 208, 221; **34**: 92, 95, 96; **36**: *114*, *115*, *116*, *117*; **42**: *66*, *67*, *68*, 160, 163, 164; **44**: 85, 222, 224; **46**: 287; **52**: 6; **56**: 271; ***vaginata*** **f. *alba*** **22**: 229, 230; ***vaginata*** **f. *olivaceoviridis*** **28**: 121; ***vaginata*** **f. *pallescens*** **28**: 121; ***vaginata*** **f. *plumbea*** **28**: 121; ***vaginata*** **f. *umbrinolutea*** **28**: 121; ***vaginata*** **var. *crocea*** **22**: 229, 230; ***vaginata*** **var. *fulva*** **22**: 229, 230; ***vaginata*** **var. *inaurata*** **22**: 229, 230; ***vaginata*** **var. *lividopallescens*** **22**: 229, 230; ***vaginata*** **var. *umbrinolutea*** **22**: 229, 230; ***valida*** **7**: 31; **28**: 121; ***verna*** **2**: 37; **5**: 127; **9**: 40; **15**: 168; **16**: 157; **18**: 5; **19**: 128; **23**: 153, 175; **25**: 106, 111; **32**: 221; **33**: 251, 252; **38**: 23, 28, 220; **40**: 123; **42**: 120; **44**: 221, 223; **46**: 256, 259, 261; **48**: 110, 111; ***verna*** **var. *decipiens*** **42**: 67; ***virescens*** **2**: 45; ***viridis*** **3**: 123; **8**: 166; ***virosa*** **2**: 104, 110; **3**: 78; **5**: 59, 127; **10**: 117; **11**: 195; **15**: 168; **16**: 13, 73, 75, 157; **18**: 5; **19**: 128; **20**: 178; **21**: 56; **23**: 141, 153, 175; **25**: 106, 188; **31**: 36; **33**: 251, 252; **35**: 119, 240; **36**: *114*, *115*, *116*, *117*; **38**: 23, 220; **40**: 123; **42**: 66, 115, 120; **43**: 182; **44**: 221, 223; **46**: 256; **48**: 67, 70, 71, 110, 111, 112, 114; ***vittadinii*** **4**: 45, 137; **8**: 190; **16**: 170; **20**: 240; **28**: 121; **30**: 228; **34**: 77; **36**: *114*, *115*, *116*, *117*; **42**: 65, 67; **44**: 221, 223; ***vittadinii*** **var. *echinocephala*** **4**: 136, 137; **20**: 239.

AMANITOPSIS crocea **12**: 198; ***friabilis*** **34**: 92; ***inaurata*** **39**: 138, 140, 142; ***strangulata*** **39**: 138; ***vaginata*** **3**: 122, 123; **12**: 199; ***vaginata*** **var. *sternbergii*** **34**: 95, 96.

AMAUROASCUS albicans **43**: 172; ***aureus*** **43**: 172; ***niger*** **43**: 172.

AMAUROCHAETE atra **18**: 57; ***fuliginosa*** **14**: 96; **18**: 57, 58.

AMAURODERMA angustum **64**: 19; ***calcigenum*** **64**: 15, 18; ***clemensiae*** **64**: 50; ***praetervisum*** **64**: 15; ***preussii*** **64**: 19; ***rugosum*** **59**: 161, 164; ***schomburgkii*** **54**: 28; ***sprucei*** **64**: 19, 20.

AMAURODON aeruginascens **59**: 182; ***aquicoeruleus*** **59**: 181; ***atrocyaneus*** **59**: 181, 182; ***cyaneus*** **59**: 181, 182; ***hydnoides*** **59**: 182; ***mustialaënsis*** **59**: 177, 178, 179, 180, 181, 182; ***sumatranus*** **59**: 182; ***viridis*** **59**: 181, 182; ***wakefieldiae*** **59**: 181.

AMBLYOSPORIUM botrytis **12**: 151, 152, 155, 156, 157.

AMBROSIA paniculata **var. *peruviana*** **46**: 305.

AMBROSIELLA tingens **35**: 218.

AMBROSIOZYMA monospora **35**: 212.

AMEGHINIELLA australis **64**: 80.

AMEROSPORIUM polynematoides **61**: 152, 155, 158; ***violae*** **52**: 52.

AMICODISCA brdensis **41**: 16, 19, 201; ***svrcekii*** **52**: *293*, *293*, *294*, *294*; ***virella*** **52**: *292*, *293*, *294*; ***viridicoma*** **52**: 292.

AMPELOMYCES heraclei **54**: 156; ***humuli*** **54**: 156, 157; ***quercinus*** **54**: 156, 157; ***quisqualis*** **38**: 7; **46**: *303*, *304*, *305*, *306*, *307*, 310; **57**: 315, 316; **58**: 196.

AMPHILOMA callopisma **60**: 278; ***heppianum*** **60**: 285, 286.

AMPHINEMA byssoides **18**: 162; **44**: 141.

AMPHISPHAERIA applanata **25**: 35, 37; **49**: 199; *brachyspora* **12**: 143, 144, 146; *incrustans* **33**: 145; *pusiola* **12**: 144; *salicicola* **12**: 144.
AMYGDALARIA panaeola **47**: 141.
AMYLOCORTICIUM cebennense **13**: 11, 12; *subincarnatum* **13**: 11, 12; *subsulphureum* **13**: 11, 12.
AMYLOCYSTIS lapponica **11**: 157, 168; **14**: 89; **17**: 51, 174, *179*, *180*, *181*, *182*, *183*, 185; **18**: 91; **19**: 9, 25; **21**: 56; **27**: 220; **58**: 154; **59**: 61; **61**: 10, 191.
AMYLOFLAGELLULA inflata **54**: *235*, *236*, *237*, *238*; *pseudoarachnoidea* **54**: 236; *pulchra* **54**: 235, 237; *verrucosa* **54**: 237.
AMYLOPORIA bombycina **21**: 56; *carbonica* **46**: 216, 217; *crassa* **21**: 57; **31**: 117; **46**: 213, 216, 217, 221, 222; *lenis* **21**: 57; *sinuosa* **64**: 23, 37; *sitchensis* **46**: *213*, *214*, *215*, *216*, *217*, 219, 221, 222; *sordida* **46**: 213, *215*, *216*, *217*, 222; **47**: 190, 192; *xantha* **21**: 56; **46**: 213.
AMYLOPORIELLA alpina **45**: 148; *flava* **44**: 231; **45**: 148; *flava* **f. *stratosa*** **44**: 231; *saxonica* **45**: 148; **46**: 224.
AMYLOSPORUS campbellii **59**: 171, 172, 173, 174, 175.
AMYLOSTEREUM areolatum **56**: 276; **63**: 255; *chailletii* **27**: 220; **35**: 109; **44**: 141; *laevigatum* **44**: 125.
ANAMYLOSPORA pulcherrima **53**: 288, 291, 292.
ANAPTYCHIA ciliaris **50**: 226.
ANAVIRGA dendromorpha **63**: 138.
ANCYLISTES closterii **1**: 27.
ANDROSACEUS haematocephalus **56**: 103.
ANELLARIA semiovata **18**: 223; **21**: 97; *separata* **18**: 4.
ANGIOPOMOPSIS lophostoma **29**: 103, 104.
ANGUILLOSPORA angulata **49**: 15; *crassa* **49**: 11; **53**: 312; **54**: 255; **60**: 66; **63**: 120, 124, 128, 135, 138; *curvula* **53**: 313; **63**: 138; *filiformis* **26**: 232; **49**: 15, 17; **53**: 280, 281, 312; **54**: 254, 255, 256; **63**: 120, 124, 128; *furtiva* **53**: 312; **54**: 255; **63**: 138; *fustiformis* **53**: 312; *gigantea* **23**: 135; **53**: 313; **63**: 120, 128; *longissima* **53**: 312, 313; **54**: 255; **60**: 66; **63**: 120, 124, 126, 128, 138, 147, 148; *marina* **53**: 312; *mediocris* **53**: 309, 310, 315, 316; **63**: 139; *pseudolongissima* **53**: 313, 314; **63**: 139; *rosea* **54**: 255; **63**: 139; *rubescens* **53**: 312.
ANIPTODERA lignicola **61**: 111.
ANISOMERIDIUM nyssaegenum **56**: 156.
ANISOMYCES odoratus **5**: 18, 19; **8**: 88, 90, 91; **30**: 55; **42**: 8; *odoratus* **var. *piceae-schrenkianae*** **11**: 162; **44**: 235.
ANISOMYXA plantaginis **7**: 51.
ANISOPORUS odoratus **5**: 170; **27**: 222.
ANIXIOPSIS biplanata **44**: 147; *fulvescens* **var. *stercoraria*** **30**: 20; **44**: 149; *multispora* **18**: *82*, *83*, *84*; *reticulispora* **35**: 215; **44**: 147; *stercoraria* **22**: 57; **33**: 172; **35**: 215; **39**: 101, 103, 157; **43**: 172; **44**: *147*, *148*, *149*, *150*, *151*; *terrea* **44**: 147.
ANNELLOPHORA phoenicis **var. *cubensis*** **42**: 23, 27.
ANOMOPORIA albolutescens **20**: 172; **42**: 133; **45**: 148; *myceliosa* **20**: 172, 173.

ANSERINA globosa **35**: 10.
ANTENNOSPORA quadricornuta **61**: 111, 112, 113.
ANTENNULARIA salisburgensis **49**: 193, 194, 196.
ANTHOSTOMA cubiculare **33**: 212; *decipiens* **12**: 144, 146; *ellisii* **34**: 139; *ellisii* var. *exudans* **34**: 139; *gastrinum* **12**: 145; *microsporum* **34**: *137*, *138*, *139*, *140*, *141*, *142*, *143*; *microsporum* var. *exudans* **34**: 139; *turgidum* **7**: 137; **26**: 48; **27**: 134, 140, 148; **31**: 1, 2; **61**: 86.
ANTHOSTOMELLA formosa **35**: 94.
ANTHRACOBIA humana **35**: 73; *macrocystis* **23**: 205; **35**: 3, 138; *melaloma* **3**: 86; **14**: 79, 112; **15**: 62; **17**: 61, 62, 69; **23**: 27; **35**: 3, 138, 142; *ramosa* **35**: 73; *subatra* **33**: 13; **35**: 4, 138.
ANTHRACOIDEA arenaria **56**: 136; *caricis* **56**: 136, 138; *caryophylleae* **56**: 136; *echinospora* **56**: 136; *fischeri* **56**: 138; *heterospora* **56**: 136; **57**: 271; *humilis* **56**: 136; *karii* **56**: 136; *limosa* **56**: 135, 136; *michelii* **50**: *119*, *120*, *121*, *122*; **56**: 136; *paniceae* **56**: 136; **57**: 269, 271; *pilosae* **56**: 136; *pratensis* **56**: 136; *subinclusa* **56**: 135, 136; *tomentosae* **56**: 136; *vankyi* **57**: 275, 276, 277, 278.
ANTHURUS archeri **12**: 7, 122; **13**: 86; **15**: 156; **17**: 203; **18**: 243; **20**: 242; **23**: 265, 266; **25**: *181*, *182*; **26**: 61; **28**: 181; **29**: 206; **31**: 114; **40**: 248; **50**: *66*, *67*, *68*; *aseroeformis* **11**: 2; **12**: 122; *javanicus* **13**: 85; **23**: 141; *muellerianus* **12**: 122; **46**: 318; **47**: 194; *woodii* **46**: 318.
ANTINOA strobilina **11**: *237*, *238*, *239*, *240*.
ANTRODIA albida **55**: 9; **60**: 3, 4, 5, 6; *albobrunnea* **47**: 192; **58**: 154; *carbonica* **55**: 9; *cervina* **37**: *49*, *50*, *51*; **60**: 7; *citrina* **57**: 325; *crassa* **46**: 216; *gossypium* **46**: 116; **55**: 9; **61**: 194; *heteromorpha* **26**: 94; **42**: *1*, 2, *2*, *3*, 7, 9, 10; **44**: 141; **45**: 38; **54**: 198, 200; **56**: 276; *infirma* **47**: 192; *malicola* **45**: 96; *mollis* **11**: 161; **14**: 88; **15**: 182, 190; **17**: 181; **18**: 2, 162; **19**: 114; **20**: 167; **27**: 221; *oleagina* **47**: 190; *oleracea* **38**: 138; **47**: 189, 192; **55**: 8; *pini-cubensis* **47**: *189*, *190*, *191*, *192*; **54**: 4; **55**: 8, 10; *plicata* **44**: 233; *pulvinascens* **44**: 233; *radiculosa* **46**: 224; **57**: 325; *ramentacea* **22**: 146; *sandaliae* **57**: 326; *serialis* **42**: 1, *3*, *4*, *5*, 7, 9, 10; **44**: 236; **63**: 255; *serialis* f. *corallopoda* **44**: 236; *serialis* f. *tuberosa* **44**: 236; *sinuosa* **44**: 125; **63**: 255; *sitchensis* **46**: 217; *sordida* **46**: 215, 217; *stereoides* **11**: 161.
ANTRODIELLA americana **45**: 12; **49**: 22, 25; **63**: 195, 196, 197, 198, 199, 200; *angulatopora* **49**: 22; *aurantilaeta* **49**: 22; *beschidica* **49**: 22, 23, 24, 32; **54**: 4; *citrea* **49**: 22; *citrinella* **44**: 238, 239; **45**: 12, 81; **49**: 22, 32; **55**: 158; **63**: 200; *faginea* **49**: 22, 25, 26, 27, 32; **54**: 4; **56**: 276; **63**: 198, 200; *farinacea* **49**: 22, 29, 30, 32; **54**: 4; *fissiliformis* **49**: 22, 31; **59**: 149; *foliaceodentata* **49**: 22, 31; *fragrans* **49**: 22, 31; *genistae* **47**: *185*, *186*, *187*; **49**: 22, 27, 29, 32; **57**: 326; *gypsea* **49**: 22; *hoehnelii* **44**: 125; **45**: 81; **49**: 22, 29, 32; **56**: 275; *hunua* **49**: 21, 22; *hydrophila* **49**: 22; *ichnusana* **57**: 325; **63**: 198; *incrustans* **49**: 22; *induratus* **49**: 22; *liebmanii* **49**: 21, 22; *minutispora* **49**: 21, 22; *murrillii* **49**: 22; *niemelaei* **63**: 195, 197, 198, 199, 200; *oleagina* **49**: 21, 22; *onychoides* **45**: *81*, *82*, *83*, *84*; **47**: 187; **49**: 22, 31; *overholtsii* **45**: 12; **49**: 22, 31; *pallasii* **63**: 200; *pallescens* **63**: 255; *parasitica* **45**: *10*, *11*, *12*, *13*, *14*, 81; **49**: 22, 25, 31; **63**: 200; *rata* **49**: 22; *romellii* **44**: 239; **45**: 12, 13, 81; **47**: 187; **49**: 22, 27, 31; **63**: 198, 200; *semisupina* **43**: 36, 39; **44**: 239; **45**: 10, 12; **47**: 185, 187; **49**: 21, 22, 23, 25, 27;

63: 196; ***serpula*** **63**: 255; ***straminea*** **49**: 21, 22; ***subcrassa*** **49**: 22; ***subundata*** **49**: 22; ***thompsonii*** **49**: 22, 27, 28; **54**: 4; ***ussurii*** **59**: 143, 150; ***versicutis*** **49**: 22; ***zonata*** **49**: 22.
ANTROMYCOPSIS ruzena **53**: 71.
ANZIA leucobatoides **23**: 23.
APHANOASCUS fulvescens **30**: 107, 109; **33**: 83, 84, 91; **35**: 215; **39**: 157; **44**: 149; ***reticulisporus*** **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 215; ***terreus*** **30**: 107; **33**: 83.
APHANOCLADIUM album **36**: 100, 103; **40**: 28; **57**: 226, 229, 231, 234; ***aranearum*** **57**: 235.
APHANOMYCES acinetophagus **1**: 32; ***euteiches*** **31**: 63; ***ovidestruens*** **1**: 31, 32.
APHELARIA tuberosa **13**: 84, 85; **17**: 53, 108.
APIOGNOMONIA errabunda **28**: 222.
APIOPORTHE vepris **28**: 222.
APIOPORTHELLA bavarica **27**: 86.
APIORHYNCHOSTOMA altipetum **61**: 81, 86, 90; ***curreyi*** **61**: 86, 90.
APIOSORDARIA verruculosa **var.** ***verruculosa*** **45**: 155, 156.
APIOSPORA montagnei **32**: 228, 230; **36**: 104, 105; **38**: 99; **40**: 22, 144; **43**: 172; **59**: 231.
APIOSPORELLA rhodophila **26**: 52.
APIOTRICHUM curvatum **38**: 225, 227; ***humicolum*** **38**: 225, 227; ***podzolicum*** **38**: 225, 227.
APOPHYSOMYCES elegans **44**: 6, 194.
APOROPHALLUS subtilis **48**: 274, 275.
APORPIUM caryae **10**: 64; **18**: 235; **21**: 57; **22**: 251; **23**: 201, 202; **25**: 105, 111; **42**: 135; **46**: 115; **50**: 134.
APOSTEMIDIUM decolorans **33**: 152; ***fiscellum*** **44**: 143; ***guernisacii*** **25**: 109; ***leptosporum*** **44**: 143; ***vibrisseoides*** **9**: 162, 163; **33**: 152.
AQUAPHILA albicans **53**: 314.
ARACHNIA propionica **44**: 5, 66.
ARACHNIOTUS albicans **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; ***aurantiacus*** **43**: 172; ***citrinus*** **33**: *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 214.
ARACHNOCREA papyracea **29**: 61.
ARACHNOMYCES nodosetosus **63**: 83, 84, 89.
ARACHNOPEZIZA aurata **41**: 205; ***aurelia*** **7**: 138; ***concortica*** **42**: 137; ***cornuta*** **16**: 9; ***delicatula*** **42**: 137; ***depauperata*** **42**: 137, 139; ***eriobasis*** **12**: 220, 228; **16**: 96.
ARACHNOSCYPHA aranea **41**: 205.
ARBORISPORA dolichovirga **53**: 4, 5, 6, 7; ***palma*** **60**: 66; ***paupera*** **56**: 196; **63**: 139, 148.
ARBUSCULINA fragmentans **63**: 139; ***irregularis*** **63**: 139.
ARCUADENDRON triangularis **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*.
ARCYRELLA affinis **22**: 140; ***decipiens*** **22**: 130; ***inermis*** **22**: 130; ***similis*** **22**: 140.
ARCYRIA adnata **22**: 142; ***affinis*** **22**: 129, 140, 141; **53**: 323; ***albida*** **13**: 51; **22**: 134; ***albida*** **var.** ***pomiformis*** **22**: 134; ***alutacea*** **13**: 50; **22**: 143; ***annulifera*** **22**: 129, 132; ***aurantiaca*** **22**: 130; ***bonariensis*** **22**: 130; ***calyculata*** **20**: 191; ***carnea*** **22**: 129, 136, 140; ***cinerea*** **13**: 50, 51; **16**: 42; **20**: 193; **22**: 134; **26**: 104, 105, 111; **33**: 150; **45**: 27, *27*, *28*, *29*, 32; **53**: 323, 331, 340, 343, 344, 347; ***cinerea*** **var.** ***carnea*** **22**: 129, 134, 135, 136, 143, 145; ***cinerea*** **var.** ***digitata*** **13**: 51; **22**: 129,

134, 135, 136, 143, 145; ***cinerea*** **var.** ***subglobosa*** **22**: 129, 134, 135, 136, 143, 145; ***cinnamomea*** **22**: 130; ***clavata*** **22**: 130; ***cookei*** **13**: 51; **22**: 134; ***cornuvioides*** **22**: 129, 141, 142; ***decipiens*** **20**: 191; ***denudata*** **22**: 128, 132, 136, *138*, *139*, *140*, *141*, *142*, 145; **53**: 323, 333; ***denudata*** **f.** ***globosa*** **16**: 42, 43; ***dictyonema*** **22**: 130, 141; ***digitata*** **22**: 129, 136; ***digitata*** **var.** ***subglobosa*** **13**: 52; ***ferruginea*** **22**: 130; **53**: 323; ***ferruginea*** **var.** ***gabriellae*** **22**: *129*, *130*, *131*, *132*, 145; ***ferruginea*** **var.** ***heterotricha*** **22**: *129*, *130*, *131*, *132*, 145; ***flava*** **13**: 50; **22**: 143, 144; ***friesii*** **13**: 51; **22**: 134; ***fuliginea*** **22**: 143; ***fusca*** **22**: 138; ***globosa*** **16**: 43; **22**: 132; ***imbricata*** **22**: 130; ***incarnata*** **18**: 164; **22**: 129, 136, *141*, 142, *142*, *143*, 145; **53**: 323, 340, 342; ***incarnata*** **var.** ***fulgens*** **22**: *140*, *141*, *142*; ***incarnata*** **var.** ***helvetica*** **22**: *140*, *141*, *142*; ***insignis*** **22**: 136; **46**: 318; **53**: 323; ***insignis*** **var.** ***major*** **22**: 129, *136*, *137*, *138*; ***irregularis*** **22**: 142; ***leocarpoides*** **20**: 191; ***lilacina*** **22**: 142; ***lutea*** **22**: 134; ***macrospora*** **22**: 130; ***magna*** **22**: 143; **35**: 108; ***major*** **53**: 323, 326, 327; ***minor*** **22**: 142; ***minuta*** **53**: 323; ***nodulosa*** **22**: 130; ***nutans*** **13**: 50; **22**: 129, 143, 144, 145; **44**: 146; ***obvelata*** **53**: 323; ***ochroleuca*** **22**: 134; ***oerstedii*** **22**: 129, 143, 145; **25**: 110; **44**: 146; **53**: 323; ***ornata*** **22**: 130; ***pomiformis*** **13**: 155; **16**: 42; **22**: 129, *132*, *133*, 134, *134*, 145; **53**: 323, 334, 339, 342, 344; ***pseudodenudata*** **16**: 34, 42; **22**: 129, 132; ***punicea*** **22**: 138, 140; ***raciborskii*** **22**: 130; ***silacea*** **22**: 134; ***stipata*** **20**: 189; **22**: 129, 141, 145; **53**: 323; ***stipitata*** **20**: 191; ***straminea*** **13**: 51; **22**: 134; ***stricta*** **13**: 51; ***tenuis*** **13**: 51; **22**: 134; ***trichoides*** **13**: 51; **22**: 134; ***umbrina*** **22**: 134; ***vernicosa*** **22**: 138; ***versicolor*** **22**: 129, 132, 145; ***vitellina*** **22**: 132; ***wigandii*** **20**: 190; ***winteri*** **22**: 134.

ARENARIOMYCES majusculus **61**: 111; ***parvulus*** **61**: 111, 112.

ARENICOLA flavispora **20**: 69.

AREOLARIA tabellata **46**: 318.

ARMILLARIA borealis **43**: 86, 89; **44**: 222; **46**: 81; **55**: 113, 173, 174, 177, 179, 180, 182, 183, 184; ***bulbosa*** **2**: 37; **46**: 174, 180; ***caligata*** **4**: 21, 22, 34, 39; ***cepistipes*** **40**: *38*, *39*, *40*; **41**: 254; **46**: 178, 183; **55**: 113, 173, 174, 177, 179, 180, 182, 183, 184; **58**: 217; **59**: 71; ***cepistipes*** **f.** ***pseudobulbosa*** **59**: 71; ***denigrata*** **6**: 51, 52; ***ectypa*** **55**: 113; ***edodes*** **4**: 34; ***gallica*** **55**: 113, 173, 174, 177, 178, 179, 180, 181, 183, 184; **58**: 211, 217, 219; **59**: 71; ***goliath*** **4**: *33*, *34*, *35*, 39; **19**: 151, 152; ***imperialis*** **5**: 75; **16**: 157; **48**: 284; ***irreperta*** **6**: 51, 52; ***luteovirens*** **4**: *141*, *142*, *143*, *144*; **7**: 159; **12**: 35; **14**: 71; **23**: 78; **28**: 175; **58**: 247; ***luteovirens*** **f.** ***alba*** **23**: 13; ***matsutake*** **4**: *33*, *34*, *35*, 39; **27**: 119; ***megalopoda*** **6**: 51, 53; ***mellea*** **1**: 7, 38; **3**: 4, 7; **4**: 13, *54*, *55*, *56*; **5**: 75, 127, 167, 170; **6**: 94; **7**: 63, 64, 77, 79; **8**: 58, 88, 90, 91; **11**: 49, 99, 133, 184, 186, 187, 189, 190; **12**: 35; **15**: 16, 201; **16**: 157, 188; **17**: 187; **18**: 6, 157, 160, 189, 190, 223; **19**: 18, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **20**: *221*, *222*, *223*, *224*, *225*; **21**: 97, 161; **22**: 51, 53, 54, *161*, *162*, *163*, *164*, *165*, *166*; **23**: *253*, *254*, *255*; **24**: 54, 82; **26**: 123, 179; **27**: *118*, *119*, *120*, 213; **28**: 35, 36, 39, 115, 122; **29**: 26, 111, 185; **30**: 21, 25, 51; **32**: 94; **35**: 118; **38**: 220; **40**: 193; **41**: 228; **42**: 67, 160, 164, 224, 225; **43**: 89, 93; **44**: 209, 216, 222; **46**: 81; **52**: 9, 155; **55**: 113, 173, 174, 177, 179, 180, 181, 182, 183, 184; ***mellea*** **var.** ***exannulata*** **58**: 213; ***mellea*** **var.** ***tabescens*** **58**: 213; ***montagnei*** **27**: 213; ***obscura*** **56**: 274; ***ostoyae*** **30**: 195; **46**: 178, 183, 184, 282, 285, 286, 288, 289; **52**: 12; **55**: 113, 173, 174, 177, 178, 179, 180, 181, 183, 184; **58**: 211, 219; **63**: 255; ***polymyces*** **44**: 85; ***regalis*** **2**: 4; ***rickenii*** **28**: 57, 174; **30**: 233; **39**: 174; ***robusta*** **4**: 21, 22; **19**: 142, 151; ***rufa*** **19**: 142, 144; ***scruposa*** **6**: 51, 52; ***socialis*** **55**: 173, 174, 176, 182, 183, 184; **58**: 209, 210, 212, 213, 214, 215,

216, 217, 218, 219, 220, 221; ***squamea*** **19**: 145, 151; ***tabescens*** **24**: 84; **28**: 121; **30**: 51; **52**: 9; **55**: 113; **58**: 209, 210, 212, 213, 216, 218, 221.

ARMILLARIELLA chrysophylla **14**: 88; **16**: 185; **27**: 218; ***mellea*** **4**: 62, 148; **5**: 123, 161; **6**: 94; **10**: 118, 119; **13**: 40, 41, 47, 48, 219; **14**: 88; **21**: 134; **23**: 176, 178; **25**: *66*, *67*, *68*, *69*, *70*, *71*, *72*, *73*, 147, 148; **27**: *1*, *2*, *3*, *4*, *5*, 34; **31**: *126*, *127*, *128*, *129*, *130*, 224; **32**: 221; **33**: 163; **34**: 100; **41**: 51, 53; **48**: 98, 99, 100; ***tabescens*** **14**: 112; **41**: 51; **58**: 220, 221.

ARNIUM arizonense **33**: 151.

ARRHENIA auriscalpium **7**: 9, 10; **9**: 144; **11**: 172, 173; **33**: *40*, *41*, *42*, *43*, *44*, *45*, *46*; ***epichysium*** **60**: 204, 207; ***philonotis*** **60**: 204, 207; ***retiruga*** **33**: 45; ***sphagnicola*** **60**: 204, 207; ***velutipes*** **60**: 204, 207.

ARRHYTIDIA involuta **11**: 84.

ARTHONIA accolens **56**: 156; ***arthonioides*** **56**: 156; ***calabrella*** **56**: 155, 156; ***cohabitans*** **47**: 141; ***cretacea*** **56**: 156; ***destruens*** **24**: 221; ***epiphyscia*** **24**: 221, 223; **47**: 142; ***fuscopurpurea*** **17**: 150, 152; **47**: 142; ***glaucomaria*** **47**: 142; ***helvola*** **56**: 156; ***intexta*** **47**: 142; ***lividula*** **56**: 156; ***neglectula*** **47**: 141; ***oligospora*** **47**: 142, 143; ***opegraphina*** **56**: 156; ***peltigerae*** **47**: 141; ***pragensis*** **47**: *139*, *140*, *141*, *142*; ***vinosa*** **56**: 156.

ARTHOPYRENIA lichenum **58**: 112.

ARTHOTHELIUM reagens **47**: 141; ***sanguineum*** **56**: 156.

ARTHRINIUM arundinis **55**: 91; **59**: 129; ***bicorne*** **56**: 79; ***cuspidatum*** **55**: 228, 229, 230, 231, 232, 233, 234, 235, 238; **56**: 63, 78, 79, 82, 203, 216, 218, 219; ***luzulae*** **56**: 216; ***phaeospermum*** **33**: 83, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **36**: *104*, 105, *105*; **37**: 25, 28; **40**: 28; **41**: 10; **43**: 172; **48**: 81, 82; **59**: 129, 131.

ARTHROBOTRYS arthrobotryoides **59**: 234; ***cladodes*** **1**: 31; ***oligospora*** **1**: 34; **33**: 171; **35**: 98; **43**: 172; **61**: 139, 140, 142, 143, 144, 145; ***robusta*** **48**: 61; ***superba*** **1**: 34; **59**: 233, 234; **61**: 145.

ARTHROBOTRYUM nilgirense **40**: 161.

ARTHROCLADIELLA mougeotii **53**: 288, 291, 292.

ARTHRODERMA avaricum **31**: 97, 98; ***benedekii*** **39**: 163; ***benhamiae*** **22**: 58, 61, 64; **24**: 193; **35**: 215; **39**: 163; **45**: 45; ***ciferrii*** **22**: 57, 58, 61, 64; **30**: *106*, *107*, *108*; **31**: 91, 97, 98; **33**: 81, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 215; **43**: 172; **53**: 288, 291, 292; ***cuniculi*** **22**: 58, 61, 64; **31**: 91; **33**: 83, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; ***curreyi*** **19**: *226*, 227, *227*, *228*; **22**: 57, 58, 61, 64; **30**: 107; **31**: 91, 98; **43**: 173; ***flavescens*** **22**: 58, 61, 63, 64; ***gertleri*** **22**: 58, 61, 64; **43**: 173; ***gloriae*** **22**: 58, 61, 64; ***insingulare*** **31**: 98; **33**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **39**: 164; ***lenticularum*** **22**: 57, 58, 61, 64; **31**: 91, 97, 98; **33**: 83, 84, *87*, *88*, *89*, *90*, *91*; **39**: 164; **43**: 173; ***melis*** **31**: *91*, *92*, *93*, *94*, *95*, *96*, *97*, *98*; **43**: 173; ***multifidum*** **19**: *226*, 227, *227*, *228*; **22**: 58, 60, 61, 64; **27**: *159*, *160*, *161*; **31**: 91; **39**: 101; **40**: 57; **43**: 173; ***olahii*** **39**: 163; ***quadrifidum*** **17**: 195, 199; **22**: 57, 58, 60, 61, 63, 64; **30**: 107; **31**: 91, 212; **33**: 83, 84, *87*, *88*, *89*, *90*, *91*; **39**: 101, 102, 164; **43**: 173; ***simii*** **22**: 58, 61, 63, 64; **36**: 239; **37**: 118; **39**: 164; **40**: 56; ***tuberculatum*** **19**: 228; **22**: 57, 58, 61, 64; **30**: 107; **43**: 173; ***uncinatum*** **16**: 125; **22**: 58, 60, 61, 63, 64; **24**: 193; **30**: 109; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **39**: 101, 102; **43**: 173; ***vanbreuseghemii*** **39**: 163; **45**: 45.

ARTHROGRAPHIS cuboidea **53**: 304; ***kalrai*** **35**: 214.

ARTHRORHAPHIS grisea **50**: 229, 280, *282*, *283*, *284*.

ARTHROSPORIA violacea **12**: 46.
ARTHROXYLARIA elegans **53**: 297, 298.
ARTICULOSPORA atra **63**: 139; *grandis* **63**: 141; *moniliformа* **63**: 139; *ozeensis* **50**: 9; *tetracladia* **53**: 280, 281; **54**: 254, 255, 256; **60**: 72; **63**: 120, 124, 135, 139.
ARTOMYCES pyxidatus **44**: 125.
ASCHERSONIA aleyrodis **29**: 212.
ASCOBOLUS aerugineus **11**: 107, 108; **35**: 4, 138; *aeruginosus* **11**: 108; *albidus* **10**: 178, 179; **11**: *108*, *109*, *110*, 115, 116; **16**: 109; **17**: 189; **24**: 138; **25**: 109; **35**: 4, 138, 139; *albidus* f. *macrosporus* **13**: 154, 211; *americanus* **13**: 94, 100; *amethystinus* **19**: 35; **23**: *91*, *92*, *93*, 95, 96, 205; **27**: 129; **35**: 83; *angulisporus* **35**: 4, 141, 142; *archeri* **52**: 270, 271; *atrofuscus* **3**: 85; **11**: 111, 113, 114, 116; **14**: 79, 169, 175; **15**: 73; **24**: 135; **35**: 4; *behnitziensis* **23**: 93, 96; **24**: 135, 143; **35**: 4, 141, 142; *bohemicus* **11**: 113; **35**: 4; *boudieri* **35**: 4, 142; *brassicae* **35**: 84; *brunneus* **13**: 94, 100, 154; **35**: 10; *candidus* **11**: 108, 110, 116; **35**: 4; *candidus* f. *macrosporus* **35**: 4; *carbonarius* **11**: 111, 113, 115, 116; **15**: 66, 73; **16**: 110; **17**: 68, 69; **24**: 135, 143; **25**: 197; **29**: 29; **35**: 4, 5, 138; **52**: 271; *carbonicolus* **11**: 113; *cervinus* **35**: 4, 138, 139; *crenulatus* **24**: 136, 139, 143; **35**: 4, 6, 138, 139; *crouanii* **11**: 107, 111, 112, 115, 117, 118; **14**: 170; **17**: 138; **35**: 5; *demangei* **35**: 5, 142; *densereticulatus* **24**: 134, 137, 139, 144; **35**: 5, 139; **52**: 52; *denudatus* **11**: 106, 107, 117; **17**: 138, 139; **35**: 5, 139, 140, 142; *elegans* **35**: 10; *epimyces* **24**: 137, 144; **35**: 5, 140; *fimiputris* **11**: 110, 111, 114, 118; **35**: 4; *foliicola* **24**: 136, 137, 139, 144; **35**: 5, 140; *furfuraceus* **11**: 108, 112, 114, 117; **14**: 79; **15**: 74; **16**: 110; **24**: 136, 138, 143, 144; **25**: 197; **26**: 75; **35**: 5, 138, 139, 142; **44**: 143; *furfuraceus* var. *coronatus* **35**: 5, 138; *geophilus* **3**: 1; **11**: 105, 106, 115; **14**: 112; **35**: 5, 137, 141, 142; *glaber* **11**: 108, 109, 116, 117; **13**: 94, 100; **17**: 188, 189; **23**: 141; **35**: 4, 5, 139; *glaber* var. *albidus* **11**: 108; *grandis* **35**: 6; *granulatus* **35**: 143; *immersus* **11**: 114; **35**: 10; *insignis* **47**: *31*, *32*, *33*, *34*; *kervernii* **35**: 78; *kervernii* var. *anserinus* **35**: 137; *leporinus* **35**: 134; *leveillei* **13**: 94, 100; **22**: 303, 305, 308; *lignatilis* **11**: 106, 107, 112, 114, 117, 118; **14**: 169, 170, 175; **24**: 137, 144; **35**: 5, 140, 141; *lignatilis* var. *exiguus* **35**: 134; *lignatilis* var. *fagisedus* **35**: 5; *michaudii* **35**: 6, 139; *microsporus* **11**: 107, 108, 116; **35**: 4; *miniatus* **22**: 214; **23**: 230; *minor* **35**: 4, 5; *minutus* **35**: 6, 139; *nigricans* **35**: 5; *nitidus* **17**: 190; *pani* **11**: 110, 111, 114, 118; **35**: 4; *papillatus* **35**: 19; *perdicinus* **35**: 5; *perplexans* **24**: 138; *persoonii* **35**: 88, 134, 137; *phasaneus* **35**: 134; *pilosus* **35**: 19; *porphyrosporus* **11**: 108; **35**: 6; *pulcherrimus* **54**: 115, 116; *pusillus* **35**: 6, 138; *raripilus* **54**: 115, 117; *roseopurpurascens* **11**: 112; **24**: 135, 138, 139, 143, 144; **35**: 6, 139; *sacchariferus* **24**: 144; **35**: 6, 138, 139; *sacchariferus* f. *roseogriseus* **24**: 134, 139, 140; **35**: 6, 138; *sacchariferus* f. *sacchariferus* **24**: 138; *scatigenus* **52**: *295*, *296*, *297*; *sexdecimsporus* **25**: 152, 153, 158; *stercorarius* **11**: 108, 117; **15**: 74; **16**: 110; **35**: 5; *stercorarius* var. *glaber* **17**: 188; **35**: 5, 134; *stercorarius* var. *pusillus* **35**: 5; *stictoideus* **24**: 135, 139, 143; **35**: 10, 23; *tetrasporus* **26**: 138; *transverse-rimosus* **11**: 106, 115, 117; **35**: 6, 140; *velenovskyi* **35**: 141, 142; *vinosus* **11**: 112, 117; **22**: 215; **35**: 6; *viridis* **11**: 106, 113, 114, 118; **14**: 78, 113; **22**: 185; **24**: 137, 139, 140, 144; **35**: 6, 141, 142; *viridis* var. *microsporus* **24**: 137, 144; *viridulus* **11**: 107, 108, 114, 116; **13**: 94, 100; **14**: 170; **24**: 136; **35**: 4; *xylophilus* **11**: 107, 117.

ASCOCALYX abietis **8**: 48.

ASCOCHYTA aceris **34**: 181; *anethicola* **37**: 80; *aromatica* **37**: 80; *avenae* **40**: *86*, *87*, *88*, *89*, *90*, *91*, *92*, *93*, *94*; *biforae* **37**: 77; *boltshauseri* **37**: 110; *bubakiana* **52**: 52; *bulgarica* **52**: 52; *caricicola* **56**: 210; *carvi* **37**: *77*, *78*, *79*, 81, 82; **47**: 194; *celosiae* **52**: 52; *chaerophylli* **37**: *77*, *78*, *79*, 80, *80*, *81*; *circaeae* **52**: 52; *coryli* **22**: 186; *dahliicola* **15**: 169, 175, 176; *digitalis* **19**: *61*, *62*, *63*; *elymi* **40**: 86; *fabae* **37**: 110; *galeopsidis* **22**: 186; **23**: 35; **52**: 52; *graminicola* **40**: 86; *graminicola* var. *diedickeana* **40**: 86; **52**: 52; *graminicola* var. *holci* **40**: 86; *graminicola* var. *leptostroma* **40**: 86; *graminicola* var. *setariae* **52**: 52; *grovei* **37**: *77*, *78*, 79, *79*; *heraclei* **37**: 79; *heraclei* var. *heraclei-ternati* **37**: 80; **52**: 52; *junci* **56**: 203, 208, 209, 210, 211, 212, 218, 219; *lentis* **37**: 110; *levistici* **37**: 77, 78, 80; *libanotidis* **37**: 77; *lomatii* **37**: 77; *ludwigii* **37**: 77; *meliloti* **37**: 110; *menthicola* **52**: 52; *moelleriana* **19**: 62; *nigripycnidiola* **37**: 110; *oreoselini* **23**: 102, 103; *phomoides* **37**: *77*, *78*, *79*, 80, *80*, *81*, *82*; *pisi* **29**: 43; **45**: 42; *poae-badensis* **52**: 52; *podagrariae* **37**: 77, 78, 81; *rumicis-patientiae* **52**: 52; *saniculae* **37**: 77; *saponariae* **22**: 187; *sesleriae* **52**: 52; *sorghi* **40**: 86; *spiraeae* **22**: 187; *symphoriae* **22**: 187; *symphoricarpophila* **22**: 187; *trifolii* **37**: 110; *tritici* **40**: *86*, *87*, *88*, *89*, *90*, *91*, *92*, *93*, *94*; *velata* **22**: 187; *viciae* **40**: 70; *vindobonensis* **37**: 77; *vodakii* **52**: 52; *zavrelii-ignatii* **52**: 52.

ASCOCHYTELLA avenae **52**: 52.

ASCOCORTICIUM albidum **8**: *58*, *59*, *60*; *anomalum* **8**: *58*, *59*, *60*; **22**: 146; **35**: 92; **44**: 143.

ASCOCORYNE cylichnium **44**: 143; **61**: 180; **63**: 255; *sarcoides* **27**: 224; **29**: 29; **32**: 221; **35**: 92, 96; **43**: 218; **44**: 143, 144; **56**: 275; **63**: 255.

ASCODESMIS nigricans **61**: 152, 155, 158.

ASCOMYCES anomalus **8**: 58, 59.

ASCOPHANUS amethystinus **14**: 126; *argenteus* **35**: 6, 139; *aurantiacus* **14**: 224; **17**: 190; **35**: 6, 134; *aurora* **17**: 188, 190; **23**: 141; **35**: 6, 7, 24, 139; *bilobus* **25**: 154, 155, 159; **26**: 29; **35**: 7, 134; *breviascus* **35**: 7; *brunnescens* **13**: 94, 95, 100; **22**: 36; **25**: 153, 154, 159; **35**: 7; **54**: 122; *caprinus* **35**: 138; *carneus* **15**: 66, 73; **16**: 110; **17**: 69, 138, 139, 188, 190, 191; **22**: 305, 308; **23**: 141; **25**: 152, 155, 156, 158, 159; **26**: *25*, *26*, *27*; **35**: 17, 143; *carneus* var. *anserinus* **35**: 134; *carneus* var. *sublividus* **31**: 69; **35**: 17; *cesatii* **25**: 154; *cinerellus* **35**: 6, 138, 139; *cinereus* **26**: 26, 27; *coemansii* **13**: 95; **25**: 153, 154, 159; **44**: 140, 143; *glaucellus* **23**: 30, 31; **33**: 153; **35**: 6, 138, 240; *glumarum* **28**: 130; *granulatus* **14**: 73; **35**: 7; *granuliformis* **14**: 79; **15**: 66, 73; **25**: 152; **26**: *25*, *26*, *27*; **35**: 6, 7, 134, 138, 139; *granuliformis* var. *capreoli* **35**: 134; *granuliformis* var. *ochraceus* **35**: 7, 134; *herbarum* **35**: 17; *holmskjoldii* **35**: 85; *holmskjoldii* var. *caprinus* **35**: 85; *holmskjoldii* var. *leporinus* **35**: 85; *hyalinoniveus* **26**: 29, 30; **35**: 7, 138, 139; *lacteus* **13**: 95, 100; **26**: 29; **35**: 7, 138; *lanii* **35**: 134; *lepidus* **35**: 7, 24, 139; *lupini* **35**: 134; *magnificus* **35**: 17; *melleofuscidulus* **26**: 29, 30; **35**: 7, 138; *microsporus* **13**: 95; **25**: 153, 154, 159; **35**: 7, 138, 139; *miniatus* **35**: 17; *minimus* **31**: 69; **35**: 7, 139; *minutellus* **35**: 6, 7; *minutisporus* **35**: 6; *minutisporus* var. *corvinus* **35**: 6; *minutissimus* **25**: 153, 154, 159; **35**: 6; *misturae* **28**: 135; *ochraceus* **25**: 109, 155, 159; **26**: 29; **35**: 7, *138*, *139*, *140*; *ochraceus* var. *falcatus* **31**: 69; **35**: 139; *papillatus* **26**: 26; *pilosus* **26**: 26; *raripilus* **54**: 122; *rosellus* **35**: 7; *roseus* **25**: 154; *ruber* **35**: 11; *sexdecimsporus*

25: 152, 153, 158; **26**: 26, 27; ***strangulatus*** **35**: 134; ***striatus*** **55**: 218; ***subcylindrosporus*** **35**: 7, 23, 138, 139; ***subfuscus*** **22**: 305; **25**: 151, 153; **26**: 25, 26; **33**: 153; ***testaceus*** **35**: 17, 143; ***tityri*** **35**: 134; ***vaccinus*** **35**: 134; ***velenovskyi*** **13**: 95, 100, 155; **14**: 79; **26**: 29; **35**: 7; ***vinosus*** **22**: 215; ***violascens*** **35**: 7; ***violascens*** **var.** ***falcatus*** **31**: 69; **35**: 7; ***zamurensis*** **28**: 130.

ASCOPHORA chalybea **2**: 41.

ASCOSPHAERA apis **29**: 212.

ASCOTREMELLA faginea **47**: 98; **56**: 276; **59**: 185, 186, 187, 197.

ASCOTRICHA chartarum **55**: 245.

ASCOZONUS boudieri **35**: 7, 138, 139; ***woolhopensis*** **35**: 7, 139.

ASEROE rubra **9**: 51, 54, 55.

ASHBYA gossypii **40**: 69, 71.

ASPERGILLUS alutaceus **43**: 173; **50**: 102; ***amstelodami*** **13**: 121, 122; **33**: *231*, *232*, *233*, *234*; **39**: 157; **40**: 22, 26, 27; **45**: 45, 114, *116*, *117*, 118, *118*; **50**: 252; **53**: 152; **56**: 59; ***asperescens*** **55**: 87, 91; ***awamori*** **43**: 173; **45**: 114, 115, 118, 172, 173; **51**: 74, 77, 81, 83, 84; ***bombycis*** **55**: 145; ***brevipes*** **49**: 50; ***caesiellus*** **39**: 157; ***caespitosus*** **24**: 163; **55**: 87, 91, 95, 97; ***candidus*** **19**: 108; **23**: 248; **24**: 163; **28**: 172; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*, 231, 232, 235; **35**: 162; **39**: 157; **40**: 22, 26; **41**: 10, 153; **43**: 173; **45**: 45, 114, 115, 118, 119; **46**: 102, 109; **47**: 217, 218; **48**: 83; **50**: 39, 60; **51**: 163; **55**: 87, 91; **59**: 129, 131; **60**: 80, 82; **61**: 149, 151, 152, 156; **63**: 93, 97, 98, 99, 100, 102, 104; ***carbonarius*** **43**: 173; **59**: 129, 241, 242, 243, 248, 249, 250; **61**: 152; ***carneus*** **39**: 157; **45**: 114, 175; **61**: 152; ***cervinus*** **28**: 172; **61**: 111; ***chevalieri*** **13**: 121, 123; **43**: 173; **53**: 174, 177; ***chevalieri*** **var.** ***intermedius*** **3**: *11*, *12*, *13*; **33**: 231, 232; ***circinatus*** **45**: 158; ***clavatonanicus*** **45**: 114, 175; ***clavatus*** **1**: 108; **8**: 88; **24**: 163; **28**: 172; **32**: 228, 230; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **40**: 28; **41**: 10; **43**: 101, 102, 173; **45**: 114, 175; **48**: 83; **53**: 183, 184; **55**: 87, 91, 95, 97, 121, 122; **61**: 110; ***concentricus*** **12**: 45; ***cremeus*** **28**: 172; ***curtisii*** **30**: 4; ***deflectus*** **45**: 114, 175; ***depauperatus*** **46**: *126*, *127*, *128*; ***duricaulis*** **53**: 175, 182, 184; ***echinulatus*** **13**: 121; ***effusus*** **39**: 157; ***fischeri*** **45**: 114, 116, 119; **53**: 152, 175, 178; ***fischeri*** **var.** ***glaber*** **45**: 119; ***fischeri*** **var.** ***spinosus*** **45**: 119; ***fischeri*** **var.** ***thermomutatus*** **45**: 119; ***fischerianus*** **53**: 178; ***flavipes*** **3**: 9; **23**: 248; **28**: 172; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 173; **45**: 114; **51**: 74, 76, *80*, *81*, *82*, *83*; **53**: 178; **56**: 228; ***flavofurcatis*** **51**: 75, 76; ***flavus*** **1**: 107, 109; **7**: 20; **17**: 47; **22**: 74; **24**: 162, 163, 165, 207; **25**: 123; **27**: 48, 50, 55, 155; **28**: 107, 172, 233, 235, 236; **29**: 212; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*, 229, *231*, *232*, *233*, *234*; **35**: 47, 48, 215; **39**: 157; **40**: 28, 44, 45, 48, 50; **41**: 10; **43**: 173; **44**: 5, 67; **45**: 45, 47, 114, 115, 117, 119, 173; **47**: *216*, *217*, *218*, *219*; **48**: 23, 82, 83, 84; **49**: 92; **50**: *58*, *59*, *60*, *61*, 101, 102; **51**: 75, *81*, *82*, *83*, 90, 91, 93, 94, 162, 163; **52**: *126*, *127*, *128*, 128, *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, 158, 220, 222, 224; **53**: 182, 184, *229*, *230*, *230*, *231*, *231*, *232*, *232*, *233*, *233*, *234*, *234*; **55**: 87, 91, 95, 97, 99, 100, 133, 134, 144, 145, 146, 149; **56**: 37, 39, 53, 54, 59, 60, 61, 223, 227, 228, 229, 230, 235; **57**: 310, 320; **59**: 249; **60**: 78, 80, 82, 83; **61**: 109, 110, 113, 152; **63**: 93, 98, 99, 100, 101, 102, 103, 104; ***flavus*** **var.** ***columnaris*** **45**: 120; **50**: 102; **53**: 175; ***flavus-oryzae*** **35**: 48, 49; ***foetidus*** **51**: 84; ***foetidus*** **var.** ***pallidus*** **52**: 166; ***fonsecaeus*** **43**: 173; ***fumaricus*** **40**: 68; ***fumigatus*** **1**: 107; **3**: 9; **8**: 88; **10**: 79, 81, *85*, *86*, *87*; **20**: 182; **22**: 74; **23**: 248; **24**: 162, 163, 165; **27**: 151; **28**: 107, 172, 233; **29**: 115, *117*, *118*, *119*; **33**: 81, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*, 229, *231*, *232*, *233*, *234*, *235*; **35**: 48,

162, 215; **39**: 157; **40**: 22, *26*, *27*, *28*, 47; **41**: *8*, *9*, *10*, 15, 168; **43**: 173; **44**: *3*, *4*, *5*, 67; **45**: 114, 116, 117, 120, 121; **46**: 87, 88, 90, 91, 102, 109; **47**: 217, 218; **48**: 23, 74, 81, 82, 83; **49**: 50, *91*, *92*, *93*, *94*, *95*, *96*, *97*, *98*, *99*, *100*, *101*, *102*, *103*, *104*, *105*; **50**: 59, 60, 101, 102; **51**: 81, 162, 163; **52**: 127, *175*, *176*, 222; **53**: 152, 153, 214, 217; **55**: 87, 91, 95, 97, 99, 100, 253, 255, 256, 257; **56**: 59, 60, 61, 228, 229; **59**: 129, 131, 134; **61**: 109, 110, 113, 149, 151, 152, 156, 158; **63**: 97, 98, 99, 100, 102; ***funiculosus*** **43**: 173; **61**: 110; ***giganteus*** **1**: 107; **25**: 188; **33**: 60; ***glaucoaffinis*** **53**: 175, 177; ***glaucus*** **24**: 194; **28**: 172; **35**: 48, 49, 215; **41**: 10; **43**: 173; **47**: 217, 218; **48**: 74, 79, 81, 82, 83, 84, 85; **50**: *58*, *59*, *60*; **55**: 141; ***humicola*** **13**: 121, 123; **24**: 163; ***janus*** **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 173; **53**: 175, 183, 184; ***luchuensis*** **61**: 110; ***melleus*** **38**: 240; **43**: 173; **53**: 175, 182, 184; **61**: 152; ***montevidensis*** **13**: 121, 123; **45**: 114, 175; ***murorum*** **46**: 245; ***nidulans*** **3**: 9; **27**: 155; **28**: 172; **30**: 20, 22, 33, 34; **33**: 83, 84, *87*, *88*, *89*, *90*, *91*; **39**: 157, 159; **40**: 54; **41**: 100; **43**: 173; **45**: 113, 114, 117, 122; **46**: 249; **47**: 218; **48**: 7, 74, 83; **49**: 92; **50**: *58*, *59*, *60*; **51**: 93, 94; **56**: 53, 59, 60, 61; **61**: 110, 113; ***nidulans*** **f. *cesarii*** **45**: 122; ***nidulans*** **var. *acristatus*** **45**: 122; ***nidulans*** **var. *dentatus*** **45**: 122; ***nidulans*** **var. *echinulatus*** **45**: 122; ***nidulans*** **var. *latus*** **45**: 122; ***nidulans*** **var. *nicollei*** **45**: 122; ***nidulellus*** **48**: 7; ***niger*** **3**: 9; **6**: 152; **13**: 121; **20**: 182; **22**: 74; **24**: 163, 165; **27**: 48, 50, 52, 58, 155; **28**: 35, *40*, *41*, *42*, 107, 108, 172; **29**: 155, 212; **30**: 20; **32**: 101, 197, 199, 228, 230; **33**: *181*, *182*, *183*, 229, *231*, *232*, *233*, *234*, *235*; **35**: 48, 215; **36**: *47*, *48*, *49*, *50*, *51*; **37**: 125, 126; **39**: 157; **40**: 68, 115; **41**: 8, 10, 13; **42**: 102; **43**: 173; **44**: 68; **45**: 114, 118, 172, 173; **46**: 89, 248; **47**: 217, 218; **48**: 23, 74, 81, 82, 84, 85; **50**: 39, 59, 60, 102, 252; **51**: 74, 76, 77, *81*, *82*, *83*, *84*, 162, 163; **52**: 127, 128, *130*, *131*, *132*, *133*, 171; **53**: 182, 184; **54**: *261*, *262*, *263*, *264*, *265*, *266*, *267*, *268*, *269*, *270*, *271*; **55**: 76, 87, 91, 95, 97, 100, 112, 118, 122, 123, 125, 133, 134; **56**: 37, 38, 39, 53, 59, 60, 61, 227, 228, 229, 235; **57**: 308, 309, 318, 320; **59**: 129, 131, 231; **60**: 80, 82, 83, 84; **61**: 109, 110, 113, 149, 151, 152, 156; **63**: 97, 98, 99, 100; ***niger*** **var. *cinnamomeus*** **43**: 173; **53**: 175; ***niger*** **var. *niger*** **59**: 249, 250; ***niger*** **var. *phoenicis*** **55**: 95; ***niger*** **var. *tubingensis*** **57**: 308; ***niveus*** **23**: 248; **43**: 173; **45**: 114, 175; **51**: 76, 81, 83; **61**: 152; ***nomius*** **55**: 145; ***ochraceus*** **7**: 19; **10**: 79; **24**: 163; **27**: 48, *50*, *51*, *52*; **28**: 172; **33**: 172; **35**: 215; **40**: 47; **43**: 173; **45**: 45; **47**: 218; **48**: 74, 82; **50**: 59, 60; **51**: 163; **52**: 127, 130, 158, 222; **55**: 87, 91, 95, 97, 133, 134; **56**: 39, 228, 229; **59**: 129, 132, 241, 242, 248, 250; **60**: 80, 82, 83, 84; **61**: 109, 110, 152; **63**: 100; ***ornatus*** **28**: 172; ***oryzae*** **3**: 9; **33**: *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*, 231; **35**: 215; **39**: 157; **40**: 47, 67; **43**: 174; **45**: 114, 115, 120, 172; **46**: 254; **50**: 102, 104; **51**: 74, 75, *79*, *80*, *81*, *82*, *83*, 85; **55**: 87, 141; **60**: 80, 82; **61**: 109, 110; **63**: 98, 100; ***parasiticus*** **23**: 248; **24**: 163; **27**: *56*, *57*, *58*; **29**: 212; **35**: 47, 48, 215; **40**: 44, 45, 50; **43**: 174; **45**: 114; **47**: 219; **50**: 59; **51**: 75, *81*, *82*, *83*, *90*, *91*, *92*, *93*, *94*; **53**: 175, 183, 184; **55**: 87, 91, 95, 100, 145, 146, 149; **56**: 54; **57**: 310; **60**: 80, 82; ***parasiticus*** **var. *globosus*** **57**: 310; ***parvulus*** **53**: 175; ***penicillioides*** **27**: *151*, *152*, *153*, *154*, *155*; **45**: 114, 116, 117, 173; **53**: 175, 183, 184; **60**: 80, 82, 83, 84; **63**: 98, 99, 100; ***penicilliopsis*** **35**: 215; ***pentii*** **59**: 129; ***phoenicis*** **43**: 174; **45**: 114, 115, 172, 173; **51**: 74, 77, *82*, *83*, *84*; ***proliferans*** **43**: 174; ***pseudoglaucus*** **31**: 208; **53**: 177; ***pseudotamarii*** **55**: 145; ***puniceus*** **55**: 87, 91; ***quadricinctus*** **48**: 73; ***quercinus*** **61**: 110; ***repens*** **35**: 215; **43**: 174; **45**: 114, 175; **46**: 109; **53**: 152, 177; ***reptans*** **53**: 175, 177; ***restrictus*** **9**: 46; **27**: 151; **28**: 107, 172; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **39**: 157; **41**: 168; **43**: 174; **45**: 114, 116, 117, 173; **60**: 80, 82; **63**: 102; ***rugulosus*** **53**: 175, 177; ***rugulovalvus*** **53**: 177; ***sclerotiorum*** **59**: 129, 131, 134; ***sclerotium***

43: 174; ***sojae*** **51**: 75, 81; ***sparsus*** **28**: 172; **53**: 288, 291, 292; ***spelunceus*** **46**: 245, 248; ***sulphureus*** **43**: 174; **61**: 110; ***sydowii*** **24**: 163; **33**: *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*, 231; **35**: 48, 162, 215; **39**: 157; **43**: 174; **45**: 114, 116, 118, 173; **50**: 102; **51**: 163; **52**: 127; **55**: 87, 91, 97; **59**: 129, 131, 134; **61**: 111, 113; **63**: 98, 100; ***tamarii*** **24**: 207, 208; **43**: 174; **45**: 45, 111; **46**: 89; **51**: 76, *80*, *81*, *82*, *83*; **52**: 130; **55**: 145; **63**: 97; ***terreus*** **28**: 172; **33**: 231, 232; **35**: 162; **39**: 157; **43**: 174; **45**: 45, *113*, *114*, *115*, 118, 174; **47**: 217, 218; **50**: *58*, *59*, *60*, 102, 104; **51**: 74, 76, *80*, *81*, *82*, *83*, 162, 163; **55**: 87, 255, 256; **56**: 228, 229; **59**: 129, 131, 134; **61**: 109, 110, 113, 149, 151, 152, 156; **63**: 97; ***terreus*** **var.** ***africanus*** **45**: 174; ***terreus*** **var.** ***aureus*** **45**: 174; ***terreus*** **var.** ***floccosus*** **24**: 163; ***terricola*** **61**: 110; ***tokelau*** **12**: 45; ***tubingensis*** **51**: 84; **57**: 308; ***unguis*** **24**: 163; **39**: 157; **43**: 174; **45**: 114, 175; **59**: 129, 131, 134; ***unilateralis*** **49**: 51; ***ustus*** **13**: 121, 122; **23**: 248; **24**: 163; **33**: 231; **37**: 28, 30; **41**: 10; **43**: 174; **45**: 114, 117, 174; **46**: 246, 248; **48**: 80, 82; **51**: 163; **52**: 158; **55**: 76, 87, 91, 95, 97; **59**: 129, 131; **60**: 80, 82; **61**: 152; ***variabilis*** **35**: 215; ***versicolor*** **24**: 163, 165; **28**: 172; **30**: 33, 34; **31**: 207, 208, 210; **33**: 83, 84, *87*, *88*, *89*, *90*, *91*, 231, 232; **35**: 162, 215; **37**: *28*, *29*, *30*; **39**: 157; **40**: 22, *25*, *26*, *27*, *28*, 47; **41**: *8*, *9*, *10*, 13; **43**: 102, 174; **45**: 175; **46**: 109, 245, 246, 248; **48**: 79, 81, 82, 83, 84, 85; **50**: 59, 60; **51**: 77; **52**: 158; **53**: 214, 217; **55**: 87, 91, 95, 97, 108; **59**: 125, 128, 129, 131, 134; **60**: 83, 84; ***violaceofuscus*** **53**: 175, 182, 184; ***violaceus*** **51**: 163; ***viridinutans*** **49**: 49, 50; ***vitis*** **56**: 59, 60, 61; ***wentii*** **24**: 207, 208; **28**: 172; **33**: 83, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 174; **50**: 60; **51**: 83; **55**: 87, 91, 95, 97; **63**: 97, 99.

ASPICILIA hoffmanii **50**: 226; ***moenium*** **50**: 227.

ASPROPAXILLUS candidus **3**: 8; ***lepistoides*** **22**: *95*, *96*, *97*, *98*, *99*, *100*, *101*, *102*, *103*, *104*.

ASTERINA confluens **46**: 318; ***ditricha*** **46**: 316; ***erysiphoides*** **46**: 318; ***fimbriata*** **46**: 318; ***macowaniana*** **46**: 318; ***reticulata*** **46**: 318; ***solaris*** **46**: 318.

ASTEROCHAETE megalopora **38**: 141.

ASTERODON ferruginosum **44**: 125.

ASTEROMA pullum **46**: 318; ***vermicosum*** **46**: 318; **49**: 163; ***vermicosum*** **a)** ***spireae*** **46**: 324; ***vermicosum*** **b)** ***heraclei*** **46**: 324.

ASTEROMELLA aesculicola **57**: 313.

ASTEROPHORA lycoperdoides **14**: 126; **16**: 20; ***parasitica*** **14**: 90; **63**: 252, 255.

ASTEROSPORIUM hoffmanii **13**: 156, 217.

ASTEROSTROMA medium **25**: 105, 111.

ASTEROSTROMELLA dura **22**: 147; ***gallica*** **4**: 84; ***granulosa*** **36**: *72*, *73*, *74*, *75*; ***luteopora*** **36**: 75.

ASTRAEUS hygrometricus **6**: 65, 164; **7**: 103, 138; **16**: 158; **18**: 9, 15, 191; **20**: 110; **24**: 178; **32**: 221; **52**: 9, 212, 215; **57**: 42; ***stellatus*** **16**: 158.

ASTROSPHAERIELLA applanata **35**: 108, 110.

ATELOSACCHAROMYCES breweri **15**: 110; ***busse-buschkii*** **15**: 108.

ATHELIA arachnoidea **44**: 141; **45**: 28; ***bombacina*** **45**: 44; ***pellicularis*** **18**: 159, 162, 174, 178.

ATRACTIELLA brunaudiana **53**: 265, 271, 272; ***columbiana*** **53**: 265, 266, 271, 272; ***delectans*** **53**: 272; ***solani*** **53**: 272.

ATRACTOCOLAX pulvinatus **58**: 95.

AURANTIOPORELLUS alboluteus **11**: 156, 168; **17**: 174.

AURANTIOPORUS alborubescens **59**: 77, 78, 79; ***croceus*** **11**: 156, 167; **17**: 176; **50**: 304, 307, 308, 310; ***fissilis*** **35**: 109; **44**: 228; **49**: 131, 170; **59**: 144; ***fissilis* f. *alborubescens*** **49**: 170; ***pilotae*** **20**: 90.

AURAPEX penicillata **61**: 98.

AUREOBASIDIUM aleuritidis **34**: 200; ***apocryptum*** **34**: 200; ***bolleyi*** **44**: 162; ***caulivorum*** **34**: 200; ***dalgeri*** **34**: 200; ***harposporum*** **34**: 200; ***lini*** **34**: 200; ***mansonii*** **35**: 217, 221; ***microstictum*** **34**: 200; ***nigricans*** **34**: 200; ***pronicola*** **34**: 200; ***pullulans*** **18**: 29, *31*, *32*, *33*, *34*, 92; **19**: 114, 115; **24**: 163; **32**: 228, 230; **33**: 84, 231, 232; **34**: *199*, *200*, *201*, *202*, *203*, *204*, *205*, *206*; **35**: 218, 221; **38**: 225; **39**: 49; **40**: 28; **41**: 10; **43**: 174, *227*, *228*, *229*, *230*, *231*, *232*, *233*; **44**: 47, *154*, *155*, *156*, *157*, *158*, *159*; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; **46**: 249, 255, 272, 277, 281; **48**: 81, 82, 84, 147, 148, 149, 150, 151; **53**: 166, 225, 227, 288, 291, 292; **54**: 242, 244; **55**: 139; **56**: 37, 38, 39; **59**: 112, 118, 129, 131, 134; **61**: 118, 120, 121, 123, 206; **63**: 77, 79, 80, 158; ***pullulans* var. *melanigenum*** **34**: 200, 203; ***pullulans* var. *namibiae*** **61**: 206; ***pullulans* var. *pullulans*** **34**: 200; ***pullulans* var. *subglaciale*** **61**: 206; ***ribis*** **34**: 200; ***sanguinariae*** **34**: 200; ***umbellulariae*** **34**: 201; ***vitis*** **34**: 200; ***zeae*** **34**: 201.

AUREOBOLETUS auriporus **11**: 49; ***gentilis*** **11**: 48, 49; **15**: 13; **33**: 159, 161, 163; **52**: 6; ***subacidus*** **11**: 49.

AURICULARIA auricula-judae **43**: 31, 32, 87, 89; **44**: 209, 213, 214, 217; **46**: 287; **48**: 58; **63**: 255; ***corrugata*** **2**: 43; ***mesenterica*** **2**: *42*, *43*, *44*; **13**: 149; **24**: 84; **32**: 221; ***phylacteris*** **12**: 69; ***polytricha*** **45**: 48; **48**: 188; ***sambucina*** **16**: 156; ***tremelloides*** **2**: 42.

AURICULARIOPSIS albomellea **42**: 239; ***ampla*** **32**: 221; **35**: 240; **63**: 37; ***flocculenta*** **8**: 126, 129; ***melzeri*** **42**: 239.

AURIPORIA aurea **39**: 38; ***aurulenta*** **39**: *36*, *37*, *38*; ***pileata*** **39**: 38.

AURISCALPIUM vulgare **16**: 156; **18**: 222; **19**: 18; **20**: 242; **32**: 222; **35**: 90, 91, 109; **36**: 23; **51**: 104; **57**: 293.

AUROPHORA dochmia **50**: 31.

AUSTROPELTUM glareosum **56**: 156.

AUXARTHRON brunneum **33**: 84, 91; **35**: 214; ***umbrinum*** **61**: 152; ***zuffianum*** **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*.

BACIDIA brasiliensis **56**: 156; ***gorgonea*** **56**: 155, 156; ***hegetschweileri*** **56**: 156; ***incompta*** **56**: 156; ***inundata*** **47**: 143; ***neosquamulosa*** **56**: 156; ***permira*** **56**: 149, 150; ***subincompta*** **56**: 156.

BACIDINA arnoldiana **50**: 228, 229; ***chloroticula*** **50**: 228; ***neosquamulosa*** **58**: 106.

BACILLISPORA aquatica **63**: 140.

BACILLUS asterosporus **40**: 193; ***cereus*** **26**: 226, 227; ***subtilis*** **22**: 51; **55**: 121; ***thuringiensis*** **59**: 205, 206.

BACTERIUM flavum **13**: 193.

BACTRODESMIUM spilomeum **35**: 110.

BADHAMIA affinis **16**: 116; ***dubia*** **53**: 323, 326, 328, 329, 347; ***foliicola*** **16**: 34; ***macrocarpa*** **16**: 116; ***nitens*** **18**: 55; ***ovispora*** **18**: 56; ***utricularis*** **16**: 34; ***viridescens*** **18**: 55.

BADIMIA dimidiata **56**: 156; ***pallidula*** **56**: 156.

BADIMIELLA serusiauxii **56**: 156.
BAEOMYCES carneus **47**: 141; *heteromorphus* **56**: 156; *roseus* **43**: 135; **50**: 295; *rufus* **50**: 229, 280, *282*, *283*, *284*, 295, 298; **51**: 175.
BAEOSPORA familia **7**: 87; **63**: 3; *myosura* **7**: 87; **8**: 15; **14**: 77, 97, 112; **18**: 160; **23**: 205; **30**: 195; **31**: 115; **36**: 184; **56**: 276; **63**: 3, 8, 255; *myriadophylla* **7**: 80, 81, 82, 83, 84, 86, 87; **8**: 15; **9**: 107; **14**: 88; **16**: 173, 181, 182, 191; **25**: 106, 111; **27**: 213; **31**: 115; **44**: 124; **52**: 93; **59**: 61; *myriadophylla* **f.** *cavernatilis* **7**: 81, 86, 87; *oligophylla* **7**: 87.
BALANSIA cyperi **27**: 169, 170.
BALLADYNA velutina **40**: 155.
BALSAMIA fragiformis **3**: 76; **4**: 95; **14**: 73, 225; *platyspora* **4**: 94, 95; **5**: 4; **14**: 112; *vulgaris* **4**: 94; **14**: 112.
BANKERA cinerea **49**: 35, 37; **57**: 59; *fuligineoalba* **9**: 95, 96; **10**: 76, 185; **14**: 125; **15**: 16, 132; **51**: 100, *105*, 106, *106*, *107*, *108*, *109*; **57**: 59, 73, 75, 76, 280, 281, 290, 292, 293, 294; *infundibulum* **9**: 96; **10**: 76; *violacea* **9**: 96; **10**: 76; *violascens* **9**: 96; **10**: 71, 76; **12**: 123; **14**: 125; **15**: 16; **19**: 123; **49**: 35, 37; **51**: *105*, *106*, *107*, *109*, *110*; **57**: 59, 75, 281, 290, 292, 293, 294.
BARBATOSPHAERIA barbirostris **61**: 86, 90, 91, 93.
BARLAEA alba **31**: 70; **35**: 76; *amethystina* **14**: 166, 175, 216, 217; **25**: 198; **35**: 84, 134; *arvensis* **35**: 17; *asperella* **15**: 71; **35**: 18; *bohemica* **35**: 18; *bufonia* **14**: *216*, *217*, *218*; *carbonaria* **15**: 72; **35**: 76; *cerebralis* **14**: *216*, *217*, *218*; *citrina* **35**: 8; *constellatio* **35**: 76; *fechtneri* **21**: 251; **35**: 84; *humosa* **14**: 112; **35**: 76; *humosa* **var.** *cinnabarina* **35**: 76; *humosa* **var.** *luteola* **35**: 76; *hyalina* **35**: 84; *macrospora* **14**: 166, 175; **35**: 84; **39**: 180; *melina* **17**: 67; **35**: 17; *miniata* **22**: 214; *minuta* **31**: 69; **35**: 18; *modesta* **32**: 76; **35**: 18; *modesta* **var.** *calospora* **35**: 18; *modesta* **var.** *carbuncula* **35**: 18; *persoonii* **3**: 1; **14**: 166, 175; **15**: 75, 76; **35**: 75, 137; *polytrichi* **35**: 84; *retinosa* **35**: 18; *stercoraria* **54**: 138; *strasseri* **15**: 72; **35**: 76; *wrightii* **23**: 227, 228.
BARLAEINA amethystina **17**: 64, 65; *persoonii* **17**: 64, 65; **23**: 25, 234; **35**: 75.
BASIDIOBOLUS haptosporus **35**: 212; **39**: 157; **44**: 6, 194, 195; *meristosporus* **35**: 212; **39**: 157; *ranarum* **5**: 16, 18; **35**: *59*, *60*, *61*, *62*, 212; **39**: 157; **42**: 32, 106, 112; **52**: 177.
BASIDIOPHORA entospora **56**: 123; **60**: 94.
BASIDIORADULUM radula **25**: 105; **63**: 255.
BASIPETOSPORA chlamydosporis **53**: 306; *rubra* **36**: 107; **53**: 306; *variabilis* **53**: 306.
BASISPORIUM gallarum **17**: 12, 13, 15; **18**: 102, 103, 105, 107; **21**: 80.
BATTARRAEA gaudichaudii **24**: 43; *guicciardiniana* **24**: 40, 42; *muelleri* **46**: 318; *phalloides* **2**: 126; **6**: 18; **8**: 51; **17**: 206; **18**: 123; **19**: 186; **20**: 118; **24**: 40, 43; *stevenii* **24**: *40*, *41*, *42*, *43*; **40**: 96.
BDELLOSPORA helicoides **1**: 34.
BEAUVERIA alba **41**: 10; *album* **46**: 246; *bassiana* **8**: *141*, *142*, *143*; **9**: 137; **10**: *243*, *244*, *245*; **12**: 15, 18; **21**: 181; **23**: 247; **24**: 88; **27**: 55, 57, 59, 60; **29**: 212; **30**: 118; **32**: 228, 230; **33**: *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*, 139; **35**: 217; **36**: 100; **37**: 29; **39**: 157; **40**: 22, 26, 27; **41**: 10, 166, 224; **43**: 174; **44**: 146; **46**: 126, 255; **48**: 83; **53**: 288, 291, 292; **55**: 91; **57**: 227, 229, 231; **59**: 130, 132, 134; **61**: 152, 157; **62**: 67, 68, 69, 71, 72, 73, 74, 75, 76; **63**: 154; *brongniartii* **36**: 100, 103;

41: 224; **43**: 174; **53**: 214, 217; **55**: 95; **57**: 227, 231; ***brumptii*** **25**: 114; ***densa*** **8**: *141*, *142*, *143*; **10**: 243; ***globulifera*** **8**: *141*, *142*, *143*; **9**: 136, 137; **10**: 35, 243; **43**: 174; ***petelotii*** **15**: 151, 152; ***tenella*** **10**: 243, 244; **27**: 56, 57; **29**: 212; **35**: 217; **36**: 100.

BEENAKIA dacostae **22**: 255.

BELANIA fredericae **20**: 16, 17.

BELONIA incarnata **50**: 229, 282; ***russula*** **var.** ***terrigena*** **50**: 229.

BELONIDIUM adenostylidis **42**: 76; ***aeruginosum*** **41**: 196; ***badium*** **43**: 67, 69; ***flavofuligineum*** **42**: 77; ***glabrovirens*** **59**: 106; ***juncisedum*** **var.** ***minutissimum*** **56**: 71; ***leucophaeum*** **33**: 193; ***lizonii*** **42**: 137, 139; **48**: 171; ***nylanderi*** **33**: *193*, *194*, *195*; ***procopii*** **42**: 76, 79; ***pruinosa*** **16**: 103; ***pruinosum*** **41**: 198; ***subsulphureum*** **42**: 76, 79; ***sulphureum*** **33**: 193; **44**: 143; ***violascens*** **33**: 193; **42**: 77.

BELONIELLA graminis **12**: 225.

BELONIOSCYPHA culmicola **14**: 71; ***ostruthii*** **16**: 97.

BELONIUM biatorinum **31**: 199; ***demeteris*** **16**: 12; **33**: 199; ***equisetinum*** **45**: 142; ***graminis*** **12**: 225; ***hystrix*** **12**: 225; **31**: 199; ***oreadum*** **41**: 88, 93, 94; ***piceae*** **31**: 199; ***piceae*** **var.** ***laricinum*** **31**: 199; **41**: 200; ***sphagnisedum*** **33**: 200; ***subantarcticum*** **41**: 91; ***subcarneum*** **41**: 89; ***sulfureotinctum*** **41**: 201; ***vernale*** **41**: 93.

BELTRANIA rhombica **40**: 74, 84, 144.

BERKLEASMIUM caribense **38**: *99*, *100*, *101*, *102*; ***concinnum*** **39**: 68; ***cordaeanum*** **39**: 68; ***inflatum*** **41**: 29, 31; ***pulchrum*** **38**: 101; **40**: 149.

BERTIA moriformis **12**: 149; **13**: 219; **25**: 110; **26**: 44, 46, 54; **56**: 275; **61**: 86, 93.

BETULINA fuscostipitata **52**: 290; ***hirta*** **2**: 119.

BIATORA caesioalbida **56**: 156; ***carneoalbida*** **56**: 156; ***efflorescens*** **56**: 156; ***fallax*** **56**: 156; ***subduplex*** **56**: 156.

BIATORELLA hemisphaerica **56**: 156; ***monasteriensis*** **56**: 156; ***ochrochlora*** **56**: 156; ***resinae*** **14**: 126; **17**: 161, 162.

BIPOLARIS bicolor **59**: 210; ***cynodontis*** **43**: 46, 49; ***hawaiiensis*** **44**: 5, 7, 8, 68, 69, 74; ***neergaardii*** **53**: 154; ***pedicellata*** **45**: 155; ***rostrata*** **44**: 74; ***sorokiniana*** **43**: 46, 48, 49, 174; ***spicifera*** **44**: 5, 7, 8, 68, 74; **59**: 210; ***turcicum*** **43**: 50.

BISCOGNIAUXIA atropunctata **33**: 209, 216; **40**: 2; ***baileyi*** **33**: 216; **40**: 2, 5; ***cinereolilacina*** **33**: 212, 213, 216; **40**: *1*, *2*, 3, *3*, 6; ***dennisii*** **33**: 216; **40**: 1, 2, 5, 6; ***discreta*** **40**: 3, 4; ***dryophila*** **40**: 1, 7; ***marginata*** **33**: 212, 213; **40**: *2*, 3, *3*, *4*; ***mediterranea*** **33**: 214; **40**: 2, 3; ***nummularia*** **40**: 2, 3; **59**: 71, 76; ***pezizoides*** **40**: 2; ***querna*** **40**: 1, 2, *4*, *5*, *6*; ***reparida*** **33**: 207, *209*, *210*, *211*, *212*, *213*, 216, 217; **40**: 1, 2, 6; **58**: 154; ***repandoides*** **40**: 3; ***simplicior*** **33**: 207, 210, *213*, *216*; **40**: 1, 2, 6.

BISPORA antennata **33**: 195, 203; **46**: 282, 284, 287, 290; **61**: 86; ***betulina*** **33**: 139; **43**: 174; **53**: 154; ***lichenum*** **51**: 173; ***monilifera*** **var.** ***condensata*** **33**: 195; ***monilioides*** **8**: *77*, *78*, *79*; **11**: 185; **33**: 195.

BISPORELLA citrina **41**: 24; **44**: 143; **46**: 288; **52**: 10; **56**: 275; **63**: 255; ***macra*** **31**: 8; ***pallescens*** **33**: 195, 203; ***subpallida*** **33**: 195.

BISPOROMYCES chlamydosporis **25**: *25*, *26*, *27*, *28*, 30; ***lignicola*** **25**: *25*, *26*, *27*, *28*, 30.

BISPOROSTILBELLA fusca **53**: 304, 305.
BJERKANDERA adusta **10**: 59; **11**: 168, 218; **17**: 181; **18**: 70, 74, 162; **27**: 220; **32**: 222; **33**: 162; **35**: 109, 240; **36**: 32; **37**: 116; **38**: *156*, *157*, *158*, *159*; **40**: 96; **44**: 141; **45**: 38; **47**: 199, 200; **48**: 156, 205; **49**: 131, 141, 171; **50**: 304, 307, 308, 310; **52**: 156; **56**: 275; **59**: 88; **63**: 230, 255; ***fumosa*** **10**: 59; **11**: 168; **18**: 70, 74; **32**: 222; **49**: 131, 172; **59**: 84, 88; ***squalens*** **38**: 141.
BLAKESLEA trispora **40**: 69.
BLASTOCLADIELLA emersoni **28**: 230, 231.
BLASTODENDRION brumptii **33**: 112.
BLASTOMYCES brasiliensis **11**: 21; **35**: 215, 219; **39**: 161; **44**: 134; ***dermatitidis*** **11**: *21*, *22*, *23*, *25*, *26*, *27*, *28*, *29*; **14**: 239; **35**: 214; **39**: 157, 158; **44**: 5, 9, 10, 11, 13, 69, 134; **48**: 23, 24, 27, 54, 139; **57**: 323; ***lithogenes*** **15**: 110; ***loboi*** **39**: 160, 161; **44**: 132; ***neoformans*** **15**: *108*, *109*, *110*, *111*, *112*, *113*, *114*, *115*, 122; ***neoformans*** **var.** ***sheppei*** **15**: 110; ***neoformans*** **var.** ***uniguttulatus*** **15**: 111.
BLASTOMYCOIDES tulanensis **11**: 22.
BLASTOPHORUM pini **35**: 98.
BLASTOSCHIZOMYCES capitatus **43**: 153.
BLASTOTRICHUM puccinioides **18**: 102, 103, *105*, *106*, *107*; **21**: 80.
BLISTUM ovalisporum **61**: 86, 92, 93.
BLOXAMIA bohemica **35**: 98, 100.
BLUMERIA graminis **49**: 114; **53**: 288, 291, 292.
BODINIA glabra **12**: 46; ***violacea*** **12**: 46.
BOLBITIUS albipes **51**: 42; ***aleuriatus*** **36**: 186; **44**: 85; **46**: 177, 183; ***callisteus*** **59**: 8; ***conocephalus*** **26**: 201, 207; **46**: 29; ***coprophilus*** **46**: 6, 7, 9, 27; **59**: 8; ***fragilis*** **7**: 154; **29**: 141; ***glaucopurpureus*** **59**: 8; ***incarnatus*** **59**: 8; ***lacteus*** **46**: 13, 27; ***liberatus*** **46**: 318; ***luteolus*** **15**: 203; **20**: 143, 145; ***malesianus*** **59**: 8; ***niveus*** **46**: 29; ***psittacinus*** **59**: 1, 2, 3, 5, 6, 8; ***reticulatus*** **7**: 155; **59**: 8; **63**: 255; ***tener*** **46**: 29; ***variicolor*** **46**: 6, 7, 27; ***viscosus*** **59**: 8; ***vitellinus*** **4**: 149; **14**: 104; **29**: 26; **32**: 222; **43**: 31, 93, 194, 195; **44**: 204, 207, 210, 213, 214; **46**: 6, 7, 9, 27, 28, 78, 81; **56**: 273; ***vitellinus*** **f.** ***griseoolivacea*** **46**: 28; ***vitellinus*** **f.** ***olivascens*** **46**: 27; ***vitellinus*** **var.** ***titubans*** **12**: 214.
BOLETELLUS ananas **14**: 170, 175; ***fennicus*** **59**: 23; **60**: 50; ***pruinatus*** **47**: 182.
BOLETINELLUS merulioides **46**: 55.
BOLETINUS amabilis **9**: *77*, *78*, *79*, 81, 82; **22**: 106; ***asiaticus*** **8**: 48; **9**: 76; **41**: 84, 144, 150; **57**: 20; ***cavipes*** **4**: 66, 110, 111; **5**: 133; **9**: 40, 76; **14**: 126; **15**: 13; **16**: 20, 157; **18**: 222, 224, 225; **20**: 242; **21**: 97; **22**: 106; **23**: 80, 151, 200; **41**: 84, 140, 144, 150; **42**: 160, 163, 165; **48**: 99; **57**: 15, 19, 20, 23; ***cavipes*** **f.** ***aureus*** **18**: 222; ***cavipes*** **f.** ***ferrugineus*** **18**: 222; **33**: 163; ***lakei*** **9**: *76*, *77*, *78*, *79*, *80*, 82; **15**: 13; ***paluster*** **9**: 76; **57**: 23; ***pictus*** **4**: 66; **23**: 151; ***tridentinus*** **subsp.** ***landkammeri*** **4**: *65*, *66*, 67; **7**: 159; **9**: 39, *76*, *77*, *78*, *79*, *80*, *81*, *82*; **38**: 51; **41**: 150.
BOLETOPSIS grisea **57**: 73, 75, 289, 290, 292, 293, 294, 295; **64**: 226; ***leucomelaena*** **57**: 72, 73, 75, 287, 288, 289, 290, 292, 294, 295; ***leucomelas*** **57**: 289; ***subsquamosa*** **11**: 164, 170; **14**: 126; **18**: 115; **57**: 289, 295.

BOLETUS aemilii **15**: 82; ***aereus*** **1**: 91; **3**: 98; **6**: 177; **14**: 130; **18**: 16, 18; **21**: 62, *164*, *165*, *166*, *167*, *168*, *169*, *170*, *171*, *172*, *173*, *174*, *175*, *176*; **22**: 108; **24**: 106; **26**: 118; **30**: 233; **32**: 222; **33**: 58, 163; **43**: 8; **45**: 1; **47**: 312; **52**: 9; **57**: 29; **60**: 34, 58; ***aeruginascens*** **17**: 89; **29**: 26; ***aestivalis*** **1**: 91; **3**: 97, 100, 101; **8**: 46; **15**: 82; **27**: 8; **28**: 126; **29**: 26, 30; **30**: 54; **32**: 222; **42**: 158, 160, 163, 166, 168; **43**: 185; **58**: 272; ***affinis*** **23**: 153; **48**: 98; ***albellus*** **36**: 81; ***albidus*** **3**: 99, 100; **11**: 167; **33**: 163; **40**: 119; **43**: 9; **58**: 32, 39; **64**: 171; ***albinus*** **6**: 10; ***albus*** **25**: 144; ***amabilis*** **9**: 77, 78, 80, 82; ***amarellus*** **13**: *87*, *88*, *89*, *90*, *91*, *92*; **46**: 205; ***amarus*** **3**: 99, 101; **4**: 110; **5**: 85; **6**: 90, 114; **14**: 40, 75, 124, 127, 128; **15**: 13; **28**: 184; ***ambiguus*** **3**: 100; ***appendiculatus*** **3**: 98, 101; **4**: 110; **5**: 74, 85, 129, 146; **6**: 177, 180; **8**: 30, 46; **14**: 75, 112, 130; **18**: 2, 10, 16, 18; **21**: 164, 165, 168, 169; **22**: 109, 193; **23**: 199; **28**: 184; **33**: 163; **43**: 8; **45**: 1; **52**: 9; **57**: 29; **58**: 31; **60**: 34, 58; **64**: 171; ***appendiculatus*** **subsp.** ***pallescens*** **3**: 97, 101; ***appendiculatus*** **subsp.** ***torosus*** **3**: 98, 101; ***aquosus*** **3**: 69; **7**: 95; **15**: 82; ***armeniacus*** **57**: 31, 32, 41; **59**: 11, 12, 18, 21, 22; **60**: 30, 34, 49; **62**: 35; ***atkinsonii*** **14**: 75; ***aurantiacus*** **5**: 74; **6**: 2; **7**: 76, 78; **9**: 1, 5; **29**: 26; **43**: 4, 6; **57**: 43; ***aurantius*** **6**: 2; ***auripes*** **45**: 1; **60**: 35; ***auriporus*** **4**: 11; **5**: *76*, *77*, *78*, *79*, 85; **7**: 159; **9**: 96; **11**: 48, 49; **14**: 75; ***badius*** **2**: 4, 32, 93; **4**: 47, 148, 149; **5**: 74, 129; **7**: 73, 76, 78, 94; **8**: 112; **18**: 13, 193, 194, 198, 199; **23**: 176, 178; **27**: 213; **43**: 185; **46**: *67*, *68*, *69*, 71, 170, 172; **52**: 212; **57**: 29, 31, 33, 34, 41; **60**: 29, 31, 34, 35, 58; **63**: 255; ***bellinii*** **30**: 228; ***benzoinus*** **25**: 18; **44**: 98; ***betulicolus*** **32**: 222; ***bicolor*** **60**: 35; ***boudieri*** **2**: 4; **3**: 6; **4**: 147; **12**: 197; ***bovinus*** **3**: 5, 7, 123, 124; **5**: 74; **16**: 157; **41**: 73, 76, 144; **45**: 6; **57**: 21, 23; ***bresadolae*** **7**: 69; ***brownii*** **31**: *164*, *165*, *166*; ***brunneus*** **6**: 10; ***calopus*** **3**: 99; **8**: 30, 182; **14**: 112; **18**: 2; **22**: 108; **24**: 117; **28**: 184; **29**: 26; **43**: 8; **44**: 221; **45**: 1; **46**: 171, 186; **52**: 9; **57**: 29; **60**: 34, 58; ***carpinaceus*** **33**: 159, 161, 163; ***carpini*** **43**: 6; ***carpinicola*** **21**: *61*, *62*, *63*; **33**: 163; ***castaneus*** **4**: 149; **5**: 74, 85; ***caucasicus*** **22**: 169; ***cavipes*** **3**: 6; **7**: 154; **57**: 19; ***cervinus*** **37**: 50; **60**: 7; ***chromapes*** **57**: 44; ***chrysenteron*** **5**: 74, 76; **7**: 77, 79; **13**: 92; **16**: 188; **20**: *1*, *2*, *3*, *4*, *5*, *6*, *7*; **27**: 213; **42**: 158, 160, *163*, *164*, *165*, 167, 168; **43**: 5, 185; **47**: 173, 175, 176, 180, 182; **52**: 5; **57**: 14, 30, 31, 32, 33, 40; **59**: 11, 13, 14, 18, 19; **60**: 30, 31, 32, 34, 44, 47, 49; ***chrysenteron*** **subsp.** ***versicolor*** **12**: 59; ***cinereus*** **64**: 157; ***collinitus*** **7**: 95; ***communis*** **5**: 76; ***coniferus*** **64**: 153; ***cramesinus*** **4**: 11; **5**: 76; **11**: 48; ***crassus*** **15**: 82; ***crocipodius*** **20**: 6; **43**: 5, 6, 11; ***cyanescens*** **1**: 59; **5**: 129, *145*, *146*, *147*, *148*; ***declivitatum*** **59**: 11, 18, 22; **60**: 34, 49; ***depilatus*** **43**: 4; **57**: 14, 29, 45; **60**: 30, 31, 32, 34, 52, 54, 55; ***discolor*** **22**: 169; ***distortus*** **11**: 168; ***dryophilus*** **60**: 52; ***dupainii*** **64**: 171; ***edulis*** **1**: 7, 8, *56*, *57*; **3**: 52, 98; **4**: 50; **5**: 14, 74, 101, 102, 126, 164; **6**: 145; **7**: 76; **8**: 166; **9**: 74, 146, 152, 155; **10**: 6, 46, 117, 164, 200, 203; **11**: 15, 16, 20; **14**: 89, 104; **15**: 155, 157, 223; **16**: 188; **18**: *10*, *11*, *12*, *223*, *224*, *225*; **19**: 17; **20**: 57, 59, 60; **21**: 45, 46, *61*, *62*, *63*; **22**: 193; **24**: 114; **25**: 106; **27**: *6*, *7*, *8*, 213, 214; **28**: 126; **29**: 111, 185; **32**: 222; **36**: 78, 80, 188; **42**: 158, 160, 163, 165, 167, 168; **43**: 8; **45**: 1; **46**: 171, 172, 204; **52**: 9, 212; **56**: 271; **57**: 27, 28, 29, 36; **60**: 34, 57, 58; ***edulis*** **f.** ***albus*** **58**: 272; ***edulis*** **f.** ***citrinus*** **58**: 272; ***edulis*** **subsp.** ***aereus*** **6**: *175*, *176*, *177*, *178*, *179*, *180*; **7**: 160; **14**: 75, 117; **15**: 13; **21**: 166, 173; ***edulis*** **subsp.** ***bulbosus*** **6**: 175; **7**: 25; **8**: 107, 190; **9**: 148; **10**: 44, 46; **30**: 123; ***edulis*** **subsp.** ***clavipes*** **21**: 61; **24**: 114; ***edulis*** **subsp.** ***edulis*** **10**: 185; **21**: 61; **22**: 108; ***edulis*** **subsp.** ***pinicola*** **5**: 101; **6**: 177; **8**: 112; **9**: 148; **10**: 44, 164, 168; **14**: 112, 126; **21**: 62; **22**: 108; ***edulis*** **subsp.** ***reticulatus*** **3**: 100; **5**: 87, 101, 102, 146; **6**: 175, 177; **8**: 112; **9**: 148; **10**: 46; **14**: 225; **21**: 62; **22**: 108; **29**: 111, 185; **30**: 25; ***edulis*** **subsp.** ***separans*** **21**: 62; ***edulis*** **var.**

aereus **5**: 74; ***edulis*** **var.** ***arenarius*** **44**: 113; **47**: 194; ***edulis*** **var.** ***bulbosus*** **5**: 74; **7**: 72, 78; ***edulis*** **var.** ***citrinus*** **21**: 61; ***edulis*** **var.** ***fuscoruber*** **21**: 62; ***edulis*** **var.** ***pinicola*** **5**: 74; **7**: 72, 78; **19**: 18; ***edulis*** **var.** ***reticulatus*** **5**: 74; **7**: 72, 78; ***elasticus*** **5**: 77; **33**: 163; ***elegans*** **2**: 93; **3**: 5; **4**: 58, 147; **5**: 74; **7**: 76, 78; **17**: 89; **22**: 266; ***engelii*** **60**: 34, 49; ***erythropus*** **3**: 126, 127; **5**: 73, 87, 129; **6**: 87, *89*, *90*, *91*, *92*; **7**: 66, 69, 94, 159, 160; **8**: 29; **12**: 58; **14**: 117; **15**: 159; **18**: 9, 10; **19**: 17; **21**: 116; **22**: 109, *167*, *168*, *169*, *170*, 193; **23**: 176; **30**: 1, 2, 148; **33**: 163; **42**: 165; **43**: 8, 117; **45**: 1; **57**: 29; **60**: 34, 58; **63**: 255; ***erythropus*** **subsp.** ***discolor*** **30**: 1, 2, *143*, *144*, *145*, *146*, 148, 150, 153; ***erythropus*** **subsp.** ***erythropus*** **30**: 148; ***erythropus*** **subsp.** ***rubens*** **7**: 69; ***erythropus*** **var.** ***junquilleus*** **58**: 272; **60**: 34, 58; ***erythropus*** **var.** ***rubropileatus*** **44**: 113; ***erythropus*** **var.** ***rubropileus*** **47**: 194; ***erythroteron*** **14**: 225; ***eximius*** **57**: 44, 45; ***fallax*** **58**: 32, 41; ***fechtneri*** **3**: *97*, *98*, *99*, *100*, *101*, *102*; **5**: 85; **7**: 159; **8**: 45, 46; **9**: 96; **14**: 75, 111, 117, 118, 120, 124, 127, 128, 130, 225, 227, 228; **15**: 13; **16**: 13; **21**: 165, 251; **22**: 109, 192, 193; **33**: 159, 161, 163; **40**: 119; **43**: 52; **47**: 312; **52**: 7; **60**: 34, 58; **64**: 171; ***felleus*** **8**: 114, 166, 167, 168; **16**: 157; **57**: 34; ***fennicus*** **59**: 11, 12, 18, 21, 22, 23; **60**: 34; ***ferruginatus*** **25**: 148; ***ferrugineus*** **52**: 9; ***flavidus*** **4**: 58; **5**: *1*, *2*, *3*; **7**: 159; **16**: 157; ***flaviporus*** **5**: 77; ***flavissimus*** **30**: *145*, *146*, 147, *147*; ***flavus*** **5**: 74; **17**: 89; ***floccopus*** **6**: 8; **64**: 142, 145, 147, 153, 155, 157, 158, 159, 161; ***fragilipes*** **43**: 117; **45**: 1; **46**: 169, 170; **47**: 175, 182; ***fragrans*** **15**: 82; **36**: 189; **45**: 1; **57**: 29, 30, 45; **60**: 34, 58; ***frondosus*** **64**: 152; ***frostii*** **43**: 8; **45**: 1; **60**: 35; ***fuligineus*** **11**: 155; ***fuliginosus*** **25**: 19; **44**: 92, 94, 95; ***fuscoroseus*** **3**: 98, 101; **8**: 45; **14**: 75, 111; **17**: 108; **19**: 115; **31**: 32; **38**: 53; **58**: 31, 32, 40, 41; **60**: 34, 58; **64**: 171; ***fuscus*** **20**: 6; **25**: 19; **44**: 92, 94, 95; ***gabretae*** **22**: *167*, *168*, *169*, *170*; ***gentilis*** **11**: 48; **12**: 35, 59; **43**: 9; **45**: 1; **57**: 11, 29, 33, 37; **58**: 32; ***gossypinus*** **64**: 153; ***granulatus*** **2**: 44; **3**: 5; **4**: 10; **5**: 74; **29**: 26; ***grevillei*** **17**: 89; **29**: 26; ***griseus*** **45**: 1; ***hemichrysus*** **25**: 136; ***hemichrysus*** **var.** ***mutabilis*** **25**: 138; ***hieroglyphicus*** **20**: 6; ***holopus*** **6**: 41; **21**: 110; **36**: 81; ***holoroseus*** **30**: 153; ***hortensis*** **7**: 103; ***hypochryseus*** **46**: *203*, *204*, *205*, *206*, *207*, *208*; ***igniarius*** **44**: 95; ***illudens*** **57**: 41; ***impolitus*** **3**: 69, 99, 100, 104; **4**: 47, 110; **5**: 85; **7**: 95; **9**: 43; **11**: 204; **14**: 41, 75, 111, 117, 225, 227, 228; **15**: 13, *81*, *82*, *83*, *84*, *85*, *86*; **18**: 9, 11; **20**: 6; **22**: 109; **28**: 184; **33**: 159, 161, 163; **36**: 186; **43**: 5, 57; **57**: 14, 29, 30, 45; **58**: 32; **60**: 30, 31, 32, 34, 52, 54, 55; **64**: 171; ***inflexus*** **60**: 35; ***intermedius*** **60**: 52; ***junquilleus*** **14**: 117, 119, 121; **15**: 81, 82; **22**: 106, *167*, *168*, *169*, *170*; **30**: *143*, *144*, *145*, *146*, 147, *147*; **33**: 159, 161, 163; **43**: 9; **45**: 1; **57**: 29; **60**: 34; ***kluzakii*** **58**: 31, 32, 35, 36, 37, 38, 39, 40, 41; **60**: 34, 58; ***lacrymans*** **64**: 152; ***lanatus*** **20**: *1*, *2*, *3*, *4*, *5*, *6*, *7*; ***laricinus*** **64**: 142; ***lateritius*** **7**: 69; ***legaliae*** **30**: 143, 149, 150; **31**: 32; **33**: 167; **57**: 29; **58**: 32; **60**: 34, 58; **64**: 171; ***leguei*** **20**: *1*, *2*, *3*, *4*, *5*, *6*, *7*; **45**: 1; **57**: 31, 32; ***leoninus*** **3**: 69, *102*, *103*, *104*; **5**: *146*, *147*; **15**: 82; **18**: 194, 197, 198; ***leonis*** **64**: 168; ***lepidus*** **36**: 188; ***lignicola*** **18**: 3; **19**: 180, 181; **23**: 110; **25**: *135*, *136*, *137*, *138*, *139*; **43**: 9; **45**: 1; **57**: 37; ***lilaceus*** **4**: 11; ***lividus*** **18**: 193, 194; ***lucidus*** **18**: 18; ***lupinus*** **8**: 27; **30**: 148, 149, 152; **31**: 32; **33**: 167; ***luridus*** **1**: 59; **2**: 93; **5**: 73, 129; **6**: 87, 88, *90*, *91*, *92*, 187; **7**: 160; **8**: 26, 122; **12**: 58, 117; **14**: 112, 117, 225; **16**: 20; **21**: 116; **22**: 109, *167*, *168*, *169*, *170*; **23**: 152, 176, 178; **29**: 26; **30**: 1, 54, 144; **32**: 222; **33**: 163; **36**: 78, 188; **43**: 9, 57; **45**: 1; **48**: 98; **52**: 4, 6; **57**: 29; **60**: 34, 58; ***luridus*** **var.** ***discolor*** **22**: *169*, *170*; ***luteoporus*** **43**: 5; ***luteus*** **3**: 5; **5**: 74; **7**: 76, 78; **15**: 168; **17**: 89; **18**: 224; **57**: 20; ***manicus*** **30**: 153; ***marekii*** **59**: 11, 12, 15, 16, 17, 18, 19, 20, 21, 22; **60**: 34, 50; ***medulla-panis*** **13**: *31*, *32*, *33*, 36; **64**: 152; ***medulla-panis*** **var.** ***multistratosa*** **13**: 33; ***melaneus*** **43**: 5;

miniatoolivaceus **23**: 151, 152; ***mitis*** **5**: 77; ***mollis*** **13**: 27; ***moravicus*** **4**: 45, 46; **14**: 112; **15**: 14, 26; **18**: *193*, *194*, *195*, *196*, *197*, *198*, *199*, *200*, *201*, *202*; **43**: 9; **45**: 38; **57**: 29, 31, 33, 34; **58**: 32; **60**: 29, 31, 34, 35, 58; **64**: 165, 166, 167, 168, 169, 170, 171, 172; ***moravicus* f. *pallescens*** **18**: *193*, *194*, *195*, *196*, *197*, *198*, *199*, *200*, *201*, *202*; ***morrisii*** **30**: 143, 146, 147, 153; ***nigrescens*** **1**: 91; **20**: 6; **36**: 81; **43**: 5; ***nigricans*** **7**: 103; ***nitidus*** **21**: 209; ***niveus*** **43**: 6; ***nummularius*** **64**: 152; ***obsonium*** **3**: 104; **15**: 82; ***ovinus*** **11**: 155; ***pachypus*** **3**: 99, 100; **4**: 110; **6**: 41; **22**: 170; ***pallescens*** **8**: 46; ***paradoxus*** **31**: 165; ***parasiticus*** **2**: 3, 5; **6**: 77; **16**: 157, 218; **28**: 184; **45**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*; **47**: *173*, *174*, *175*, *176*, *177*, 181; **57**: 40, 41; **60**: 55; ***peckii*** **30**: 153; ***percandidus*** **9**: 1; **36**: 82; **43**: 6; ***pierrhuguesii*** **13**: 88, 89; **46**: 205; ***pilotae*** **11**: 167; ***pini*** **39**: 74, 77; ***pinicola*** **21**: 61, 62, 164, 165, 169, 173; **27**: *6*, *7*, *8*; **43**: 9; ***pinophilus*** **27**: *6*, *7*, *8*; **28**: 126; **32**: 222; **43**: 9; **44**: 113; **45**: 1; **57**: 29; **60**: 34, 58; ***piperatoides*** **46**: 205; **57**: 35, 38; ***piperatus*** **7**: 141; **13**: *88*, *89*, *90*; **27**: 214; **46**: *203*, *204*, *205*, *206*; **57**: 38; ***placidus*** **5**: 74; **25**: 144; ***plorans*** **2**: 36; ***podperae*** **21**: 166, 169; ***pomaceus*** **20**: 186; ***porosporus*** **57**: 11, 31, 32, 41; **59**: 11, 12, 14, 18, 19, 21, 22; **60**: 30, 34, 50; ***porphyrosporus*** **16**: 157; **57**: 35; ***pruinatus*** **47**: *173*, *174*, *175*, *176*, *177*, *180*, *181*, *182*, *183*; **57**: 14, 30, 31, 32, 33, 34, 41; **60**: 30, 34, 50; ***pseudoregius*** **45**: 1; **58**: 32, 40; **60**: 34; ***pseudorubinellus*** **46**: 205; ***pseudoscaber*** **36**: 82; **43**: 6; ***pseudosulphureus*** **8**: 30; **13**: 87, 89, 91, 92; **14**: 117; **15**: 81, 82, 159; **20**: 129; **22**: *167*, *168*, *169*, *170*; **30**: *144*, *145*, *146*; ***pulchriceps*** **58**: 31, 40; ***pulchrotinctus*** **58**: 31, 40; ***pulverulentus*** **7**: 103; **8**: 26; **16**: 188; **22**: 109; **23**: 198; **43**: 9; **45**: 1; **47**: 173, 175, 176, 180; **57**: 11, 29, 33; **60**: 34, 58; ***purpurascens*** **26**: 33; ***purpureus*** **1**: 91; **2**: 92; **4**: 110, 113, 114; **5**: 13, 14, *85*, *86*, *87*; **6**: 24, 184, 185; **7**: 159, 160; **8**: 26, 27, 28, 29, 30, 182; **10**: 188, 190; **11**: 171, 191; **12**: 251; **14**: 75, 118, 120, 127, 128, 229; **15**: 13; **19**: 114; **31**: 32; **37**: 121; ***purpureus* var. *legaliae*** **15**: 159, 160; **22**: 109; **30**: 149, 153; **33**: 167; ***purpureus* var. *rhodoxanthus*** **8**: 28; ***purpureus* var. *xanthocyaneus*** **22**: 170; ***queletii*** **3**: 101; **4**: 110; **7**: *65*, *66*, *67*, *68*, *69*, 160; **8**: 30; **11**: 204; **14**: 75, 112, 117, 130; **15**: 13; **22**: 109, 169, 170; **32**: 208; **33**: 159, 161, 163; **40**: 119; **43**: 9; **45**: 1; **57**: 29; **60**: 34, 58; **64**: 171; ***queletii* var. *lateritius*** **58**: 272; ***queletii* var. *rubicundus*** **58**: 272; ***queletii* var. *rubricundus*** **7**: 69; ***queletii* var. *squarrosipes*** **7**: 69; ***radicans*** **4**: 110; **7**: 103; **18**: 9, 11; **22**: 108; **38**: 220; **43**: 8, 9, 57; **45**: 1; **52**: 8; **57**: 29; **58**: 31, 32, 33, 36, 39, 40; **60**: 34, 58; ***radula*** **21**: 210, 211; ***regius*** **1**: 91; **3**: 98, 99, 101; **4**: 110; **5**: 73; **6**: 24; **8**: 46; **9**: 96, 148; **10**: 44, 164, 189; **11**: 204; **14**: 75, 111, 118, 120, 124, 127, 128; **15**: 14; **16**: 13; **18**: 10; **20**: 60; **22**: 109; **28**: 173; **30**: 233; **32**: 222; **38**: 53; **43**: 57; **45**: 1, 36; **57**: 29; **58**: 31, 40, 41; **60**: 34, 58; **64**: 171; ***resinosus*** **25**: 18; **44**: 92, 96; ***reticulatus*** **9**: 96; **10**: 164; **12**: 120, 121, 122; **14**: 75, 130; **21**: 61, 62; **30**: 54; **43**: 9; **44**: 221; **45**: 1; **57**: 29; **58**: 272; **60**: 34, 58; ***retipes*** **43**: 9; **45**: 1; ***rhodopurpureus*** **8**: *28*, *29*, *30*, 182; **17**: 108; **31**: 32; **33**: 159, 161, 163; **43**: 10; **45**: 1; **57**: 29; **60**: 34, 58; ***rhodoxanthus*** **4**: 113; **6**: 184, 187; **8**: 26, 27, 28, 30, 181, 182, 190; **14**: 75, 111, 117, 124, 130; **22**: 109, 170; **28**: 184; **30**: 149, 153; **33**: 159, 161, 164, 167; **43**: 10; **45**: 1; **57**: 29; **60**: 34, 58; **64**: 171; ***rickenii*** **7**: 103; ***rigelliae*** **5**: 77; **11**: 48; ***rimosus*** **4**: 111; **5**: 85; **9**: 96; ***riparielus*** **59**: 11, 18, 21, 23; **60**: 34, 50; ***romellii*** **3**: 97, 101; ***roseoolivaceus*** **58**: 31, 40; ***roseopurpureus*** **58**: 31, 40; ***roseus*** **44**: 236; ***rostkowii*** **18**: 193, 194; ***rubellus*** **22**: 109; **28**: 184; **52**: 8; **57**: 31, 32, 33; **58**: 32; **59**: 11, 18, 21, 23; **60**: 34, 50; ***rubinellus*** **46**: 205; **47**: 179; ***rubinus*** **12**: 5; **13**: *87*, *88*, *89*, *90*, *91*, *92*; **15**: 81, 83, 85, 86; **18**: 184; **23**: 81, 82; **57**: 39; ***rubropunctus*** **57**: 44, 45; ***rufescens*** **2**: 31; **5**: 74; **6**: *7*, *8*, *9*, *10*, *11*; **7**: 76, 78; **8**: 112; **36**: 82; **43**: 1, 3, 7; ***rufus***

4: 148; **5**: 74; **6**: 2, 8; **9**: 1; **43**: 4, 6; ***rufus* var. *sanguinescens* 6**: 7; ***rugosiceps* 36**: 82; ***rugosus* 5**: 74; ***sanguinescens* 6**: 7; **43**: 4; ***sanguineus* 4**: *9*, *10*, *11*; **5**: 76; **8**: 26; **11**: 48; ***sanguineus rhodoxanthus* 4**: 114; **8**: 26, 28; ***sanguineus* var. *gentilis* 4**: 11; **5**: 76, 77; **11**: 48; ***sapidus* 15**: 82; ***satanas* 1**: 55, 91; **2**: 4, *91*, *92*, 105; **4**: 45, 110, 114, 115, 136; **5**: 14, 16, *85*, *86*, *87*, 127; **6**: 24, 40, 90, 114, 180, 184, 186, 187; **7**: 160; **8**: 26, 28, 181, 182, 189, 190, 192; **10**: 119; **11**: 191; **12**: 58, 251; **14**: 75, 111, 117, 118, 120, 124, 127, 128, 130, 225, 227, 228; **15**: 14, 50, 159, 160; **16**: 13; **18**: 11, 184; **19**: 114; **20**: 165, 240; **22**: 109, 170; **23**: 176, 179; **24**: 108; **26**: 123; **29**: 25, 26, 30; **30**: 149, 150, 233; **33**: 159, 161, 163, 164, 167, 252; **40**: 118; **42**: 224, 225; **43**: 57, 178; **44**: 221; **45**: 1; **48**: 98, 99; **52**: 4, 8; **56**: 175; **57**: 29, 311; **60**: 34, 58; ***satanas* var. *roseodermata* 8**: 181, 182; **30**: 150; **52**: 52; ***satanicolor* 8**: 28, 29; ***satanoides* 8**: *26*, *27*, *28*, *29*, *30*, *181*, *182*, *183*; **30**: 143, 148, 149, 153; **33**: 167; ***scaber* 5**: 74; **7**: 76, 78; **9**: 1; **11**: 170; **21**: 110; **29**: 26; ***scaber rufescens* 6**: 7; ***scaber* var. *carpini* 43**: 6; ***scaber* var. *melaneus* 36**: 81; **43**: 5; ***scaber* var. *versipellis* 6**: 8; ***scabroides* 6**: 10; ***schulzeri* 7**: 69; ***separans* 32**: 222; **45**: 1; ***sericeus* 3**: 69; ***slavonicus* 7**: 69; ***spadiceus* 31**: 32; **57**: 31, 32; ***speciosus* 31**: 32; **43**: 51, 52, 57; **45**: 1; **58**: 31; **60**: 34; ***spectabilis* 17**: 89; ***sphaerosporus* 23**: 81, 82; ***splendidus* 8**: 46; **30**: 143, 148, 149, 150, 153; **33**: 159, 161, 164, 167; ***splendidus* subsp. *moseri* 30**: 143, 148, *151*, *152*, *153*; **43**: 117; ***splendidus* subsp. *splendidus* 30**: 150; ***stejskalii* 2**: 37; ***strobilaceus* 16**: 157; **57**: 46; **64**: 142, 145, 146, 147, 148, 149, 152, 157, 158, 159, 160; ***strobiliformis* 64**: 141, 142, 145, 148, 150, 152, 153, 158, 159; ***strobilinus* 64**: 148, 152; ***subaereus* 26**: 118; ***subappendiculatus* 44**: 113; **47**: 194, 312; **57**: 29; **59**: 71, 76; **60**: 34, 58; ***subglabripes* 57**: 44, 45; **subsp. *discolor* 43**: 117; ***subtomentosus* 5**: 74; **7**: 76, 78; **13**: 148; **30**: 24, 25, 154; **36**: 188; **43**: 6; **46**: 170; **47**: 173, 175, 177, 181, 182; **52**: 11; **57**: 4, 15, 30, 31, 32, 38, 40, 41; **60**: 35; ***subtomentosus* var. *flavus* 30**: 154; ***subtomentosus* var. *luteolus* 30**: 154; **60**: 35, 41; ***subtomentosus* var. *nigricans* 7**: 103; ***subvelutipes* 23**: 152; **30**: 148; ***sulphureus* 19**: 181; **25**: 136, 138; ***sulphureus* f. *silvestris* 25**: 136, 138; ***suspectus* 1**: 59, 91; **4**: 149; ***sykorae* 3**: 98; **6**: 180; **14**: 75; **18**: 16, 18; **21**: 166, 169, 173; ***tesselatus* 3**: 52; **5**: 74; **7**: 76, 78; ***tomentosus* 6**: 10; ***torosus* 3**: 98, 101; **22**: 170; **48**: 123; **57**: 29; ***torulosus* 29**: 5; ***tridentinus* 9**: 82; **15**: 159; **17**: 89; **18**: 222; **30**: 199; ***truncatus* 20**: *1*, *2*, *3*, *4*, *5*, *6*, *7*; ***tuberosus* 2**: 105; ***tumidus* 4**: 47; **18**: *193*, *194*, *195*, *196*, *197*, *198*, *199*, *200*, *201*, *202*; ***turbinatus* 20**: 4; ***unicolor* 11**: 217; ***vaccinus* 2**: 36; **21**: 166; ***variegatus* 2**: 93; **5**: 74; **7**: 76, 79, 94; **8**: 86, 159; **10**: 114; **12**: 63, 128; **18**: 224; **20**: 75; **22**: 265, 275; ***variipes* 60**: 35; ***velutinus* 44**: 94; ***vermiculosus* 60**: 35; ***versicolor* 4**: 149; **5**: 76, 78, 85; **7**: 154; **11**: 48; **12**: 198; **21**: 162; **43**: 135; ***versipellis* 2**: 96; **4**: 147, 148; **5**: 74; **6**: 2, 8; **9**: 1, 5; **27**: 214; **29**: 26; **43**: 6, 7; **64**: 157; ***versipellis* f. *ericetorum* 9**: 1; ***versipellis* var. *arcticus* 9**: 1; ***versipellis* var. *percandidus* 6**: 10; ***viscidus* 3**: 5; **30**: 54; ***xanthoporus* var. *sanguineomaculatus* 15**: 82; ***zelleri* 57**: 34, 41; **60**: 52.

***BOLINIA lutea* 23**: 121; **40**: 219; ***petersii* 34**: 123, 126, 128, *144*, *145*, *146*, *147*, *148*, *149*; ***tubulina* 23**: *118*, *119*, *120*, *121*, *122*; **25**: 110, 111; **27**: 225; **34**: 123, 126, 128, 132, 135; **40**: 218, 219, 221, 222; **57**: 98, 99.

***BOMBARDIA brachyura* 52**: 273; ***lignicola* 49**: 214; ***lunata* 17**: 136.

***BONDARZEWIA guaitecasensis* 64**: 17; ***montana* 11**: 163, 165; **14**: 88; **15**: 180, 181; **16**: 22, 157; **17**: 53, 182; **19**: 102, 103; **21**: 57, 97; **24**: 108, 117; **25**: 105, 111; **27**: 220; **31**: 115; **36**: 37, 187.

BOREOSTEREUM vibrans **60**: 213.
BOTHRYOSPHAERIA ribis **53**: 288, 291.
BOTRYDIELLA bicolor **45**: 162.
BOTRYOBASIDIUM aureum **21**: 69, 72, 73; **23**: 209, 214, 217, 218, 221; **25**: 105, 111; **33**: 145; ***botryosum*** **18**: 162; **21**: 70, 73; ***candicans*** **21**: 69, 73; **23**: 101, 210, 214; ***conspersum*** **23**: 97, 101; **33**: 145; ***croceum*** **23**: 220; ***ellipsosporum*** **23**: *209*, *210*, 211, *211*, *212*, *213*, *214*, *215*, *216*, *217*, *218*, *219*, *220*, *221*; **27**: 220; ***isabellinum*** **26**: 37; ***laeve*** **35**: 109; **58**: 154; ***lembosporum*** **21**: 72; ***medium*** **23**: 217; ***pruinatum*** **21**: 70; **35**: 109; ***robustior*** **21**: *69*, *70*, *71*, *72*, *73*; **23**: 210, 214; ***simile*** **23**: 97, 210, 214; ***subcoronatum*** **18**: 162; **21**: 70; **44**: 141; ***vagum*** **21**: 72.
BOTRYOCHAETE faginea **10**: 92.
BOTRYODIPLODIA fraxini **33**: 157; ***malorum*** **4**: 101; ***rubi*** **28**: 180; ***theobromae*** **39**: 160; **43**: 174.
BOTRYOHYPOCHNUS isabellinus **25**: 105; **60**: 109.
BOTRYONIPHA aciculosa **49**: 51.
BOTRYOSPHAERIA cyanea **10**: 239; ***rhodina*** **39**: 158; ***ribis*** **39**: 158; **53**: 292; ***theobromae*** **39**: 160.
BOTRYOSPORIUM pulchrum **15**: 178; **25**: *25*, *26*, *27*, *28*, 30.
BOTRYOTINIA convoluta **29**: 132; ***fuckeliana*** **46**: 2; **47**: 101, 103, *108*, *109*, *110*, *111*, *112*, *113*, *114*, *115*, *116*, *117*, *118*, *119*, *120*, *121*, *122*, *123*, *124*, *125*, *126*, *127*, *128*, *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*.
BOTRYOTRICHUM atrogriseum **51**: 163; ***piluliferum*** **32**: 118, 119; **36**: *40*, *41*, *42*, *43*; **41**: 11; **43**: 174; **46**: 109, 264, 268; **47**: 303, 306, 308; **48**: 74, 83; **50**: 102, 104; **55**: 91; **58**: 158, 161.
BOTRYTIS allii **1**: 107; **32**: 120; **37**: 113; **38**: *235*, *236*, *237*, *238*, *239*; ***anthophila*** **6**: 36; ***bassiana*** **9**: 137; ***byssoidea*** **37**: 113; ***capitata*** **23**: 210; ***cinerea*** **4**: 100; **5**: 26, 27; **13**: 248; **15**: 169, 176, 177; **19**: 57, 61, 63; **20**: 51; **23**: 245; **24**: 163; **32**: 120, *169*, *170*, *171*; **35**: 98; **36**: 66, 67, 70; **37**: 113; **38**: *235*, *236*, *237*, *238*, *239*; **40**: 22, 26, 27; **41**: 11, 244; **43**: 174; **44**: 106; **46**: 102, 245, 246, 248; **48**: 81, 83, 84, 85; **50**: 41; **53**: 214, 217; **55**: 87, 106, 110; **56**: 79, 81, 82, 219; **57**: 313; **59**: 231; **60**: 122; **63**: 80; ***fabae*** **43**: 175; ***geotricha*** **12**: 160; ***paeoniae*** **1**: 80; ***pyramidalis*** **43**: 175; ***squamosa*** **37**: 113; **38**: *235*, *236*, *237*, *238*, *239*.
BOUBOVIA luteola **31**: 71; **35**: 8, 140, 142.
BOUDIERA acanthospora **35**: 190; ***areolata*** **35**: 190; ***caucasica*** **35**: *189*, *190*, *191*; ***dennisii*** **35**: 190; ***echinulata*** **35**: 190; ***murina*** **35**: 84; ***purpurea*** **35**: 189, 190; ***tracheia*** **35**: 190; ***walkerae*** **35**: 191.
BOUDIERELLA coronata **29**: 174, 175, 177; **44**: 195.
BOURDOTIA caesiocinerea **4**: 40, 84, 85; **18**: 162; ***caesiolivida*** **26**: 37; ***cinerella*** **4**: 84; ***galzinii*** **44**: 31, 32.
BOVISTA brevicauda **5**: 61, 62, 68; ***brunnea*** **5**: 68; **17**: 205; ***castanea*** **17**: 205; ***dealbata*** **17**: 205; ***echinella*** **17**: 203, 205; ***fusca*** **5**: 61, *66*, *67*, *68*, *69*; **14**: 104; **17**: 205; **52**: 53; ***graveolens*** **17**: 205; ***humidicola*** **17**: 205; ***hungarica*** **5**: 61, *64*, *65*, *66*, *67*, *68*; **9**: *169*, *170*, *171*; ***limosa*** **17**: 205; ***longicauda*** **5**: 65, 66; ***macrospora*** **17**: 205; ***minor*** **3**: 72; **5**: 66; **17**: 205; ***montana*** **5**: 61, 64, *66*, *67*, *68*; ***nigrescens*** **3**: 73; **5**: *61*, 62, *62*, *63*, *64*, *66*, *67*, *68*; **13**: 149; **14**: 104; **32**: 208, 222; **42**: 160;

43: 87, 89, 92; **44**: 204, 207; **46**: 84; ***nigrescens* var. *montana*** **17**: 205; ***nuciformis*** **5**: 61, 62; ***ovalispora*** **5**: 62; ***pallida*** **5**: 61, 68; ***paludosa*** **17**: 205; ***pila*** **5**: 61, 63, 64, *66*, *67*, *68*; **17**: 203, 205; ***plumbea*** **3**: 48, 72, 73; **4**: 23; **5**: 61, 62, *66*, *67*, *68*; **9**: 191, 192; **13**: 158; **14**: 104, 223; **32**: 222; **43**: 93; **46**: 84; **52**: 9; ***plumbea* f. *brevicauda*** **5**: 62; ***plumbea* f. *ovalispora*** **5**: 62, *66*, *67*, *68*; ***plumbea* var. *brevicauda*** **17**: 205; ***plumbea* var. *plumbea*** **15**: 96; ***pusilla*** **43**: 93; **46**: 84; ***pusilliformis*** **23**: 78; ***tomentosa*** **3**: *72*, *73*; **5**: 61, *65*, *66*, *67*, *68*; **14**: 71, 81, 223, 227, 228; **17**: 205; **44**: 125; ***tunicata*** **5**: 61.

BOVISTELLA dealbata **3**: 72; **5**: 66; ***paludosa*** **17**: 205; **21**: 55.

BRACHYCLADIUM spiciferum **37**: 72; **44**: 68.

BRACHYSPORIELLA arengae **37**: 14; **40**: 144; ***dennisii*** **38**: 102; ***gayana*** **38**: 102; **40**: 144.

BRACHYSPORIUM bloxamii **61**: 86; ***nigrum*** **33**: 139, 166; **43**: 175; **49**: 80; **61**: 87; ***obovatum*** **33**: 139; **61**: 86; ***zonatum*** **35**: 31.

BRASILIOMYCES malachrae **46**: 310.

BREMIA lactucae **18**: 85; **32**: 114; **43**: 14; **45**: 51; **48**: 162; **52**: 140, *146*, *147*, *149*, *150*; **53**: 94; **56**: 123; **60**: 94; **62**: 91.

BREMIELLA baudysii **56**: 123; **60**: 101.

BRETTANOMYCES bruxellensis **60**: 81, 82.

BRICOOKEA sepalorum **56**: 63.

BRIGANTIAEA praetermissa **56**: 155, 156.

BRIOSIA ampelophaga **53**: 304.

BRUNCHORSTIA pinea **35**: 96; **41**: 244.

BRUNNIPILA calycioides **55**: 229, 230, 231, 233, 238; **56**: 63, 64, 66, 67, 68, 79, 82, 218, 219; **57**: 142, 149; ***calyculiformis*** **57**: 141, 143, 144; ***clandestina*** **56**: 68; ***fuscescens*** **57**: 139, 142, 143, 145, 146, 147, 148, 149, 150; ***fuscescens* f. *fagicola*** **57**: 150.

BRYOPHAGUS gloeocapsa **50**: 229, 282; **56**: 156.

BRYORIA capillaris **56**: 156; **63**: 230; ***implexa*** **63**: 230.

BRYOSCYPHUS conocephali **45**: 142; ***marchantiae*** **45**: 134, 140, 141, 142.

BUCHWALDOBOLETUS lignicola **25**: 136; **57**: 11, 24, 33, 37.

BUELLIA asterella **50**: 229, 230; ***discors*** **56**: 156; ***epigaea*** **50**: 229; ***sanguineolenta*** **56**: 156; ***saxatilis*** **17**: 155, 156; ***stillingiana*** **56**: 156; ***violaceofusca*** **56**: 156.

BUGLOSSOPORUS pulvinus **36**: 186; ***quercinus*** **20**: 81, 84, 172, 202; **24**: 84; **26**: 123.

BULBILLOMYCES farinosus **33**: 156; **40**: 79.

BULGARIA inquinans **14**: 87, 112; **16**: 97, 156; **23**: 79; **25**: 109; **26**: 149, *151*, *152*, *153*, *154*; **27**: 224; **32**: 221; **35**: 109; **53**: 288, 289, 290, 291, 292; **63**: 255; ***polymorpha*** **6**: 93; **7**: 92; **8**: 77, *88*, *89*, *90*; **13**: 222; **16**: 156; **19**: 176.

BULGARIELLA foliacea **7**: 93; ***pulla*** **3**: 32; ***pulla* var. *nigroolivacea*** **3**: 32.

BULLERA alba **39**: 47; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; **46**: *272*, *273*, *274*, *277*, *278*, *279*, 281; **48**: 147, 148, 149, 150, 152; ***dendrophila*** **38**: 12; ***piricola*** **46**: 273, 275, *277*, *278*, *279*.

BULLIARDELLA nitida **49**: 210.

BUNODOPHORON formosanum **56**: 156; ***scrobiculatum*** **56**: 156.

BYSSOASCUS striatosporus **53**: 288, 291, 292.

BYSSOCHLAMYS fischeri **46**: 263; *fulva* **46**: 265; **47**: 303, 305, 307, 308; **48**: 74; **53**: 176, 183; *nivea* **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **47**: *303*, *304*, *305*, 307, 308; **48**: 73, 74, 75; **53**: 176, 183; *verrucosa* **48**: 73.
BYSSOCORTICIUM atrovirens **18**: 162.
BYSSOLECANIA fumosonigricans var. *deplanata* **56**: 156; *hymenocarpa* **56**: 156.
BYSSOLOMA adspersum **56**: 156; *aptrootii* **56**: 156; *chlorinum* **56**: 156; *fumosonigricans* var. *deplanata* **56**: 155; *leucoblepharum* **56**: 156; *ortizii* **56**: 156; *subdiscordans* **56**: 156; *subundulatum* **56**: 156; *tricholomum* **56**: 156.
BYSSONECTRIA fusispora **26**: 140; *lateritia* **14**: 25, 26, 28; *luteovirens* **10**: 87, 90; **14**: 25, 28; **56**: 276; *tetraspora* **26**: 139; *viridis* **10**: 88; **14**: 28.
BYSSOSPHAERIA rhodomphala **50**: 74, 79, 80; *schiedermayeriana* **50**: 81; *xestothele* **50**: 81.
BYSSOSTILBE stilbigera **61**: 86, 92.
CACUMISPORIUM capitulatum **33**: *139*, *140*, *141*; **51**: 4, 5, 12, 19, 23, 24, 38, 39; **61**: 86; *tenebrosum* **51**: 19.
CAEOMA scillae **31**: 175; *trichophorum* **39**: 144.
CALATHINUS craterellus **54**: 93.
CALCARIOSPORIUM arbuscula **43**: 175.
CALCARISPORA hiemalis **26**: *230*, *231*, *232*; **53**: *7*, *8*, *9*, *10*.
CALCARISPORIUM pallidum **18**: 180.
CALDARIOMYCES fumago **43**: 175.
CALDESIELLA calcicola **44**: 125; *ferruginosa* **4**: 84; **8**: 133; **14**: 73; **21**: 53; *sajanensis* **4**: 83.
CALENIA triseptata **56**: 157.
CALICIUM pinastri **56**: 157; *saxatile* **17**: 156.
CALLISTOSPORIUM luteoolivaceum **61**: 10, 11; *luteoolivaceum* f. *minor* **61**: 2, 9; *luteoolivaceum* var. *minor* **61**: 9; *minor* **61**: 2, 9; *pinicola* **61**: 1, 2, 4, 5, 6, 7, 8, 9, 10, 11; *xanthophyllum* **61**: 11; *xanthophyllum* f. *minor* **61**: 2, 6.
CALLORIA aurea **20**: 10; *fusarioides* **13**: 157.
CALOCERA cornea **11**: 94; **14**: 89; **18**: 162; **27**: 220; **32**: 222; **44**: 141; **46**: 288; **56**: 275; **63**: 255; *cornea* f. *furcata* **11**: 94; *cornea* f. *palmata* **11**: 94; *cornea* f. *striata* **11**: 94; *flammea* **11**: 93; *furcata* **11**: 94; **63**: 251, 255; *glossoides* **11**: 95; *palmata* **11**: 94; *stricta* **11**: 93; *viscosa* **9**: 134; **11**: 93; **14**: 106; **18**: 162; **22**: 192; **32**: 222; **33**: 162; **35**: 109; **42**: 160, 164; **44**: 141; **46**: 287, 288; **56**: 275; **63**: 233, 255.
CALOCLADIA grossulariae **12**: 165.
CALOCYBE carnea **8**: 122; **29**: 26; **44**: 85; *cerina* **18**: 11; **61**: 9; *chrysenteron* **61**: 9; *constricta* **22**: 105; **31**: 34; **34**: 77; **44**: 204, 207, 221, 223; **46**: 81; *gambosa* **1**: 38, 99; **14**: 104; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **20**: 65, 67; **30**: 51; **32**: 222; **34**: 77; **43**: 86, 88, 90; **44**: 221, 223; **46**: 78, 81; **48**: 100; *georgii* **8**: 122; **14**: 78; **18**: 11, 12; **22**: 105; *georgii* var. *aromatica* **19**: 215; **20**: 80; *georgii* var. *pomonae* **19**: 215; *ionides* **52**: 11; *leucocephala* **22**: 105; *onychina* **22**: 191, 193, 194, 200; **30**: 228; *pseudolilacea* **7**: 81, 88.
CALODON amicus **10**: 74; *compactus* **57**: 65; *ferrugineus* **10**: 75; *geogenius* **3**: 16; *laevigatus* **51**: 107; *sulphureus* **3**: *16*, *17*, *18*, *19*; **7**: 159; **10**: 69; **57**: 285; *velutinus* **57**: 284.

CALOLEPIS congesta **52**: 53.
CALOMYXA metallica **53**: 323, 329, 344.
CALONECTRIA decora **12**: 93; *nivalis* **39**: 160, 161; *pyrochroa* **50**: 75; *rajasthanensis* **50**: 74, 76.
CALOPACTIS singularis **52**: 53.
CALOPADIA foliicola **56**: 157; *perpallida* **56**: 157; *puiggarii* **56**: 157.
CALOPLACA aegaea **60**: 275, 276; *aetnensis* **56**: 157; *areolata* **56**: 157; *aurantia* **60**: 275, 276, 277, 278, 279, 281, 283, 284, 285, 286, 287, 288, 289; *aurantia* f. *centrifuga* **60**: 282, 283, 285, 286, 288; *aurantia* var. *areolata* **60**: 284; *aurantia* var. *aurantia* **60**: 280; *aurantia* var. *dalmatica* **60**: 284, 285, 286; *aurantia* var. *intermedia* **60**: 278, 280, 282, 283, 288; *callopisma* **60**: 277, 278, 279, 280, 283, 284, 288; *callopisma* var. *heppiana* **60**: 280; *cerinelloides* **56**: 157; *coralloides* **61**: 73, 76, 77, 78; *erodens* **56**: 155, 157; *flavescens* **60**: 275, 276, 277, 278, 281, 282, 283, 286, 287, 288, 289; *fuerteventurae* **60**: 275, 276; *gloriae* **56**: 157; *havaasii* **56**: 157; *heppiana* **60**: 282, 283, 284, 286, 288; *jungermanniae* **56**: 157; *marmorata* **56**: 157; *ora* **56**: 157; *rosei* **61**: 78, 79; *rubelliana* **56**: 157; *saxicola* **60**: 278; *scoriophila* **56**: 157; *scrobiculata* **60**: 275, 276; *stillicidiorum* **61**: 79; *sympagea* **60**: 288; *texana* **61**: 78; *thallincola* **60**: 275, 276; *thamnoblasta* **56**: 154, 157; *wetmorei* **56**: 155, 157.
CALOPORUS confluens **5**: 74; **10**: 185, 188; **20**: *97*, *98*, *99*, 102; *cristatus* f. *simplex* **44**: 228; *fuscopellis* **20**: 84; *ovinus* **5**: 74; **10**: 168, 185, 188; **13**: 41, 42, 46, 48; *pes-caprae* **14**: 125; **21**: 129.
CALOSCYPHA fulgens **35**: 8, 138, 141, 143; **37**: 242.
CALOSPHAERIA minima **14**: 18, 20.
CALOSPORA ambigua **49**: 221; *austriaca* **12**: 25; **27**: 86; *innesii* **26**: 52; *platanoides* **26**: 52.
CALVATIA booniana **64**: 69, 71; *caelata* **5**: 133; **8**: 122; **14**: 104; **17**: 203; *caelata* var. *hungarica* **15**: 17; *candida* **6**: 12; **8**: 152; **14**: 71, 81; **15**: 17, 96; **17**: 203; **18**: 9, 15, 110, 111, 116; **28**: 176; *complutensis* **64**: 69, 71; *cretacea* **16**: 158; **21**: 97; **23**: 79; *cyathiformis* **17**: 203; **43**: 87, 89, 93; *elata* **14**: 76; **17**: 203; *excipuliformis* **14**: 223, 226; **17**: 203; **19**: 16; **32**: 222; **33**: 166; *fragilis* **17**: 203; *gigantea* **9**: 192; **15**: 155, 157; **16**: 158; **20**: 110; **24**: 178; **60**: 232; *lepidophora* **64**: 69, 71; *lilacina* **4**: 53; **15**: 17, 96, 97; **17**: 203; *maxima* **16**: 158; *pachyderma* **64**: 65, 66, 69; *pachyderma* f. *tenuior* **64**: 70; *paludosa* **17**: 204; *pilula* **64**: 66, 70; *tatrensis* **17**: 203; **18**: 224; *utriformis* **11**: 62; **17**: 203; **32**: 222; **43**: 93; **46**: 84; **57**: 311.
CALYCELLA citrina **14**: 87; **16**: 97, 98; **18**: 163; **20**: 10; **27**: 224; **41**: 23; *citrina* var. *terrestris* **41**: 24; *monilifera* **33**: 195; *subpallida* **14**: 76; *terrestris* **41**: 23, 24.
CALYCELLINA angulata **46**: 149, 153; *chalarae* **46**: 33, 38; *guttulifera* **43**: *215*, *216*, 217, *217*; *indumenticola* **46**: 152; *lunispora* **43**: 215, 223, 224; *luzulae* **39**: 211, 218; **46**: 150; *lycopodii* **39**: 211; *nemorosa* **46**: 149, 150, 153, 158; *nigrostipitata* **46**: 149, 151, 153; *operta* **46**: 149, 150, 153; *populina* **16**: 98, 99; **43**: 224; **46**: 33, 34; *praetermissa* **46**: 149, 151, 153; *punctata* **41**: 201; *punctiformis* **39**: 214; **41**: 201; *sordido-pulvinata* **43**: 215, 216, 218.
CALYCINA mycetophila **31**: 137.
CALYPTELLA capula **25**: 105; **43**: 51, 53, 54; *gibbosa* **33**: 155.
CALYPTELLOPSIS reticulata **40**: 203; **41**: 195.

CAMAROPHYLLOPSIS schulzeri **16**: 163.
CAMAROPHYLLUS angustifolius **43**: *51*, 52, *52*, *53*; ***borealis*** **43**: 53; ***caprinus*** **3**: 107; ***foetens*** **10**: 29; ***lacmus*** **21**: 57, 59; ***marzuolus*** **3**: 26; ***metapodius*** **var.** ***paradoxa*** **4**: 97; ***niveus*** **4**: 29; **14**: 78; **32**: 222; **43**: *52*, *53*, *54*; ***pratensis*** **14**: 78; **32**: 208, 222; ***russocoriaceus*** **10**: 29; **22**: 193; **43**: 53; ***virgineus*** **4**: 29; **14**: 78; **32**: 208, 222; **43**: 52.
CAMAROPS hypoxyloides **34**: 123, 124, *126*, *127*, *128*; ***lutea*** **40**: 218; ***microspora*** **32**: 99; **33**: 151; **34**: *123*, *124*, *125*, *126*, *127*, 131, *137*, *138*, *139*, *140*, *141*, *142*, *143*, 149; **40**: 218, 221, 222; ***ohiensis*** **34**: 128; **40**: 221; ***peltata*** **34**: 131; **40**: 221; ***petersii*** **34**: 123, 124, 126, 131, 137, *144*, *145*, *146*, *147*, *148*, *149*; ***plana*** **40**: 218; ***polysperma*** **34**: 123, 124, 126, *128*, *129*, *130*, *131*, *132*, 135, 137; **40**: 218, 221; **61**: 86, 90, 91, 94, 95; ***pugillus*** **61**: 81, 86, 92, 94; ***scleroderma*** **34**: 135; ***tubulina*** **34**: 123, 124, 126, *131*, 132, *132*, *133*, *134*, *135*, *136*, *137*, 141, 142, 149; **40**: 218, 219, 221, 222; **57**: 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114; **59**: 71, 77, 79; **61**: 86, 90, 91, 94; **63**: 251, 255; ***tubulina*** **var.** ***gigas*** **34**: 135; ***ustulinoides*** **34**: 128, 131.
CAMAROSPORIUM bulgaricum **52**: 53; ***carpini*** **52**: 53; ***incrustans*** **13**: 158; ***juglandis*** **11**: 126; ***kirchneri*** **52**: 53; ***palliatum*** **55**: 247; ***pini*** **35**: 100; ***pseudacaciae*** **13**: 158.
CAMILLEA labellum **33**: 217; ***leprieurii*** **33**: 214, 215.
CAMPOSPORIUM antennatum **63**: 139; ***aquaticum*** **63**: 146; ***cambrense*** **63**: 139; ***japonicum*** **63**: 139; ***pellucidum*** **63**: 139, 148.
CAMPTOUM cuspidatum **56**: 79.
CAMPYLOSPORA chaetocladia **23**: 135, 136; **60**: 66; **63**: 120, 128; ***filicladia*** **60**: 66.
CANCELLIDIUM applanatum **42**: 201.
CANDELABRUM spinulosum **33**: 157.
CANDELARIA concolor **50**: 290.
CANDELARIELLA vitellina **50**: 232, 290.
CANDIDA albicans **10**: *251*, *252*, *253*, *254*; **11**: 23; **12**: *8*, *9*, *10*, *11*; **13**: *121*, *122*, *123*, *160*, *161*, *162*, 185; **15**: 110; **16**: 242; **20**: 182; **22**: 51, 112, 113; **23**: 45; **24**: 156; **25**: 49, *51*, *52*, *53*; **32**: 35, 36, 39, 40, 107, 130, 132, 242, 243; **33**: 108, 109, 229, *231*, *232*, *233*, *234*; **34**: *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*; **35**: *162*, *163*, *164*, 213, *227*, *228*, *229*, *230*, *231*, *232*; **36**: *52*, *53*, *54*, *122*, *123*, *124*, *125*, *126*, 168, *243*, *244*, *245*, *246*, *247*; **39**: *107*, *108*, *109*, *110*, *111*, *112*, *113*, *114*, *115*, 152, 234, 236, 238, 239, 242; **41**: 47, 158, 168; **42**: 160; **44**: 4, 5, 70; **45**: 48, 53; **48**: 191; **49**: 92; **50**: 102, 104; **52**: *165*, *166*, 167, 168, 169, 173, 176; **55**: 0; **57**: 309, 310, 322, 323; ***albicans*** **var.** ***claussenii*** **32**: 132; ***albicans*** **var.** ***stellatoidea*** **10**: 252; **32**: 140; **39**: 158; ***biliaria*** **32**: 130; ***boidinii*** **32**: 36, 42, 131; **33**: 111; **39**: 238; **48**: 147, 148, 150, 152; ***boleticola*** **38**: 223; **42**: 115, 117, 118; ***brassicae*** **38**: 223; ***brumptii*** **19**: 116, 117, 119; **33**: 109, 112; **36**: 168; **39**: 238, 242; ***buinensis*** **42**: 171, 172; ***castellanii*** **32**: 133; ***catenulata*** **13**: 161, 162; **14**: 52, 54, 57; **39**: 238, 242; ***chevalieri*** **11**: 149; ***ciferrii*** **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; ***claussenii*** **22**: 112; **32**: 36, 39, 132, 243; **33**: 109; **34**: *84*, *85*, *86*; **35**: *162*, *163*, *164*, 229, 232; **36**: 53, 54, 123, 124, 168, 245; **39**: *107*, *108*, *109*, *110*, *111*, 115, 158, 242; ***cloacae*** **33**: 114; ***crusei*** **46**: *272*, *273*, *274*, *277*, *278*, *279*, 281; ***curvata*** **15**: 119; ***dendritica*** **11**: 149; ***diddensii*** **39**: 48; ***diversa*** **38**: 223; ***ergatensis*** **38**: 223; ***famata*** **39**: 235, 236, 242; **44**: *154*, *155*, *156*, *157*, *158*, *159*; **48**: 147, 148, 149, 150, 152; **52**: 166; ***flareri***

32: 235; ***freyschussii*** **32**: 36, 39, 133; **33**: 109; **39**: 108, 109, 111, 114, 239; **42**: 171, 172; ***genitalis*** **32**: 130; ***glabrata*** **41**: 47; **42**: 171, 172; **44**: 138; **52**: 169, 173; ***guilliermondii*** **13**: 121, 123, *160*, *161*, *162*; **18**: 32; **32**: 242; **39**: 158, 162, 236, 242; **42**: 170; **43**: *227*, *228*, *229*, *230*, *231*, *232*, *233*; **46**: 273, 274, *277*, *278*, *279*, 281; ***guilliermondii*** **var.** ***nitratophila*** **32**: 141; ***haemulonii*** **42**: 171, 172; ***heveanensis*** **15**: 118; ***holmii*** **39**: 237; ***humicola*** **14**: 54, 57; **15**: 119; **16**: *83*, *84*, *85*, *86*, 239, 241, 243; **18**: 92, 97; **19**: 116, 118, 119; **20**: 182; **24**: 153, 158, 160; ***iberica*** **38**: 223; ***inconspicua*** **39**: 240; **41**: 47; **48**: 147, 148, 149, 150, 152; ***intermedia*** **13**: 160, 161, 227, 230; **14**: 54, 57, 58; **16**: *237*, *238*, *239*, *240*, *241*, *242*, *243*; **39**: 48; **46**: 273, 275, *277*, *278*, *279*; ***intestinalis*** **32**: 130; ***japonica*** **20**: 182; ***kefyr*** **32**: 36, 39, 133; **33**: 109, 113; **34**: 84; **35**: *162*, *163*, *164*, 229, 230; **36**: 53, 54, 168; **39**: 237, 242; **41**: 47; ***kruisii*** **42**: 115, *117*, *118*, *119*; ***krusei*** **11**: *149*, *150*, *151*, *152*; **13**: 37, 44, 46, 49, *160*, *161*, *162*, *227*, *228*, *229*, *230*, 232; **14**: *52*, *53*, *54*, *55*, 57, 58; **16**: 242; **20**: 182; **32**: 36, 41, 133; **33**: 112, 231; **34**: 84, 85; **35**: *162*, *163*, *164*, 229; **36**: 123, 124, 245; **39**: *107*, *108*, *109*, 113, 158, 240; **41**: 47; **43**: *227*, *228*, *229*, *230*, *231*, *232*, *233*; **44**: 5, 70, *154*, *155*, *156*, *157*, *158*, *159*; **48**: 147, 148, 150, 152; **52**: 169; ***lambica*** **32**: 36, 41, 134; **33**: 111, 114; **34**: 84, 85; **35**: 162, 164, 229; **36**: 53, 123, 124, 245; **39**: *107*, *108*, *109*, 111, 114, 240; **42**: 115, 118; **44**: *154*, *155*, *156*, *157*, *158*, *159*; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; **46**: 273, 275, *277*, *278*, *279*; **48**: 147, 148, 150, 152; ***langeronii*** **42**: 171, 172; ***lipolytica*** **29**: 155; **32**: 101; **35**: 229; **36**: 123, 124, 245; **39**: 238, 240, 242; ***lipolytica*** **var.** ***lipolytica*** **33**: 111, 113; ***lobata*** **32**: 133; ***lusitaniae*** **32**: 36, 38, 135; **34**: *84*, *85*, *86*; **35**: 163, 229; **36**: 53, 54, 123, 124, 168, 245; **38**: 15, 223; **39**: 236; **52**: 173; ***lusitanica*** **33**: 108; ***macedoniensis*** **32**: 243; ***magnoliae*** **39**: 237, 239; ***maltosa*** **33**: 114; **42**: 171, 172; **54**: 242, 244; ***melinii*** **13**: 37, 47, 49; **16**: 237, *241*, *242*, *243*; ***mesenterica*** **14**: 52, 53, 57; **32**: 36, 39, 136; **33**: 110; **36**: 245; **38**: 223; **39**: 239; ***mogii*** **39**: 237, 239; **42**: 171, 172; ***monosa*** **32**: 134; ***mortifera*** **32**: 138; ***musae*** **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; ***muscorum*** **16**: 86; ***mycoderma*** **18**: 32; ***natalensis*** **33**: 114; ***norvegica*** **39**: 240; ***obtusa*** **38**: *13*, *14*, *15*; **39**: 48; ***obtusa*** **var.** ***obtusa*** **38**: 15; ***oregonensis*** **38**: 223; ***parakrusei*** **16**: 242; **39**: 158; ***parapsilosis*** **13**: 121, 122, *160*, *161*, *162*; **14**: *52*, *53*, *54*, *55*, 57, 58; **16**: *238*, *239*, *240*, *241*, *242*, *243*; **19**: 116, 117, 119; **22**: 112; **23**: 45; **24**: 153, 154; **25**: 49, *51*, *52*, *53*; **32**: 36, 39, 136, 243; **33**: 108; **34**: *83*, *84*, *85*, *86*; **35**: *162*, *163*, *164*, 213, 219, 229, 230; **36**: 53, 54, 123, 124, 168; **38**: 13, 14; **39**: *107*, *108*, *109*, *110*, *111*, 114, 158, 237, 242; **41**: 158, 168; **42**: *170*, *171*, *172*; **44**: 5, 70; **52**: 166, 168; **55**: 110, 115; **57**: 310; ***parapsilosis*** **var.** ***intermedia*** **16**: 238; **33**: 114, 229, *231*, *232*, *233*, *234*, *235*; ***parapsilosis*** **var.** ***parapsilosis*** **38**: 15, 223; ***parapsilosis*** **var.** ***querci*** **32**: 136; **38**: 15; ***pelliculosa*** **13**: *160*, *161*, *162*; **14**: *52*, *53*, *54*, 57, 58; **18**: 32; **32**: 36, 39, 40, 137; **33**: *108*, *109*, *110*, 113, 231, 232; **35**: 213, 219, 229; **36**: 245; **39**: 107, 236, 237, 239; ***pseudointermedia*** **42**: 171, 172; ***pseudolipolytica*** **29**: 230; ***pseudotropicalis*** **13**: *160*, *161*, *162*; **15**: 110; **16**: 239, *241*, *242*, *243*; **24**: 154; **28**: 110; **31**: 2, 3; **32**: 36, 39, 138, 149, 244; **33**: 109, 113, 114; **34**: 83, 84, 89; **35**: *162*, *163*, *164*, 213, 219, 229, 231; **36**: 53, *118*, *119*, *120*, *123*, *124*, 245; **39**: *107*, *108*, *109*, 111, 113, 114, 158, 237, 242; **41**: 47; **43**: 85, 88, 89, 92; **52**: 169; ***pseudotropicalis*** **var.** ***lactosa*** **32**: 133; ***pulcherrima*** **13**: 37, 44, 46, 49; **18**: 29, *31*, *32*, *33*, *34*, *92*, *93*, *94*, *95*, 97; **19**: 116, 119; **32**: 35, 36, 38, 39, 139; **33**: 106; **35**: 162, 213, 229; **38**: 223; **39**: 158, 241; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; ***quercitrusa*** **42**: 115, 118, 171, 172; ***ravautii*** **39**: 158; ***reukaufii*** **11**: 212; **13**: 37, 44, 46, 49; **18**: 29, *31*, *32*, *33*, *34*; ***rhagii*** **42**: 171, 172; ***rignihuensis***

42: 171, 172; ***robusta*** **13**: 37, 44, 46, 49; **14**: 52, 53, 55, 57, 152, 153, 157; ***rotundata*** **32**: 240; ***rugosa*** **18**: 32; **33**: 110, 114, 231, 232; **34**: *84*, *85*, *86*; **35**: 162, 229; **36**: 168, 245; **39**: 107, 238; ***sake*** **33**: 108, 114; **35**: *162*, *163*, *164*; **39**: 237; **42**: 171, 172; ***salmanticensis*** **38**: 13, 14; ***schatavii*** **42**: 115, *117*, *118*, *119*; ***scottii*** **16**: 86; **18**: 32; **19**: *116*, *117*, 119; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; ***silvae*** **38**: 223; ***solani*** **18**: 32, 92, 96, 97; **19**: 116, 117, 119; **38**: 218, 223; **42**: 116, 118; ***sphaerica*** **39**: 236, 237, 241; ***staetolytica*** **42**: 172; ***stellata*** **33**: 111; **39**: 240; ***stellatoidea*** **10**: 252; **32**: 36, 40, 140; **33**: 109, 231; **35**: 163, 213; **39**: 158, 238, 242; ***suecica*** **38**: 223; **53**: 226, 227; ***tamarindi*** **32**: 133; ***tenuis*** **38**: 223; **39**: 48; ***tepae*** **42**: 171, 172; ***terebra*** **38**: 223; ***tropicalis*** **10**: 252; **13**: 37, 46, 49, 120, 121, 123, *160*, *161*, *162*, 185; **14**: 52, 53, 54, 57; **16**: *240*, *241*, *242*, *243*; **20**: 182; **25**: 49, 52, 53; **32**: 36, 39, 140, 243; **33**: 114; **34**: *83*, *84*, *85*, *86*; **35**: *162*, *163*, *164*, 213, 229, 230; **36**: 53, 168; **39**: 48, 49, *107*, *108*, *109*, 111, *113*, *114*, *115*, 158, 236, 242; **41**: 47, 158; **42**: *170*, *171*, *172*; **43**: *227*, *228*, *229*, *230*, *231*, *232*, *233*; **44**: 5, 70; **45**: 44, *104*, *105*, *106*, *107*, *108*, *109*, *110*; **48**: 147, 148, 150, 152; **52**: 166, 169; **57**: 309; ***tropicalis*** **var.** ***lambica*** **33**: 108; ***tropicalis*** **var.** ***tropicalis*** **33**: 231, 232, 235; ***utilis*** **13**: 162; **18**: 32; **32**: 36, 40, 141; **33**: 109, 231; **34**: *84*, *85*, *86*; **35**: 213, 229; **36**: 123, 124; **39**: 113, 239; **41**: 166; **42**: 116, 118; ***valida*** **32**: 36, 41, 142; **33**: 111; **35**: 162, 164, 229; **36**: 245; **39**: 240; ***vanriji*** **33**: 114; ***veronae*** **38**: 13, 14; ***vinaria*** **32**: 143; ***viswanathii*** **39**: 158; **42**: 171, 172; ***vulgaris*** **32**: 140; ***zeylanoides*** **14**: 52, 54, 55, 57; **18**: 92, 97; **32**: 36, 41, 143; **33**: 110, 111; **35**: 162, 163, 229; **36**: 53, 245, 246; **39**: 238, 240; **42**: 171, 172, 174.

CANTHARELLULA cyathiformis **14**: 78; **18**: 160, 164; ***obbata*** **14**: 71, 72, 78; ***umbonata*** **14**: 125; **23**: 198.

CANTHARELLUS albidus **37**: 100; ***alveolaris*** **11**: 214; ***aurantiacus*** **7**: 152; ***auriscalpium*** **33**: *40*, *41*, *42*, *43*, *44*, *45*, *46*; ***benesii*** **34**: 232; ***carbonarius*** **35**: *185*, *186*, *187*; **53**: 37; ***cavinae*** **18**: 174; ***cibarius*** **1**: 7; **2**: 37; **3**: 4; **4**: 149; **5**: 74, 127; **6**: 56; **7**: 72, 77, 79; **10**: 118, 163, 168, 185; **13**: 41, 46; **14**: 89, 106; **18**: 12; **19**: 15, 17, 19; **20**: 59, 75; **22**: *161*, *162*, *163*, *164*, *165*, *166*, 192; **25**: 66, 67, 71, 105; **27**: 220; **28**: 115; **29**: 111, 185; **30**: 25; **32**: 222; **33**: 122, 162; **34**: *9*, *10*, *11*, *12*; **35**: 109; **36**: 23; **38**: 220; **42**: 120, 160; **44**: 141, 221; **45**: 34; **46**: 171, 186; **52**: 4, 5; **56**: 272; **64**: 219; ***cibarius*** **f.** ***pallidus*** **29**: 28; ***cibarius*** **var.** ***amethysteus*** **52**: 11; ***cinereus*** **14**: 75, 226; **44**: 141; **52**: 8; ***clavatus*** **3**: 28; ***collinus*** **21**: 59; **33**: 36; ***coriaceus*** **4**: 5; ***cupulatus*** **4**: *3*, *4*, *5*, *6*, 59; **7**: 159; ***cupulatus*** **var.** ***grisellus*** **4**: 6; ***fechtneri*** **21**: 251; ***foliolum*** **46**: 318; ***friesii*** **14**: 87; **18**: 159, 162, 174, 175, 178; **27**: 220; **36**: 187; ***glaucus*** **7**: 8, *10*, *11*, *12*, 188; ***infundibuliformis*** **18**: 12, 162; **20**: 215; **22**: *161*, *162*, *163*, *164*, *165*, *166*; **28**: 115; ***lacunosus*** **12**: 127; ***lutescens*** **12**: 127; **30**: 198; **43**: 204; ***muehlenbeckii*** **11**: 172; **33**: 40, 43; ***muscoides*** **4**: 6; **7**: 153; ***olivaceus*** **46**: 55; ***pallens*** **14**: 75; **32**: 222; **33**: 162; **35**: 109; **42**: 160, 163; **44**: 125; ***parvus*** **4**: 5; ***polycephalus*** **37**: 99, 100; ***pseudoclavatus*** **29**: 200; ***pygmaeus*** **7**: 10; ***radiatus*** **52**: 23; ***sinuosus*** **29**: 28, 199, 200; ***tubaeformis*** **3**: 7; **7**: 186; **10**: 185; **46**: 171, 172, 186, 187; **52**: 7; **56**: 272; **63**: 255; ***valentini*** **20**: 73.

CAPITOTRICHA bicolor **57**: 142, 151, 152, 155, 156; ***fagiseda*** **57**: 142, 151, 153, 154, 155, 156; ***rubi*** **57**: 162.

CAPNOBOTRYELLA renispora **59**: 118.

CAPRONIA borealis **49**: 208, 211, 212, 225; ***chlorospora*** **49**: 80, 208, 212, 213, 225; ***collapsa*** **49**: 80; ***coronata*** **49**: 82, 213; ***mansonii*** **49**: 80; ***minima*** **49**: 213; ***parasitica*** **49**: 83;

perpusilla **49**: 78, 79, 82; ***pilosella*** **49**: 82, 211, 213; **61**: 85, 86; ***pinicola*** **49**: 78; ***semiimmersa*** **61**: 86, 92; ***spinifera*** **49**: 83; ***svrcekiana*** **49**: 81, 82.
CARCERINA spumarioides **12**: 218.
CARNEOPEZIZELLA salicicola **41**: 88, 89, 91.
CARTILOSOMA subsinuosum **12**: *100*, *101*, *102*; **14**: 97, 100; **18**: 5; **22**: 146.
CARYOMYXA elegans **9**: 62.
CASARESIA sphagnorum **54**: 255.
CASTELLANIA parakrusei **11**: 149.
CATACAUMA contractum **52**: 53.
CATAPYRENIUM rufescens **50**: 226; ***tenellum*** **56**: 157.
CATATHELASMA imperiale **16**: 157; **19**: 143; **21**: 57; **23**: 79, 80; **31**: 114; **43**: 51, 57; **45**: 34; **48**: 284.
CATENARIA anguillulae **1**: 29.
CATENULARIA cubensis **38**: 102; ***cuneiformis*** **37**: *14*, *15*, *16*; ***cuneiformis*** **var.** ***cuneiformis*** **37**: 16; ***cuneiformis*** **var.** ***minor*** **37**: *14*, *15*, *16*; ***fuliginea*** **7**: *18*, *19*, *20*; ***heimii*** **44**: 146; ***piceae*** **43**: 175; ***simplex*** **7**: 19, 20.
CATILLARIA alba **56**: 154, 157; ***micrococca*** **58**: 110; ***nigroclavata*** **56**: 157.
CATINARIA atropurpurea **58**: 107; ***neuschildii*** **58**: 107.
CATINELLA olivacea **36**: 187.
CAUDOSPORA taleola **13**: 156; **26**: 123.
CEJPIA amoena **30**: 14; ***coerulea*** **30**: 14.
CEJPOMYCES terrigenus **24**: *5*, *6*, *6*, *7*, *7*, *8*, *8*, *9*, *9*, *10*, *10*; **37**: 208.
CELIDIUM lopadii **24**: 222.
CENANGIOMYCES luteus **35**: 96.
CENANGIOPSIS quercicola **33**: 196.
CENANGIUM abietis **14**: 96, 126; ***acicola*** **35**: *94*, *95*, *96*, 98, 99; ***acuum*** **35**: 92; ***carpini*** **21**: 56, 59; ***ferruginosum*** **35**: 92; ***furfuraceum*** **13**: 218, 220; ***glaberrimum*** **36**: 153; ***ligni*** **var.** ***olivascens*** **32**: 15; ***pilatii*** **36**: 153; ***quercicolum*** **33**: 196; ***tiliaceum*** **8**: 133.
CENOCOCCUM geophilum **47**: 211; **59**: 224; ***graniforme*** **25**: 184; **34**: *192*, *193*, *194*, *195*, *196*.
CENTROSPORA acerina **26**: 232; **28**: 185, 186; ***angulata*** **49**: 15; ***aquatica*** **28**: 185; **49**: 15; ***asiminae*** **28**: 185; ***cantuariensis*** **28**: 185; ***filiformis*** **49**: 15, 17; ***mitragynae*** **28**: 185; ***veratri*** **28**: 186, 187.
CEPHALOSPORIUM acremonium **12**: 154; **13**: 121, 122; **33**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 217, 221; **36**: 70; **39**: 156, 158; **40**: 71; **43**: 175; **48**: 7; ***acremonium*** **var.** ***funiculosum*** **24**: 163; ***atrum*** **43**: 175; ***bonordenii*** **43**: 175; ***charticola*** **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 175; ***coccorum*** **12**: 19; **27**: *56*, *57*, *58*; ***coremioides*** **43**: 175; ***curtipes*** **43**: 175; ***falcatum*** **33**: *172*, *173*, *174*; ***falciforme*** **39**: 156; ***furcatum*** **47**: 152; ***granulomatis*** **39**: 156; ***humicola*** **43**: 175; ***infestans*** **39**: 156; ***lecanii*** **10**: 242, 244; **12**: 19; **18**: 101; **35**: 218; **38**: 241; ***madurae*** **39**: 156; ***minutisporum*** **43**: 175; ***niveolanosum*** **39**: 156; ***oudemansii*** **43**: 175; ***pamelii*** **12**: 20; ***potronii*** **39**: 156; ***recifei*** **39**: 157; ***roseogriseum*** **39**: 156; **43**: 175; **57**: 242; ***roseum*** **12**: 18; ***serrae*** **35**: 217; ***spinosum*** **57**: 243; ***subsessile*** **12**: 21; ***terricola*** **43**: 175.
CEPHALOTHECA purpurea **24**: 56; **61**: 86, 92; ***reniformis*** **24**: 56; ***sulfurea*** **24**: 55, 56.

CEPHALOTRICHUM citrisporum **35**: 110.
CERACEA aureofulva **11**: 84; *canadensis* **11**: 84; *corticoides* **11**: 84; *crustulina* **11**: 84.
CERACEOMYCES serpens **44**: 141.
CERATELLA aculina **12**: 217.
CERATELLOPSIS aculeata **12**: 216, 217; *acuminata* **35**: 91; *kubickae* **12**: *215*, *216*, *217*; **39**: 180; *rickii* **12**: 216, 217.
CERATIOMYXA fruticulosa **9**: 134; **25**: 110; **44**: 146; **53**: 323; *fruticulosa* var. *poroides* **16**: 34; **53**: 323.
CERATIUM sphaeroideum **46**: 318.
CERATOBASIDIUM anceps **11**: 81; *atratum* **11**: 81, 82; *bicorne* **46**: 64; *cornigerum* **11**: 82; **45**: 79; *plumbeum* **11**: 82; *solani* **11**: 81, 198; *sterigmaticum* **11**: 80, 82; **24**: 9; *terrigenum* **24**: *6*, *7*, *8*, *9*, *10*; *vagum* **11**: 81.
CERATOCYSTIOPSIS alba **59**: 232, 233, 234, 236; *minuta* **57**: 93, 94; **59**: 230, 231, 232, 233, 234, 235, 236.
CERATOCYSTIS albida **56**: 22; *autographa* **20**: 45, 50; **35**: 98; **56**: 20; **62**: 60; *bicolor* **20**: 45, *47*, *48*, *49*, 53; **35**: 216; *cana* **20**: 45, 46, 48, 50, 51; *coerulescens* **62**: 59; *eucastaneae* **56**: 22; *fagacearum* **20**: 46; **35**: 216; **62**: 59; *fagi* **8**: *78*, *79*, 80, *80*; *fimbriata* **62**: 59; *fujiensis* **62**: 60, 64; *gossypina* **56**: 22; *grandicarpa* **56**: 26; *laricicola* **59**: 227, 228, 230, 231, 232, 233, 234, 235, 236, 237; **62**: 59, 60, 61, 62, 63, 64, 65; *minor* **20**: 45, 49, 50, 52; **35**: 216; *minuta* **20**: 45, 49, 52; *montia* **35**: 216; *multiannulata* **35**: 216; *narcissi* **35**: 216; *nigrocarpa* **35**: 216; *obscura* **27**: 105; *paradoxa* **61**: 158; *penicillata* **20**: 45, 47, 48, 51; *perparvispora* **35**: 216; *piceae* **20**: 45, *48*, *49*, *50*, *51*; *piceaperda* **20**: 45, 48, 50, 52; *pilifera* **20**: 45, 49, 52; **35**: 216; *polonica* **56**: 2, 20; **57**: 92, 93, 94, 95; **59**: 228, 236, 237; **62**: 59, 60, 64, 65; *radicicola* **61**: 158; *serpens* **20**: 45, 47, 48, 52; *stenoceras* **35**: 216; **39**: 163; *tetropii* **20**: 45, 49, 52; **35**: 94; *ulmi* **20**: 46; **35**: 216, 219.
CERATONEMA crabronis **10**: 35.
CERATOSPHAERIA moravica **52**: 53; *rhenana* **61**: 86, 92.
CERATOSPORIUM caribense **42**: 23, 27, 29; *fuscescens* **42**: 30; *gracile* **42**: 30; *rilstonii* **42**: 30.
CERATOSTOMA avocetta **12**: 144, 146; *cylindracea* **46**: 318; *spinella* **46**: 318.
CERATOSTOMELLA cana **20**: 51; *cuspidata* **61**: 86, 92; *fagi* **8**: 77, 80; *minor* **20**: 52; *penicillata* **20**: 51; *piceae* **20**: 51; *piceaperda* **20**: 52; *pilifera* **4**: 102; **5**: 16, 17; **8**: 88, 90, 91; **11**: 196; *pyrifera* **9**: 99; *rostrata* **49**: 210; **61**: 86, 90, 92, 93; *ulmi* **3**: 10; **35**: 216, 219.
CERCIDOSPORA epipolytropa **24**: 221; *ulothii* **17**: 151; **24**: 221.
CERCOPHORA anisura **49**: 215; *caudata* **49**: 212, 214, 215; **61**: 86, 90, 91, 92; *lignicola* **49**: 214; *mirabilis* **49**: 215; *natalita* **49**: 215.
CERCOSPORA acerina **28**: 186; *aconiti* **38**: 232; *apii* **39**: 161; *armoraciae* **38**: 230, 232; *avicularis* **38**: 230, 232; *barbareae* **38**: 232; *belynckii* **38**: 232; *berteroae* **38**: 230, 232; *betae* **61**: 186; *beticola* **6**: 84; **32**: 117, 118; **38**: 193, 232; **41**: 37, 162, 165; **42**: *97*, *98*, *99*; **43**: 155, 157, 159, 161; **61**: 186; *bizzozeriana* **38**: 230, 232; *bonjeaneae* **38**: 230, 232; *brassicicola* **38**: 232; *bupleuri* **38**: 230, 232; *calystegiae* **38**: 232; *campi-silii* **38**: 232; *cardaminae* **38**: 232; *cari* **10**: 241; *carlinae* **38**: 230, 232; *carotae* **38**: 232; *centaureae* **38**: 232; *cephalantherae*

38: 233; ***cerasella*** **38**: 230, 233; ***cichorii*** **38**: 230, 233; ***circumscissa*** **38**: 230, 233; ***cluytiae*** **46**: 318; ***commelynae*** **46**: 318; ***concors*** **38**: 233; ***crepidis*** **38**: 233; ***davisii*** **38**: 230, 233; ***delicatissima*** **46**: 318; ***depazeoides*** **38**: 230, 233; ***dubia*** **38**: 230, 233; ***echii*** **38**: 233; ***epipactidis*** **38**: 233; ***euphrasiae*** **38**: 231, 233; ***exitiosa*** **52**: 53; ***exosporioides*** **38**: 233; **52**: 53; ***ferruginea*** **14**: 104; **38**: 231, 233; ***fici*** **47**: 297; ***fraxinites*** **38**: 233; ***galii*** **38**: 231, 233; ***gei*** **38**: 233; ***grandissima*** **38**: 233; ***haemanthi*** **46**: 318; ***imperatoriae*** **38**: 233; **52**: 53; ***insulana*** **38**: 231, 233; ***juncina*** **38**: 231, 233; ***kabatiana*** **38**: 233; ***lathyrina*** **38**: 233; ***loti*** **38**: 233; ***lycii*** **38**: 231, 233; ***maianthemi*** **38**: 233; ***malkoffii*** **38**: 233; ***malvicola*** **38**: 233; ***marginalis*** **38**: 233; ***medicaginis*** **38**: 231, 233; ***mercurialis*** **38**: 231, 233; ***microsora*** **38**: 231, 233; ***murina*** **38**: 231, 233; ***myrticola*** **38**: 233; ***nasturtii*** **38**: 231, 233; ***neriella*** **38**: 233; ***nicotianae*** **3**: 11; ***olivacea*** **38**: 233; ***onobrychidis*** **38**: 233; ***paridis*** **38**: 233; ***pastinacae*** **38**: 231, 233; ***penicillata*** **38**: 233; ***personata*** **42**: 102; ***pini-densiflorae*** **47**: 297; ***plantaginis*** **38**: 231, 233; ***poae*** **38**: 233; **52**: 53; ***potentillae*** **38**: 231, 233; ***radiata*** **38**: 231, 233; ***radiata*** **var. *dalmatica*** **52**: 53; ***raphanistri*** **52**: 53; ***rautensis*** **38**: 231, 233; ***resedae*** **38**: 231, 233; ***rhamni*** **38**: 231, 233; ***rosae*** **38**: 233; ***rosicola*** **38**: 233; **47**: 293, 297; ***rubi*** **38**: 233; ***sagittariae*** **38**: 233; ***scandicaearum*** **38**: 233; ***scirpicola*** **49**: 126; ***setariae*** **38**: 231, 233; ***spinaciae*** **38**: 232, 233; ***streptopi*** **38**: 233; ***theae*** **47**: 297; ***torilidis*** **38**: 232, 233; ***verbascicola*** **38**: 232, 233; ***violae*** **38**: 232, 233; ***vitis*** **38**: 233; ***zebrina*** **38**: 232, 233; ***zonata*** **38**: 232, 233.

CERCOSPORELLA anemonis **52**: 53; ***anethi*** **52**: 53; ***baudysiana*** **28**: 186; ***herpotrichoides*** **28**: 117; **32**: 109, 116; ***linariae*** **52**: 53; ***nesliana*** **52**: 53; ***trolliicola*** **52**: 53; ***veratri*** **28**: 187; ***zachiana*** **28**: 186.

CERCOSPORINA bubakii **52**: 53; ***kikuchii*** **31**: 61; **42**: 102.

CEREBELLA andropogonis **52**: *81*, *82*, *83*, *84*, *85*, *86*, *87*; **54**: *155*, *156*, *157*, *158*, *159*, *160*; ***moravica*** **52**: 82, 83, 86, 87; ***pusilla*** **54**: 156.

CERINOMYCES canadensis **11**: 84; ***pallidus*** **11**: 84.

CERINOSTERUS cyanescens **58**: 82; ***luteoalba*** **58**: 82.

CERIOMYCES albus **12**: 127.

CERIOPORUS montanus **11**: 170.

CERIPORIA alachuana **38**: 138; **55**: 8, 10; ***camaresiana*** **48**: 317; ***davidii*** **48**: 318; ***excelsa*** **59**: 71, 76; ***herinkii*** **48**: *316*, *317*; ***mellita*** **48**: *317*, *318*; ***metamorphosa*** **48**: *318*, *319*, *320*; **50**: 304, 307, 308, 310; ***purpurea*** **38**: 139; **45**: 93; **48**: 316, 317; **55**: 8, 10; ***reticulata*** **45**: 93, 150, 151; ***spissa*** **48**: 316, 317; ***viridans*** **23**: 198; **43**: 43; **49**: 131, 141; **55**: 10; **64**: 15; ***xylostromatoides*** **55**: 10, 11.

CERIPORIOPSIS aneirina **44**: 233; **46**: 60; **48**: *318*, *319*; **57**: 326; **60**: 1, 2, 3, 4, 5, 6, 9, 10; **63**: 196; ***balaenae*** **48**: 320; ***cremea*** **48**: 320; ***gilvescens*** **36**: 187; **59**: 71, 77, 78; **60**: 3; ***jelicii*** **48**: 322; ***pannocincta*** **59**: 71, 77, 78; ***placenta*** **42**: 133; ***pseudogilvescens*** **59**: 143; ***resinascens*** **23**: 198; **43**: 38; **44**: 125, 231, 232; **45**: 95; **57**: 326; **59**: 143; **60**: 1, 3, 4, 5, 6, 9, 10; ***resinascens*** **var. *pseudogilvescens*** **44**: 232; ***rivulosa*** **48**: *322*, *323*; ***subrufa*** **46**: 59; **59**: 143; ***subvermispora*** **43**: 43; **46**: 116; **59**: 71, 76.

CERRENA consors **59**: 88; ***maxima*** **55**: 43; ***unicolor*** **11**: 160, 169, 217; **15**: 182, 190; **17**: 182; **19**: 69, 70, 73, 75; **32**: 222; **36**: 32; **59**: 83, 84, 85, 86, 87, 88.

CETRARIA andrejevii **56**: 157; ***chlorophylla*** **63**: 230; ***juniperina*** **23**: 23; ***lacunosa*** **23**: 23; ***merrillii*** **56**: 157; ***sepincola*** **50**: 230.
CETRARIASTRUM ecuadoriense **56**: 157.
CEUTHOSPORA leguminum **52**: 53; ***oleae*** **46**: 318; ***pinastri*** **35**: 96; **59**: 231; **63**: 153, 157, 158.
CHAENOTHECA brachypoda **56**: 158; ***brunneola*** **56**: 158; ***chlorella*** **56**: 158; ***furfuracea*** **63**: 230; ***hispidula*** **56**: 158.
CHAENOTHECOPSIS tasmanica **56**: 158.
CHAETIPORUS corticola **44**: 231.
CHAETOCALATHUS craterellus **46**: *240*, *241*, *242*; **54**: *93*, *94*, *95*, *96*.
CHAETOCLADIUM hesseltinii **23**: 65, 66.
CHAETOMELLA horrida **43**: 235.
CHAETOMIDIUM fimeti **28**: 65, 67, 73; **61**: 152; ***subfimeti*** **28**: 65, 67, 71, 73.
CHAETOMIUM affine **43**: 235; **58**: 156, 158, 159; ***angustispirale*** **23**: 132; ***arachnoides*** **43**: 235; ***arcuatum*** **23**: 63; ***atrobrunneum*** **23**: 130; **61**: 152, 156; ***aureum*** **58**: 155, 156, 157, 158, 163, 164, 165, 167; ***bainieri*** **17**: 135, 139; **58**: 158; ***bostrychodes*** **17**: 135, 139; **23**: 62; **28**: 65, 67, 68, 73; **29**: *47*, *48*, *49*, *50*, *52*, *53*, *54*, *55*, *56*, *57*, *58*, 181, 182; **30**: 200, *202*, *203*, *204*, *205*; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 235; **58**: 158, 161; **61**: 149, 151, 152, 155; ***boulangeri*** **27**: 98; ***brasiliense*** **23**: 129, 130, 133; **27**: 162, 163; ***caprinum*** **43**: 235; ***chartarum*** **8**: 81; ***circinatum*** **43**: 235; **58**: 158; ***cochliodes*** **23**: 132; **28**: 65, 67, 68, 73; **29**: *50*, *51*, *52*, *53*, *54*, *55*, *56*, *57*, *58*, *179*, *180*, *181*, *182*; **30**: 200, *202*, *203*, *204*, *205*; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 235; **58**: 159, 160; **59**: 231; ***comatum*** **17**: 135, 139; **58**: 159; ***crispatum*** **12**: 144, 146; **28**: 65, 67, 73; **29**: 180, 181; **30**: 200, *202*, *203*, *204*, *205*; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **58**: 159; ***cristatum*** **23**: 62; ***cuniculorum*** **23**: 62; **27**: 98, 99; ***cupreum*** **58**: 163; ***dolichotrichum*** **23**: 62, 130; **58**: 159; ***elatum*** **8**: 81; **11**: 185; **17**: 135, 139; **23**: 61; **28**: 65, 67, 68, 73; **29**: *51*, *52*, *53*, *54*, *55*, *56*, *57*, *58*, 181, 182; **30**: 200, *202*, *203*, *204*, *205*; **58**: 16, 158, 159, 162; **61**: 152, 156; ***fieberi*** **58**: 159; ***fimeti*** **28**: 67; **29**: 180; ***fiscicola*** **52**: 53; **58**: 162; ***funicola*** **23**: 129, 130, 132; **27**: 99; **28**: 65, 67, 68, 75; **29**: 47, 179, 181, 182; **30**: 200, *202*, *203*, *204*, *205*; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 235; **52**: 223, 224; **58**: 159, 162; ***fusiforme*** **30**: 200, *202*, *203*, *204*, *205*; **33**: *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 235; **58**: 159; ***fusisporale*** **23**: 63; ***fusisporum*** **43**: 235; ***globosum*** **8**: *79*, *80*, *81*; **22**: 45, 46, 48; **23**: 61, 62, 129, 130, 133; **28**: 65, 66, 75; **29**: *47*, *48*, *49*, *50*, *51*, *52*, *53*, *54*, *55*, *56*, *57*, *58*, 179, 181, 182; **30**: 200, *202*, *203*, *204*, *205*; **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **41**: 9, 11; **43**: 235; **48**: 78, 81, 82, 83, 84, 85; **50**: 102, 253; **51**: 163; **52**: 220, 221, 222, 223, 224; **53**: 152; **55**: 73, 76; **56**: 228; **58**: 158, 159, 161, 162, 164; **59**: 128, 129, 131, 134, 231; **63**: 97, 98; ***globulosum*** **28**: 68; ***gracile*** **23**: 63, 130; ***hamatum*** **27**: 162; ***incomptum*** **27**: 162, 163; ***indicum*** **23**: 62, 130, 131; **28**: 65, 67, 68, 75; **29**: *47*, *48*, *49*, *50*, *51*, *52*, *53*, *54*, *55*, *56*, *57*, *58*, 179, 181, 182; **30**: 200, *202*, *203*, *204*, *205*; **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **40**: 22, 26; **43**: 235; **55**: 87, 91, 95, 97; **58**: 156, 160, 162; ***jonesii*** **43**: 235; ***kunzeanum*** **23**: 129; ***kunzeanum*** **var.** ***chlorinum*** **23**: 129; ***lageniforme*** **58**: 159, 160; ***leucophora*** **27**: 163, 164; ***madrasense*** **58**: 155, 158, 161, 164, 166, 167; ***megalocarpum*** **61**: 152; ***merdarium*** **58**: 162; ***microcephalum*** **30**: 200, *202*, *203*, *204*, *205*; **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **58**: 158, 161; ***murorum*** **17**: 136, 139; **23**: 62; **28**: 65, 67, 68, 77; **29**: *47*, *48*, *49*, *50*, *51*, *52*, *53*, *54*, *55*, *56*, *57*, *58*, *180*, *181*, *182*; **30**: 200, *202*, *203*, *204*, *205*; **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 235; **58**: 156, 161, 162;

61: 149, 151, 152, 155, 156; ***ochraceum*** **28**: 65, 67, 77; **29**: 180, 181; ***olivaceum*** **23**: 61, 130; **28**: 65, 67, 68, 77; **29**: *50*, *51*, *52*, *53*, *54*, *55*, *56*, *57*, *58*, 180, 181; **30**: 200, *202*, *203*, *204*, *205*; **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 235; **58**: 159, 160, 161; ***pannosum*** **8**: 81; ***perlucidum*** **23**: 132; **43**: 235; **58**: 161; ***piluliferum*** **36**: 41; **43**: 235; **58**: 158, 161, 162; ***pusillum*** **8**: *78*, *79*, *80*, 81, *81*; **49**: 194; ***quadrangulatum*** **23**: 129, 130, 132; ***reflexum*** **28**: 65, 67, 77; **29**: 179, 181; **58**: 161; ***repandum*** **27**: 162; ***robustum*** **58**: 155, 158, 161, 166, 167; ***spinosum*** **55**: 91, 95, 97; **58**: 161; ***spirale*** **17**: 136; **23**: 129; **28**: 65, 67, 77; **29**: 180; **43**: 235; **58**: 159, 161; ***spirochaete*** **17**: 136, 139; **58**: 161; ***streptothrix*** **58**: 159; ***subfimeti*** **29**: 180, 181; ***subspirale*** **23**: 132; ***subspirilliferum*** **23**: 131, 132; ***subterraneum*** **43**: 235; ***succineum*** **23**: 132; ***tenuissimum*** **23**: *129*, *130*, *131*, *132*; ***thermophilum*** **var. *coprophilum*** **55**: 256; ***thermophilum*** **var. *dissitum*** **55**: 256; ***torulosum*** **23**: 129, 130, 132; ***trilaterale*** **23**: 62; **43**: 235, 236; **58**: 163; ***trilaterale*** **var. *diporum*** **58**: 163; ***velutinum*** **27**: 162.

CHAETONAEVIA nannfeldtii **30**: 8; ***petasitis*** **30**: 8; **36**: 146; ***ulmicola*** **36**: 146, 148, 149.

CHAETOPORELLUS litschaueri **21**: 208; ***trabeus*** **18**: 208; ***variaecolor*** **21**: 211.

CHAETOPORUS collabens **21**: 205, 211; ***corticola*** **46**: 236; ***euporus*** **21**: *208*, *209*, *210*, *211*; ***fimbriatellus*** **21**: 208, 210, 211; ***luteoalbus*** **21**: 54; ***philadelphi*** **45**: 150; ***pseudozilingianus*** **21**: 208, 211; ***radula*** **21**: 210; ***rixosus*** **17**: 182; **21**: 56, 211; ***separabillimus*** **21**: 205, 208, 210, 211; ***variaecolor*** **21**: 211; ***variecolor*** **21**: 54.

CHAETOPSIS cylindrospora **51**: 29; ***grisea*** **51**: 38.

CHAETOSPHAERELLA fusca **61**: 88; ***phaeostroma*** **61**: 86, 92.

CHAETOSPHAERIA abietis **51**: 4, *5*, *6*, *7*, 32; ***acutata*** **51**: 4, 5, *8*, *9*, *9*, *10*, *10*, *11*, *11*, *12*, *12*, 24, 27, 38, 39; **61**: 86, 90, 92; ***africana*** **50**: 74, 81, 82; ***aspergilloides*** **50**: 152, 168; ***aterrima*** **50**: 152, 164, *165*, *166*, *167*, *168*, *169*; ***atriella*** **51**: 24; ***bramleyi*** **50**: 152; ***brevispora*** **50**: 152; ***callimorpha*** **50**: 152, 153, 155, 157, 158; ***chloroconia*** **50**: 152; **61**: 87, 91; ***coelestina*** **50**: 81; ***coffeae*** **50**: 74, 81, 82; ***crustacea*** **51**: 3, *12*, *13*, *14*, *15*, *16*, *17*, 24, 32, 38; ***cubensis*** **38**: 102; ***cupulifera*** **50**: 152; ***decastyla*** **51**: *3*, *4*, *5*, 17, *18*, *19*, *19*, *20*, *20*, *21*, *21*, *22*, *22*, *23*, *23*, *24*, *24*, 38; **61**: 86, 91; ***dingleyae*** **50**: 152, 153; ***fennica*** **51**: *3*, *4*, *5*, *24*, *25*, *26*, *27*; ***fusiformis*** **51**: 4, 5, *27*, *28*, *29*, *30*, *31*, *32*, 38; ***fusispora*** **35**: 31; **51**: 27, 31; ***glauca*** **50**: 164, 165, 175; ***hemipsila*** **50**: 81; ***immersa*** **50**: 74, 75, 77; ***innumera*** **33**: 139; **50**: 77, 152; **51**: 37; **61**: 85, 86, 94; ***lentomita*** **33**: 141; **50**: 77, 152; ***macrospora*** **51**: 19, 23; ***montana*** **50**: *153*, *154*, *155*, *156*, *157*, *158*; ***myriocarpa*** **33**: 151; **50**: 162; **61**: 86; ***novaezelandiae*** **50**: 152; ***ovoidea*** **50**: 152, *163*, *164*, *165*, 172, 174, 175, 177; **51**: 23, 37; **61**: 85, 86, 94; ***patelliformis*** **50**: 74, 80; ***phaeostroma*** **12**: *144*, *145*, *146*, *147*; ***pomiformis*** **50**: 165; ***preussii*** **33**: *140*, *141*; ***pulchriseta*** **50**: 152, 153, 155, 157, 158; ***pulviscula*** **49**: 215; **50**: 152, 162, 164, 170, 172, 173, 175; **51**: 37; **61**: 85, 86, 94; ***pygmaea*** **50**: 163; ***rajasthanensis*** **50**: 74, 75; ***rehmiana*** **50**: 74, 81, 82; ***talbotii*** **50**: 153; ***tristis*** **12**: 144; ***tulasneorum*** **51**: 4, 5, *32*, *33*, *34*, *35*, *36*, *37*; ***vermicularioides*** **33**: 141; ***xanthotricha*** **50**: 78.

CHAETOSPHAERONEMA larense **39**: 158.

CHAINODERMA drummondii **13**: 197.

CHALARA affinis **33**: *139*, *140*, *141*; **35**: 98; ***brevispora*** **35**: 110; ***cylindrosperma*** **46**: 33, 34, 38; ***fusidioides*** **35**: 98; ***longipes*** **35**: 98; ***mycoderma*** **12**: 160.

CHALAROPSIS thielavioides **39**: 253.

CHALCIPORUS hypochryseus **57**: 38, 39; ***piperatoides*** **57**: 35; ***piperatus*** **32**: 222; **36**: 78; **38**: 220; **44**: 85; **52**: 212; **57**: 14, 32, 35, 38, 39; ***pseudorubinus*** **57**: 39.
CHAMAEMYCES fracidus **35**: 240; **58**: 250, 259.
CHAMONIXIA caespitosa **25**: *43*, *44*, *45*, *46*; **39**: 51.
CHAUNOPYCNIS alba **53**: *237*, *238*, *239*, *240*, *241*, *242*, 243; ***ovalispora*** **53**: 242.
CHEILYMENIA alpina **47**: 13; ***apiculispora*** **55**: 22, 215, 217, 218, 219, 221; ***asteropila*** **47**: 7, 12, 26, 34, 35, 194; ***aurantiacorubra*** **47**: 194; **52**: 54; **54**: 115, 116; ***bohemica*** **54**: 116, 117, 126, 129, *130*, *131*; ***cadaverina*** **31**: 69; **35**: 8, 138; ***calvescens*** **15**: 64; **16**: 106; **22**: 39; ***ciliata*** **35**: 8, 138, 139, 143; **38**: 146, 148, 149, 153; **47**: 8, 13, 24; ***citrinella*** **31**: 69; **35**: 8, 139; **50**: 190, 192; ***coprinaria*** **22**: 32, 34, 35, 36, 40; **26**: 75; **35**: 8, 139; **38**: *146*, *147*, *148*, *149*, *150*; **47**: 19; **50**: 192; ***coprogena*** **38**: 148, 150; **54**: 116, 117, 123, *124*, *125*, *126*, 127, *127*, *128*, *129*; ***cornubiensis*** **47**: 243, 245; ***crassistriata*** **55**: 218; ***crucipila*** **15**: 64; **16**: 106; **22**: 32, 35, 39; **35**: 8, 138, 141, 142, 240; **38**: 146, 147, 149, 150; ***dalmeniensis*** **50**: 191; ***fimicola*** **54**: 123, 124, 130; ***fraudans*** **38**: 147, 148; ***fulvescens*** **47**: 13; ***gemella*** **47**: 18, 19, 21; ***glumarum*** **28**: 130; ***granulata*** **47**: 34; **54**: 123; **55**: 216, 218, 221; ***hyalochaeta*** **38**: 147, 148, 154; **54**: 118, 120, 122, 123, 124, 128, 129; ***insignis*** **22**: 36; **47**: 7, 8, 11, 12, *31*, *32*, *33*, *34*, *35*, *36*; **54**: 115, 123; ***lacteoalba*** **47**: 7, 36, 37; **54**: 115, 116; ***lemuriensis*** **38**: 147, 148, 150; **50**: 190, 197; **55**: 221; ***liskae*** **47**: 194; ***lundqvistii*** **54**: 115, 116; ***magnipila*** **22**: 32, 35, 36, 40; **35**: 9, 139; **38**: 146, 149, 153; **47**: 194; **52**: 54; ***megaspora*** **45**: 37; ***micropila*** **22**: 32, 37, 40; **35**: 9, 138, 139, 142; **38**: *146*, *147*, *148*, 153; **47**: 194; **52**: 54; **54**: *136*, *137*, *138*, *140*, *141*, *142*; ***notabilispora*** **22**: 32, 33, 36, 37, 40; **35**: 9, 139; **38**: 150; **47**: 194; **52**: 54; **54**: 118, 120, 123, 124, *130*, *131*; ***oligotricha*** **50**: 190, 191, 198; ***pallida*** **47**: 7, 11, 12, *26*, 27, *27*, *28*, *29*, *30*, *31*, 35, 36; **54**: 116; ***parvispora*** **47**: 7, 12, 21, *23*, *24*, *25*, *26*, 30, 34, 35; ***pediseta*** **50**: 190, 192; ***polaripustulata*** **50**: 189, *192*, *193*, *194*, *195*, *196*, *197*; **55**: 221; ***pseudohumarioides*** **45**: 37; **47**: 194; **52**: 54; ***pulcherrima*** **38**: 148; **47**: 36; **54**: 115, 116, 123; ***raripila*** **38**: 148, 150, 153; **47**: 34; **54**: 116, *117*, *118*, *119*, *120*, *121*, *122*, *123*, *124*, *127*, *128*, *129*, *130*, *131*; ***rubra*** **22**: 35, 37; **54**: 141, 142; ***stercoraria*** **54**: *135*, *136*, 137, *137*, *138*, *139*, *140*, 142; ***stercorea*** **22**: 32, 34, 40, 304, 306, 308; **23**: 30; **27**: 223; **35**: 8; **38**: 146, *148*, *149*, *150*; **44**: 143; **47**: *7*, *8*, *9*, *10*, 12, 15, 17, *19*, *20*, *21*, *22*, 26, 27, 31, *34*, *35*, *36*; **50**: 198, 199; ***stercorea*** **f.** ***alpina*** **47**: 7, 16, 18, 20, 34, 35; **50**: 199; ***stercorea*** **f.** ***stercorea*** **47**: 16, 18; **50**: 199; ***stercorea*** **var.** ***gemella*** **47**: 21; ***stercorea*** **var.** ***glacialis*** **47**: 21; ***stercorea*** **var.** ***microspora*** **47**: 26; ***striata*** **55**: 218, 221; ***theleboloides*** **22**: 32, 35, 37, 38, 40, 160; **26**: 214, 216; **28**: 131; **35**: 9, 139, 142; **38**: *146*, *147*, *148*, *149*, *150*, 153; **46**: 13; **50**: 190; **54**: 124; **55**: 216; **58**: 149, 150; ***theleboloides*** **f.** ***macrocellulata*** **58**: 149, 150; ***theleboloides*** **f.** ***magnifica*** **38**: 153; **52**: 54; ***theleboloides*** **var.** ***microspora*** **47**: 34; **54**: 123; ***vitellina*** **14**: 167, 175; **22**: 32, 38, 160; **23**: 30; **24**: 143; **35**: 9, 137, 141, 142, 143; **38**: 146, 147, 149, 150; **44**: 143; **50**: *190*, *191*, *192*, 197, 198.
CHEIMONOPHYLLUM candidissimum **63**: 8.
CHEIROMYCELLA annulata **41**: 33; ***microscopica*** **59**: 231.
CHIODECTON myrticola **56**: 158.
CHIONOSPHAERA cuniculata **58**: 95.
CHITONIA edulis **6**: 101; ***pequinii*** **6**: 100, 101; **48**: 247.
CHLAMYDOABSIDIA padenii **34**: 114.

CHLAMYDOALEUROSPORIA crateriformis **12**: 45; *fumata* **12**: 45; *umbilicata* **12**: 45.
CHLAMYDOPSIS proliferans **40**: 74, 77.
CHLAMYDOZYMA pulcherrima **32**: 139.
CHLORIDIUM atanagildae **38**: 103, 115; *botryoideum* **33**: *139*, *140*, *141*; **61**: 86; *botryoideum* var. *minutum* **50**: 77; *clavaeforme* **33**: *139*, *140*, *141*; **35**: 98; **50**: 162; **51**: 38; *codinaeoides* **40**: 148; **51**: 38; *cylindrosporum* **35**: 31; **51**: 5, 29, 31, 32; *matsushimae* **51**: 38; *pachytrachelum* **33**: 141; **50**: 77; *phaeosporum* **41**: 107; *phaeosporum* var. *cubense* **41**: 109, 113; *phaeosporum* var. *phaeosporum* **41**: 113; *preussii* **33**: *140*, *141*; **38**: 240; **43**: 236; *reniforme* **37**: 15; **38**: 103; **51**: 38; *reniforme* var. *minor* **37**: 16; **38**: 103; **40**: 144; *virescens* **33**: 140, 141; **51**: 16, 38; **55**: 76; **61**: 88; *virescens* var. *virescens* **46**: 225; *viride* **20**: 51.
CHLOROCIBORIA aeruginascens **16**: 98; **32**: 221; *strobilina* **11**: 239, 240.
CHLOROPHYLLUM molybdites **48**: 98; *rachodes* **58**: 243, 244, 257.
CHLOROSPLENIUM aeruginascens **5**: 170; **16**: 98; **25**: 109; *aeruginellum* **46**: 34; *aeruginosum* **4**: 102; **11**: 186; **14**: 87; **16**: 98; **27**: 224; *hyperici-maculati* **46**: 33, 34, 38; *lividum* **11**: 240; *nigrescenti-olivaceum* **11**: 240; *versiforme* **16**: 98; **21**: 57, 59; *versiforme* var. *lividopurpurascens* **16**: 98.
CHOIROMYCES gangliodes **39**: 68; *meandriformis* **1**: 40; **2**: 66, 68, 69, 93; **5**: 73; **8**: 185; **9**: 185; **12**: 58; **14**: 77, 126; **16**: 156; **61**: 169; *venosus* **16**: 156; **18**: 12; **23**: 80; **35**: 109; **39**: 68.
CHONDRIODERMA difforme **16**: 40; *spumarioides* **12**: 218; *stromateum* **12**: 218; *virgineum* **12**: 218.
CHONDROPLEA populea **19**: 175, 177; **28**: 115; **35**: 172.
CHONDROSTEREUM purpureum **13**: 12, 17; **32**: 222; **46**: 286.
CHOROSTATE niesslii **18**: 187, 188.
CHROMOCLEISTA malachitea **56**: 10.
CHROMOCREA spinulosa **10**: 88; **33**: 151.
CHROMOSPORIUM endophytum **16**: 30.
CHROMOTORULA aurea **15**: 118; *luteola* **15**: 122.
CHROODISCUS lamelliferus **56**: 158; *melanophthalmus* **56**: 155, 158; *mirificus* **56**: 158.
CHROOGOMPHUS corallinus **26**: 220; **27**: *229*, *230*, *231*, *232*, *233*, *234*; **30**: 82, 87; *flavipes* **30**: 84, 88; *glutinosus* **30**: 81; *helveticus* **22**: 195; **24**: 117; **26**: 122; **27**: 229; **30**: 81, 86; **43**: 117; **57**: 22; *helveticus* subsp. *helveticus* **30**: 82, 144; *helveticus* subsp. *tatrensis* **30**: 82, 86, 143; *jamaicensis* **30**: 88; *leptocystis* **27**: *230*, *231*, *232*; **30**: 81, 87; *loculatus* **26**: 220; **27**: 230; **30**: 88; *ochraceus* **27**: 231; **30**: 86, 87; *ochraceus* subsp. *muscigenus* **30**: 86; *pseudovinicolor* **26**: 220; **27**: 230; **30**: 87; *purpurascens* **30**: 87; *rutilus* **27**: 229, 232; **30**: 81, 82, 85, 86, 143; **43**: 117; **44**: 85; **57**: 22, 23; **63**: 258; *rutilus* f. *testaceus* **30**: 85; *rutilus* subsp. *michoacanensis* **30**: 81, 85, 88; **43**: 117; *rutilus* subsp. *rutilus* **30**: 85; *sibiricus* **27**: 230, 231; **30**: 82, 86; subsp. *tatrensis* **43**: 117; *superiorensis* **30**: *86*, *87*, *88*; *superiorensis* subsp. *alabamensis* **30**: 87; *superiorensis* subsp. *rutilus* **30**: 87; *tatrensis* **30**: *82*, *83*, *84*, *85*; *tomentosus* **27**: 230; **30**: 81, 87; **57**: 22; *vinicolor* **30**: 81, 88; *vinicolor* subsp. *californicus* **30**: 88; *vinicolor* subsp. *vinicolor* **30**: 88.

CHRYSOMPHALINA chrysophylla **60**: 203, 204, 207; ***chrysophyllum*** **63**: 233; ***grossula*** **60**: 203, 204, 207; ***strombodes*** **60**: 203, 204, 210; ***venustissima*** **20**: 243.

CHRYSOMYXA abietis **18**: 158; **56**: 128; ***empetri*** **56**: 128; ***ledi*** **56**: 128; ***pyrolata*** **56**: 128; ***ramischiae*** **53**: 98; **56**: 128.

CHRYSOPORTHE cubensis **61**: 98.

CHRYSOSPORIUM asperatum **19**: 226, 227; **27**: *159*, *160*, *161*; **43**: 236; ***carmichaelii*** **50**: 102; ***dermatitidis*** **39**: 157, 158; ***evolceanui*** **33**: 83, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **39**: *101*, *102*, *103*; **43**: 236; ***farinicola*** **60**: 80, 84; **63**: 97, 99; ***georgii*** **50**: 102, 104; ***indicum*** **31**: 212; **43**: 236; **50**: 101, 102; **58**: 117, 119, 120, 121, 122, 123; ***keratinophilum*** **19**: 225, 226, 228; **27**: *159*, *160*, *161*; **30**: 21, *106*, *107*, *108*; **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 217; **39**: *101*, *102*, *103*; **43**: 236; **44**: 148; **50**: 102; **58**: 117, 119, 120, 121, 122, 123; **59**: 130, 131, 134; ***keratinophilum*** **var.** ***denticolum*** **25**: 112; ***lucknowense*** **31**: 207, 209, 210, 212; **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; ***luteum*** **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **38**: 4; ***merdarium*** **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **40**: 22, 26; **46**: 249; ***muscae*** **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; ***olivaceum*** **33**: *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; ***pannicola*** **43**: 236; **50**: 102, 104; ***pannorum*** **19**: *223*, *224*, *225*; **20**: 162; **23**: 243, *245*, *246*, *247*, 249; **35**: 217; **37**: 28, 30; **39**: 103; **40**: 22, 26; **41**: 11; **43**: 236, 241; **44**: 148; **48**: 82, 83, 85; ***parvum*** **39**: 158; **44**: 6, 12; ***parvum*** **var.** ***crescens*** **39**: 158; **44**: 6, 12, 131, 132; ***parvum*** **var.** ***parvum*** **39**: 158; **44**: 12, 131; ***pruinosum*** **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 217; **41**: 11; **48**: 83; ***queenslandicum*** **58**: 117, 119, 120, 121, 122, 123; **59**: 130, 131, 134; ***sulfureum*** **59**: 130; ***tropicum*** **30**: 107; **31**: 212; **33**: 83, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 217; **39**: 101; **43**: 236; **50**: 101, 102; **53**: 190, 192, 199; **58**: 117, 119, 120, 122, 123; **59**: 130, 131, 134; ***xerophilum*** **58**: 117, 119, 121, 122, 123.

CHRYSOTHALLUS pezizellaeformis **39**: 210; ***spiralis*** **39**: 210; ***vandae*** **45**: 139, 141.

CIBORIA acerina **33**: 206; ***aestivalis*** **52**: *277*, *278*, *279*, *280*, *281*, *282*, *283*, *284*, *285*, *286*; ***amentacea*** **1**: 98; **2**: *41*, *42*; **3**: 21; **13**: 156; **14**: 173; **29**: 29; **36**: 152; ***americana*** **47**: *101*, *102*, *103*, *104*, 104, *105*, *106*, *107*, *108*, *109*, *110*, *111*, *112*, *113*, *114*, *115*, *116*, *117*, *118*, *119*, *120*, *121*, *122*, *123*, 124; x, *125*, *126*, *127*, *128*, *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*; ***batschiana*** **22**: 146; **47**: 107; **52**: 12, 279; ***betulae*** **43**: 221; ***blanda*** **12**: 219, *225*, *226*, *227*; ***carbonaria*** **33**: 205; ***conformata*** **36**: 152; ***dallasiana*** **16**: 103; ***echinophila*** **14**: 113; **47**: 102; ***henningsiana*** **6**: 136; **36**: 153; ***johnsonii*** **13**: 211, 215; ***luteovirescens*** **21**: 53; ***pachyderma*** **14**: 76, 226; ***rava*** **43**: 215, 219, 221; ***rufofusca*** **5**: *9*, *10*, *11*, *12*, *13*; **7**: 138; **11**: 237; **30**: 194; ***strobilina*** **11**: 240; ***subvillosula*** **5**: 45, 46; **13**: 155, 156, 159, 181, 182, 211; **14**: 77; ***sydowiana*** **11**: 41, 44; **14**: 76; ***tenuistipes*** **47**: 101, 104, *108*, *109*, *110*, *111*, *112*, *113*, *114*, *115*, *116*, *117*, *118*, *119*, *120*, *121*, *122*, *123*, *124*, *125*, *126*, *127*, *128*, *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*; ***urnula*** **6**: 136; ***vacini*** **14**: 112.

CIBORINIA bresadolae **47**: 101, 105, 133; ***mollisima*** **47**: 104.

CIBORIOPSIS bramleyi **47**: 104; ***gemmigera*** **29**: *129*, *130*, 131, *131*.

CICINOBOLUS cesatii **38**: 7.

CILIARIA barlae **23**: 29; ***bicuspis*** **33**: *15*, *16*, *17*; ***confusa*** **15**: 65; ***fleischeriana*** **50**: 89; ***hirtella*** **17**: 62; ***lucatiae*** **37**: 248; ***miniata*** **47**: 243; ***nivalis*** **22**: 40; ***rubicunda*** **47**: 243; ***umbrata*** **17**: 63.

CILICIOPODIUM mycogenum **18**: 180.

CILIOLARINA corcontica **41**: 16, 19; **44**: 140, 143; *laricina* **31**: 193, 195, 199; **35**: 92; **36**: 152; **41**: 200; *ligniseda* **36**: 152.
CINEREOMYCES lindbladii **45**: 10, 144, 147, 148; **55**: 10.
CINTRACTIA crus-galli **39**: 144, 147; *seymouriana* **39**: 144; *sphaerogena* **39**: 144, 146.
CIRCINELLA aspera **50**: 246; *conica* **50**: 246; *muscae* **24**: 207, 210, 213; **43**: 236; *nigra* **43**: 236; *simplex* **43**: 236; *spinosa* **43**: 236; *sydowii* **43**: 236; *umbellata* **43**: 236; **50**: *245*, *246*, *247*.
CIRCINOTRICHUM papakurae **40**: 74, 84, 85.
CIRRENALIA macrocephala **61**: 111; *pseudomacrocephala* **61**: 111; *tropicalis* **61**: 107, 111, 112.
CISTELLA acuum **13**: 155, 211, 212; *albidolutea* **58**: 145; *aphanes* **13**: 156, 211, 212; **16**: 12; *bullii* **16**: 96; *citrinescens* **46**: 33, 34, 38; *dentata* **16**: 9; **31**: 199; **33**: 199; **39**: 206, 212; **41**: 202; *fugiens* **55**: 231, 233, 234; **56**: 64; *graminicola* **43**: 72; *granulosella* **37**: 69; *grevillei* **39**: 207; **41**: 19; **57**: 187; **58**: 145, 146; *lupuli* **39**: 207; *luzulina* **46**: 150; *stereicola* **16**: 9; *tapesioides* **16**: 9; *xylita* **13**: 212.
CISTELLINA auricolor **41**: 202; *hymeniophylla* **41**: 202, 205; *stereicola* **41**: 202.
CLADIA retipora **56**: 157; *sullivanii* **56**: 157.
CLADOCONIDIUM articulatum **53**: 8, 9, 11.
CLADODERRIS australis **49**: 163.
CLADONIA alcicornis **5**: 68; *borealis* **56**: 157; **58**: 107, 108; *coccifera* **58**: 107, 108; **63**: 233; *confusa* **56**: 157; *coniocraea* **63**: 233; *digitata* **48**: 218; **50**: 287; **63**: 233; *furcata* **5**: 68; *hedbergii* **56**: 157; *krempelhuberi* **56**: 157; *lopezii* **56**: 157; *luteoalba* **58**: 108; *macaronesica* **56**: 157; *mediterranea* **56**: 157; *metacorallifera* **58**: 108; *neozelandica* **var.** *neozelandica* **56**: 157; *ochrochlora* **63**: 233; *parasitica* **56**: 157; *pocillum* **50**: 226; *polydactyla* **63**: 233; *ravellenii* **56**: 157; *skottsbergii* **56**: 157; *stereoclada* **56**: 157; *stygia* **56**: 157; *weymounthii* **56**: 157.
CLADOPHIALOPHORA ajelloi **44**: 71.
CLADORRHINUM foecundissimum **33**: 141, 142; **61**: 152, 158.
CLADOSPHAERIA pyri **49**: 200.
CLADOSPORIUM algarum **61**: 111, 113; *apicale* **61**: 110; *avellaneum* **24**: 163; **28**: 35, *40*, *41*, *42*; **43**: 236; *bantianum* **35**: 218, 219, 221; **39**: 158; **44**: 138, 139; *brevicompactum* **43**: 236; *britannicum* **61**: 110; *carrionii* **35**: 218; **39**: 158; **44**: 5, 6, 10, 11, 71; *castellanii* **39**: 158, 163; *cladosporioides* **20**: 51; **32**: 227, 228, 230; **33**: 83, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **37**: 30; **39**: 158; **40**: 22, *25*, *26*, *27*; **41**: 8, 11, 13; **43**: 236, 242; **45**: 45; **46**: 102, 109, 248, 255; **48**: 79, 80, 81, 82, 83, 84, 85; **51**: 163; **52**: 158, 222; **53**: 151, 152, 154, 214, 217; **55**: 76, 87, 91, 95, 97, 108; **56**: 228, 229; **59**: 128, 130, 131, 208, 209, 210, 231, 233, 241, 242, 247, 248; **60**: 78, 80, 84; **61**: 152; **63**: 80; *cumerianum* **46**: 2, 5; *fulvum* **2**: 74; **10**: 140; **11**: 58; **40**: 28; **43**: 236; *griseoolivaceum* **43**: 236; *herbarum* **2**: 72, 73; **9**: 47; **11**: 185; **14**: 246; **20**: 51; **24**: 163; **32**: 228, 230; **33**: 83, *85*, *86*, *87*, *88*, *89*, *90*, *91*, 143, 172; **35**: 98, 217, 219; **37**: 28, 30; **40**: 22, *25*, *26*, *27*, *28*; **41**: 8, 9, 11, 13; **43**: 236; **46**: *86*, *87*, *88*, *89*, *90*, *91*, *92*, 102, 109, 248, 255; **48**: 79, 80, 81, 82, 83, 84, 85; **53**: 154; **55**: 91, 108, 139; **56**: 78, 80, 81, 82, 219; **57**: 94, 95; **59**: 130, 131, 208, 210, 241, 242, 247, 248; **60**: 84; **61**: 152; **63**: 79, 80, 158; *hordei* **43**: 237; *laxum* **46**: 318; *macrocarpum* **24**: 163; **33**: *85*, *86*, *87*, *88*, *89*,

90, *91*; **37**: 24, 25, *28*, *29*, *30*; **40**: 22, 25, 26; **41**: 11; **43**: 237; **45**: 45; **46**: 248; **48**: 82; ***mansonii*** **35**: 219; ***oxysporum*** **28**: 157; **38**: 103; **40**: 144; **53**: 154; ***resinae*** **53**: 166; ***soldanellae*** **10**: 54; ***sphaerospermum*** **32**: 228, 230; **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **40**: 22, *25*, *26*, *27*; **41**: 11; **43**: 101, 237; **46**: 109, 249, 255; **48**: 80, 81, 82, 84; **53**: 154; **55**: 76, 87, 91, 97; **59**: 125, 128, 130, 131, 208, 210; **60**: 75, 78, 80, 84, 86; **63**: 98, 99; ***tenuissimum*** **40**: 144; ***trichoides*** **35**: 218, 219; **39**: 158; **44**: 138, 139; ***trichoides*** **var.** ***chlamydosporum*** **44**: 138; ***werneckii*** **35**: 218, 219, 221; **39**: 158, 159.

CLASTEROSPORIUM carpophilum **42**: 240; ***cocoicola*** **40**: 144; ***scirpicolum*** **49**: 126.

CLATHRIDIUM strobiligenum **35**: 94.

CLATHROCOCCUM magnusianum **6**: 14.

CLATHROPTYCHIUM rugulosum **16**: 41.

CLATHRUS archeri **43**: 89, 93; ***cancellatus*** **8**: 51; ***cibarius*** **9**: 54; ***denudatus*** **22**: 138; ***ruber*** **12**: 27; **16**: 158; **20**: 243; **23**: 80; **29**: 205, 206; **36**: 189; **50**: *63*, *64*, *65*, *66*, *67*, *68*.

CLAUDOPUS argentinus **4**: 131; ***avellaneus*** **4**: 131; ***byssisedus*** **4**: 131, 132, 134, 135; **14**: 76, 113; **23**: 204, 205; **27**: 214; ***depluens*** **4**: 131; ***herbarum*** **4**: 132; ***mephiticus*** **4**: 131; ***minutoincanus*** **64**: 219; ***minutus*** **4**: 132; ***niveus*** **4**: 131, 132, 133; **26**: 37; ***paludosus*** **4**: 132; ***palustris*** **4**: 132; ***pusillus*** **4**: 132; ***quercinus*** **4**: 132, 135; ***subdepluens*** **4**: 131, 133, 135; ***variabilis*** **var.** ***microsporus*** **21**: 30; ***viscosus*** **64**: 219; ***zahlbruckneri*** **57**: 303.

CLAUSSENOMYCES atrovirens **59**: 101, 103, 105, 106, 107, 108; ***canariensis*** **59**: 103, 108, 109; ***clavatus*** **59**: 103, 108, 109; ***dacrymycetoideus*** **59**: 103, 107, 108; ***hydnicola*** **59**: 105; ***jahnianus*** **59**: 103, 107, 109; ***olivaceus*** **59**: 103, 107, 108; ***pini*** **59**: 101; ***pleomorphicus*** **59**: 101; ***prasinulus*** **35**: 109; **59**: 101, 103, 106, 107, 108, 231, 232, 233, 234, 235, 237; ***pseudotsugae*** **59**: 101; ***pusillus*** **59**: 103, 108, 109.

CLAUSTULA fischeri **9**: 55.

CLAUTRIAVIA irpicina **48**: 275.

CLAVARIA abietina **5**: 22, 23, 24, 25; **7**: 159; ***aculeiformis*** **11**: 94; ***acuta*** **13**: 79, 85; **14**: 112; **18**: 2; ***aestivalis*** **57**: 51, 53; ***amethystina*** **16**: 6; ***argillacea*** **13**: 79, 85; **14**: 76; ***atrofusca*** **4**: 83; ***australiana*** **15**: 99; ***bataillei*** **58**: 268; ***botrytis*** **5**: 74; ***bourdotii*** **4**: 83; **25**: 129, 133; ***bresadolae*** **4**: 84; ***byssacea*** **25**: 133; ***chordostyla*** **26**: 116; ***cinerea*** **12**: 152; ***cladoniae*** **46**: 318; ***condensata*** **14**: 24; ***cornea*** **11**: 93; ***cyanescens*** **5**: 25; ***decurrens*** **21**: 125; ***dendroidea*** **14**: 24; ***dichotoma*** **46**: 318; **49**: 165; ***falcatispora*** **13**: 25; ***filaris*** **46**: 318; ***filicina*** **26**: 116; ***flava*** **5**: 74; **19**: 128; ***formosa*** **5**: 74; ***fragilis*** **52**: 6; ***fumosa*** **4**: 83; **18**: 2; ***fumosoides*** **15**: 102; ***furcata*** **11**: 94; ***geoglossoides*** **13**: 81; ***glossoides*** **11**: 95; ***grisea*** **12**: 191; ***herculeana*** **5**: 150; **7**: 160; ***himantia*** **4**: 83; **7**: 137; **25**: *129*, *130*, *131*, *132*, *133*, *134*; ***invalii*** **5**: 22, 24, 25; **7**: 159; ***kalchbrenneri*** **49**: 165; ***krombholzii*** **36**: 202; ***lavendula*** **16**: 6; ***lilacina*** **16**: 6, 8; ***lurida*** **46**: 318; ***muscicola*** **13**: 25; ***nebulosa*** **15**: 102; ***nigrita*** **4**: 83; ***nymaniana*** **16**: 6; ***occidentalis*** **15**: 102; ***ochraceovirens*** **5**: 22, 25; **7**: 159; ***pallida*** **4**: 115; **5**: 22; **13**: 76; **14**: 24; ***pistillaris*** **5**: 74, *148*, *149*, *150*, *151*, *152*; **16**: 156; ***purpurea*** **15**: 102, 103; **27**: 220; ***pusilla*** **21**: 125; ***pyxidata*** **18**: 240; ***rosolana*** **16**: 6; ***rufescens*** **15**: 99; ***setaceae*** **46**: 318; ***stricta*** **14**: 21, 24; ***subbotrytis*** **15**: *98*, *99*, *100*, *101*; ***tenuicula*** **7**: 137; ***truncata*** **5**: *148*, *149*, *150*, *151*, *152*;

7: 160; ***vermicularis*** **8**: 45; ***vinculum*** **15**: 102; ***violacea*** **16**: 6; ***virescens*** **5**: 25; ***viscosa*** **11**: 92; ***zollingeri*** **16**: *6*, *7*, *8*, 115; **18**: 2; **23**: 141; **58**: 154.

CLAVARIADELPHUS contortus **5**: 152; ***fistulosus*** **5**: 152; **7**: 191; **14**: 98, 112; **22**: 192; **35**: 240; ***flavoimmaturus*** **40**: 41; ***helveticus*** **40**: 41; ***junceus*** **5**: 152; ***ligula*** **5**: 152; **13**: 76, 77, 84; **27**: 220; **40**: 41; ***pistillaris*** **13**: 77; **14**: 74, 75, 226; **16**: 156; **20**: 242; **29**: 28; **40**: 41; **45**: 34; **46**: 288, 289; ***pistillaris*** **var.** ***americanus*** **5**: 152; ***truncatus*** **5**: 150, 152; **12**: 127; **13**: 77, 84; **14**: 126, 226; **21**: 57, 129; **40**: 41; ***xanthocephalus*** **40**: 41.

CLAVARIELLA bataillei **58**: 268.

CLAVARIOPSIS aquatica **54**: 255; **63**: 120, 124, 134, 140, 148.

CLAVATOSPORA longibrachiata **54**: 255; **63**: 120, 124, 128, 135, 140; ***tentacula*** **23**: 135; **60**: 66; **63**: 140.

CLAVICEPS africana **54**: 156; ***fusiformis*** **40**: 113; **42**: *52*, *53*, *54*, *55*; ***nigricans*** **3**: 90; **33**: 151; ***paspali*** **29**: 243; **35**: 216; **40**: 69; ***purpurea*** **2**: 73, 74, 102; **3**: 128; **9**: 67; **10**: *221*, *222*, *223*, *224*, *225*, *226*, *227*, *228*, *229*, *230*, *231*, 238, 239, 241; **11**: 191; **12**: 52, *232*, *233*, *234*, *235*, *236*, *237*, *238*, *239*, *240*; **28**: 108; **29**: 243; **32**: 102; **35**: 216; **39**: 60; **40**: 69; **42**: 52; **48**: 55, 59; **52**: 82, 83, 86, 87; **54**: 156; **62**: 82, 83, 84; ***sulcata*** **52**: 83, 86.

CLAVICORONA pyxidata **18**: 240, 241; **21**: 55, 56; **22**: 252; **24**: 84; **26**: 37, 38, 122; **36**: 23; **44**: 125.

CLAVIDISCULUM acuum **33**: 199; **37**: 68; **39**: 205; **41**: 202; **44**: 143; ***hungaricum*** **39**: 209; ***kriegerianum*** **33**: 199; ***laricinum*** **31**: 199.

CLAVISPORA lusitaniae **39**: 236.

CLAVULARIA mycogena **18**: 180.

CLAVULICIUM macounii **21**: 57, 59; **36**: 141, 144; ***vinososcabens*** **36**: 141, 144.

CLAVULINA amethystina **14**: 112; **16**: 6, 8; **27**: 220; ***cinera*** **10**: 186; **18**: 162; ***cinerea*** **14**: 126; **18**: 2; **22**: 252; **32**: 222; **33**: 162; **46**: 174, 179, 180; **52**: 9; **56**: 273; ***coralloides*** **52**: 5, 212; **54**: 198, 199; **63**: 255; ***cristata*** **12**: 127; **13**: 84; **14**: 106, 126; **22**: 252; **25**: 105; **32**: 222; **44**: 141; **56**: 273, 281; ***cristata*** **var.** ***cristata*** **57**: 53; ***rugosa*** **18**: *11*, *12*, *13*; **22**: 192; **44**: 141; **52**: 212; **56**: 273; ***rugosa*** **var.** ***canaliculata*** **14**: 104, 112.

CLAVULINOPSIS cinereoides **57**: 51, 52; ***corniculata*** **13**: 82, 85; **14**: 104; **15**: 191; **20**: 129; **23**: 198; **32**: 208; **52**: 11; ***corniculata*** **f.** ***bispora*** **13**: 83; ***daigremontiana*** **13**: 83, 85; ***dichotoma*** **57**: 52; ***helvola*** **13**: 80, 81, 85; **15**: 191; **18**: 2; **32**: 208; ***helvola*** **f.** ***geoglossoides*** **13**: 78, 81; ***helvola*** **var.** ***geoglossoides*** **13**: 81, 85; ***luteoalba*** **13**: 83; **14**: 226; ***luteoalba*** **var.** ***latispora*** **13**: *83*, 85; ***luteoalba*** **var.** ***longispora*** **8**: 180; ***pulchra*** **13**: 81; **14**: 106, 112; **15**: 191; **20**: 129; ***subtilis*** **14**: 112; **15**: 191; **57**: 52; ***tenuicula*** **14**: 75; ***umbrinella*** **57**: 51, 52, 53, 54.

CLIMACOCYSTIS borealis **12**: 96, 123, 127; **13**: 27, 28, 36; **14**: 88, 89, 126; **17**: 182; **18**: 6, 162; **25**: 105, 111; **27**: 220; **36**: 45, 187; **37**: 116; **44**: 140, 141; **45**: 38; **46**: 288; **49**: 132; ***borealis*** **var.** ***borealis*** **12**: 96, 100, 101; ***borealis*** **var.** ***rohrbacheri*** **12**: 95, *97*, *98*, *99*, *100*, *101*, 103; ***borealis*** **var.** ***spathulatus*** **12**: 96, 100, 101.

CLIMACODON septentrionalis **10**: 13; **12**: 95, 96; **14**: 88; **16**: 156; **17**: 108; **20**: 170; **21**: 56; **23**: 79, 110; **25**: 105, 111; **27**: 220; **28**: 121; **36**: 186; **44**: 125; **59**: 71, 77.

CLINOTRICHUM lanosum **23**: 221.

CLIOSTOMUM pallens **56**: 157.

CLITHRIS quercina **11**: 188; **13**: 222.
CLITOCYBE achromegala **19**: 128; ***adirondackensis*** **18**: 159, 160, 164, 178; **43**: 56; ***aequabilis*** **44**: 27; ***agrestis*** **43**: 86; **44**: 26; ***albofragrans*** **44**: 26; ***alexandri*** **3**: 8; **30**: 228; ***amara*** **2**: 37; **10**: 173; **12**: 78; **20**: 230; ***amarescens*** **44**: 26; ***angustissima*** **14**: 77; **18**: 11; ***anisata*** **44**: 27; ***arnoldii*** **44**: 29; ***asterospora*** **18**: 4; ***augeana*** **29**: 81; **44**: 27; **46**: 6, 7, 15; ***aurantiaca*** **3**: 7; **6**: 56; **18**: 11, 115, 160; **19**: *233*, *234*, *235*, *236*, *237*, *238*; ***aurantiaca*** **var.** ***atrotomentosa*** **6**: 22; ***bartelliae*** **32**: 219; ***brumalis*** **7**: 14; **8**: 136; **18**: 11, 160, 164; **20**: 72; **33**: 164; **56**: 273; ***calcarea*** **14**: 113; ***candicans*** **14**: 104; **18**: 164, 165; **29**: 26; ***candida*** **1**: 109; **3**: 8; **4**: 109; **7**: 154; ***cardarella*** **28**: 58; ***cerussata*** **14**: 77; **18**: 11; **29**: 81; **30**: 27, 31; **32**: 222; **38**: 220; **44**: 85; ***claviceps*** **14**: 125; ***clavipes*** **2**: 37; **3**: 7; **4**: 148, 149; **14**: 96; **16**: 20; **18**: 160; **19**: 128; **32**: 222; **43**: 86; **46**: 81, 175, 181; **48**: 123; **52**: 11; **56**: 273; ***collina*** **33**: *36*, *37*, *38*, *39*; ***concava*** **14**: 104; ***conglobata*** **9**: 24; **22**: 45; ***corda*** **6**: 40; ***costata*** **22**: 194; ***cyanolens*** **22**: 194; ***cyathiformis*** **3**: 38; **8**: 122, 136; **13**: 135; **14**: 223; ***dealbata*** **6**: 40; **8**: 1; **11**: 207; **14**: 104; **28**: 174; **32**: 222; **48**: 100; ***diatreta*** **14**: 77; ***dicolor*** **18**: 11, 160, 165; **19**: 16; ***discolor*** **14**: 104; ***ditopa*** **19**: 16; **24**: 117; **30**: 51; **32**: 222; **46**: 173, 175, 181; **56**: 273, 281, 282; ***ectypa*** **4**: 97; **7**: 93; ***ericetorum*** **8**: 122; **43**: 53; ***eryngii*** **28**: 58; ***expallens*** **14**: 104; ***fechtneri*** **21**: 251; ***festivoides*** **44**: 27; ***flaccida*** **29**: 26; ***fragrans*** **29**: 26; **44**: 28, 85; **46**: 175, 181; **48**: 205; **52**: 7; **63**: 8; ***fritilliformis*** **14**: 113; **29**: 80; ***gallinacea*** **7**: 157; **14**: 113, 225; **16**: 165; **44**: 27; **46**: 13, 15; ***gentianea*** **12**: 78; **20**: 229; ***geotropa*** **3**: 8; **10**: 117; **14**: 77, 112, 117; ***gibba*** **46**: 174, 180; **47**: 51; **56**: 273, 282; ***gibba*** **var.** ***adstringens*** **44**: 26, 27; ***gibba*** **var.** ***gibba*** **44**: 26, 27; ***gigantea*** **2**: 36; **11**: 128; ***gigantea*** **var.** ***candida*** **1**: 109; ***gilva*** **4**: 157; **14**: 77; **16**: 20; **19**: 115; **32**: 222; **35**: 109; ***glaucophylla*** **3**: 27; ***gracilis*** **44**: 28; ***graveolens*** **32**: 218, 219; ***harmajae*** **44**: 28; ***hydrogramma*** **16**: 164, 165; **18**: 164; **30**: 228; ***hygrophoroides*** **44**: 26, 28; ***illudens*** **6**: 23; ***incilis*** **14**: 104; **16**: 188; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **29**: 26; **32**: 222; **33**: 164; **44**: 29; ***infundibuliformis*** **2**: 84; **14**: 104, 225; **19**: 15, 16, 19, 115, *233*, *234*, *235*, *236*, *237*, *238*; **32**: 222; ***inornata*** **11**: 127; **14**: 77, 117, 225; **21**: 53; **30**: 228; **33**: 164; ***inversa*** **3**: 7; **6**: 40; **18**: 11; **19**: 17, 234; **22**: 194; **32**: 222; **38**: 220; ***josserandii*** **41**: 51; ***krizii-josephii*** **29**: *79*, *80*, *81*; ***langei*** **46**: 175, 179, 180; ***lepistoides*** **22**: 95; ***lignatilis*** **36**: 186; **46**: 178, 183; ***marzuola*** **3**: 26; ***maxima*** **3**: 8; **43**: 197; ***menthiodora*** **46**: 173, 174, 181; ***metachroa*** **18**: 13, 160, 165; **19**: 16; ***mortuosa*** **15**: 225; ***nauseosodulcis*** **10**: 173; ***nebularis*** **1**: 55; **3**: 7, 59, 126; **4**: 14, 15, 56, 115, 120, 121; **5**: 128; **9**: 99, 102; **10**: 116, 119; **15**: 201; **18**: 13; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **22**: 194; **23**: 176, 178; **25**: *66*, *67*, *68*, 69, 71; **30**: 51, 228; **32**: 222; **38**: 220; **52**: 7, 212; ***nebularis*** **var.** ***alba*** **25**: 68; ***nitrophila*** **44**: 27; ***nivea*** **44**: 28; ***obbata*** **1**: 91; ***obolus*** **14**: 104; **52**: 32; ***obsoleta*** **14**: 113; **52**: 212; ***odora*** **5**: 128; **12**: 214; **14**: 89; **16**: 188; **19**: 114, 116, *234*, *235*, *236*, *237*, *238*; **22**: 194; **27**: 31, 214; **30**: 51; **32**: 222; **33**: 164; **35**: 109; **43**: 86; **44**: 222; **52**: 7; ***olearia*** **6**: 23; ***olivaceobrunnea*** **44**: 26, 28, 29; ***opaca*** **44**: 30; ***paradoxa*** **3**: 8; **10**: 173; **12**: 78; ***parilis*** **7**: 17; ***pausiaca*** **23**: 205; ***pellucida*** **1**: 91; ***phaeophthalma*** **43**: 53, 55; **52**: 5, 212; ***phosphorea*** **6**: 20, 23, 40; ***phyllophila*** **14**: 78; **44**: 222, 223; **46**: 81; ***pithyophila*** **18**: 115; **19**: 17; ***pruinosa*** **7**: *13*, *14*, *15*, *16*, *17*, *18*; **8**: *134*, *135*, *136*, *137*; **13**: 154, 182; **14**: 77; ***pulcherrima*** **10**: 173; ***pusilla*** **4**: 149, 150, 152; ***radicellata*** **7**: 17; **8**: 137; **14**: 106; ***rhizophora*** **7**: 13, *15*, *16*, *17*; **8**: 136, 137; ***rhodoleuca*** **10**: 173; ***rivulosa*** **1**: 55; **6**: 40; **12**: 117; **24**: 109; **29**: 81; **32**: 222; **37**: 122; **43**: 181; **48**: 100; **52**: 11; ***sadleri*** **9**: 24; ***sinopica***

11: 128; **14**: 104, 225; **19**: 17; **32**: 222; **39**: 125; **44**: 29; ***socialis*** **44**: 28; ***squamulosa*** **1**: 96; **19**: 16; ***stipaephila*** **14**: 104; ***suaveolens*** **8**: 136; **14**: 117; **44**: 85; ***subalutacea*** **44**: 29; ***subfellea*** **44**: 29; ***subilludens*** **9**: 102; ***subrosella*** **20**: 30; ***subsinopica*** **44**: 29; ***tabescens*** **4**: 97; **30**: 51; **58**: 213; ***tornata*** **44**: 30, 222; ***trullaeformis*** **22**: 194; ***truncicola*** **59**: 72, 76; ***tuba*** **18**: 13; ***umbonata*** **4**: 6; **7**: 186; ***venustissima*** **20**: 135, *138*, *139*, *140*; ***vermicularis*** **7**: 13, 14, 16, 17; **8**: 134, 136; **14**: 77; **18**: 13; **19**: 16; **29**: 26; ***verna*** **7**: 13, 17, 18; **8**: 136, 137; ***vernalis*** **52**: 54; ***vibecina*** **14**: 104; **18**: 13, 160, 165; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **30**: 51; **44**: 85; **56**: 272, 277, 281; **63**: 255; ***vulpecula*** **20**: 230; ***zyziphina*** **6**: 40.

CLITOCYBULA abundans **63**: 2; ***atroalba*** **63**: 8; ***familia*** **63**: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10; ***familia*** **var. *compressa*** **63**: 1, 3, 5, 6, 7; ***familia*** **var. *familia*** **63**: 1, 7; ***lacerata*** **16**: 173, 181, 191; **25**: 106, 111; **27**: 214; **31**: 115; **36**: 187; **46**: 177, 183; **63**: 2; ***oculus*** **63**: 8; ***platyphylla*** **63**: 6, 8.

CLITOPILOPSIS mundula **18**: 13; ***popinalis*** **8**: 122.

CLITOPILUS arwidssonii **21**: 30; ***conissans*** **60**: 168; ***hobsonii*** **24**: 109; ***passeckerianus*** **30**: 51; **35**: 199; **41**: 51, 53; **46**: 6, 7, 17; ***pinsitus*** **21**: 30; ***prunulus*** **3**: 28; **5**: 74; **8**: 122; **9**: 7; **10**: 116; **14**: 78; **16**: 157; **18**: 10, 13, 223; **19**: 114, *234*, *235*, *236*, *237*, *238*; **22**: 50, 53, 54, 194; **23**: 79; **29**: 26; **30**: 51; **32**: 222; **33**: 164; **34**: *192*, *193*, *194*; **52**: 6, 212, 215; ***scyphoides*** **14**: 104; ***septicoides*** **10**: 249.

CLONOSTACHYS rosea **55**: 76; **56**: 10, 228, 229; **61**: 152; ***rosea*** **f. *catenulata*** **55**: 87; **59**: 210; ***rosea*** **f. *rosea*** **55**: 87, 91, 97; **59**: 231, 232, 233, 234, 235, 237.

CLOSTEROALEUROSPORIA gallinae **12**: 43.

CLYPEUS trechisporus **25**: 7, 8.

CNAZONARIA rickii **12**: 216, 217.

COCCIDIOIDES immitis **11**: 26; **14**: 239; **35**: 217; **39**: 158; **44**: 4, 5, 12, 71, 134, 138; **48**: 27; **55**: 140; **57**: 323.

COCCIDIUM seeberi **44**: 136.

COCCOCARPIA erythroxyli **56**: 157; ***palmicola*** **56**: 157; ***pellita*** **56**: 157.

COCCODINIUM bartschii **53**: 288, 291, 292.

COCCOMYCES coronatus **18**: 163.

COCCOPHACIDIUM pini **12**: 225, 231.

COCCOSPORA agricola **18**: 106.

COCHLIOBOLUS australiensis **53**: 154; ***bicolor*** **63**: 98; ***carbonum*** **55**: 268, 269; ***geniculatus*** **39**: 159; ***hawaiiensis*** **44**: 68; ***heterostrophus*** **55**: 268, 269; ***lunatus*** **39**: 159; **51**: 163; **53**: 154; ***pallescens*** **53**: 154, 155; **60**: 80, 82; ***sativus*** **37**: 117; **43**: 49; **50**: *36*, *37*, *38*, *39*, *40*, 42; **57**: 315; ***spicifer*** **37**: 72; **39**: 159; **43**: 49; **44**: 69; **51**: 162, 163; **53**: 152, 155; ***tuberculatus*** **53**: 155.

COCHLONEMA megaspirema **1**: 34; ***odontosperma*** **1**: 34; ***verrucosum*** **1**: 31, 34.

CODINAEA lunulospora **40**: 142, 148; ***parva*** **42**: 204; ***simplex*** **25**: 25, 27, 28.

COELOMOMYCES chironomi **31**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*; ***psorophorae*** **31**: 81.

COELOMYCIDIUM simulii **28**: 159, 161, 227.

COEMANSIA aciculifera **32**: 228, 230; **43**: 237; ***pectinata*** **43**: 237; ***reversa*** **43**: 237.

COENOMYCES consuens **12**: 110, *110*, *111*, *112*, *113*.

COKEROMYCES poitrasii **35**: 212.

COLACOGLOEA allantospora **54**: *32*, *33*, *34*, *35*, *36*, *37*, *38*, 41, 42; ***bispora*** **54**: 32, *34*, *35*, *36*, *37*, *38*, *38*, *39*, *39*, 42; ***papilionacea*** **58**: 95; ***peniophorae*** **54**: 32, *38*, *39*, *40*, *41*, *42*, *43*.
COLEOSPORIUM cacaliae **56**: 128; ***campanulae*** **14**: 103; **53**: 98, 112, 116; **56**: 128; **57**: 261; **62**: 91; ***cerinthes*** **56**: 128; ***clerodendri*** **52**: 54; ***doronici*** **55**: 277, 280; **56**: 128; ***euphrasiae*** **53**: 98, 113, 114, 115; **56**: 128; **57**: 261, 272; ***hedyotidis*** **46**: 318; ***inulae*** **56**: 124, 128; ***martianoffianum*** **56**: 128; ***melampyri*** **53**: 116; **56**: 128; **62**: 99; ***petasitis*** **53**: 99, 112; **56**: 128; **57**: 261; ***pulsatillae*** **56**: 128; ***rhinanthacearum*** **62**: 99; ***senecionis*** **53**: 99, 112, 114, 116; **56**: 128; **57**: 257, 261, 270, 272; ***sonchi*** **56**: 128; ***telekiae*** **59**: 201, 202; ***tussilaginis*** **35**: 91; **44**: 146; **53**: 99; **56**: 128; **62**: 92, 99, 100.
COLEROA salisburgensis **49**: 194.
COLISPORA cavincola **60**: 72; **63**: 135, 140; ***elongata*** **63**: 140.
COLLEMA flaccidum **56**: 157; ***rugosum*** **56**: 157; ***tenax*** **19**: 206; **50**: 226.
COLLETOSPORIUM album **43**: 175.
COLLETOTRICHUM atramentarium **15**: 178; **31**: 66; **33**: 171; **39**: 158; ***capsici*** **55**: 51, 52, 53, 54; ***clivia*** **10**: 256; ***coccodes*** **39**: 158; ***dematium*** **28**: 156, 157; ***destructivum*** **28**: 118; ***digitalis*** **19**: 57, 62; ***fructigenum*** **9**: 110; ***fuscum*** **19**: 57, 62; ***gloeosporioides*** **35**: 216, 219; **55**: 247, 248; **57**: 313; **60**: 80; ***graminicola*** **28**: 118; ***lindemuthianum*** **38**: 195; **43**: 155; ***musae*** **55**: 54; ***orbiculare*** **46**: 2; ***trifolii*** **28**: 118; **39**: 250.
COLLYBIA acervata **14**: 76, 88, 225; **18**: 28; **27**: 214; **32**: 222; **33**: 164; ***aquosa*** **46**: 173, 174, 180; ***asema*** **7**: 142; **14**: 87, 96; **22**: 194; **27**: 28, 214; **28**: 174; **32**: 222; **42**: 165; **43**: 93; **44**: 85; **46**: 173, 174, 179, 180; **56**: 282, 286; ***atramentosa*** **9**: 21, 22; **60**: 127; ***atrata*** **3**: 87; ***benoistii*** **7**: 88; ***biformis*** **48**: 312; ***bresadolae*** **18**: 28; ***butyracea*** **7**: 142; **19**: 17, 234; **20**: 21; **22**: 194; **25**: 106; **27**: 28; **30**: 51; **32**: 222; **43**: 86, 88, 90, 93; **44**: 85; **52**: 5, 212; ***butyracea*** **f.** ***asema*** **18**: 160; ***butyracea*** **var.** ***asema*** **56**: 273, 285; ***cirrhata*** **18**: 160; **46**: 175, 181; **54**: 226; **63**: 255; ***clusilis*** **4**: 81; **14**: 77; ***collina*** **7**: 95; ***confluens*** **12**: 214; **14**: 225; **16**: 188; **18**: 28, 160, 166; **32**: 222; **44**: 85; **46**: 173, 174, 180; **52**: 212; **56**: 273, 282; ***conigena*** **2**: 24, 44; **8**: 14, 15; **11**: 239; ***cookei*** **46**: 175, 181; **52**: 10; **56**: 276; ***crassipes*** **52**: 41; ***dichrous*** **48**: 312; ***distorta*** **32**: 222; ***dryophila*** **2**: 41, 44; **4**: 60, 109, 148; **6**: 56; **8**: 32; **14**: 96, 130; **15**: 223, 231; **16**: 182, 224, 225, 232; **18**: 12, 28, 168; **20**: 60; **22**: 194; **23**: 176; **25**: 106; **32**: 222; **33**: 164; **35**: 109; **38**: 220; **41**: 85; **42**: 115, 165; **43**: 93; **44**: 85, 221; **46**: 81, 173, 174, 180, 282, 287, 289, 290; **52**: 5, 212; **56**: 273; ***dryophila*** **var.** ***funicularis*** **14**: 225; ***dysodes*** **48**: 312; ***erosa*** **10**: 180, 181; **26**: 212; ***erythropus*** **52**: 11, 212; ***esculenta*** **2**: 44; **8**: 14, 15; ***exculpta*** **25**: 106; **35**: 109; ***familia*** **63**: 3; ***familia*** **var.** ***compressa*** **63**: 3, 5, 6, 8; ***familia*** **var.** ***familia*** **63**: 6; ***filamentosa*** **52**: 32; ***fuliginaria*** **16**: *182*, *183*, *184*, 190; **60**: 127; ***fuliginata*** **16**: 182; ***fuscopurpurea*** **18**: 28, 168; **25**: 62; **60**: 13; ***fusipes*** **2**: 41; **7**: 156; **8**: 190; **13**: 40; **14**: 76, 111, 117, 130, 225; **18**: 233; **19**: 234, 238; **20**: 21; **23**: 177; **30**: 51; **32**: 222; **33**: 164; **34**: 100; **35**: 109; **44**: 221, 223; **52**: 9; ***hariolorum*** **14**: 106, 112; **26**: 123; **46**: 173, 175, 181, 188; ***hybrida*** **18**: 28, 157, 159, 160, 168, 178; ***impudica*** **35**: 241; ***inolens*** **14**: 77; ***lacerata*** **16**: *181*, *182*, *183*; **62**: 35; ***leucomyosotis*** **4**: 81; ***lilacea*** **7**: 80, 81, 87; **9**: 107; ***lilacea*** **f.** ***robusta*** **7**: 80, 81, 86, 88; ***lilacea*** **var.** ***pillodii*** **7**: 81, 86; ***luxurians*** **52**: 41; ***macroura*** **2**: 44; **30**: 53; ***maculata*** **1**: 97; **4**: 149; **16**: 21; **18**: 160; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **30**: 51; **32**: 222; **33**: 164; **44**: 222; **46**: 67, 68, 71, 72, 180; **56**: 273; ***marasmioides*** **43**: 93; ***megalopus***

6: 52; ***myosura*** **7**: 87; **8**: 14, 15; ***myriadophylla*** **7**: 80, 81, 87; **16**: 182, 191; ***nigrescens*** **9**: 21; ***obscura*** **46**: 175, 181; **60**: 14; ***obstans*** **4**: 81; ***ozes*** **11**: 127; ***palustris*** **4**: *79*, *80*, *81*, *82*; **7**: 43, 159, 192; **8**: *18*, *19*, *20*, *21*; **16**: 157; ***peronata*** **14**: 111, 225; **18**: 28, 160, 166, 168; **19**: *234*, *235*, *236*, *237*, *238*; **20**: 21; **27**: 31; **30**: 51; **32**: 222; **33**: 164; **35**: 109; **43**: 31, 32, 34, 93; **44**: 85, 213, 214; **46**: 81, 173, 174, 179, 180; **52**: 5; **56**: 273, 285; ***petrakii*** **52**: 54; ***pillodii*** **7**: 81, 88; ***platyphylla*** **2**: 37; **14**: 87, 112; **16**: 181; **26**: 220; **30**: 52; ***plexipes*** **5**: 120; **10**: 181; ***polyphylla*** **48**: 312; ***porrea*** **14**: 87; **27**: 214; **48**: 310; ***potassiovirescens*** **60**: 25; ***pruni*** **36**: 58; ***pseudoclusilis*** **14**: 78; ***pseudolacerata*** **52**: 54; ***pseudoradicata*** **23**: 199; ***putilla*** **14**: 96; **18**: 28; ***pyrenaeica*** **60**: 25; ***racemosa*** **22**: 195; **54**: 226; ***radicata*** **14**: 49, 76, 225; **20**: 60; **60**: 210; ***radicata*** **var.** ***gracilis*** **14**: 48; ***radicata*** **var.** ***gracilis*** **f.** ***albida*** **14**: 48, 49; ***rancida*** **5**: *117*, *118*, *119*, *120*; **7**: 160; **11**: 128; ***rhizophora*** **7**: 16, 17; **8**: 134, 136, 137; ***shiitake*** **4**: 36; **7**: 157; **30**: 52; ***similis*** **52**: 54; ***stephanocystis*** **8**: 15; **19**: 18; ***strobilicola*** **8**: 15; ***strobilina*** **14**: 106; ***suaveolens*** **21**: 161; ***succosa*** **9**: 21; **16**: 182, 183, 191; ***tamatavae*** **52**: 48; ***teleoianthina*** **7**: 80, 81; **9**: 107; ***tenacella*** **4**: 149; **7**: 87; **8**: 14, 15; ***tergina*** **18**: *166*, *167*, *168*; ***terginoides*** **18**: 157, 159, 160, *165*, *166*, *167*, *168*, 178; **39**: 180; ***tuberosa*** **7**: 51; **14**: 90, 96; **22**: 195; **27**: 214; **33**: 164; **44**: 85; **46**: 175, 179, 180; **52**: 10; **56**: 276; **63**: 255; ***tylicolor*** **26**: 212; ***velutipes*** **4**: 36, 37, 52, 109; **5**: 75, 161, 171; **6**: 94; **8**: 88; **11**: 186, 188; **12**: 39; **13**: 40, 45; **18**: 233; **32**: 205, 222; **60**: 120, 210; ***velutipes*** **f.** ***aestivalis*** **32**: 212; ***velutipes*** **f.** ***curta*** **32**: 212; ***velutipes*** **f.** ***laxipes*** **32**: 213; ***velutipes*** **subsp.** ***pratensis*** **32**: 205; ***velutipes*** **var.** ***epigea*** **32**: 212; ***velutipes*** **var.** ***nana*** **32**: 213; ***velutipes*** **var.** ***pratensis*** **32**: 205; ***velutipes*** **var.** ***pusilla*** **32**: 213; ***velutipes*** **var.** ***radicans*** **32**: 212; ***velutipes*** **var.** ***rufipes*** **32**: 213; ***velutipes*** **var.** ***solida*** **32**: 212; ***ventricoso-lamellata*** **14**: 96; ***verna*** **60**: 25.

COLPOMA quercinum **11**: 188; **13**: 154; **14**: 226.

COLTRICIA bambusicola **64**: 15; ***cinnamomea*** **11**: 164; **21**: 55, 56; **32**: 222; **38**: 140; **55**: 13; ***dependens*** **38**: 139; ***montagnei*** **20**: 101; **57**: 326; ***oblectabilis*** **38**: 140; ***perennis*** **10**: 60; **11**: 164; **22**: 189; **32**: 222; **36**: 29; **38**: 140, 220; **44**: 141; **55**: 13; ***pseudocinnamomea*** **38**: 140; ***tomentosa*** **11**: 164; **16**: 22.

COLTRICIELLA dependens **38**: 139, 140; **55**: 8, 13; ***oblectabilis*** **38**: 137, 140; **55**: 8, 13.

COLUMNOCYSTIS abietina **13**: 12, *15*, *16*, *17*, 144, 150; **14**: 88; **27**: 220; **44**: 140, 141; **45**: *15*, *16*, *17*, *18*, *19*, *20*, *21*; ***ambigua*** **13**: 17; ***carpatica*** **13**: 12, 17.

COMATRICHA acanthodes **26**: 103, 104, 111; ***alba*** **13**: 51; **22**: 134; ***elegans*** **53**: 323; ***fimbriata*** **26**: *103*, 104, *104*, *105*, 111; **45**: *27*, 28, *28*, *29*, 32; ***nigra*** **18**: 182; **26**: 105, 106, 111; **53**: 323; ***pulchella*** **53**: 323.

COMBEA mollusca **56**: 157.

CONCHATIUM bilobum **33**: 196; ***cacaliae*** **33**: 196; ***calathicolum*** **33**: 196; ***caulicolum*** **33**: 196; ***collinum*** **46**: 149, 152, 153; ***complicatum*** **33**: 197; ***confine*** **33**: 197; ***cyathoideum*** **33**: 196; **40**: 206; **43**: 225; **44**: 143; ***durum*** **43**: 215, 223, 225; ***egenulum*** **33**: 197; ***fraxinophilum*** **40**: 203, 205, 206, 208; ***irae*** **33**: 196; ***pteridicolum*** **33**: 197; ***subhyalinum*** **33**: 197; ***urticae*** **33**: 197.

CONDYLOSPORA spumigena **63**: 124, 128.

CONIDA fuscopurpurea **17**: 150.

CONIDIOBOLUS coronatus **28**: 189; **29**: *174*, *175*, *176*, *177*; **31**: *28*, *29*, *30*, *139*, *140*, *141*; **35**: 212; **39**: 158; **42**: 32, 112; **44**: 6, 194, 195; ***destruens*** **57**: 221, 226, 227, 229, 234, 235; ***incongruus***

39: 158; **44**: 6, 195; ***obscurus*** **48**: *91*, *92*; ***thromboides*** **41**: 66, 69; **42**: *31*, *32*, *33*, *34*, *35*, *36*, *37*, *105*, *106*, *107*, *108*, *109*, *110*, *111*; **48**: *91*, *92*; ***villosus*** **29**: 174, 175, 177.

CONIOBOTRYS ochroleuca **12**: 32.

CONIOCHAETA leucoplaca **22**: 301, 303, 308; ***ligniaria*** **22**: 302, 308; **61**: 86, 92; ***pulveracea*** **13**: 158; ***saccardoi*** **52**: 270, *271*, *272*; ***scatigena*** **22**: 302, 303, 308; ***subcorticalis*** **23**: 205; **35**: 108; ***velutina*** **61**: 86.

CONIOPHORA arida **7**: 138; **14**: 97; **32**: 222; **35**: 197; ***cerebella*** **3**: 7; **4**: 13, 74; **5**: 17, 168; **7**: 139, 157; **8**: 88, 91; **10**: 77; **11**: 241, 243, 245, 246; **35**: 198; ***cyanospora*** **59**: 178; ***flavomarginata*** **25**: 133; ***fusispora*** **12**: 31, 35; **29**: 62, 63; ***laricis*** **43**: 245; ***laxa*** **24**: 106; ***mustialaënsis*** **59**: 178; ***ochroleuca*** **12**: 31, 32, 35; ***olivacea*** **35**: 197; **44**: 140, 141; **58**: 154; ***piceae*** **43**: 245; ***puteana*** **7**: 139; **18**: 162; **22**: 45; **28**: 112; **32**: *55*, *56*, *57*, *58*, *59*, *60*; **35**: 197; **40**: 96, 196; **55**: 107.

CONIOPHORELLA olivacea **24**: 106; **35**: 240.

CONIOSPORIUM epidermidis **61**: 207; ***polyporeum*** **46**: 318.

CONIOTHECIUM effusum **13**: 155.

CONIOTHYRIUM fuckelii **35**: 96; **43**: 100, 105, 237; **53**: 219; **55**: 78, 88; **59**: 231, 238; ***fuckelii*** **var. *sporulosum*** **38**: 240; ***gregori*** **8**: *168*, *169*, *170*; **10**: 94; ***minitans*** **38**: 4; **52**: 224; ***quercinum*** **35**: 171; ***sporulosum*** **38**: 240; **43**: 237; **59**: 210, 211; ***wernsdorffiae*** **60**: 122.

CONOCYBE aberrans **15**: *201*, *202*, *203*, 204, *204*; **20**: 126, 143; **37**: 212, 230; **52**: *299*, *300*, *301*, *302*, *303*, 305; **58**: 274; ***albipes*** **51**: 43, 60; **59**: 25, 26; ***albipes*** **var. *rugata*** **51**: 60; ***alboradicans*** **51**: 47; ***alboradicans*** **var. *carinthiaca*** **51**: 47; ***ambigua*** **10**: 174, 175, 182; **37**: 212; **59**: 28; ***antipus*** **13**: 92, 98, 101, 102, 154; **14**: 78, 83; **37**: 212; ***appendiculata*** **51**: 66; ***aurea*** **19**: 43, 44; **37**: 212; **46**: 28, 29; ***brachypodii*** **51**: 42, 43; **59**: 39, 40, 41, 43, 46, 48; ***brunneola*** **10**: 176; **37**: 216, 231; ***bulbifera*** **f. *bispora*** **37**: 214; ***bulbosa*** **51**: 45; ***coprophila*** **15**: 201, 203, 204; **37**: 212; ***cryptocystis*** **37**: 219; **51**: 49; **59**: 34; ***cyanopus*** **15**: 201, 204; **26**: 204; **27**: 42; **48**: 12; **58**: 276; ***digitalina*** **51**: 49; **59**: 31, 34; ***dumetorum*** **10**: 175, 176, 182; **37**: 212; **51**: 51; **59**: 46; ***dumetorum*** **var. *austriaca*** **51**: 51; ***dumetorum*** **var. *laricina*** **51**: 42; ***echinata*** **51**: 52; **59**: 39, 42, 43, 45, 48; ***excedens*** **51**: 43; **59**: 40; ***excedens*** **var. *pseudomesospora*** **51**: 43; **59**: 40; ***farinacea*** **46**: 28; ***filaris*** **58**: 280; ***fiorii*** **51**: 47; ***fuscimarginata*** **46**: 28, 29; **51**: 63; ***graminis*** **59**: 39, 42, 43, 44, 48; ***herinkii*** **48**: *295*, *296*, *297*; **52**: 95; ***huijsmanii*** **46**: 7, 28; ***inocybeoides*** **37**: 213, 230; ***intrusa*** **37**: 214, 231; **41**: 61; **46**: 6, 13, 28; ***juniana*** **var. *juniana*** **59**: 45; ***juniana*** **var. *sordescens*** **59**: 45; ***juniana*** **var. *subsejuncta*** **59**: 39, 44, 45, 48; ***kuehneri*** **59**: 29; ***kuehneriana*** **37**: 213, 214, 231; **46**: 28, 29; **51**: 68; **59**: 35; ***lactea*** **15**: 203; **46**: 7, 29; **51**: 42, 43, 60; ***laricina*** **10**: 175, 176; **26**: 205; ***leporina*** **51**: 53, 55; **59**: 28, 29; ***leporina*** **var. *parvispora*** **51**: 55; ***leporina*** **var. *tetraspora*** **51**: 55; ***leucopus*** **16**: 165; ***macrocephala*** **16**: 165; **37**: 212; **46**: 7, 28, 29; **48**: 297; ***macrocephala*** **var. *riedheimensis*** **59**: 40; ***macrospora*** **59**: 25, 26, 27, 28, 37; ***magnicapitata*** **16**: 166; **37**: 213, 215, 231; **51**: 52, 53, 56; **59**: 45; ***mairei*** **15**: 201, 203, 204; **20**: *141*, 142, *142*, *143*, *144*; **37**: 212; **51**: 45; **58**: 280; ***major*** **51**: 55, 56; ***melea*** **51**: 56; ***mesospora*** **59**: 41; ***mesospora*** **var. *excedens*** **59**: 40; ***microcephala*** **51**: 56, 58; ***microrrhiza*** **51**: 42, 55; **59**: 25, 26, 28, 29, 37; ***microrrhiza*** **var. *microrrhiza*** **59**: 28; ***microrrhiza*** **var. *parvispora*** **51**: 42, 55; **59**: 28; ***microrrhiza*** **var. *tetraspora*** **51**: 42, 55; **59**: 28; ***microsperma*** **51**: 58; ***microspora*** **10**: 176; **37**: 212, 215, 231; **44**: 85, 140; **51**: 42, 58; ***microspora*** **var.**

brunneola **59**: 46; ***microspora*** **var.** ***microspora*** **59**: 39, 45, 46, 48; ***moseri*** **51**: 58; **59**: 25, 26, 29, 30, 37; ***neoantipus*** **51**: 47; ***ochracea*** **37**: 215, 231; ***pallidospora*** **51**: 65; ***percincta*** **46**: 29; ***pilosella*** **59**: 25, 26; ***plicatella*** **15**: 201, 203, 204; **20**: 141, *143*, *144*, *145*; **26**: 201, 204; **37**: 212; ***plumbeitincta*** **59**: 30; ***pragensis*** **51**: 42, *47*, *48*, *49*; ***pseudopilosella*** **51**: 58; **59**: 31; ***pubescens*** **20**: 126; **25**: 107; **32**: 222; **51**: 53, 56; **59**: 25, 26, 28, 34, 35; ***pubescens*** **f.** ***typica*** **59**: 34; ***pubescens*** **var.** ***pseudopilosella*** **51**: 58; **59**: 31; ***pulchella*** **51**: 42, 58; **59**: 25, 26, 30, 31, 32, 35, 37; ***pygmaeoaffinis*** **15**: 201, 203, 204; **26**: 201; **37**: 220, 232; ***rickeniana*** **16**: *165*, *166*; **20**: 126; **37**: 212, 215, 231; **46**: 175, 181; **51**: 63; **59**: 25, 39, 45; ***rickenii*** **22**: 306, 308; **35**: 44; **44**: 85; **46**: 28, 29; **51**: 60; ***robertii*** **59**: 45, 46; ***rostellata*** **51**: 42, 61; ***rubiginosa*** **59**: 26; ***semiglobata*** **19**: 45; **32**: 222; **37**: 216, 217, 231, 232; **59**: 25, 39, 47; ***siennophylla*** **37**: 217, 232; **51**: 56, 61; **59**: 37; ***siennophylla*** **f.** ***cinerascens*** **59**: 29; ***siennophylla*** **var.** ***paupera*** **51**: 61; ***siligena*** **10**: 175; ***siligena*** **var.** ***ambigua*** **10**: 174; ***siliginea*** **14**: 77, 104; **44**: 85; **46**: 28, 29; **51**: 63, 68; **59**: 25, 26, 32, 33, 37; ***siliginea*** **f.** ***typica*** **59**: 29; ***siliginea*** **var.** ***ochracea*** **37**: 215, 218; **51**: 66, 68; **59**: 35; ***smithii*** **27**: 42; ***sordaria*** **51**: 52; ***sordescens*** **51**: 52; ***sordida*** **59**: 42; ***spartea*** **14**: 79; **20**: 126; ***spicula*** **16**: 165, 166; ***spicula*** **f.** ***macrospora*** **16**: 165, 166; ***spicula*** **f.** ***sordida*** **59**: 42; ***striaepes*** **37**: 219, 220, 232; ***subnuda*** **58**: 277; ***subovalis*** **19**: 43, 44; **37**: 212, 217, 218, 232; ***subpubescens*** **37**: *217*, *218*, *219*, 232; **51**: 49; **59**: 25, 26, 30, 34, 35, 37, 72, 76; ***subverrucispora*** **26**: *201*, *202*, *203*, *204*, *205*, *206*, *207*, *208*, *209*; **58**: 277, 279; ***subxerophytica*** **59**: 47; ***subxerophytica*** **var.** ***brunnea*** **59**: 39, 47, 48; ***subxerophytica*** **var.** ***subxerophytica*** **59**: 47; ***sulcatipes*** **37**: 220, 232; **58**: 274; ***tenera*** **10**: 175; **14**: 104; **16**: 165; **18**: 160, 168; **19**: 45; **29**: 26; **32**: 222; **37**: 215; **44**: 85; **52**: 212; **59**: 25, 34, 39, 47; ***tetraspora*** **59**: 34; ***togularis*** **25**: 107; ***utriformis*** **58**: 277; ***velenovskyi*** **51**: 65; ***velutipes*** **51**: 42, 68; **59**: 25, 26, 35, 36, 37; ***vestita*** **58**: 282; ***watlingii*** **51**: 47.

CONSETIELLA solida **40**: 145, 151.

COOKEINA colensoi **50**: 21, 32; ***indica*** **50**: 32; ***tetraspora*** **50**: 29; ***venezuelae*** **50**: 32.

COOLIA odorata **14**: 88; **27**: 219.

COPELANDIA cyanescens **39**: *26*, *27*, *28*, 59; **48**: *12*, *13*, 15, 16.

COPRINARIUS papyraceus **60**: 145.

COPRINELLUS bisporus **62**: 46; ***brevisetulosus*** **62**: 47; ***congregatus*** **62**: 49; ***curtus*** **62**: 50; ***ephemerus*** **62**: 52; ***heterosetulosus*** **62**: 54; ***pellucidus*** **62**: 55; ***stellatus*** **62**: 47.

COPRINOPSIS friesii **21**: 141; ***nivea*** **63**: 23; ***pseudonivea*** **63**: 27; ***pseudoradiata*** **63**: 14; ***psychromorbida*** **63**: 154; ***radiata*** **63**: 16; ***utrifer*** **63**: 29.

COPRINUS alopecia **15**: 107; **32**: 222; ***angulatus*** **21**: 138; **35**: *44*, *45*, *46*; ***atramentarius*** **1**: 55, 96; **4**: 62, 63; **6**: 168; **7**: 157; **8**: 192; **12**: 251; **15**: 106, 107; **18**: 12; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **23**: 179; **30**: 51; **32**: 222; **40**: 118; **41**: 51, 53; **43**: 86, 90; **44**: 204, 207, 222, 224; **46**: 81, 257, 261; **47**: 145; **48**: 122, 123; **52**: 11; ***barbeyi*** **46**: 318; ***bisporiger*** **62**: 46, 47; ***bisporus*** **15**: 6; **62**: 43, 46, 47; ***boudieri*** **3**: 87; **9**: 144; **14**: 79; **17**: 69; **20**: 126; **21**: 138; **24**: 109; ***brassicae*** **12**: 241; **21**: 138, 140; ***brevisetulosus*** **62**: 43, 47, 48, 56; ***bulbillosus*** **63**: 22; ***bulleri*** **62**: 47; ***callinus*** **46**: 7, 23; ***cardiasporus*** **63**: 20; ***cineratus*** **9**: 24; **14**: 79; ***cinereus*** **15**: 133, 134; **28**: 111; **39**: 158, 170; **46**: 7, 9, 23; ***clavatus*** **var.** ***arenosa*** **6**: 14; ***comatus*** **6**: 165, 166, 167, 168; **7**: 152; **9**: 99, 102; **13**: 197; **16**: 158, 188; **17**: 11; **18**: 233; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **22**: 156; **23**: 79; **32**: 222;

43: *30*, *31*, *32*, *33*, 86, 88, 90; **44**: 204, 207, 209, 213, 214, 216; **46**: 81; **48**: 123; ***comatus* var. *barbeyi*** **6**: 14; ***congregatus*** **29**: 141; **62**: 44, 49, 50, 53, 54; ***cordisporus*** **10**: 177; **13**: 154; **14**: 79; **62**: 44; **63**: 13, 20, 21, 22; ***cortinatus*** **14**: 113; **20**: 126; **35**: 109; ***cothurnatus*** **46**: 7, 23; **63**: 28; ***curtus*** **10**: 176, 177, 182; **21**: 17; **46**: 318; **62**: 43, 50, 51; ***curtus* f. *macrosporus*** **10**: 176; ***delicatulus*** **39**: 158; ***diaphanus*** **21**: 141; ***dilectus*** **14**: 113; ***disseminatus*** **6**: 14; **16**: 171; **32**: 222; **43**: 86, 88, 90; **44**: 85; **48**: 156; **60**: 139, 151, 153; ***domesticus*** **4**: 53; **46**: 175, 181; **47**: 295; **60**: 150; ***dunarum*** **7**: 154; ***echinosporus*** **14**: 113; **15**: 107; ***ephemeroides*** **22**: 306, 308; **63**: 13, 20, 22, 23; ***ephemerus*** **14**: 104; **19**: *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **30**: 51; **41**: 51; **62**: 44, 49, 50, 52, 53, 54; ***extinctorius*** **14**: 106; ***fimetarius*** **15**: 133, 134; **39**: 169; **63**: 16; ***fimetarius* var. *macrorhiza*** **15**: 133, 134; ***fimetarius* var. *pullata*** **15**: 133, 134; ***flocculosus*** **46**: 7, 9, 24; ***foetidellus*** **63**: 13, 18, 19; ***friesii*** **12**: 241; **21**: 137, 139, 141, 144; **46**: 7, 24; ***gonophyllus*** **16**: 98; **23**: 78; ***hemerobius*** **9**: 144; **14**: 104; ***hendersonii*** **63**: 22; ***heptemerus*** **37**: 223, 234; ***herinkii*** **21**: 136, 137, 139; **30**: 60; **52**: 95; ***heterocomus*** **46**: 13, 24; ***heterosetulosus*** **13**: 92, 97, 102, 154; **15**: 74; **20**: 146; **62**: 43, 54, 55; ***hexagonosporus*** **46**: 24, 31; ***insignis*** **4**: 63; **15**: *104*, *105*, *106*, *107*; **16**: 13; **20**: 126; **48**: 123; ***kubickae*** **21**: 136, 137, 142, 143; **39**: 180; ***laanii*** **36**: *173*, *174*; ***lagopides*** **35**: 44, 238; ***lagopus*** **2**: 87; **21**: 17; **25**: 107; **29**: 26, 105; **33**: 164; **35**: 109; **46**: 8, 24; ***latisporus*** **63**: 23; ***macrocephalus*** **46**: 24; **63**: 17, 18; ***macrorhizus*** **15**: 134; ***macrorhizus* f. *microsporus*** **35**: 199; ***marculentus*** **46**: 8, 24; ***megaspermus*** **46**: 24; ***melo*** **21**: 137; ***micaceoides*** **15**: 134; ***micaceus*** **2**: 87; **4**: 53, 64; **10**: 177, 178, 183; **14**: 106; **15**: 134, *136*, *234*; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **29**: 26; **32**: 222; **35**: 199; **43**: 90, 93; **44**: 85; **46**: 81, 177, 182, 184, 287; **48**: 123, 156; **52**: 11, 333; **56**: 274; **63**: 255; ***microspermus*** **21**: 137, 138; ***miser*** **22**: 307, 308; **62**: 44, 45; ***murinus*** **46**: 318; ***narcoticus*** **36**: 174; **44**: 221, 223; ***niveus*** **7**: 158; **22**: 195; **63**: 14, 23, 24, 27, 28, 31; ***pachyspermus*** **63**: 28; ***pachyspermus* var. *pachyspermus*** **63**: 26; ***pachyspermus* var. *tetrasporus*** **63**: 13, 14, 25, 26, 27, 31; ***pallidisporus*** **21**: 140; ***patouillardii*** **10**: 177, 183; **14**: 173, 176; **46**: 8; **63**: 20, 22; ***patouillardii* subsp. *isabellinus*** **63**: 20; ***patouillardii* var. *lipophilum*** **21**: 138; ***pellucidus*** **20**: 141, 145, 146; **22**: 307, 308; **62**: 43, 49, 55, 56; ***phaeosporus*** **21**: 137, 141, 143, 144; **46**: 13, 24; ***phaeosporus* f. *solitarius*** **12**: 241; ***phaeosporus* var. *solitarius*** **21**: 137, 141, 143, 144; ***picaceus*** **11**: 55; **14**: 112; **23**: 199, 201; ***plicatilis*** **7**: *127*, *128*, 160; **20**: 145; **32**: 222; **35**: 202; **52**: 9; ***plicatilis* var. *microspermus*** **31**: 36; ***plicatiloides*** **21**: 17; **62**: 50; ***porcellanus*** **6**: 165; ***pseudofriesii*** **21**: *136*, *137*, *138*, *139*, *140*, *140*; ***pseudoniveus*** **63**: 13, 27, 28, 29, 31; ***pseudoradiatus*** **46**: 13, 25; **63**: 13, 14, 15, 16; ***punctatus*** **46**: 318; ***pusillulus*** **37**: 212, 223, 224, 233; ***quadrifidus*** **48**: 123; ***radians*** **31**: 165; **33**: 155; **35**: 199; ***radiatus*** **15**: 134; **46**: 8, 24; **63**: 14, 16, 17, 18; ***romagnesii*** **10**: 178; ***rostrupianus*** **19**: *233*, *234*, *235*, *236*, *237*, *238*; ***saccharinus*** **15**: 136; ***sclerocystidiosus*** **46**: 13, 25; ***semitalis*** **46**: 174, 180; ***silvaticus*** **32**: 222; ***similis*** **4**: 53; **14**: 106; **24**: 109; ***solitarius*** **21**: 136, 141; ***stercorarius*** **9**: 24; ***stercoreus*** **44**: 222; **52**: 12; ***sterquilinus*** **3**: 114, 117; **7**: 153, 154; **19**: *234*, *235*, *236*, *237*, *238*; **21**: *17*, *18*, *19*, *20*, *21*, *22*, *23*; **30**: 21, 51; **39**: 170; **41**: 51; ***stipetorum*** **52**: 54; ***subtilis*** **22**: 307; **62**: 45; ***suburticicola*** **21**: 136, 137, 139, 140; ***tigrinellus*** **12**: 240, 241; **21**: 137, 142, 143; ***truncorum*** **10**: 177, 178, 183; **15**: 136; **18**: 159, 160, 169, 178; ***tuberosus*** **9**: 24; **63**: 19; ***urticaecola*** **4**: 78; **46**: 4, 8, 9, 25; ***urticicola*** **21**: *136*, *137*, 138, *138*, *139*, *140*; ***utrifer*** **63**: 13, 29, 30, 31; ***variegatus***

48: 123; ***velox*** **20**: 32, 33; ***velox*** **var. *stenosporus*** **10**: 178, 183; **20**: 32, 33; ***vosoustii*** **3**: *114*, *115*, *116*, *117*; **7**: 158; **23**: 78; **34**: 230; ***xanthothrix*** **14**: 47; **15**: 225; **19**: 17; **35**: 109; **36**: 186; **46**: 175, 181.

COPROBIA bohemica **31**: 69; **35**: 9, 139; **38**: 147; **54**: 129, 131; ***citrinella*** **45**: 37; ***crassistriata*** **47**: 194; ***granulata*** **14**: 79; **28**: 121; **33**: 153; **35**: 9, 139, 143; **38**: *147*, *148*, *149*, *150*, 153, 155; **46**: 13; ***humana*** **31**: 69; **35**: 9, 139; **38**: 147; ***hyphopila*** **38**: 146, 147, 150, 151; **52**: 54; ***hypnophila*** **47**: 194; ***lemuriensis*** **45**: 37; ***macrospora*** **54**: 131, 142; ***pileiformis*** **32**: 11, 12; **35**: 9, 140; **38**: 147; **43**: *210*, *211*, *212*, *213*, *214*; ***sordida*** **38**: 146, 152, 154, 155; **47**: 194; **52**: 54; ***stercoraria*** **31**: 69; **35**: 10, 139, 140, 142; **38**: 147; **54**: 137; ***striata*** **55**: 218; ***theleboloides*** **45**: 37.

COPROTRICHUM cinereum **12**: 161; ***purpurascens*** **12**: 161.

COPROTUS bilobus **25**: 151, 154, 155, 159; **35**: 7; ***glaucellus*** **25**: 151, 154, 155, 159; **35**: 6, 240; ***granuliformis*** **25**: 152; ***ochraceus*** **25**: 155, 159; **35**: 7; ***sexdecimsporus*** **25**: 152, 153, 158; ***subcylindrosporus*** **25**: 150, 151, 155, 159; **35**: 7, 23; **52**: 54.

CORDANA delicatula **51**: 34; ***parvisporum*** **26**: *223*, *224*, *225*; ***pauciseptata*** **25**: *25*, *26*, *27*, *28*; **33**: 143; **43**: 237; **61**: 87.

CORDIERITES irregularis **64**: 80, 82.

CORDYCEPS canadensis **23**: 198; **54**: 108, 109; **58**: 176, 186; ***capitata*** **2**: 69; **8**: 23; **10**: 32; **34**: 232; **54**: *107*, *108*, *108*, *109*, *109*, *110*, *110*; **58**: 173, 174, 175, 176, 177, 178, 179, 180, 182, 183, 184, 185, 186, 187; ***carabi*** **7**: 22; ***chinensis*** **4**: 38; ***cinerea*** **7**: 22; ***clavulata*** **11**: 57; ***ditmari*** **10**: *31*, *32*, *33*, *34*; ***entomorrhiza*** **7**: *21*, *22*, *23*, *24*, 160; **8**: 21, 23, 24, 25; **14**: 79; ***flavella*** **7**: 22; ***gentilis*** **10**: 35; ***gracilis*** **7**: *21*, *22*, *23*, *24*, *25*; **8**: *21*, *22*, *23*, *24*, *25*; **9**: 96; ***huegelii*** **4**: 39; ***intermedia*** **58**: 186; ***japonica*** **58**: 185, 186; ***longisegmentis*** **54**: *105*, *106*, *106*, *107*, *107*, *108*, *108*, *109*, *109*, *110*, *110*; **58**: 173, 177, 178, 179, 180, 183, 185, 186, 187; ***memorabilis*** **35**: 217, 219; ***menesteridis*** **7**: 22; ***militaris*** **7**: 21; **8**: 24, 25; **9**: 15, 18, 19, 96, 137, 138; **11**: 96; **14**: 130, 132; **21**: 55; **25**: 110; **27**: 55, 169, 170; **33**: 83; **35**: 216; **44**: 124; **56**: 276; **59**: 231; ***norvegica*** **8**: 24; ***ophioglossoides*** **14**: 90; **27**: 225; **32**: 221; **34**: 232; **36**: 187; **56**: 276; **58**: 173, 175, 177, 179, 180, 186; ***oxycephala*** **10**: 35; ***parasitica*** **2**: 69; **7**: 21; **8**: 23; **12**: 198; **22**: 146; ***pistillariaeformis*** **8**: 24, 25; **10**: 242; ***puiggarii*** **10**: 35; ***riverae*** **57**: 221, 228, 232; ***rouxii*** **58**: 173, 175, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187; ***specophila*** **7**: 21; ***sphecocephala*** **10**: *31*, *32*, *33*, *34*, 35, *35*, *36*; ***sphecophila*** **8**: 24, 25; **10**: 32, 35; ***sphingum*** **8**: 24, 25; **35**: 216; ***taylorii*** **17**: 11; ***thyrsoides*** **10**: 35; ***tuberculata*** **35**: 216; **57**: 221, 232.

COREMIELLA cubispora **53**: 304.

COREMIUM claviforme **7**: 129; ***glaucum*** **9**: 10, 24; ***silvaticum*** **7**: 129; ***vulgare*** **7**: 129.

CORETHROPSIS hominis **19**: 223.

CORIOLELLUS albidus **11**: 161; **30**: 164; ***campestris*** **11**: 161; ***cervinus*** **11**: 161; **37**: *49*, *50*, *51*; **60**: 7; ***colliculosus*** **11**: 161; **13**: 34; **14**: 97; **15**: 184, 190; **17**: *27*, *28*, *29*, *30*, *31*, *32*, *33*, *34*, 51; ***colliculosus*** **var. *salicisedus*** **33**: 130; ***flavescens*** **11**: 161; **13**: 27, *34*, *35*, 37; **14**: 97, 100; **35**: 240; ***heteromorphus*** **11**: 161; **20**: 167; **21**: 57; **24**: 117; **36**: 32; **42**: 2; ***malicola*** **11**: 161; **45**: 96; ***ornatus*** **11**: 161; ***ramentaceus*** **32**: 222; ***salicinus*** **11**: 161; ***serialis*** **11**: 161; **17**: 182; **18**: 162; **42**: 3; ***serpens*** **11**: 161; ***sinuosus*** **21**: 56; ***squalens*** **42**: 131; ***subsinuosus*** **9**: 84.

CORIOLOPSIS byrsina **55**: 11, 13; ***ekunduensis*** **64**: 17; ***floccosa*** **55**: 12, 13; ***fulvocinerea*** **41**: 51; **55**: 12, 14; ***helvola*** **64**: 14; ***occidentalis*** **11**: 170; **41**: 51; **45**: 50, 51; **55**: 104; ***polyzona*** **55**: 15, 17; **64**: 20; ***sanguinaria*** **64**: 20; ***telfairii*** **64**: 17.

CORIOLUS abietinus **f.** ***lenzitoidea*** **11**: 160; **45**: 91; ***cervinus*** **60**: 7; ***connatus*** **13**: 147, 151; ***connatus*** **subsp.** ***obducens*** **46**: 229; ***consors*** **35**: 199; ***ectypus*** **55**: 40; ***favoliporus*** **45**: 91; ***genistae*** **47**: 187; ***helveolus*** **20**: 84; ***hirsutus*** **7**: 155; **30**: 55; **55**: 43; ***hirsutus*** **f.** ***abietis*** **45**: 91; ***maublancii*** **43**: 36; ***obducens*** **46**: 229; ***pinsitus*** **55**: 46, 47; ***pubescens*** **36**: 37; ***pubescens*** **f.** ***amurensis*** **45**: 91; ***ravidus*** **46**: 237; ***subradula*** **43**: 36; ***versicolor*** **9**: 102; **30**: 55, 164; **35**: *199*, *200*, *201*; **36**: 37; **50**: 260; **55**: 46.

CORNICULARIA aculeata **5**: 68.

CORNUVIA leocarpoides **20**: 191.

COROLLOSPORA angusta **61**: 110, 112; ***filiformis*** **61**: 111; ***gracilis*** **61**: 107, 110, 112, 113; ***indica*** **61**: 111; ***maritima*** **61**: 113; ***pulchella*** **61**: 111, 112.

CORONELLARIA aberrans **43**: 65, 71; ***amoena*** **30**: 14; ***benkertii*** **32**: 11, 12, 13, 16; ***pulicaris*** **32**: 13; **33**: 153.

CORONOPHORA angustata **13**: 220, 221; ***moravica*** **52**: 54.

CORTICIRAMA petrakii **12**: 256; **28**: 61.

CORTICIUM anceps **11**: 81; ***araneosum*** **8**: 131, 132; ***atratum*** **11**: 81; ***atrovirens*** **4**: 83; **5**: 154; **12**: 67; **14**: 89; **27**: 220; ***atrovirens*** **var.** ***spora majore*** **7**: 137; ***avellaneum*** **7**: 137, 178; **14**: 71; ***baudysii*** **14**: 224, 227, 228; **52**: 54; ***caeruleum*** **12**: 27; **30**: 157, 158; ***calceum*** **14**: 97; ***calceum*** **var.** ***salicinum*** **61**: 201; ***cebennense*** **13**: 11; ***confluens*** **13**: 157; **22**: 251; **36**: 25, 28; ***cornigerum*** **11**: 82; ***coronatum*** **27**: 220; ***cremeum*** **36**: 24; ***echinosporum*** **12**: 68; ***effusum*** **41**: 130; ***epimyces*** **12**: 68; ***evolvens*** **7**: 137, 139; **13**: 156; ***evolvens*** **f.** ***cucullata*** **7**: 137; ***evolvens*** **f.** ***imbricato-reflexa*** **7**: 137; ***filicinum*** **7**: 137; ***fugax*** **11**: 70; ***fumosum*** **12**: 67; ***furfuraceum*** **18**: 159, 162, 175, 178; ***galzinii*** **7**: 139; ***incarnatum*** **11**: 71; ***incarnatum*** **var.** ***pinicola*** **11**: 71; ***kalchbrenneri*** **49**: 165; ***lacteolum*** **7**: 178; **14**: 72, 82; **33**: 156; ***lacteum*** **2**: 27; **7**: 137, 178; ***laeve*** **7**: 137; **13**: 217; **33**: 156; ***lividum*** **7**: 137; ***macounii*** **21**: 57, 59; **36**: 141, 144; ***maculatum*** **21**: 57, 59; **36**: 144; ***miniatum*** **46**: 318; **49**: 165; ***mougeotii*** **12**: 137; ***mougeotii*** **f.** ***tumoracia*** **12**: 137; ***murinum*** **49**: 164, 165; ***murrayi*** **41**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*; ***murrayi*** **f.** ***tuberculosum*** **41**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*; ***murrayi*** **var.** ***tuberculosum*** **41**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*; ***mustialaënsis*** **59**: 178; ***nespori*** **12**: 137; ***pinicolum*** **11**: 71; ***polyporoideum*** **25**: 129, 130, 133; ***pulchrum*** **7**: 137; ***radiosum*** **36**: 184; ***rhodoleucum*** **13**: 11, 12; ***rutilans*** **11**: 74; ***seriale*** **b) *asserculorum*** **46**: 324; ***sterigmaticum*** **11**: 82; ***subcostatum*** **7**: 177; **14**: 72, 82; ***subincarnatum*** **13**: 11; ***submutabile*** **8**: 132; ***subpallidulum*** **18**: 175; ***subsulphureum*** **13**: 11; ***terrigenum*** **24**: *5*, *6*, *7*, *8*, *9*, *10*; ***trigonospermum*** **8**: 131, 132; **18**: 176; ***tristiculum*** **13**: 13; ***tuberculatum*** **7**: 137, 178; **14**: 73; **25**: 105; ***umbrinum*** **12**: 70; ***vagum*** **11**: 81; ***vagum*** **subsp.** ***solani*** **11**: 81; ***violaceum*** **11**: 74.

CORTINARIUS albonigrellus **22**: 259; ***albovariegatus*** **63**: 255; ***alboviolaceus*** **12**: 124; **18**: 20; **19**: 17; **32**: 222; ***alboviolascens*** **14**: 75; ***allutus*** **14**: 77; **15**: 211, 213; ***alnetorum*** **34**: 39, 40, 43; ***alpinus*** **13**: 169, 170; ***americanus*** **10**: 29; ***amoenolens*** **30**: 228; ***anomalus*** **3**: 63; **20**: 79; **44**: 85, 222, 223; **52**: 11; **54**: 197, 198; **63**: 255; ***anserinus*** **52**: 9; ***anthracinus*** **9**: 108; ***aprinus***

52: 4, 6; ***arenatus*** **18**: 78; ***argentatus*** **14**: 75; **20**: 77, 79; ***argutus*** **43**: 51, 55, 59; ***armeniacus*** **14**: 126; **16**: 129, 131, 135, 136; ***armillatus*** **6**: 41; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **36**: 187; **42**: 158, 167, 168; **44**: 86; **47**: 68, 69; ***arquatus*** **15**: 213; ***atrocoeruleus*** **22**: 259; ***atroturbinatus*** **36**: 189; ***atrovirens*** **46**: 318; ***aurantioturbinatus*** **21**: 53; ***aureifolius*** **15**: 16; ***aureofulvus*** **30**: 228; ***azureus*** **14**: 75, 89; **27**: 214; ***badiosanguineus*** **21**: 57; ***balteatus*** **32**: 222; ***bataillei*** **63**: 255; ***betuletorum*** **24**: 215; ***bibulus*** **56**: 272; ***bicolor*** **17**: *58*, *59*, *60*; **18**: 159, 160, 169, 178; ***biformis*** **63**: 255; ***blatensis*** **7**: 191; ***bolaris*** **12**: 123, 124; **14**: 116, 119, 120; **20**: 74; **24**: 215; **32**: 222; **33**: 249; **34**: 6; **52**: 30; ***bovinus*** **29**: 27; ***brunneofulvus*** **21**: 57; **33**: 249; **34**: 4, 5; ***brunneus*** **14**: 75; **44**: 86; **46**: 287; **54**: 200; **63**: 256; ***bulliardii*** **6**: 41; **14**: 75; **20**: 126; **21**: 53; **33**: 250; **34**: 6; **52**: 8, 13; ***caerulescens*** **14**: 75, 112, 117; **18**: 13, 20; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **29**: 27, 30; **30**: 195; **52**: 9; ***callisteus*** **12**: 40, 41, 123; **24**: 215; **33**: 249; **34**: 4, 6; ***calochrous*** **14**: 75; **52**: 6; ***camphoratus*** **1**: 88; **16**: 129; **21**: 57; **30**: 228; **48**: 242; ***candelaris*** **33**: 164; ***casimiri*** **22**: 259, 266, 267, 273, 274, 275, 277; ***castaneus*** **44**: 86, 140; **52**: 9; ***causticus*** **14**: 126; ***cephalixus*** **12**: 123; ***cinereoviolaceus*** **18**: 20; ***cinnabarinus*** **9**: 107, 108; **33**: 250; **34**: 6; ***cinnamomeobadius*** **18**: 160; ***cinnamomeoluteus*** **25**: 107; ***cinnamomeus*** **16**: 167; **20**: 77; **24**: 121, 123; **25**: 107; **32**: 222; **33**: 250; **34**: 6; **63**: 256; ***cinnamomeus*** **var.** ***cinnamomeofulvus*** **52**: 9; ***claricolor*** **23**: 205; ***claroflavus*** **52**: 9; ***cliduchus*** **7**: 191; ***collinitus*** **6**: 41; **7**: 95; **13**: *168*, *169*, 170, *170*, *171*; **14**: 75; **20**: 77; ***colus*** **12**: 12; ***comptulus*** **22**: 259, 268, 276; ***cotoneus*** **14**: 75; **24**: 122, 215; **29**: 27, 30; **52**: 4, 8, 14; ***crassifolius*** **48**: 304; ***crassus*** **1**: 48; **14**: 75; **37**: 214, 231; ***cristallinus*** **52**: 6; ***croceocoeruleus*** **52**: 9; ***croceoconus*** **63**: 256; ***croceolamellatus*** **48**: 305; ***croceus*** **63**: 256; ***crocolitus*** **44**: 125; ***cumatilis*** **64**: 226; ***cyanites*** **18**: 20; ***cyanopus*** **14**: 75, 112; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **20**: 126; **21**: 53; **23**: 205; ***cypriacus*** **17**: *58*, *59*, *60*; ***decipiens*** **20**: 77; **52**: 8; **62**: 39; **63**: 256; ***delibutus*** **13**: 169; **18**: 169; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **30**: 51; **32**: 222; **46**: 170, 186; **52**: 9; **56**: 272, 282; ***diabolicus*** **31**: 115; ***diasemospermus*** **63**: 256; ***dibaphus*** **var.** ***nemoreus*** **52**: 9; ***dilutus*** **18**: 233; ***dionysae*** **52**: 11; ***duracinus*** **14**: 77; **20**: 77; **32**: 222; **52**: 6; ***elatior*** **6**: 41; **13**: *170*, *171*; **14**: 126; ***elegantior*** **14**: 75, 112; **33**: 164, 250; **34**: 6; ***erubescens*** **63**: 256; ***evernius*** **17**: 58, 59; **18**: 169; ***fasciatus*** **63**: 256; ***favrei*** **13**: 169; **45**: 35; ***flexipes*** **20**: 77; **22**: *259*, *260*, *261*, 263, 265, 267, 268, 270, 272, 273, 274, 275, 277; **27**: 214; ***flexipes*** **f.** ***sertipes*** **22**: 262, 274; ***flexipes*** **var.** ***flexipes*** **63**: 256; ***flos-paludis*** **63**: 256; ***fucatophyllus*** **16**: 167; ***fulgens*** **6**: 41; **14**: 77; ***fulmineus*** **14**: 77; ***fulvaureus*** **33**: 249; **34**: 4; ***fulvoisabellinus*** **48**: 304; ***gentilis*** **14**: 77; **24**: 215; **33**: 249, 252; **34**: 3, 5; **44**: 86; **47**: 66; **48**: 120; **63**: 256; ***glandicolor*** **15**: 16; ***glaucopus*** **14**: 77, 126; **16**: 129; **20**: 126; ***helvelloides*** **33**: 156; **34**: 39, 40, 42, 43; ***hemitrichus*** **14**: 75; **15**: 16; **22**: 259, 260, *268*, *269*, *269*, *270*, *270*, *271*, *271*, 273, 277; **56**: 272; ***henrici*** **34**: 4; ***herculeus*** **30**: 228; ***hercynicus*** **27**: 214; ***herpeticus*** **var.** ***polychrous*** **26**: 123; ***hinnuleus*** **17**: 59; **20**: 77; **32**: 222; **34**: 4; **52**: 12; ***hircinus*** **14**: 125; **16**: 129; **18**: 20; ***hoeftii*** **48**: 299; ***ignipes*** **24**: 215; ***illibatus*** **13**: 169; ***imbutus*** **17**: 58, 60; ***infractus*** **14**: 75, 112, 117; **20**: 126; **21**: 53; **29**: 30; **52**: 5; ***infractus*** **var.** ***obscurocyaneus*** **29**: 27, 30; ***intrusus*** **37**: 214; ***isabellinus*** **12**: 12; **24**: 215; ***junghuhnii*** **63**: 256; ***krombholzii*** **36**: 202; ***largus*** **6**: 41; **14**: 75; ***lepidomyces*** **18**: 78; ***leucopus*** **36**: 202; ***limonius*** **21**: 57; **24**: 215; **33**: *249*, *250*, *251*, *252*; **34**: 6; ***lividoochraceus*** **52**: 5; ***livor*** **17**: 60; ***maialis*** **14**: 77; ***malachioides*** **16**: 128, 131, 135, 137; ***malachius*** **16**: *128*, *129*, *130*, *131*, *132*,

133, *134*, *135*, *136*, *137*, *138*, *139*; **63**: 256; ***malicorius*** **33**: 250; **34**: 6; ***melanotus*** **8**: 62; **24**: 215; **46**: 318; ***mellinus*** **24**: *215*, 216, *216*; ***metrodii*** **13**: 169, 170; ***microcyclus*** **22**: 259; ***miltinus*** **20**: 77; ***mucifluoides*** **13**: 170; ***mucifluus*** **13**: 168, 170, 171; **23**: 141; **29**: 27; ***mucosus*** **6**: 41; **10**: 168; **13**: 168, 170, 171; **18**: 115; ***mucosus*** **var.** ***caerulipes*** **13**: 170; ***multiformis*** **14**: 73, 75, 112; **29**: 71; ***muricinus*** **1**: 88; ***muscicola*** **22**: 259; ***nanceiensis*** **29**: 25, 27, 31; ***nemorensis*** **14**: 73; **56**: 272; ***niveostipitatus*** **48**: *297*, *298*, *299*; ***nothosaniosus*** **24**: 215; ***obtusus*** **52**: 6; ***ochroleucus*** **43**: 200; ***odorifer*** **14**: 77; **21**: 57; ***olidus*** **7**: 191; **14**: 73; ***olivaceofuscus*** **52**: 4, 12, 14; ***orellanoides*** **33**: 249, 252; **34**: 4, 5; **44**: 222, 223; **47**: 66, 67; ***orellanus*** **12**: 6; **13**: 7, 9; **24**: *121*, *122*, *123*, 215; **30**: 233; **32**: 222; **33**: 245, 252; **34**: *3*, *4*, *5*, *6*, *7*, *8*, *188*, *189*, *190*; **36**: 251; **43**: 182; **44**: 222, 223; **47**: *65*, *66*, *67*; **48**: 119, 120; ***orichalceus*** **33**: 164; ***ostrovecensis*** **48**: 298, *300*, *301*; ***paleaceus*** **22**: 259, 260, 261, 269, 270, 271, 276; **52**: 7; ***paleiferus*** **22**: 259, 261, 269, *270*, *271*, *272*, *273*, 276, 277; **26**: 123; **27**: 214; **36**: 187; ***paludosus*** **22**: 268, 275; ***pauperculus*** **45**: 35; ***pearsonii*** **16**: 128, 130, 131, 135, 137; ***percomis*** **14**: 126; **15**: 16; **30**: 193, 195; ***phoeniceus*** **9**: 108; **33**: 250, 252; **34**: 6; **63**: 256; ***pholideus*** **12**: 124; **18**: *77*, *78*, *79*, *80*, *81*; ***phrygianus*** **24**: 215; ***pilatii*** **22**: 259, 264, 266, 273, 274, 277; ***porphyropus*** **8**: *4*, *5*, *6*; ***praestans*** **14**: 75; **15**: 16; ***praestigiosus*** **52**: 212; ***prasinus*** **14**: 75; ***psammocephalus*** **18**: 78; ***pseudosalor*** **13**: 169, 170; ***pseudosulphureus*** **52**: 9; ***psittacinus*** **24**: 215; ***pulchellus*** **10**: 29; **14**: 89, 130, 132; **27**: 214; ***pulchripes*** **48**: 305; ***pumilus*** **13**: 169; ***punctatus*** **9**: 82, 83; **14**: 75; **48**: 307; ***puniceus*** **33**: 250; **34**: 6; ***purpurascens*** **1**: 88; **3**: 60; **8**: *4*, *5*, *6*; **18**: 20; **20**: 126; **52**: 8; ***quadricolor*** **17**: *58*, *59*; ***raphanoides*** **12**: 123; **24**: 122, 215, 216; ***refectus*** **17**: 59; ***renidens*** **30**: 228; ***rigidus*** **22**: 259, *271*, 272, *272*, *273*, 276; ***rotundisporus*** **1**: 110; ***rubellus*** **47**: 66, 70, 71; **48**: 119; **63**: 252, 256; ***rubicundulus*** **24**: 215; ***rubicundus*** **33**: 249; **34**: 6; ***rufoolivaceus*** **14**: 75, 112; **20**: 126; **21**: 53; **29**: 25, 27, 31; **33**: 164; **52**: 9; ***safranopes*** **52**: 8; ***salicis-rosmarinifoliae*** **48**: 298, *304*, *305*; ***salor*** **6**: 41; **18**: 159, 160, 169, 178; ***sanguinescens*** **33**: 250; ***sanguineus*** **9**: 107, 108; **12**: 123; **14**: 89; **25**: 107; **27**: 214; **34**: 5, 6; **63**: 256; ***saniosus*** **21**: 57; **24**: 215; **33**: 249; **34**: 3, 6; ***sarkae-ferocis*** **48**: *305*, *306*, *307*; ***saturninus*** **14**: 75; **30**: 228; ***saturninus*** **subsp.** ***imbutus*** **17**: 58, 60; ***scandens*** **48**: 299; ***sciophyllus*** **17**: 60; ***scotoides*** **22**: 259; ***scutulatus*** **20**: *19*, *77*; ***semisanguineus*** **9**: 108; **10**: 168; **32**: 222; **33**: 250; **34**: 6; **52**: 6; ***sericellus*** **13**: 52, 56; ***sertipes*** **22**: 259, 262, 263, *273*, *274*, *275*, 277; **44**: 86, 140; **48**: 305; ***sodagnitus*** **21**: 53; **52**: 6; ***sommerfeltii*** **63**: 250, 256; ***speciosissimus*** **24**: 105, 121, 122, 215; **33**: 251; **34**: 3, 4, 188; **36**: 189; **40**: 100; **44**: 117; **45**: 44; **47**: 66, 67; **48**: 119, 120; ***speciosus*** **24**: 122; ***splendens*** **47**: 66; **48**: 120; ***stemmatus*** **22**: 259; ***stillatitius*** **13**: 169, 171; ***striaepilus*** **7**: 191; ***suaveolens*** **30**: 228; ***subarquatus*** **15**: *211*, *212*, *213*; ***subatkinsonianus*** **15**: 213; ***subclaricolor*** **30**: 228; ***subferrugineus*** **14**: 126; ***subglutinosus*** **13**: 169, 171; ***sublanatus*** **14**: 75; **18**: 78; **21**: 53; ***sublatisporus*** **22**: 259, 266, 268, 273, *275*, *276*, *277*; ***subporphyropus*** **8**: *4*, *5*, *6*; ***subpurpurascens*** **32**: 222; ***subsertipes*** **22**: 266; ***sulphureomyceliosus*** **48**: *301*, *302*, *303*, *304*; ***sulphurinus*** **14**: 73, 75; ***tatrensis*** **47**: 45; ***tophaceoides*** **33**: 249; **34**: 6; ***tophaceus*** **12**: 40, 41, 124; **27**: 214; **33**: 250; **34**: 6; ***torvus*** **14**: 75; **32**: 222; **33**: 164; **52**: 5; ***traganus*** **1**: 88; **10**: 186; **11**: 30; **14**: 125; **16**: 129; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **20**: 75, 79; **23**: 177; **27**: 242; **33**: 250; **34**: 6; **42**: 158, 166; **44**: 222; ***trivialis*** **32**: 222; **33**: 164; **52**: 5; ***trivialis*** **var.** ***pumilus*** **13**: 170; ***trivialis*** **var.** ***squamosipes*** **13**: 170; **52**: 7; ***trivialis*** **var.** ***subolivascens***

13: 169, 171; **52**: 10; ***trivialis* var. *trivialis* 13**: 170; ***turmalis* 3**: 7; **13**: *52*, *53*, *54*, *55*, *56*, *57*; ***uliginosus* 34**: 165, 168; ***undulatofibrillosus* 14**: 77; ***uraceus* 21**: 54; **48**: 304; **52**: 7; ***variecolor* 29**: 27, 31; **52**: 212; ***varius* 3**: 28; **6**: 41; **13**: 169, 171; **14**: 77; ***venenosus* 24**: 122; ***venetus* 12**: 123; **14**: 74; **21**: 53; **24**: 122, 215; **30**: 196; **52**: 9; ***vibratilis* 14**: 126; **32**: 222; ***violaceus* 1**: 88; **7**: 191; **14**: 98; **16**: 158; **18**: 19; **20**: 78; **21**: 97; **26**: 205; **27**: 214; **30**: 228; **43**: 181; ***xanthophyllus* 59**: 72, 76; ***zinziberatus* 24**: 214.

***CORTINELLUS berkeleyanus* 1**: 100; **4**: 36; **11**: 138; **21**: 45; ***bulbiger* 19**: *233*, *234*, *235*, *236*, *237*, *238*; **35**: 109; ***edodes* 4**: 36.

***CORYNASCUS sepedonium* 61**: 152, 155, 158.

***CORYNE albida* 63**: 193; ***bresadolae* 7**: 93; ***cylichnium* 16**: 98; **17**: 108; ***dubia* 35**: 96; ***foliacea* 7**: 93; ***gyrocephala* 11**: 95; ***sarcoides* 9**: 91; **11**: 35; **14**: 88, 96; **18**: 163; **27**: 224; **56**: 48; ***sarcoides* var. *viridescens* 16**: 98; ***turficola* 9**: 90, 91; **11**: 40; **14**: 98; ***versiformis* 14**: 126; **16**: 98.

***CORYNEBACTERIUM insidiosum* 32**: 172.

***CORYNELLA atrovirens* 59**: 105; ***prasinula* 16**: 98; **59**: 106.

***CORYNESPORA aterrima* 38**: 103; ***calicioidea* 42**: 203; ***calophylli* 40**: 74, 83, 84; ***capsicola* 46**: 5; ***cassiicola* 39**: 158; ***citricola* 42**: 203; ***cubensis* 38**: 104, 111; ***foveolata* 40**: 149; ***garciniae* 41**: 107, 109, 113; ***gigaspora* 42**: 203; ***hansfordii* 38**: 104; ***litchii* 40**: 74, *82*, *83*, *84*; ***melonis* 34**: 19; ***pseudolmediae* 40**: 145; ***vismiae* 42**: 203.

***CORYNESPORELLA helminthosporioides* 41**: 107, 109; ***urticae* 41**: 109.

***CORYNESPOROPSIS indica* 40**: 148; **41**: 109; ***isabelicae* 41**: 107, 109, 113; ***quercicola* 40**: 145, 148; ***rionensis* 40**: 142, 147; **41**: 109; ***uniseptata* 40**: 148; **41**: 109.

***CORYNETES arenarius* 8**: 144.

***CORYNEUM disciforme* 13**: 154; ***modonium* 34**: 156; ***perniciosum* 34**: 152, 156; ***umbonatum* 13**: 218.

***CORYNITES brevis* 9**: 62; ***curtisii* 9**: 62; ***elegans* 9**: 62; ***ravenelii* 9**: 61; **21**: 112.

***COSMOSPORA coccinea* 8**: 93; **14**: 29.

***COSTANTINELLA michenerii* 25**: 110; **33**: 143; ***terrestris* 25**: *25*, *26*, *27*, *28*, 30; **33**: 143.

***COTYLIDIA carpatica* 37**: 201.

***CRASPEDODIDYMUM elatum* 26**: *70*, *71*, *72*, *73*.

***CRASSOCHAETA fusispora* 61**: 81, 87, 92.

***CRATERELLUS caeruleofuscus* 29**: 199; ***calyculus* 29**: 200, 203; ***cinereus* var. *multiplex* 29**: 199; ***clavatus* 5**: 75; ***cornucopioides* 5**: 75; **10**: 118; **11**: 63; **12**: 214; **14**: 87, 117; **27**: 220; **29**: 199, 203; **32**: 222; **46**: 171, 172, 186; **52**: 5; ***fallax* 29**: 199, 202, 203; ***foetidus* 29**: 199; ***hesleri* 29**: 200, 201; ***lutescens* 3**: 7; ***mussooriensis* 29**: 200; ***pistillaris* 5**: 150; ***pseudoclavatus* 29**: 200; ***sinuosus* 10**: 186; **29**: 203, 204; ***subundulatus* 29**: 200, 203; ***venosus* 29**: 201.

***CRATERIUM aureum* 18**: 55; ***leucocephalum* 16**: 35; **26**: 106, 108, 111; **33**: 150; **53**: 323; ***microcrater* 35**: 87; ***minutum* 35**: 95; **53**: 323.

***CREMEOGASTER klikae* 22**: 151.

***CREONECTRIA cucurbitula* 10**: 90; ***tuberculariformis* 13**: 125.

CREOPUS gelatinosus **10**: 88, 90; **18**: 159, 163, 177, 178; **56**: 276; ***spinulosa*** **10**: 88, 90; ***velenovskyi*** **10**: 88, 90, 91.

CREPIDOTUS acerinus **57**: 299, 303; ***applanatus*** **3**: 90; **7**: 154; **18**: 160, 169; **19**: 114; **24**: 79; **32**: 222; **44**: 86; **46**: 177, 183; **56**: 274; **57**: 301, 303; **61**: 175, 182, 183, 184; **63**: 256; ***applanatus*** **var.** ***crocophyllus*** **24**: 79; ***applanatus*** **var.** ***diversus*** **61**: 184; ***applanatus*** **var.** ***fulvifibrillosus*** **24**: 79; ***applanatus*** **var.** ***globiger*** **61**: 184; ***applanatus*** **var.** ***kuzyanus*** **24**: 79; ***applanatus*** **var.** ***subglobiger*** **57**: 299, 300, 303; **61**: 184; ***autochthonus*** **14**: 113; **57**: 304; **63**: 216; ***bresadolae*** **21**: 30; ***calolepidoides*** **54**: 96; ***calolepis*** **54**: *93*, *94*, *94*, *95*, *95*, *96*, *97*, *98*; **57**: 303; ***calolepis*** **var.** ***calolepis*** **54**: 98; ***calolepis*** **var.** ***squamulosus*** **54**: 98; ***carpaticus*** **61**: 182, 183; ***caspari*** **3**: 90; **57**: 299, 304; **63**: 216; ***caspari*** **var.** ***subglobisporus*** **57**: 299, 304; ***cesatii*** **7**: 154; **14**: 89, 112; **26**: 37; **27**: 214; **44**: 86, 140; **52**: 10; **57**: 299, 303; **61**: 182; **63**: 217, 236; ***cesatii*** **var.** ***subsphaerosporus*** **63**: 215, 217, 220, 235, 236; ***cinnabarinus*** **61**: 182; ***cinnamomeus*** **21**: 29; ***cristatus*** **61**: 182; ***crocophyllus*** **24**: *78*, *79*, *80*, *81*, *82*, *83*, *84*, *85*; **26**: 123; **61**: 175, 181, 182, 183, 184; ***dorsalis*** **24**: 79, 80; ***ehrendorferi*** **61**: 175, 176, 177, 178, 180, 181, 182, 183, 184; ***epibryus*** **14**: 112; **52**: 12; **56**: 276; **63**: 216; ***fragilis*** **14**: 112; ***fulvotomentosus*** **54**: 96; ***haustellaris*** **14**: 112; **20**: 71; ***ionipus*** **9**: 180; ***kubickae*** **17**: 90; **39**: 179, 180; **63**: 215, 216, 217, 218, 219, 220, 221, 225, 226, 227, 228, 230, 234, 235, 236, 237; ***lundellii*** **7**: 140; **9**: 144; **37**: 201; **57**: 299, 304; ***lundellii*** **var.** ***subglobisporus*** **57**: 299, 304; ***luteolus*** **63**: 256; ***macedonicus*** **61**: 181; ***malachioides*** **61**: 175, 182, 183, 184; ***malachius*** **61**: 183; ***malachius*** **var.** ***malachius*** **61**: 183; ***malachius*** **var.** ***trichifer*** **61**: 183; ***microsporus*** **21**: 29; ***mollis*** **3**: 90; **14**: 73; **19**: 114; **26**: 37; **32**: 222; **35**: 109; **46**: 178, 183; **52**: 12; **54**: 98; **57**: 299, 303; ***mollis*** **subsp.** ***calolepis*** **54**: 96; ***mollis*** **var.** ***calolepis*** **54**: 96; ***mollis*** **var.** ***squamulosus*** **54**: 98; ***nephrodes*** **24**: 79; ***palmatus*** **60**: 141; ***phillipsii*** **14**: 171, 172, 176; ***pubescens*** **52**: 7; ***sambuci*** **57**: 299, 304; ***sinuosus*** **61**: 184; ***sphaerosporus*** **63**: 234; ***stenocystis*** **57**: 299, 300, 301, 302, 303; **61**: 175, 182, 183, 184; **63**: 216; ***subepibryus*** **14**: 112; ***subsphaerosporus*** **27**: 214; **46**: 177, 183, 184; **63**: 234, 235, 236; ***subverrucisporus*** **37**: 201; ***variabilis*** **19**: 18; **21**: 29; **32**: 222; **35**: 241; **52**: 6; ***versutus*** **14**: 112; ***versutus*** **var.** ***subglobisporus*** **57**: 304; ***volvatus*** **17**: 208.

CRIBRARIA argillacea **53**: 323; ***aurantiaca*** **53**: 323; ***cancellata*** **53**: 323; ***macrocarpa*** **53**: 323; ***microcarpa*** **53**: 323; ***persoonii*** **53**: 324, 329, 330; ***rufa*** **53**: 324; ***violacea*** **53**: 324; ***vulgaris*** **18**: 180; **53**: 324.

CRINIGERA maritima **61**: 111, 112, 113.

CRINIPELLIS beninensis **64**: 175, 176, 177, 178; ***brunneipurpurea*** **64**: 179; ***calderi*** **64**: 178; ***craterellus*** **54**: 94; ***dipterocarpi*** **f.** ***cinnamomea*** **64**: 179; ***eggersii*** **64**: 180; ***ghanaensis*** **64**: 179; ***insignis*** **64**: 180; ***kisanganensis*** **64**: 179; ***minutula*** **64**: 179; ***nsimalensis*** **64**: 179; ***ochracea*** **64**: 179; ***pseudosplachnoides*** **64**: 179; ***pseudostipitaria*** **64**: 179; ***purpurea*** **64**: 179; ***scabellus*** **46**: 240; ***siparunae*** **64**: 180; ***stipitaria*** **14**: 71, 78, 112, 224; **15**: 97; **19**: 115; **29**: 27; **32**: 208; **46**: 240; **48**: 40; ***stipitaria*** **var.** ***corticalis*** **16**: 166, 167; ***tabtim*** **64**: 179.

CRISTELLA candidissima **18**: 162; ***farinacea*** **18**: 162; ***fastidiosa*** **14**: 75; **21**: 53.

CRISTINIA decolorans **64**: 23, 33; ***eichleri*** **64**: 34; ***gallica*** **41**: 28.

CRISTULARIELLA depraedans **40**: 79.

CROCYSPORIUM aegerita **2**: 27; ***album*** **2**: 27; ***torulosum*** **2**: 27.
CRONARTIUM asclepiadeum **14**: 103; ***flaccidum*** **11**: 185; **56**: 128; ***fusiforme*** **44**: 104; ***ribicola*** **11**: 185; **35**: 110; **56**: 128; **57**: 261.
CROUANIA asteroidea **35**: 134; ***carbonaria*** **23**: 229; ***lancifera*** **35**: 134; ***melaena*** **35**: 74; ***miniata*** **22**: 214; **35**: 134; ***modesta*** **32**: 76; ***nigrella*** **35**: 74.
CRUCIBULUM crucibuliforme **52**: 212; ***laeve*** **14**: 106; **18**: 113, 114; **20**: 29; **22**: 200; **35**: 110; **43**: 93; **46**: 6, 13, 21; ***vulgare*** **1**: 97; **3**: 22; **20**: 29.
CRUMENULOPSIS pinicola **35**: 92.
CRUSTULA corylacea **64**: 106, 107, 111; ***ligni*** **35**: 109; ***nigra*** **64**: 106, 108, 109; ***quercina*** **64**: 106, 110; ***quercina*** **var.** ***carpathica*** **32**: 14, 15.
CRYPHONECTRIA cubensis **61**: 98; ***gyrosa*** **61**: 98; ***havanensis*** **53**: 288, 291, 292; ***parasitica*** **56**: 45, 46, 47, 48, 49, 50; **57**: 311, 312; **60**: 266; **61**: 98.
CRYPTADELPHIA groenendalensis **61**: 87, 93.
CRYPTICA lutea **3**: 120.
CRYPTOCOCCUS albidus **13**: 120; **14**: 52, 54, 58; **15**: 108, 115, *121*, *122*; **16**: *240*, *241*, *242*, *243*; **20**: 182; **32**: 36, *38*, *39*, *40*; **33**: 107, 109; **35**: 162, 163, 193, 194; **36**: 123, 124; **44**: *154*, *155*, *156*, *157*, *158*, *159*; **48**: 147, 148, 150, 152; **54**: 241, 242; ***albidus*** **var.** ***aerius*** **39**: 47, 241; **43**: *227*, *228*, *229*, *230*, *231*, *232*, *233*; ***albidus*** **var.** ***albidus*** **32**: 144; **37**: 39; **39**: *235*, *236*, *237*, 239, 241; ***albidus*** **var.** ***diffluens*** **32**: 36, *40*, 145; **33**: 108, 109, 231; **35**: 162, 163, 194, 229; **37**: 39; **39**: 241; ***albidus*** **var.** ***flavescens*** **39**: 241; ***albidus*** **var.** ***japonicus*** **15**: 115, 122; ***albidus*** **var.** ***laurentii*** **39**: 241; ***albidus*** **var.** ***ovalis*** **32**: 144; ***ater*** **15**: 108, 123; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; ***bacillisporus*** **39**: 159; ***breweri*** **15**: 110; ***cerebriloculosus*** **15**: 110; ***constantinii*** **15**: 110; ***diffluens*** **14**: 52, 54, 58; **15**: 108, 115, 117, 119, 121, 122; **16**: 240; **18**: 32; **19**: *111*, *112*, *113*; **20**: 27, 28, 182, 183; **22**: 112, 202, 204, 205; **32**: 145; **39**: 241; ***farciminosus*** **44**: 131; ***gastricus*** **35**: 193, 194; **38**: 12; ***gilchristii*** **11**: 22; ***glabratus*** **44**: 138; ***glutinis*** **32**: 36, 149; ***gotii*** **15**: 110; ***guilliermondii*** **25**: 52; ***histolytica*** **15**: 110; ***hominis*** **15**: 108, 110; ***hominis*** **var.** ***hondurianus*** **15**: 110; ***hondurianus*** **15**: 110; ***kleinii*** **15**: 108; ***laurentii*** **13**: 161, 162; **15**: 108, 113, 115, 116, 118, 119, 122; **16**: 240; **20**: 182; **21**: 196; **22**: 112; **32**: 36; **33**: 108; **35**: 162, 214; **39**: 236, 241; **44**: *154*, *155*, *156*, *157*, *158*, *159*; **48**: 147, 148, 149, 150, 152; **54**: 241, 242; ***laurentii*** **var.** ***flavescens*** **32**: 36, 38, 145; **33**: 108, 115; **34**: 84, 85; **35**: 163; **37**: 39; ***laurentii*** **var.** ***laurentii*** **33**: 115; ***lithogenes*** **15**: 108, 110; ***luteolus*** **15**: 108, 115, 118, 122; **16**: 240; ***meningitidis*** **15**: 110; ***nasalis*** **15**: 110; ***neoformans*** **11**: 21, 212; **15**: *108*, *109*, *110*, *111*, *112*, *113*, *114*, *115*, 122; **16**: *237*, *238*, *239*, *240*, *241*, *242*, *243*; **19**: *111*, *112*, *113*; **20**: 27, 28, 182; **21**: 196; **25**: 52; **32**: 36, 38, 146; **33**: 108, 231, 232; **35**: 162, 163, 214, 219; **36**: 123, 124; **37**: *35*, *36*, *37*, *38*, *39*, *40*, *41*; **39**: 159, 236, 241, 242; **44**: 4, 5, 10, 69; **48**: 183, 184, 185, 186, 187, 188, 189, 190, 191, 192; **54**: 273; **55**: 140; **57**: 323; ***neoformans*** **var.** ***gattii*** **37**: 36; **39**: 236; **44**: 2, 11, 12, 13, 73; **48**: 183, 184, 185, 187; ***neoformans*** **var.** ***innocuous*** **32**: 144; ***neoformans*** **var.** ***neoformans*** **44**: 2, 10, 12, 72; ***neoformans*** **var.** ***shanghaiensis*** **44**: 73; ***neoformans*** **var.** ***sheppei*** **15**: 110; ***neoformans*** **var.** ***uniguttulatus*** **15**: 111; ***nigricans*** **15**: 108, 122; ***plimmeri*** **15**: 108, 110; ***psichrophylicus*** **15**: 110; ***ruber*** **32**: 151; ***skinneri*** **38**: 12; ***terricolus*** **32**: 144; ***uniguttulatus*** **35**: 193, 194.

CRYPTODERMA pini **39**: 72; ***yamanoi*** **39**: 72.
CRYPTODIAPORTHE aesculi **49**: *194*, *195*, *196*; ***apiculata*** **28**: 222; ***hranicensis*** **12**: 24; ***hystrix*** **28**: 3, 6, 10, *15*, *16*, *17*; **31**: 2; ***oxystoma*** **12**: *23*, *24*, *25*, *26*; **27**: 86; ***rostellata*** **28**: 222; ***salicella*** **13**: 154; **26**: 44, 54; **28**: 222; ***salicina*** **26**: 44, 46, 54; **35**: 240.
CRYPTOPHALLUS albiceps **48**: 275.
CRYPTOSPHAERIA eunomia **12**: 145; ***moravica*** **52**: 54; ***myriocarpa*** **12**: *145*, *146*, *147*.
CRYPTOSPORA aesculi **49**: 194; ***alnicola*** **24**: 130; **25**: 33, 35; **27**: 86, 95; ***niesslii*** **18**: 187, 188; ***suffusa*** **13**: 157, 220; ***suffusa*** **var.** ***valsoidea*** **27**: 86, 95.
CRYPTOSPORELLA aurea **13**: 218, 222, 223; ***salicina*** **26**: 44, 46, 54.
CRYPTOSPORIOPSIS abietina **35**: 96; ***fasciculata*** **13**: 218, 221; ***melanigena*** **55**: 57, 58, 63; ***radicicola*** **55**: 57, 58, 59, 60, 61, 63, 65, 73, 75, 76, 78, 79.
CRYPTOSPORIUM neesii **13**: 220.
CRYPTOSTROMA corticale **40**: 28.
CRYPTOTHECIA candida **56**: 157.
CTENOMYCES indicum **58**: 123; ***queenslandicum*** **58**: 123; ***serratus*** **17**: 195; **19**: 228; **22**: 56; **27**: 159; **28**: 105; **30**: 20, 107, 109; **31**: 212; **33**: 83, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 214; **39**: *101*, *102*, *103*; **43**: 236, 237; **58**: 117, 122, 123; ***trichophyticus*** **17**: 195, 198, 199; **43**: 237.
CUCURBITARIA alni **27**: 86; ***berberidis*** **14**: 104; ***coluteae*** **35**: 240; ***cucurbitula*** **10**: 90; ***dulcamarae*** **12**: *145*, *146*, *147*; ***elongata*** **13**: 158; ***laburni*** **14**: 224; ***obducens*** **61**: 87, 92; ***pruni-spinosae*** **52**: 54; ***rubefaciens*** **52**: 54.
CUDONIA circinans **14**: 125, 128, 129; **16**: 105; **18**: 2; **21**: 56; **48**: 118; ***confusa*** **14**: 113; **16**: 105.
CUDONIELLA acicularis **43**: 67; **63**: 251, 252, 256; ***aquatica*** **9**: 162; **14**: 90; ***clavus*** **43**: 67; **63**: 252, 256; ***tenuispora*** **43**: 67.
CULICICOLA virulenta **42**: 32, 33.
CULICIDOSPORA aquatica **56**: 200; **63**: 124, 128, 140; ***gravida*** **63**: 120, 128, 140.
CUMMINSIELLA mirabilissima **37**: 132; **56**: 128; **57**: 261.
CUMULOSPORA marina **55**: 241, 245, 249.
CUNICULITREMA polymorpha **58**: 95.
CUNNINGHAMELLA bertholletiae **24**: 213; **39**: 150, 159; **44**: 6, *195*, *196*, *197*; ***blakesleeana*** **32**: 104; **43**: 237; ***echinulata*** **23**: 248; **31**: 208, 210; **32**: 228, 230; **43**: 237; **46**: 89, 102; **47**: 295; **51**: 163; **61**: 152; ***elegans*** **23**: 245; **24**: 163, 207, 213; **39**: 159; **43**: 237; **44**: 196; **48**: 82; **56**: 228; ***japonica*** **43**: 237.
CURREYELLA radula **52**: 261; ***trachycarpa*** **52**: 264.
CURVULARIA brachyspora **43**: 237; ***clavata*** **53**: 155; ***eragrostidis*** **59**: 210; ***geniculata*** **39**: 159; **43**: 237; ***inaequalis*** **43**: 237; ***intermedia*** **43**: 237; ***lunata*** **39**: 159; **43**: 237; **44**: 5, 7; **46**: 109; **56**: 39, 228, 229; **61**: 110; ***oryzae*** **53**: 155; **59**: 231; ***ovoidea*** **51**: 162, 163; **53**: 155; **60**: 80; ***pallescens*** **39**: 159; **43**: 237; ***protuberata*** **43**: 237; ***senegalensis*** **39**: 159; ***spicifera*** **37**: 72, 73, 75; **44**: 68; ***trifolii*** **43**: 237; **60**: 80, 82; ***tuberculata*** **43**: 237; ***verruculosa*** **43**: 237.
CYATHICULA coronata **26**: 33; **40**: 206; **44**: 143; ***cyathoidea*** **40**: 206; ***dolosella*** **40**: 206; ***fraxinicola*** **40**: 206; ***pallida*** **40**: 206, 209.
CYATHIPODIA corium **18**: 6; ***macropus*** **35**: 15.

CYATHUS bulleri **30**: 56; *helenae* **30**: 56; *olla* **14**: 104; **16**: 158; **18**: 114; **20**: 29; **22**: 200; **23**: 79; **33**: 156, 166; **43**: 31, 32, 87; **44**: 213; **46**: 6, 13, 31, 84; *pygmaeus* **30**: 56; *stercoreus* **4**: 54; **20**: 29; **30**: 56; *striatus* **3**: 7; **7**: 153; **20**: 29; **32**: 222; **33**: 166; **35**: 110; **43**: 31, 32, 87, 93; **44**: 210, 213, 214; **46**: 84; **48**: 40; **52**: 11; *sulcatus* **46**: 318.
CYCLOCYBE lateritia **20**: 71; *mnichovicensis* **20**: 71; *pragensis* **20**: 71; *squamulosa* **20**: 71.
CYCLOCYTOSPORA melanodiscus **12**: 25.
CYCLODERMA indicum **17**: 205.
CYCLOMYCES iodinus **55**: 15, 16; *tabacinus* **55**: 16.
CYCLOPORELLUS barbatus **55**: 16; *iodinus* **55**: 15, 17.
CYLINDRIUM clandestinum **44**: 146; *griseum* **35**: 98.
CYLINDROBASIDIUM evolvens **33**: 156; **36**: 24; **56**: 276.
CYLINDROCARPON album **43**: 238; *aquaticum* **63**: 140; *candidum* **43**: 238; *destructans* **32**: 228, 230; **33**: *170*, *171*, *172*, *173*, *174*; **43**: 107, 238; **46**: 255; **47**: 298; **53**: 213, 214, 217, 219; **55**: 73, 75, 76, 78, 79; *destructans* var. *crassum* **43**: 238; *didymum* **43**: 238; **55**: 73, 76; *heteronemum* **43**: 238; *janthothele* var. *majus* **43**: 238; *magnusianum* **38**: 240, 241; **43**: 238; **55**: 88, 91, 95; **63**: 158; *obtusisporum* **43**: 238; *orthosporum* **43**: 238; *radicicola* **23**: 245, 246; **33**: 171, 174; **35**: 171; **43**: 238; *tonkinense* **39**: 159.
CYLINDROCARPOSTYLUS gregarius **53**: 237, 245, 246, 247.
CYLINDROCLADIUM gregarium **53**: 245, 249.
CYLINDROCOLLA urticae **13**: 158.
CYLINDRODENDRUM album **51**: 38.
CYLINDROSPORA glutinosa **38**: 44.
CYLINDROSPORIUM baudysianum **52**: 54; *castaneae* **28**: 96, 97.
CYLINDROTRICHUM helisciforme **63**: 140; *oblongisporum* **51**: 7; *oligospermum* **33**: 140, 141, 143, 166; **51**: *3*, *4*, *5*, 32, 34, 37, 38; *zignoëllae* **51**: 5, 7.
CYNICLOMYCES guttulatus **35**: 213.
CYNOPHALLUS bambusinus **9**: 64, 65; *caninus* **9**: 59.
CYPHELIUM inquinans **56**: 157; *marcianum* **56**: 157.
CYPHELLA ampla **8**: 126; *arachnoidea* **54**: 147; *candida* **14**: 242; *capula* **25**: 105; *digitalis* **8**: 125; **39**: 221; **59**: 72, 75; *farinacea* **46**: 318; *filicina* **9**: 144; **14**: *241*, *242*, *243*; *friesii* **14**: *241*, *242*, *243*; **15**: 191; *laeta* **7**: 153; *lloydeana* **7**: 54, 56; **14**: 98; *musae* **10**: 128; *muscicola* var. *neckerae* **54**: 152; *neckerae* **54**: 152; *peckii* **14**: 242, 244; *pelargonii* **46**: 318; *pulchra* **54**: 235; *tephroleuca* **10**: 128; *variolosa* **46**: 318; *villosa* **14**: 71.
CYPHELLOSTEREUM laeve **44**: 140, 141; **63**: 247, 251, 256.
CYSTODERMA amianthinum **8**: 62, 63, 64, 66; **14**: 96; **18**: 160; **19**: 18; **27**: 34; **32**: 222; **56**: 272, 281; **58**: 246, 251, 257; *amianthinum* f. *typicum* **8**: 61, 65, 66; *carcharias* **8**: *63*, *64*, *65*, *66*; **14**: 77; **16**: 158; **18**: 160, *223*, *224*, *225*; **19**: 16, 115, *233*, *234*, *235*, *236*, *237*, *238*; **22**: 195; **23**: 79; **44**: 27, 86, 222; **46**: 173, 174, 180; **48**: 205; **56**: 273; **58**: 246, 251, 258; *cinnabarinum* **18**: 13, 160; *fallax* **22**: 191, 195, 200; *granulosum* **8**: 63; **14**: 106; **16**: 188, 226; **18**: 13; **19**: 18, *233*, *234*, *235*, *236*, *237*, *238*; **25**: 107; **30**: 51; **32**: 222; **41**: 51; *haematites* **7**: 88; *hetieri* **15**: 226; *jasonis*

44: 86, 140; **63**: 256; ***kuehneri*** **16**: 220; ***longisporum*** **46**: 176, 182, 184, 185; ***paradoxum*** **8**: *60*, *61*, *62*, *63*, *64*, *65*, *66*; **52**: 93; ***superbum*** **58**: 246, 258; ***terrei*** **46**: 81; **52**: 212.

CYSTODERMELLA cinnabarina **58**: 247, 258; ***granulosa*** **58**: 247, 258.

CYSTOFILOBASIDIUM capitatum **54**: 241, 242, 246.

CYSTOLEPIOTA bucknallii **37**: 216, 231; **58**: 240, 256; ***cystidiosa*** **58**: 239, 256; ***cystophora*** **47**: *289*, *290*, *291*; ***hetieri*** **58**: 239, 256; ***pulverulenta*** **58**: 240, 256; ***seminuda*** **52**: 5; **58**: 240, 256; **59**: 72, 76; ***sistrata*** **44**: 124; **58**: 240, 256; **59**: 72.

CYSTOPEZIZELLA conorum **37**: 68, 69, 70, 71; ***cupulincola*** **41**: 16, 20, 21; ***fallax*** **46**: 149, 152, 153; ***venceslai*** **37**: *68*, *69*, *70*, *70*, *71*.

CYSTOPUS bliti **60**: 93; ***quadratus*** **46**: 318.

CYSTOSTEREUM murrayi **13**: 13, 18; **14**: 89; **27**: 221; **35**: 240; **41**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*; **43**: 138; **45**: 15; ***murrayi*** **f.** ***tuberculosum*** **41**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*; ***murrayi*** **var.** ***tuberculosum*** **41**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*.

CYSTOSTIPTOPORUS indicus **54**: 22, 29; **64**: 49.

CYTIDIA albomellea **42**: 239; ***flocculenta*** **8**: 125, 126; **13**: 143; ***lanata*** **8**: 128; ***rutilans*** **8**: 125; **12**: 138; **13**: 143; **44**: 141; ***salicina*** **8**: 125, 129; **12**: 101, *137*, *138*, *139*; **13**: *141*, *142*, 143, *143*, 150; **44**: 125; **52**: 308; ***sarcoides*** **8**: 125; ***stereoides*** **8**: 128.

CYTIDIELLA albomellea **42**: 239; **63**: 33, 34, 35, 36, 37; ***melzeri*** **8**: *125*, *126*, *127*, *128*, *129*; **14**: 97, 100; **23**: 5, 7; **42**: 239; **63**: 33, 36, 37.

CYTOSPORA acharii **27**: 143, 144; ***ambiens*** **13**: 156; **26**: 48, 53, 56; ***betulicola*** **10**: 216; ***capitata*** **10**: 212, 213; ***carphosperma*** **10**: 210, 214; ***chrysosperma*** **17**: 50; **19**: 175, 177; **33**: 145; ***cincta*** **31**: *155*, *156*, *157*, *158*, *159*, *160*, *161*, *162*; **32**: 115, 119; **37**: 126; ***flavovirens*** **27**: 142; ***friesii*** **13**: 155; ***horrida*** **10**: 216; ***intermedia*** **29**: *171*, *172*, *173*; ***leucosperma*** **13**: 154; ***loranthii*** **26**: 123; ***melanodiscus*** **12**: 25; **25**: 39, 41; ***ostryae*** **52**: 54; ***pendulinae*** **28**: 14; ***pinastri*** **35**: 96; ***pini*** **35**: 96; ***pseudoplatani*** **13**: 154, 219; ***schulzeri*** **10**: *209*, *210*, *211*, *212*, *213*, *214*; ***spinescens*** **10**: 216; ***taxifolia*** **7**: 153.

CYTOSPORINA acharii **27**: 143, 144, 148; ***ambiens*** **28**: 5; ***aspera*** **27**: 142, 143; ***bulliardii*** **28**: 5; ***flavovirens*** **27**: 142, 148.

CYTTARIA darwinii **53**: 288, 291, 292; **55**: 142; ***espinosae*** **55**: 142.

DACAMPIA hookeri **17**: 149, 151, 152.

DACRYMYCES abietinus **11**: 85; **13**: 219; ***caesius*** **11**: 87; **18**: 159, 162, 178; ***cerebriformis*** **11**: 87; ***chrysocomus*** **11**: 87, 88; **12**: 242; ***conformis*** **11**: 88; ***corticoides*** **11**: 84; ***deliquescens*** **10**: 127; **11**: 85; **13**: 155; **18**: 162; ***deliquescens fagicola*** **11**: 87; ***deliquescens nigricans*** **11**: 87; ***deliquescens stipitatus*** **11**: 86; ***ellisii*** **11**: 87; ***hyalinus*** **11**: 87; ***involutus*** **11**: 84; ***lacrymalis*** **11**: 87; ***longisporus*** **11**: 88; ***lutescens*** **11**: 87; **13**: 155, 158; ***lutescens*** **var.** ***latisporus*** **14**: 164, 170, 176; ***multiseptatus*** **11**: 88; ***myriadeus*** **11**: 87; ***ovisporus*** **11**: 85; **54**: *11*, *12*, *13*, *14*, *15*; **63**: 189, 190, 191; ***palmatus*** **11**: 88, 89; **18**: 159, 162, 178; ***punctiformis*** **11**: 87; ***radicatus*** **11**: 86; ***romellii*** **11**: 86; ***rubiformis*** **11**: 89; ***sebaceus*** **54**: 11; ***stillatus*** **11**: 85, 90; **32**: 222; **44**: 141; **46**: 287, 288; **56**: 286; **63**: 223, 225; ***stillatus*** **β** ***lutescens*** **11**: 87; ***stipitatus*** **11**: 86; ***tortus*** **11**: 86, 87, 91; ***tulasnei*** **11**: 90.

DACRYOBOLUS ipidophyllus **57**: 95; ***karstenii*** **44**: 140, 141; **63**: 251, 252, 256; ***sudans*** **27**: 221.

DACRYOMITRA glossoides **11**: 95; ***gyrocephala*** **11**: 95; ***nuda*** **11**: 95; ***pusilla*** **11**: 95.
DACRYONAEMA rufum **11**: 94; **48**: 217.
DACRYOPSIS gyrocephala **11**: 95; ***nuda*** **11**: 95.
DACTYELLA bembicodes **1**: 31.
DACTYLARIA chrysosperma **33**: 140, 141, 143; **61**: 87, 92; ***gallopava*** **44**: 132; ***lanosa*** **53**: 237, *249*, *250*, *251*; ***thamnesia*** **1**: 31.
DACTYLELLA aquatica **23**: 136; **63**: 146; ***bembicodes*** **1**: 35; ***leptospora*** **1**: 31; ***microaquatica*** **54**: 255; ***oviparasitica*** **61**: 140, 142, 143, 144; ***spermatophaga*** **1**: 28; ***submersa*** **23**: 136; **60**: 72; **63**: 140.
DACTYLELLINA appendiculata **63**: 140; ***candida*** **61**: 140, 142, 143, 144, 145; ***lysipaga*** **61**: 140, 142, 143, 144; ***phymatopaga*** **61**: 140, 142, 143, 144.
DACTYLIUM dendroides **2**: 41; **12**: 153, 156; **18**: 144; **32**: 67; **38**: 4.
DAEDALEA amanitoides **55**: 24; ***betulina*** **6**: 93; **11**: 160, 169; ***confragosa*** **11**: 160; **15**: 185, 187, 188, 190; **17**: 182; **20**: 84; **25**: 105; ***dickinsii*** **45**: 96; ***gossypina*** **6**: 94; ***heteromorpha*** **5**: 19; **42**: 1, 2; ***indurata*** **39**: 77; ***irpicioides*** **64**: 18; ***jamaicensis*** **64**: 18; ***jezoensis*** **39**: 72; ***juniperina*** **11**: 160; ***mac-owani*** **46**: 319; ***ochracea*** **46**: 319; ***palisoti*** **55**: 24; ***quercina*** **3**: 7; **4**: 13; **5**: 18; **11**: 160, 169; **17**: 28, 32; **30**: 54; **32**: 222; **35**: 109; **36**: 32; **41**: 51, 53; **46**: 284, 286, 288, 289; ***repanda*** **55**: 24; ***rugosa*** **46**: 237; ***sepiaria*** **11**: 170; ***styracina*** **64**: 20; ***trabea*** **11**: 162, 169; ***unicolor*** **11**: 160, 169, 217; ***vorax*** **39**: 71, 72, *74*, *75*, *76*, *77*, *78*, *79*, *80*, *81*, *82*, *83*; **45**: 40.
DAEDALEOPSIS confragosa **23**: 200; **30**: 54; **32**: 222; **41**: 51, 53; **49**: 132, 141, 143, 172; **50**: 304, 308, 310; **56**: 275; **57**: 326; **63**: 256; ***confragosa*** **var. *tricolor*** **36**: 32; ***styracina*** **35**: 199; **64**: 20; ***tricolor*** **47**: 209; **57**: 326.
DALDINIA concentrica **27**: 134, 135, 137, 139, 141, 148; **53**: 302; ***tuberosa*** **2**: 36.
DALEOMYCES campbellii **36**: *109*, *110*, *111*, 112, *112*, *113*; ***gardneri*** **36**: 110, 112; ***phillipsii*** **36**: *109*, *110*, *111*, *112*, *113*; **57**: 249, 250, 251, 252, 253, 254; ***shearii*** **36**: 112.
DARLUCA filum **17**: 49.
DASYOBOLUS elegans **35**: 10, 138; ***immersus*** **11**: 114; **13**: 154; **16**: 110; **22**: 305; **33**: 153; **35**: 10, 139, 143; ***insignis*** **47**: 31; ***stictoideus*** **35**: 10, 23, 139, 140.
DASYSCYPHA acuum **13**: 211; **16**: 12; **41**: 202; ***bicolor*** **57**: 155, 166, 167; ***brdensis*** **41**: 16, 201; **52**: 292; ***brevipila*** **43**: 226; **57**: 187, 190, 203; ***calyciformis*** **16**: 104, 113; ***calycioides*** **56**: 67; ***cerina*** **14**: 226; **57**: 163, 164, 167, 170; ***coerulescens*** **41**: 196; ***conincola*** **33**: 204; ***corticalis*** **12**: 223; **13**: 212; ***dematiicola*** **31**: 193, 194; ***dryina*** **57**: 162, 163; ***eriophori*** **39**: 208; ***fugiens*** **16**: 11; ***fuscosanguinea*** **16**: 104; ***grevillei*** **16**: 12; ***heimerlii*** **31**: 193, 194; **41**: 195; ***jevanensis*** **13**: 212; **41**: 196; ***leucomelaena*** **41**: 196; ***leucostoma*** **42**: 137, 146, 147; ***lundellii*** **16**: 112; ***lupini*** **16**: 12; ***prasina*** **41**: 196; ***pubescens*** **43**: 225; **57**: 200, 201, 202, 203; ***pulchella*** **39**: 214; **41**: 201; ***pulveracea*** **13**: 154, 155, 212; **14**: 72; **41**: 196; ***pulverulenta*** **57**: 157; ***pygmaea*** **57**: 211; ***roburum*** **57**: 163; ***rosea*** **56**: 73; ***salicariae*** **43**: 226; ***scrupulosa*** **14**: 224; ***tricolor*** **13**: 213; ***virginea*** **57**: 166; ***willkommii*** **11**: 184; ***willkommii*** **var. *fuckelii*** **16**: 104; ***winteriana*** **var. *tetraspora*** **8**: 134.
DASYSCYPHELLA cassandrae **41**: 204; **57**: 157; ***conicola*** **57**: 142, 157, 158, 200; ***crystallina*** **43**: 69; **57**: 142, 158, 159, 160; ***montana*** **57**: 162; ***nivea*** **57**: 142, 160, 161, 162, 203.

DASYSCYPHUS acutus **33**: 203; ***acuum*** **16**: 9, 95; **35**: 92; **37**: 68; ***agropyri*** **33**: 195, 197; ***albidoluteus*** **33**: 197, 198; ***albotestaceus*** **33**: 153; ***bicolor*** **25**: 109; **56**: 276; **57**: 140, 151, 155, 167; ***bicolor*** **var.** ***rubi*** **16**: 93; ***brevipilus*** **57**: 190; ***brunneolus*** **57**: 148; ***calycioides*** **16**: 93; ***carneolus*** **16**: 93; ***carneolus*** **var.** ***longisporus*** **42**: 141; ***cerinus*** **16**: 96; **57**: 164, 166, 167, 168; ***ciliaris*** **21**: 65; ***citrinescens*** **21**: 64, 66; ***clandestinus*** **16**: 93; ***clavigerus*** **21**: 64, 66; ***clavisporus*** **16**: 94; **31**: 133; ***controversus*** **33**: 197, 199; ***cruciferus*** **21**: 64; ***crystallinus*** **32**: 221; **57**: 205; ***diminutus*** **33**: 153; ***distinguendus*** **16**: 94, 113; ***elatior*** **30**: 9; ***eriophori*** **33**: 199; ***fuscescens*** **25**: 109; **27**: 224; **57**: 143, 148; ***fuscescens*** **var.** ***fagicola*** **57**: 150; ***kubickae*** **21**: 65, 67; **39**: 180; ***leucophaeus*** **33**: 193; ***leucostomus*** **16**: 94, 96; ***lundellii*** **16**: 94, 112, 113; ***mollissimus*** **29**: 29; ***mughonicola*** **35**: 92; ***mughonicolus*** **21**: 65, 67, 155; ***nidulus*** **21**: 68; **41**: 200; ***niveus*** **16**: 94, 113; ***nudipes*** **21**: 64; ***nylanderi*** **33**: *193*, *194*, *195*; ***pudibundus*** **16**: 94; **57**: 205; ***pulchricolor*** **31**: *132*, 133, *133*, *134*; **33**: 153; ***pulverulentus*** **21**: 65; **35**: 92, 240; ***pulverulentus*** **var.** ***conicola*** **57**: 157; ***pygmaeus*** **33**: 197, 205; **35**: 136; ***relicinus*** **16**: 94, 96; ***rhytismatis*** **21**: 65; ***roburum*** **57**: 160, 162, 163; ***roridus*** **21**: 65; ***roseus*** **16**: 95; **38**: 201; ***rubroguttatus*** **21**: 65, 68; ***salicariae*** **16**: 95; ***sesleriae*** **30**: 8, 9; ***silvicola*** **31**: *132*, 133, *133*, *134*; ***sulphureus*** **29**: 29; **33**: 193; ***tricolor*** **41**: 196; ***virgineus*** **16**: 10; **25**: 109; **27**: 224; **35**: 92, 240; **56**: 276; **57**: 139, 163, 164, 167, 186; ***washingtonensis*** **31**: 135; ***winteri*** **33**: 198, 199.

DATRONIA brunneoleuca **64**: 20; ***caperata*** **64**: 17; ***mollis*** **27**: 221; **49**: 132, 172; **56**: 276; **63**: 256; ***scutellata*** **64**: 15.

DEBARYOMYCES cantarellii **34**: 24, 25, 27, 199; ***castellii*** **54**: 241, 242, 244, 246; ***formicarius*** **34**: 24, 27; ***guilliermondii*** **32**: 235; ***hansenii*** **20**: 182; **32**: 235, 236; **34**: 27; **38**: 18, 19; **39**: 236, 241; **53**: 227; **54**: 242, 244; ***hansenii*** **var.** ***fabryi*** **53**: 226; ***hominis*** **15**: 108, 110; ***hominis*** **var.** ***hondurianus*** **15**: 110; ***kloeckeri*** **32**: 235; ***marama*** **32**: 235, 236; **39**: 241; ***membranaefaciens*** **32**: 235; ***neoformans*** **15**: *108*, *109*, *110*, *111*, *112*, *113*, *114*, *115*, 122; ***neoformans*** **var.** ***sheppei*** **15**: 110; ***neoformans*** **var.** ***uniguttulatus*** **15**: 111; ***nicotianae*** **18**: 32; **19**: 116, 119; **32**: 235; ***rosei*** **18**: 32; **32**: 154; ***subglobosus*** **32**: 235.

DECONICA ammophila **17**: *71*, *72*, *74*, *75*; ***atrorufa*** **14**: 104, 226; ***bullacea*** **14**: 104; ***crobula*** **14**: 106; ***inquilina*** **13**: 204; **14**: 79, 106; ***physaloides*** **14**: 106, 113.

DEGELIA gayana **56**: 157.

DEIGHTONIELLA africana **38**: 39; ***alni*** **38**: 39, 40, 44, 45; **47**: 194; ***arundinacea*** **38**: 39, 40, 41, 44; ***caricina*** **38**: 39, 40, 42, 45.

DELACROIXIA coronata **44**: 195.

DELICATULA agrostidea **54**: 206, 207; ***alamellosa*** **54**: 208, 216; ***aristulata*** **54**: 207, *208*, *209*; ***barbata*** **54**: 209; ***betulina*** **54**: 209; ***brevipes*** **54**: *209*, *210*; ***capillipes*** **54**: 210; ***conidina*** **54**: 207, *210*, *211*; ***crataegi*** **54**: 207, *211*, *212*; ***crispula*** **20**: 147; ***cuspidata*** **14**: 74, 113; **27**: 214; ***cyathea*** **54**: 212; ***dumetorum*** **54**: 212; ***epichloë*** **12**: 240; ***faginea*** **54**: *212*, *213*; ***fasciata*** **54**: 207, 213; ***flexuosa*** **54**: 207, *213*, *214*; ***gossypina*** **54**: *214*, *215*; ***gracillima*** **54**: 218; ***graminicola*** **54**: 215; ***integrella*** **11**: 103; **20**: 72; **54**: 221; **63**: 256; ***juliana*** **54**: *215*, *216*, 220; ***lacrimans*** **54**: 216; ***laevis*** **54**: 207, *216*, *217*; ***ligustrina*** **54**: 217; ***longispora*** **54**: *217*, *218*, 220; ***ludmilae*** **54**: 206, 218, 232; ***luzulae*** **54**: 219, 220; ***major*** **54**: *219*, *220*, *221*; ***mauretanica*** **14**: 113; **20**: 141, 146, 147; ***microscopica*** **54**: 208; ***phyllophila*** **54**: 220, *221*, *222*; ***picea*** **54**: 220,

221; ***platyphylla*** **54**: *222*, *223*, 225; ***polyadelpha*** **54**: 224, 228; ***polyphylla*** **54**: 223; ***quercina*** **54**: *223*, *224*; ***quisquiliaris*** **11**: *102*, *103*, *104*; **14**: 98; ***ramosa*** **54**: *224*, *225*, *226*; ***rigida*** **54**: 225, 226; ***rostellata*** **54**: *226*, *227*; ***scirpina*** **54**: 225, 227; ***spinosae*** **54**: 225, *227*, *228*; ***struthiopteridis*** **54**: 210, 225, *228*, *229*; ***subluteola*** **54**: 230; ***subtilis*** **54**: 225, 230; ***terrestris*** **54**: 225, 231; ***umbonata*** **54**: 225, *231*, *232*; ***vernalis*** **54**: 218, 232; ***vitrea*** **54**: 229.

DELITSCHIA niesslii **18**: 187, 188.

DEMATIOSCYPHA dematiicola **31**: 193, 194; **39**: 214; **41**: 195; **46**: 48; **52**: 290; ***dematiicola*** **var.** ***dematiicola*** **52**: 292; ***dematiicola*** **var.** ***fuscostipitata*** **52**: 290, 292; ***galanii*** **52**: *291*, *292*, *293*; ***richonis*** **52**: 290; ***richonis*** **var.** ***olivacea*** **52**: 291, 292; ***richonis*** **var.** ***richonis*** **52**: 292.

DEMATIUM herbarum **56**: 80; ***pullulans*** **13**: 48.

DENDRISCOCAULON intricatulum **56**: 157.

DENDRODOCHIUM toxicum **21**: 202.

DENDROPHORA albobadia **60**: 213, 214, 218.

DENDROSPHAERA eberhardtii **10**: 147.

DENDROSPORA erecta **54**: 255; **60**: 67; **63**: 140.

DENDROSTILBELLA byssina **14**: 193, 194.

DENDROTHELE acerina **53**: 127, 128, 129; ***alliacea*** **53**: 128, 129; ***amygdalispora*** **53**: 128, *129*, *130*; ***bisporigera*** **61**: 197, 202, 203, 204; ***citrisporella*** **53**: 128, 130; ***commixta*** **53**: 129, 130; **61**: 203; ***dryina*** **53**: 129, 130; ***globulispora*** **53**: 126; ***griseocana*** **53**: 127, 129, 130; **61**: 200; ***incrustans*** **53**: 127; ***jacobi*** **61**: 198; ***minima*** **61**: 198; ***salicicola*** **61**: 197, 198, 199, 201, 202, 203, 204; ***tetracornis*** **53**: 128, 130; ***wojewodae*** **53**: *125*, *126*, *127*, 129; **54**: 4; **61**: 198.

DENDROTRICHOSCYPHA acanthopila **31**: 8, 9; **39**: 244; **41**: 199; ***acerina*** **44**: 140, 143; ***cretacea*** **39**: 207; ***epilobii*** **39**: 208.

DENDRYPHIELLA vinosa **40**: 22, 26.

DENDRYPHION comosum **33**: 142, 143; ***nanum*** **33**: 142, 143; **37**: *72*, *73*, *74*, *75*, *75*.

DENDRYPHIOPSIS atra **33**: 145; **38**: 104; **49**: 199.

DENNISIODISCUS cerberi **32**: 204; **39**: 207; ***crossotus*** **30**: 9; ***heterotrichus*** **30**: 11; ***hooglandii*** **30**: 11; ***prasinus*** **30**: 9; **41**: 195; ***sedi*** **30**: 11; ***virescentulus*** **30**: 11.

DENTINUM albidum **10**: 76; ***albomagnum*** **10**: 76; ***repandum*** **10**: 76, 186; **27**: 221; **32**: 222; **35**: 109; **42**: 160; ***rufescens*** **10**: 76, 185, 186; **14**: 89; **18**: 162; ***umbilicatum*** **10**: 76.

DENTIPELLIS dissita **64**: 23, 27, 40; ***fragilis*** **18**: 159, 162, 175, 178; **21**: 56; **27**: 221; **36**: 187; **59**: 72, 77, 78, 79; ***leptodon*** **64**: 23, 25, 26; ***ohiensis*** **64**: 23, 27, 40.

DEPAZEA menthae **21**: 217; ***sambuci*** **46**: 319.

DERMATEA acericola **13**: 220, 222, 223; ***carpinea*** **13**: 218, 221; ***cerasi*** **13**: 216; ***corticola*** **28**: 154; ***livida*** **55**: 63; ***pelidna*** **46**: 319; ***polygonia*** **28**: *151*, *152*, *153*, *154*.

DERMATISCUM thunbergii **23**: 23.

DERMOCYBE anomala **4**: 148; ***bataillei*** **21**: 54; **31**: 114; **36**: 187; ***cinnabarina*** **46**: 173; ***cinnamomea*** **4**: 149; **19**: 17, 114; **56**: 272; ***cinnamomea*** **var.** ***paludosa*** **14**: 96, 100; ***cinnamomeobadia*** **44**: 86; ***cinnamomeolutea*** **26**: 123; ***cinnamomeolutescens*** **14**: 106; ***croceifolia*** **31**: 114; ***orellana*** **12**: 6; ***palustris*** **48**: 265; ***palustris*** **var.** ***sphagneti*** **26**: 123; ***phoenicea*** **19**: *233*, *234*, *235*, *236*, *237*, *238*; ***raphanoides*** **12**: 123; ***saligna*** **35**: 241;

sanguinea **12**: 123; **16**: 188; **43**: 204; ***semisanguinea*** **14**: 96; **19**: *233*, *234*, *235*, *236*, *237*, *238*; ***sphagneti*** **44**: 124; **48**: 265; ***uliginosa*** **35**: 241; ***veneta*** **12**: 123.

DERMOLOMA atrocinereum **20**: 148, 149; **29**: 31; ***coryleti*** **29**: 26, 31; ***cuneifolium*** **20**: 141, 148, 149; **29**: 31; **44**: 222; ***emilii-dlouhyi*** **20**: 141, 147, 148; **29**: 31; ***josserandii*** **20**: 148; **29**: 31; ***pragensis*** **29**: 31; ***pseudocuneifolium*** **23**: 205; **29**: 31.

DESCALSIA cruciata **56**: 196.

DESMAZIERELLA acicola **13**: 157, 213; **35**: 10, 92, 93, 95, 98, 100, 140; **49**: 199; **63**: 156.

DIACANTHODES novo-guineensis **64**: 18.

DIACHEA elegans **18**: 57; ***leucopodia*** **18**: 57; **53**: 324.

DIALONECTRIA cosmariospora **8**: *92*, *93*, *94*; **12**: 187; **13**: 217, 218; **14**: 25, 29; **35**: 27; **46**: 287, 288; ***episphaeria*** **8**: 93; ***galligena*** **10**: 89, 90; ***galligena*** **var.** ***galligena*** **10**: 89, 91; ***galligena*** **var.** ***major*** **10**: 89, 91; ***peziza*** **14**: 152; **17**: 136, 139; **25**: 110; ***sanguinea*** **25**: 110; ***sulphurea*** **14**: 29.

DIAPORTHE alnea **27**: 86; ***arctii*** **13**: 158; ***carpini*** **13**: 154, 155, 157; ***cydoniicola*** **52**: 55; ***decedens*** **13**: 157; ***decipiens*** **13**: 218; ***densa*** **52**: 55; ***eres*** **13**: 153; **35**: 94, 97; ***fasciculata*** **35**: 171; ***fibrosa*** **13**: 155; ***fuchsiae*** **52**: 55; ***genistae*** **52**: 55; ***hranicensis*** **52**: 55; ***impulsa*** **13**: 222; **28**: 3, 6, 8, 11, 15, 17; **31**: *1*, *2*, *3*, *4*, *5*; **61**: 87; ***insularis*** **35**: 171; ***leiphaemia*** **13**: 155, 158, 222; ***ligustri*** **52**: 55; ***ligustri-vulgaris*** **52**: 55; ***mamiania*** **27**: 86; ***marginalis*** **27**: 86; ***niesslii*** **18**: 187, 188; ***padi*** **57**: 313; ***phaseolorum*** **var.** ***sojae*** **45**: 65; ***pusilla*** **52**: 55; ***pustulata*** **13**: 154; **28**: 4, 6, 8, 12, 16, 17; **31**: *1*, *2*, *3*; ***recedens*** **52**: 55; ***rhamnigena*** **52**: 55; ***rostellata*** **13**: 153; ***sarothamni*** **13**: 157; ***sordida*** **13**: 218; ***strumella*** **13**: 158; **26**: 44, 45, 54; **28**: 4, 13, 17; **31**: 2; ***sulphurea*** **13**: 221; ***taleola*** **35**: 171; ***transiens*** **52**: 55; ***tulasnei*** **13**: 157; ***velata*** **13**: 221; ***woodii*** **45**: 65.

DIATRYPE bullata **44**: 146; **57**: 117, 119, 121, 122, 124, 136; ***caminata*** **46**: 319; ***capensis*** **46**: 319; ***decorticata*** **57**: 117, 118, 121, 122, 123, 130, 131, 132, 137; ***disciformis*** **13**: 217, 218, 221; **18**: 163; **26**: 44, 46, 54; **27**: 87, 88, 136, 139, 141, 144, 147, 148; **31**: 1, 2; **34**: 131; **56**: 275; **57**: 117, 118, 119, 121, 124, 125, 127, 131, 136; ***favacea*** **61**: 87; ***flavovirens*** **57**: 117, 118, 121, 128, 129, 136; **61**: 87; ***macounii*** **57**: 119; ***microspora*** **34**: 139; ***rimosa*** **57**: 124; ***stigma*** **12**: 74; **13**: 156, 157, 218; **14**: 17, 20, 117; **27**: 136, 139, 145, 149; **30**: 157; **31**: 1, 2; **35**: 108; **44**: 146; **49**: 197; **57**: 117, 118, 121, 123, 124, 125, 128, 130, 131, 132, 134, 135, 136; ***subaffixa*** **57**: 117, 135; ***subaffixa*** **var.** ***rappazii*** **57**: 117, 121, 123, 132, 133, 136; ***undulata*** **57**: 117, 121, 129, 130, 131, 133, 135, 137.

DIATRYPELLA aspera **49**: 221; ***nigroannulata*** **27**: 88; ***placenta*** **27**: 86, 88; ***pulvinata*** **13**: 154, 155; **26**: 123; **35**: 109, 110; ***quercina*** **12**: 148; **13**: 222; **49**: 197; ***tocciaeana*** **13**: 157, 220; **25**: 33; **27**: 86, 87, 136, 139, 141, 146, 147, 149; **31**: 1, 2; **33**: 151; **49**: 221; ***verruciformis*** **13**: 155, 157, 158, 218; **27**: 87, 88, 136, 141, *145*, *146*, *147*, *148*, *149*; **29**: 29; **31**: 1, 2.

DIBAEIS absoluta **56**: 157; ***arcuata*** **56**: 157; ***sorediata*** **56**: 157.

DICHODIUM perrugosum **56**: 154, 157.

DICHOMITUS albidofuscus **46**: 114, 115, 117, 118; ***campestris*** **26**: 82, 83; **35**: 109; **44**: 125; **46**: 114; **47**: 200; ***delicatulus*** **64**: 16; ***setulosus*** **64**: 20; ***squalens*** **36**: 31, 32; **38**: 140, 141; **42**: 131; **43**: 36; **46**: 114; **55**: 8, 16, 115, 116.

DICHOTOMOMYCES cejpii **48**: 74, 75; **49**: *229*, *230*, *231*, *232*, *233*, *234*, *235*, *236*, *237*; **53**: 176, 183; ***cejpii* var. *spinosus*** **49**: 237.
DICOCCUM asperum **43**: 238; ***cupaniae*** **52**: 55.
DICTYDIAETHALIUM plumbeum **16**: 40; ***plumbeum* var. *ferrugineum*** **53**: 324.
DICTYOARTHRINOPSIS kelleyi **28**: 105; **53**: 191, 193, 196, 199, 200.
DICTYOCHAETA lunulospora **40**: 142, 148; ***parva*** **42**: 200, 204; ***simplex*** **40**: 85.
DICTYOLUS cyphelliformis **2**: 75; ***glaucus*** **7**: 8, 11, 12; **39**: 221; ***muscigenus*** **39**: 221; ***spathulatus*** **14**: 224, 227, 228.
DICTYONEMA pavonia **56**: 157; ***sericeum*** **56**: 157.
DICTYOPANUS pusillus **55**: 16.
DICTYOPEPLOS elegans **48**: 274.
DICTYOPHORA bicampanulata **48**: 279; ***campanulata*** **48**: 279; ***chlorocephala*** **48**: 278; ***cinnabarina*** **48**: 278; ***duplicata*** **7**: 157; **16**: 158; **20**: 242; **43**: 108; **48**: 280; ***duplicata* var. *obliterata*** **48**: 280; ***echinata*** **48**: 278; ***echinovolvata*** **48**: 277; ***indusiata* f. *lutea*** **48**: 278; ***irpicina*** **48**: 277; ***multicolor*** **9**: 51; ***phalloidea*** **48**: 279, 281; ***rubrovolvata*** **48**: 280; ***speciosa*** **48**: 279.
DICTYOPUS aereus **21**: 166; ***queletii*** **7**: 69.
DICTYOSPORIUM pelagicum **61**: 107, 111, 112, 113; ***toruloides*** **61**: 87, 90.
DICTYOSTELIUM discoideum **35**: 211; **43**: 238; ***mucoroides*** **37**: 127; **43**: 238.
DICTYOTRICHIELLA mansonii **35**: 217, 221.
DIDERMA cinereum **12**: 218; ***cingulatum*** **53**: 324, 329, 331, 347; ***crustaceum*** **53**: 324, 347; ***globosum*** **12**: 218; **16**: 37; ***niveum*** **16**: 38; ***radiatum* var. *umbilicatum*** **16**: 38; **35**: 95; ***spumarioides*** **12**: 218, 219; **53**: 324, 347; ***stromateum*** **12**: 218; ***testaceum*** **16**: 38; **53**: 324.
DIDONIA betulina **46**: *41*, *42*, *43*; ***carlinae*** **46**: 41, 43, 44, 48; ***carpinacea*** **46**: 41, 44, 45, 48; ***crataegi*** **46**: 41, 43, 46; ***juniperina*** **46**: 41, 43, *46*, *47*, *48*; ***picea*** **46**: 41, 48, 49; ***quercina*** **46**: 41, 43, 47, 48.
DIDYMELLA autumnalis **40**: 86; **52**: 55; ***bryoniae*** **45**: 41; **54**: 156; ***caudata*** **40**: 86, 94; ***exitialis*** **38**: 4; **40**: 94; ***lycopersici*** **54**: 156; ***sphinctrinoides*** **17**: 151, 152; **50**: 238; ***superflua*** **13**: 157, 158.
DIDYMIUM clavus **16**: 40; ***difforme*** **16**: 39, 41; **26**: 106, 108, 112; **33**: 150; **53**: 324; ***hemisphaericum*** **16**: 40; ***macrospermum*** **18**: 236, 237; ***megalosporum*** **35**: 95; ***melanospermum*** **53**: 324; ***minus*** **53**: 324; ***nigripes*** **17**: 57; **33**: 150; **53**: 324, 347; ***serpula*** **53**: 324, 347; ***spumarioides*** **12**: 218; ***squamulosum*** **16**: 37, 40, 41; **18**: 237; **45**: 27, 29, 30, 32; **53**: 324, 347; ***trachysporum*** **26**: 107, 108, 112.
DIDYMOSPHAERIA larsenii **13**: 154; ***moravica*** **52**: 55; ***mulleri*** **23**: 256, 257, 260; ***petrakiana*** **52**: 55; ***rubicola*** **23**: 256; ***tetraplodontis*** **25**: 244.
DIDYMOSPORIUM aceris **34**: 181.
DIEHLIOMYCES microsporus **38**: 4.
DIHETEROSPORA catenulata **39**: 98, *101*, *102*, *103*; **43**: 238.
DIMELAENA australiensis **56**: 156, 157; ***tenuis*** **56**: 157.

DIMERELLA dilucida **56**: 157; ***diluta*** **31**: 199; ***hypophylla*** **56**: 157; ***minima*** **56**: 157; ***pineti*** **56**: 157; **58**: 108; ***queenslandica*** **56**: 157; ***subdentata*** **56**: 157.
DIMEROMYCES falcatus **22**: *225*, *226*, *227*, *228*.
DIMEROSPORIUM pellicula **52**: 55.
DIMORPHOSPORA foliicola **54**: 255; **60**: 72; **63**: 120, 124, 128, 135, 140.
DINEMASPORIUM hispidulum **var.** ***herbarum*** **13**: 154; ***strigosum*** **56**: 76, 77, 81, 82, 219.
DIORCHIDIUM woodii **46**: 319.
DIPHTHERIUM flavofuscum **6**: 158.
DIPLOCARPA bloxamii **41**: 195; **64**: 85, 87.
DIPLOCARPON rosae **60**: 122.
DIPLOCLADIELLA scalaroides **63**: 141, 148.
DIPLOCLADIUM gregarium **53**: 245, 249; ***majus*** **12**: 151, 152, *154*, *155*, 156, *156*, *157*; ***minus*** **12**: 151, 152; ***penicillioides*** **12**: 154, 156.
DIPLOCOCCIUM spicatum **49**: 210; **61**: 87, 91.
DIPLODIA alni **43**: 238; ***atrata*** **13**: 154; ***cassinopsidis*** **46**: 319; ***clematidis*** **46**: 319; ***croatica*** **52**: 55; ***juglandina*** **13**: 158; ***juglandis*** **11**: *126*, *127*; ***natalensis*** **12**: *118*, *119*, *120*; ***pinastri*** **38**: 249; ***pinea*** **43**: 238; ***platanicola*** **52**: 56; ***profusa*** **43**: 238; ***rhizophila*** **52**: 55; ***sarajevensis*** **52**: 55; ***sydowiana*** **43**: 238; ***zeae*** **31**: 62.
DIPLODINA aesculi **49**: 195; ***angelicae-sylvestris*** **37**: 80; ***anthriscina*** **52**: 55; ***celastri*** **52**: 55; ***donacina*** **6**: 14; ***galeopsidis*** **52**: 56; ***junci*** **56**: 209; ***lappae*** **52**: 56; ***menthae*** **52**: 56; ***nicandrae*** **52**: 56; ***ocimi*** **52**: 56; ***origani*** **52**: 56; ***physocaulis*** **52**: 56; ***richteriana*** **52**: 56; ***sedi*** **14**: 104.
DIPLOGELASINOSPORA grovesii **53**: 203, 208; ***inaequalis*** **53**: 203, 208; ***princeps*** **53**: *203*, *204*, *205*, *206*, *207*, *208*, *209*.
DIPLOICIA canescens **50**: 230, 231.
DIPLOMITOPORUS crustulinus **44**: 231; ***daedaleiformis*** **64**: 13, 16; ***flavescens*** **31**: 115; ***lenis*** **43**: 43; ***lindbladii*** **57**: 325; **63**: 256; ***overholtsii*** **43**: 43.
DIPLONAEVIA emergens **56**: 64.
DIPLORHINOTRICHUM gallopavum **44**: 132.
DIPLOSCHISTES cinereocaesius **56**: 157; ***diacapsis*** **56**: 157; ***scruposus*** **51**: 175.
DIPLOTOMMA alboatrum **56**: 157.
DIPODASCOPSIS uninucleata **38**: 15.
DIPODASCUS uninucleatus **38**: 15.
DIRINA ceratoniae **56**: 157.
DIRINARIA flava **56**: 157; ***leopoldii*** **56**: 157.
DISCELLA pseudoplatani **13**: 220, 222, 223.
DISCHLORIDIUM inaequiseptatum **41**: 107, 111; ***keniense*** **41**: 31, 111; **42**: 204; ***laeense*** **41**: 31, 111; ***tenuisporum*** **41**: 29, 31, 111; ***triseptatum*** **41**: 107, 110, 111, 113; **42**: 204; ***ychaffrei*** **42**: 200, 204.
DISCINA abietina **35**: 11; ***abietina*** **f.** ***nigra*** **35**: 134; ***ancilis*** **2**: 24; **20**: 242; **28**: 92; **35**: 11; ***apiculata*** **28**: 91; ***bauerana*** **42**: 197; ***brunnea*** **26**: 1, 3, 6; ***caroliniana*** **28**: 88; ***fastigiata***

26: *1*, *2*, *3*, *4*, 5, *5*, *6*, *7*, *8*; **28**: 84, 225; **35**: 10, 141, 143; ***gigas*** **26**: *5*, *6*, *7*; **32**: 221; **35**: 10, 140, 141, 143; **40**: 11; ***korfii*** **26**: 5, 7; **28**: 88, 91; ***leucoxantha*** **28**: 92; **35**: 11, 142; ***macrospora*** **28**: 92; **35**: 11; ***maturescens*** **35**: 11; ***olympiana*** **28**: 92; ***pallida*** **14**: 225; **18**: 12; **35**: 84; ***parma*** **28**: 84, 91, 92; **38**: 173; ***parvispora*** **42**: *193*, *194*, *195*, *196*, *197*; **47**: 195; ***perlata*** **14**: 106; **20**: 242; **22**: 233; **25**: 109; **26**: 3; **28**: 92, 225; **32**: 221; **35**: 11, 140, 143; ***reticulata*** **35**: 11; ***urnula*** **35**: 11; ***venosa*** **35**: 11; ***warnei*** **28**: 92.

DISCINELLA margarita **22**: 180; **25**: 109, 111.

DISCIOTIS venosa **35**: 11, 137, 139, 141, 143.

DISCISEDA bovista **8**: 144; **9**: 132, 133, 191; **14**: 71, 81, 104; **17**: 205; **18**: 110, 112, 116; **28**: 176; ***calva*** **13**: 210; **14**: 71, 81, 104; **15**: 96; **17**: 205; **18**: 110, 112, 116; **25**: 162; ***candida*** **4**: 22, 23; **8**: 105, 144; **14**: 223, 227, 228; **17**: 205; ***candida*** **var.** ***calva*** **9**: 132, 191, 192; ***cervina*** **4**: 54; ***circumscissa*** **3**: *45*, *46*, *47*, *48*, *49*; **4**: 22; ***compacta*** **2**: 36; **3**: *45*, *46*, *47*, *48*, *49*; **4**: 22, 23, 54; **6**: 164; **8**: 152; **9**: 192; ***debreceniensis*** **4**: 23; ***pedicellata*** **4**: 23; **8**: 144.

DISCOCISTELLA acuum **16**: 12, 95; ***albidolutea*** **16**: 11; **39**: 208; ***aphanes*** **16**: 12; ***bullii*** **16**: 96; ***calyptrata*** **42**: 76, 77, 79; ***carnosula*** **39**: 206; ***fugiens*** **16**: 11; **33**: 198, 199; **39**: 206, 212; **41**: 202; ***glyceriae*** **39**: 208; ***graminum*** **39**: 208; ***grevillei*** **16**: 12; ***micacea*** **16**: 12; ***microscopica*** **39**: 212; ***rudolphi*** **43**: 65, 71, 72; ***typhae*** **42**: 76, 77, 79.

DISCOSTROMELLA hysterioides **9**: 113.

DISCULINA betulina **28**: 9, 10; ***neesii*** **27**: 95.

DITANGIUM rubellum **4**: 40.

DITIOLA conformis **11**: 88; ***nuda*** **11**: 95; ***pezizaeformis*** **58**: 82; ***radicata*** **11**: 86; **47**: 9; ***radicata*** **f.** ***stipitata*** **11**: 86; ***shopei*** **11**: 91.

DITOPELLA cryptosphaeria **25**: 34, 35; ***ditopa*** **13**: 156, 157; **25**: *36*, *37*, *38*; **27**: 95; ***fusispora*** **13**: 220.

DOASSANSIA alismatis **56**: 136; ***limosellae*** **56**: 136; ***niesslii*** **56**: 136; ***sagittariae*** **56**: 136; ***sparganii*** **56**: 136.

DOASSANSIOPSIS occulta **56**: 136.

DOCHMIOPUS variabilis **21**: 30.

DONKIOPORIA expansa **46**: 116.

DORATOMYCES citrisporus **35**: 110; ***microsporus*** **43**: 238; **55**: 88, 91, 97, 99; **61**: 152; ***nanus*** **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **46**: 248; ***purpureofuscus*** **44**: 50; **55**: 88, 92, 97; ***putredinis*** **55**: 88, 92, 95, 97; **56**: 10; ***stemonitis*** **32**: 228, 230; **40**: 22, 26; **43**: 238, 239; **44**: 50; **53**: 214, 217.

DOTHICHIZA exigua **52**: 56; ***pini*** **52**: 56; ***populea*** **10**: 138; **29**: 214; **34**: 228; ***sanguisorbae*** **52**: 56.

DOTHIDEA arduinae **46**: 319; ***circinata*** **46**: 319; ***kniphofiae*** **46**: 319; ***lichenum*** **24**: 222; ***oleafoliae*** **46**: 319; ***puccinioides*** **35**: 217; ***sambuci*** **35**: 217; ***scabies*** **46**: 319; ***visci*** **46**: 319.

DOTHIDELLA alni **27**: 86; ***diplothemii*** **52**: 56.

DOTHIORELLA apocyni **52**: 56.

DOTHISTROMA pini **41**: 244.

DRECHSLERA andersenii **43**: 48; ***australiensis*** **39**: 159; ***avenacea*** **43**: 238; ***avenae*** **43**: 46, 48; ***biseptata*** **43**: 46, 48, 238; ***bromi*** **43**: 46, 48; ***cactivora*** **43**: 46, 48; ***dactylidis*** **42**: 88; **43**: 46, 49;

dematioidea **40**: 22, 26; ***dictyoides*** **43**: 46, 48, 49; ***erythrospila*** **42**: 87; **43**: 46, 49; ***flavispora*** **42**: 84, 86, 87; **43**: 46, 49; ***fugax*** **43**: 46, 48, 49; ***graminea*** **43**: 46, 48, 49; **53**: 153; ***halodes*** **50**: *36*, *37*, *38*, *39*, *40*, 42; **56**: 228, 229, 230; ***hawaiensis*** **39**: 159; ***hawaiiensis*** **44**: 68; **56**: 39; ***holci*** **42**: 84, 88; **43**: 46, 49; ***lini*** **37**: *72*, *73*, *74*, *74*, *75*, *75*; ***linicola*** **37**: *72*, *73*, *73*, *74*, *74*; ***oryzae*** **55**: 54; ***pedicellata*** **45**: 155; ***phlei*** **43**: 46, 49; ***poae*** **43**: 46, 48, 49; ***rostrata*** **39**: 159; **43**: 238; **44**: 74; ***sacchari*** **43**: 238; ***sativa*** **36**: 68; **48**: 82; ***siccans*** **42**: 86; **43**: 46; ***sorokiniana*** **37**: 115; ***spicifera*** **37**: 72, 75; **39**: 159; **43**: 46, 49; **44**: 68; **56**: 228, 229; ***teres*** **40**: 91, 94; **43**: 46, 48, 49; **53**: 153; ***triseti*** **42**: 84, 85; **43**: 46, 49; ***tritici-repentis*** **43**: 46, 48, 49; **61**: 126; ***turcica*** **43**: 50.

DREPANOPEZIZA salicis **14**: 19.

DROSELLA fracida **18**: 12.

DROSOPHILA ammophila **17**: *71*, *72*, *74*, *75*; ***appendiculata*** **var.** ***pilulaeformis*** **18**: 173; ***cernua*** **60**: 145; ***fulvescens*** **18**: 173, 174; **58**: 23; ***impexa*** **58**: 23; ***lutensis*** **58**: 18; ***niveobadia*** **58**: 21; ***panaeoloides*** **15**: 201, 204, 205; ***polycystis*** **58**: 6; ***pseudocorrugis*** **58**: 21; ***pseudogracilis*** **58**: 6; ***pygmaea*** **16**: 171; **60**: 151; ***spadicea*** **60**: 141; ***tephrophylla*** **58**: 19; ***typhae*** **6**: 169.

DRYODON alpestris **5**: 120; **7**: 155; ***cirrhatum*** **14**: 76, 112; **16**: 13; ***coralloides*** **15**: 154, 157; **16**: 13; **27**: 221; ***luteocarneum*** **7**: 118; ***nodulosum*** **18**: 175; ***schiedermayeri*** **7**: 118; ***setosum*** **7**: 117, 153.

DRYOPHILA fusca **21**: 35; ***fusus*** **52**: 244; ***nematolomoides*** **50**: 46; ***subsquarrosa*** **var.** ***fusca*** **21**: 35.

DUPORTELLA fulva **13**: 13; ***tristicula*** **13**: 13.

DURANDIOMYCES phillipsii **36**: 112.

DURELLA atrocyanea **13**: *154*, *155*, *156*, *157*, 213; **14**: 72; **33**: 162; ***commutata*** **21**: 146; **35**: 109; ***epibrya*** **42**: 141; ***polyporicola*** **21**: 146, 147; ***sanguinea*** **21**: 147.

DWAYAANGAM cornuta **60**: 72; **63**: 141.

DYSLACHNUM brevipilum **16**: 12.

EARLIELLA corrugata **55**: 44; ***cubensis*** **55**: 44; ***scabrosa*** **64**: 19.

ECCHYNA faginea **10**: 92.

ECCILIA atrides **10**: 162; ***carneoalba*** **14**: 113; ***griseorubella*** **10**: 162; **14**: 113; ***mougeotii*** **10**: 162; ***parkensis*** **14**: 104; ***rusticoides*** **4**: 149; **29**: 27, 31; ***subpusilla*** **14**: 78; ***velenovskyi*** **4**: 132; ***vilis*** **14**: 113.

ECHINOBOTRYUM atrum **33**: 83, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 239; ***subterraneum*** **43**: 239.

ECHINOCHAETE brachypora **38**: 141; **55**: 8, 16; ***cinnamomeosquamulosa*** **64**: 16; ***megalopora*** **38**: 141.

ECHINODERMA acutesquamosum **58**: 234, 254; ***acutesquamosum*** **f.** ***giganteum*** **58**: 235, 254; ***asperum*** **58**: 234, 235, 254, 260; ***bettinae*** **58**: 249, 259, 260; ***calcicola*** **58**: 235, 255, 260; ***carinii*** **58**: 249, 260; ***echinaceum*** **58**: 235, 254, 260; ***eriophorum*** **58**: 235, 254, 260; ***friesii*** **58**: 235, 254; ***hystrix*** **58**: 250, 259, 261; ***perplexum*** **58**: 250, 259, 261.

ECHINODONTIUM ryvardenii **57**: 326; ***tinctorium*** **22**: 254; ***tsugicola*** **64**: 20.

ECHINOPHALLUS dahlii **48**: 277; ***lauterbachii*** **48**: 275, 277; ***papuanus*** **48**: 277.

ECHINOSTELIUM apitectum **53**: 324, 331, 332; *minutum* **26**: 103, 107, 108, 112; **45**: 27, 29, 30, 32; **53**: 324, 331, 334, 339, 340.
ECHINOTHECIUM reticulatum **51**: 183, 184.
ECHINULA asteriadiformis **40**: 213, 216; **41**: 199.
ECTOTHRIX vinosum **12**: 44.
ECTOTRICHOPHYTON megninii **12**: 44.
EDMUNDMASONIA biseptata **42**: 23, 25; *bulbosa* **42**: 25; *pulchra* **42**: 25; *triseptata* **42**: 25; *villosa* **42**: 25.
EICHLERIELLA deglubens **44**: 125; *spinulosa* **4**: 40; **26**: 37.
EIDAMELLA spinosa **22**: 56.
EIDAMIA catenulata **20**: 51.
ELADIA saccula **44**: *20*, *21*, *22*, *23*, *24*, *25*; **48**: 227; **53**: 181.
ELAPHOCEPHALA iocularis **37**: 206, 208, 209.
ELAPHOMYCES anthracinus **3**: 56; *asperulus* **58**: 176, 178; *atropurpureus* **3**: 56; *cervinus* **2**: 69; **7**: 21; **8**: 185; **16**: 112; **58**: 175, 176, 177, 178; *citrinus* **3**: 56; *granulatus* **14**: 87, 90; **16**: 112; **25**: 110; **27**: 225; **32**: 221; **57**: 311; **58**: 176, 177; *hirtus* **3**: 76; *immutabilis* **3**: 56; *muricatus* **58**: 175, 176; *mutabilis* **3**: 56; *papillatus* **3**: 56; *sulphureopallidus* **3**: *54*, *55*, *56*, *57*, 75; *uliginosus* **3**: 56; *variegatus* **2**: 69; **3**: 76; **8**: 185; **14**: 72, 112; **58**: 176, 178; *variegatus* var. *hirtus* **3**: 76.
ELEUTHERASCUS tuberculatus **48**: 73.
ELFVINGIA applanata **10**: 60; **11**: 163; **13**: 148; **14**: 88; **16**: 21; **17**: 182; **18**: 91, 162; *brownii* **25**: 94; *pfeifferi* **10**: 60.
ELVELA auricula **17**: 45; *caroliniana* **26**: 2; *lentiformis* **47**: 9, 13; *sphaerospora* **8**: 171; *underwoodii* **26**: 3, 6; **28**: 91.
ELVELLA coccinea **13**: 3; *lentiformis* **47**: 9.
EMBELLISIA didymospora **53**: 151, 152, 155.
EMBOLUS crocatus **22**: 138.
EMERICELLA heterothallica **51**: 91; *nidulans* **39**: 157, 159; **43**: 239; **45**: 113, 114, 117; **46**: 102, 103, 109, 111; **50**: 102; **51**: 82, 163; **52**: 127, 130, 131; **55**: 88, 92, 95, 97, 253, 255, 256; **56**: 59; **60**: 84; **61**: 152; *nidulans* var. *dentata* **51**: 163; *nidulans* var. *lata* **51**: 163; *rugulosa* **43**: 239; **53**: 175, 176, 182, 184; **61**: 152.
EMERICELLOPSIS minima **36**: 104, 106; **43**: 239; *terricola* **36**: 104, 106; **43**: 239; **46**: 246, 248; **61**: 152, 155.
EMMONSIA brasiliensis **32**: 101; **35**: 217, 219; *ciferrina* **32**: 101; **35**: 217; *crescens* **26**: 23, 24; **30**: 21; **32**: 101, 107; **35**: 217; **39**: 158; **44**: 131; **54**: 274; **61**: 99, 100, 101, 102, 103, 104; *pannorum* **32**: 101; *parva* **30**: 21; **32**: 101; **39**: 158; **44**: 131; **61**: 100, 104; *parva* var. *crescens* **48**: 139.
EMMONSIELLA capsulatum **35**: 214; **39**: 157; **44**: 129, 130; *capsulatum* var. *capsulatum* **39**: 160; *capsulatum* var. *duboisii* **39**: 160.
EMPUSA acaridica **30**: 212; *fresenii* **30**: 207; *lageniformis* **30**: 207; *muscae* **11**: 96; **35**: 212.
ENANTIOPTERA bialata **56**: 193, 194, 195, 196; *tetraalata* **56**: 195.

ENCHNOA alniella **49**: 197; ***floccosa*** **49**: 197; ***friesii*** **49**: 197; ***glis*** **49**: 197; ***infernalis*** **12**: *145*, *146*, *147*; **26**: 123; **49**: 197; ***lanata*** **49**: 197; ***mucida*** **49**: 197; ***subcorticalis*** **49**: 195, 197, 201.
ENCOELIA furfuracea **28**: 131; **29**: 29; ***glaberrima*** **36**: 153; ***haematochlora*** **var.** ***microspora*** **28**: 131; ***tiliacea*** **8**: 130, 133.
ENDOCALYX melanoxanthus **38**: 105; **40**: 148.
ENDOCARPON adscendens **50**: 231; ***psorodeum*** **50**: 231; ***pusillum*** **50**: 226.
ENDOCOCCUS bryonthae **23**: 109; ***perpusillus*** **50**: 231; ***pseudocarpus*** **50**: 231, 232.
ENDOCOCHLUS asteroides **1**: 34.
ENDODERMOPHYTON castellani **12**: 45; ***concentricum*** **12**: 45; ***indicum*** **12**: 45; ***mansonii*** **12**: 45; ***roquettei*** **12**: 45; ***tropicale*** **12**: 45.
ENDODOTHELLA istrica **52**: 56; ***junci*** **12**: *145*, *146*, *147*.
ENDOGONE borealis **24**: 175; ***canadensis*** **24**: 175; ***fasciculata*** **24**: 166, *174*, *175*, *176*; ***fuegiana*** **24**: 175; ***incrassata*** **24**: 175; ***lactiflua*** **24**: 175; ***ludwigii*** **11**: 225; ***macrocarpa*** **3**: 76; **11**: 224, *226*, *227*, *228*; **14**: 75; **24**: 174, 175; ***microcarpa*** **11**: 226; **24**: 174, 175; ***pisiformis*** **2**: 4; **11**: 224, 225, 226; ***radiata*** **24**: 175; ***sphagnophila*** **11**: 225, 226; ***xylogena*** **11**: 225, 226.
ENDOMYCES capsularis **13**: 161; ***capsulatus*** **11**: 22; ***capsulatus*** **var.** ***isabellinus*** **11**: 22; ***chodati*** **32**: 142; ***geotrichum*** **32**: 147; **35**: 213; **39**: 160; ***krusei*** **11**: 149; ***lactis*** **12**: *157*, *158*, *159*, *160*, *161*, *162*; **13**: *160*, *161*, *162*; **14**: 52, 54, 55, 57, 58; **32**: 147; ***lactis*** **var.** ***fragrans*** **12**: 161; ***lactis*** **var.** ***klebahnii*** **12**: 161; ***lactis*** **var.** ***matalensis*** **12**: 161; ***laibachii*** **24**: 159; **32**: 241; ***pseudotropicalis*** **32**: 138.
ENDOMYCOPSIS bispora **35**: 213; ***fasciculata*** **35**: 212; ***fibuligera*** **35**: 213; ***vini*** **35**: 229.
ENDOPHALLUS yunnanensis **48**: *275*, *276*.
ENDOPHRAGMIA inaequiseptata **41**: 111; ***uniseptata*** **33**: 157.
ENDOPHRAGMIELLA biseptata **61**: 87, 91; ***pallescens*** **33**: 142, 145; ***pinicola*** **35**: 99; ***socia*** **38**: 105.
ENDOPHYLLUM euphorbiae-sylvaticae **56**: 124, 128; ***sempervivi*** **14**: 70, 81; **56**: 128.
ENDOPTYCHUM agaricoides **12**: 27, 34; **13**: 203, 210; **14**: 116, 119, 120; **16**: 158; **17**: 164, 203; **23**: 79; **28**: 57, 176; **30**: 223, 233.
ENDOTHIA parasitica **10**: 140; **38**: 195; **43**: 155; **47**: 102; **56**: 45.
ENDOTHRIX acuminatum **12**: 45; ***crateriforme*** **12**: 45; ***sulfureum*** **12**: 45.
ENDOXYLA macrostoma **61**: 87, 90, 91; ***operculata*** **61**: 87, 90.
ENERTHENEMA papillatum **45**: 27, 29, 31, 32; **53**: 324, 339, 344.
ENGYODONTIUM album **39**: 159; **46**: 246, 248; **55**: 108, 123; ***parvisporum*** **57**: 221, 227, 229, 231, 234, 235; ***rectidentatum*** **46**: 249; **57**: 226, 227, 229, 231, 232.
ENSALUTA carludovica **39**: 68.
ENTERIDIUM lycoperdon **36**: 249; **53**: 324.
ENTEROGRAPHA bella **56**: 157; ***seychellensis*** **56**: 154, 157; ***zaborskiana*** **56**: 157.
ENTOLOMA albotomentosum **64**: 210, 217, 219; ***alliodorum*** **64**: 210, 217, 219; ***alpicolum*** **45**: 35; ***aprile*** **6**: 40; **10**: 2; ***bloxamii*** **58**: 154; ***byssisedum*** **44**: 125; **52**: 12; **64**: 209, 210, 211, 214, 215, 216, 217, 218, 219, 220; ***byssisedum*** **var.** ***microsporum*** **64**: 210, 217, 219; ***catalaensis*** **64**: 210, 217, 219; ***cetratum*** **46**: 175, 181; **56**: 273; **63**: 256; ***clypeatum*** **5**: 75; **6**: 40,

73; **12**: 58; **15**: 201; **18**: 233; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **30**: 51; **32**: 222; **42**: 160; **44**: 222, 224; ***conferendum*** **46**: 179, 180; **56**: 273; **63**: 256; ***depluens*** **64**: 210, 217, 219; ***erophilum*** **10**: 2; ***eulividum*** **46**: 288, 289; ***excentricum*** **14**: 113; ***exiguum*** **64**: 210, 217, 219; ***fuscotomentosum*** **45**: 35; ***graveolens*** **32**: 218, 219; ***griseocyaneum*** **11**: *147*, *148*, *149*; ***hirtipes*** **52**: 10; ***hispidulum*** **46**: 178, 183, 184; ***incanum*** **44**: 125; **52**: 10; ***jahnii*** **64**: 209, 210, 211, 212, 213, 216, 217, 218, 219, 220; ***jubatum*** **44**: 124; ***juncinum*** **52**: 10, 212; ***linkii*** **44**: 124; ***lividoalbum*** **29**: 27, 31; ***lividum*** **1**: 55; **2**: 105, 106; **3**: 63; **4**: 148, 149, 151; **6**: 40; **7**: 100; **8**: 70, 71, 74, 114; **9**: 38; **10**: 116, 117, 119; **11**: 191; **12**: 53, 58, 251; **15**: 159, 160, 168; **19**: 127, *233*, *234*, *235*, *236*, *237*, *238*; **23**: 179; **27**: 214; **43**: 178; ***madidum*** **32**: 222; ***majale*** **6**: 40; ***mougeotii*** **44**: 125; **52**: 8; ***nidorosum*** **5**: 128; **29**: 27; **34**: 40; **44**: 86; **46**: 175, 181; ***nitens*** **46**: 174, 180; **52**: 212, 215; ***ollare*** **64**: 210, 217, 219; ***parasiticum*** **64**: 210, 217, 219; ***politum*** **46**: 17, 174, 180; ***prunuloides*** **32**: 222; ***pseudoparasiticum*** **64**: 210, 217, 219; ***rhodopolium*** **7**: 60; **8**: 122; **27**: 214; **32**: 222; **33**: 164; **44**: 222; **52**: 10; **56**: 273; ***rhodopolium*** **f. *nidorosum*** **52**: 6; ***saundersii*** **19**: 194; ***sericeum*** **11**: 128; ***sinuatum*** **15**: 168; **33**: 161, 164, 252; **35**: 116; **42**: 224, 225; **48**: 98, 99, 100; **52**: 6; ***speculum*** **14**: 113; ***turbidum*** **10**: 2; **19**: *233*, *234*, *235*, *236*, *237*, *238*; ***undulatum*** **46**: 4, 13, 17; ***venenosum*** **6**: 40; ***venosum*** **54**: 200; ***vernum*** **8**: 192; **10**: 2; **13**: 157, 158; **26**: 220, 221; **45**: 34, 35.

ENTOMOPHTHORA aphidis **11**: 57; **28**: 190; **30**: 212; **42**: 33; ***apiculata*** **27**: 55; **28**: 189; ***aulicae*** **28**: 190; ***calliphorae*** **33**: 170; ***conglomerata*** **25**: 118; **31**: 38, 39; ***conica*** **28**: 190; ***coronata*** **24**: 87; **27**: 55; **29**: 174, 176, 177; **35**: 212; **39**: 158; **44**: 195; ***curvispora*** **28**: 189; ***destruens*** **25**: *118*, *119*, *120*, *121*, *122*, *123*, *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **27**: 107, 109, 110; **28**: 189; **29**: 175; **42**: 31, *33*, *34*, *35*, *36*, *105*, *106*, *107*, *108*, *109*, *110*, *111*; ***exitialis*** **28**: 189; **35**: 57; **42**: 33; ***floridana*** **30**: 212; **35**: *59*, *60*, *61*, *62*; ***fresenii*** **30**: 207; **35**: 61, 62; ***fumosa*** **30**: 208, 212; ***geometralis*** **30**: 208; ***grylii*** **42**: 38, 106; ***ignobilis*** **25**: 118; ***major*** **28**: 190; ***muscae*** **28**: 189; **35**: 212; **42**: 32; ***obscura*** **28**: 189; ***ovispora*** **28**: 189; ***parvispora*** **35**: 61; ***planchoniana*** **25**: 118; **48**: *91*, *92*; ***pseudococci*** **24**: 87; ***pyriformis*** **28**: 190; **42**: 31, *33*, *34*, *35*, *36*, *37*; ***sphaerosperma*** **24**: 87; **25**: *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **28**: 189; **30**: 208; **42**: 33; ***thaxteriana*** **25**: *118*, *119*, *120*, *121*, *122*, *123*, *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **27**: 55, *107*, *108*, *109*, *110*; **28**: 189; **42**: 33, 106; ***virulenta*** **24**: *87*, *88*, *89*, *90*, *91*, *92*, *93*; **25**: *118*, *119*, *120*, *121*, *122*, *123*, *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **27**: 55, *107*, *108*, *109*, *110*; **28**: 189; **35**: 212; **42**: 32, 33.

ENTORRHIZA aschersoniana **56**: 136; ***casparyana*** **56**: 136.

ENTYLOMA achilleae **56**: 136; ***arnicale*** **53**: 92, 110, 113, 114; ***bellidiastri*** **56**: 136; ***calendulae*** **15**: 175; **55**: 277; **56**: 136; **57**: 269; ***calendulae*** **f. *dahliae*** **15**: 175; ***chrysosplenii*** **56**: 136; **62**: 89, 99; ***corydalis*** **56**: 136; ***dahliae*** **11**: 57; **15**: 169, *173*, *174*, *175*; **56**: 136; ***erigerontis*** **56**: 136; ***eryngii*** **14**: 103; **56**: 136; ***fergussonii*** **56**: 136; ***ficariae*** **56**: 136; ***fuscum*** **56**: 136; ***gaillardianum*** **56**: 136; ***hieracii*** **56**: 136; **62**: 99; ***leontodontis*** **56**: 136; ***linariae*** **56**: 136; ***magnusii*** **56**: 136; ***matricariae*** **56**: 136; **62**: 91, 100; ***microsporum*** **56**: 136; ***picridis*** **56**: 136; ***plantaginis*** **18**: 54; **56**: 136; ***ranunculi-repentis*** **56**: 136; ***serotinum*** **56**: 136; ***spectabile*** **18**: 54; ***tanaceti*** **56**: 136; ***tragopogonis*** **56**: 136; ***urocystoides*** **56**: 136; ***verruculosum*** **56**: 136; ***zacintha*** **56**: 136; ***zinniae*** **55**: 277.

ENTYLOMELLA smarodsii **52**: 56.
EOCRONARTIUM muscicola **13**: 25, 26; **14**: 70, 81.
EPHEBE lanata **56**: 157.
EPICOCCUM andropogonis **52**: 81; **54**: 155; ***levisporum*** **17**: 14; ***nigrum*** **33**: 176; **43**: 239; **46**: 249; **53**: 155, 215, 217; **54**: 156, 157, 159; **56**: 78, 80, 81, 82, 219, 223, 226, 228, 229, 230, 232, 233, 234, 236; **57**: 313; **59**: 205, 208, 209, 210, 211, 212, 231, 238; **63**: 80, 158; ***purpurascens*** **33**: 145, *176*, *177*, *178*, *179*, *180*; **35**: 99; **40**: 22, 26, 27; **41**: 9, 11; **43**: 239; **48**: 81, 82, 83.
EPICORTICIUM sulcatum **2**: 37.
EPIDERMOMYCES floccosus **39**: 159.
EPIDERMOPHYTON floccosum **12**: 109; **13**: 185; **15**: 110; **22**: *202*, *203*, *204*, *205*; **24**: 187; **26**: 229; **30**: 21; **35**: 214; **37**: 94; **39**: 159; **41**: 160; **45**: 46; **59**: 133; ***floccosum*** **var.** ***nigricans*** **22**: *202*, *203*, *204*, *205*; **27**: 242; **35**: 162; ***gallinae*** **12**: 43; ***inguinale*** **12**: 109; ***interdigitale*** **10**: 106; ***kaufmann-wolfii*** **10**: 106; **12**: 109; ***perneti*** **12**: 44; ***rubrum*** **12**: 43, 44, 109; ***salmoneum*** **12**: 44; ***stockdaleae*** **39**: 159.
EPIDOCHIUM affine **15**: 41; ***ambiens*** **15**: 41.
EPIGLOEA medioincrassata **50**: 232.
EPOCHNIUM phyllogenum **46**: 319.
EREMOTHECIUM ashbyi **40**: 69.
ERINELLA aeruginosa **12**: 222, 229; ***eriophori*** **33**: 199; **39**: 208; ***nylanderi*** **33**: *193*, *194*, *195*; ***pudibunda*** **57**: 203.
ERIOPEZIA aurea **31**: 14; ***caesia*** **41**: 205; ***paludosa*** **12**: 220; ***roseolotincta*** **12**: 220, *226*, *227*, *228*.
ERIOSPHAERIA albidomucosa **52**: 56; ***horridula*** **50**: 77; ***salisburgensis*** **49**: 193; ***subtomentosa*** **50**: *74*, *75*, *75*, *76*, *76*, *77*, *77*; ***vermicularia*** **50**: 77.
ERIOSPORIOPSIS albida **35**: 96.
ERISYPHE graminis **f. sp.** ***hordei*** **21**: *185*, *186*, *187*, *188*, *189*, *190*, *191*.
ERYNIA neoaphidis **41**: *65*, *66*, *67*, *68*, *69*, *70*; **42**: *31*, *32*, *33*, *34*, *35*, *36*, *37*; **48**: *91*, *92*.
ERYSIBE coryli **12**: 168; ***penicillata*** **var.** ***grossulariae*** **12**: 165; ***ribesii*** **12**: 165, 168.
ERYSIPHE aquilegiae **49**: 66, 67, 111; ***artemisiae*** **49**: 66, 67, 113; ***azaleae*** **58**: 189, 190, 191, 192, 193, 194, 195, 197; ***betae*** **32**: *79*, *80*, *81*; **49**: 67, 68; ***biocellata*** **49**: 67, 68, 114; ***buhrii*** **32**: *79*, *80*, *80*, *81*, *81*; **49**: 67, 68; ***catalpae*** **49**: 67, 68; ***cichoracearum*** **15**: 173; **21**: 42; **23**: 237; **32**: 114, 117; **37**: 113; **44**: 146; **45**: 43; **46**: 305, 306, 311; **49**: 66, 67, 69, 70, 71, 113; **52**: 143, 144; **55**: 127; **60**: 259, 260; ***circaeae*** **49**: 67, 70; ***communis*** **32**: 79, 80; ***convolvuli*** **49**: 67, 70, 112; ***cruciferarum*** **46**: 307; **49**: 67, 70, 111; ***cynoglossi*** **49**: 67, 70, 114; ***depressa*** **49**: 67, 71, 113; ***elevata*** **57**: 315, 316; **58**: 189; ***euphorbiae*** **46**: 308; ***fischeri*** **48**: 161, 162; **49**: 67, 71; ***flexuosa*** **57**: 315, 316; **58**: 189; ***galeopsidis*** **49**: 67, 68, 71, 72, 113; **60**: 251, 253; ***galii*** **49**: 67, 72, 113; ***glycines*** **46**: 309; ***graminis*** **21**: *40*, *41*, *42*, *43*, *44*; **28**: 44; **29**: 35, 38, *41*, *42*, *43*, *44*; **32**: 113, 114; **39**: 226; **41**: 101; **43**: 166; **44**: 51; **45**: 43; **56**: 174; ***graminis*** **f. sp.** ***avenae*** **41**: 101; ***graminis*** **f. sp.** ***hordei*** **21**: *40*, *41*, *42*, *43*, *44*; **29**: *37*, *38*, *39*, *40*, *41*, *42*; **42**: 231; **43**: 166, 167, 168; **45**: 53; ***graminis*** **f. sp.** ***tritici*** **43**: 168; **45**: 53; ***guttata*** **12**: 168; ***heraclei*** **32**: 79; **49**: 67, 72, 112; ***hyperici*** **49**: 112; ***jatrophae*** **46**: 308; ***knautiae*** **49**: 112; ***labiatarum*** **60**: 253; ***lamprocarpa***

60: 253, 257; ***lamprocarpa* f. *galeopsidis* 60**: 253; ***lamprocarpa* f. *stachydis* 60**: 253; ***lamprocarpa* var. *labiatarum* 60**: 257; ***lamprocarpa* var. *labiatarum* f. *stachydis* 60**: 257; ***lycopsidis* 49**: 111; ***lythri* 49**: 67, 72, 73; ***magnicellulata* 49**: 67, 73; ***mayorii* 49**: 67, 73; ***orontii* 46**: 307, 311; **53**: 288, 291, 292; ***palczewskii* 58**: 189; ***pisi* 46**: 309; **49**: 67, 70, 73, 111; ***pisi* var. *cruchetiana* 49**: 67, 73; ***polygoni* 21**: 42; **32**: *79*, *80*, *81*; **45**: 42; **49**: 66, 67, 70, 72, 73, 112; ***polyphaga* 15**: 169, 173; ***puerariae* 46**: 310; ***ranunculi* 49**: 67, 74, 111; ***sordida* 49**: 67, 74, 114; ***syringae* 58**: 189; ***syringae-japonicae* 58**: 189; ***taurica* 49**: 75; ***thesii* 49**: 67, 74; ***trifolii* 49**: 67, 74, 111; ***ulmariae* 49**: 112; ***urticae* 49**: 67, 75, 111; ***vaccinii* 58**: 190; ***vanbruntiana* 58**: 189; ***verbasci* 49**: 67, 75, 114.

***ESCHERICHIA coli* 13**: 194; **22**: 51.

***ESTEYA vermicola* 52**: *227*, *228*, *229*, *230*, *231*, *232*, *233*, *234*, *235*; **56**: 2; **61**: 140.

***EUPENICILLIUM angustiporcatum* 53**: 162; ***baarnense* 46**: 263, 264, 266, 268, 269, 271; **48**: 74; ***brefeldianum* 43**: 239; **48**: 73; ***crustaceum* 48**: 227; ***egyptiacum* 44**: 42; ***ehrichii* 48**: 73; ***javanicum* 53**: 177, 183; ***lapidosum* 43**: 239; **48**: 73, 227; ***levitum* 48**: 73; ***nepalense* 53**: 162; ***ochrosalmoneum* 48**: 227; ***pinetorum* 53**: 177, 182, 184; ***shearii* 53**: 177, 182, 184.

***EUPEZIZELLA minor* 41**: 196.

***EUROTIUM amstelodami* 39**: 157; **43**: 239; **51**: 163; **55**: 88, 92, 95; **59**: 129; **63**: 93, 97, 98, 99, 104; ***chevalieri* 43**: 239; **48**: 73; **53**: 177, 182, 184; **55**: 92; **60**: 80, 82; **63**: 93, 97, 98, 99; ***cristatum* 60**: 80, 82; ***herbariorum* 17**: 47; **43**: 239; **48**: 73; ***nidulans* 39**: 157, 159; ***pseudoglaucum* 53**: 175, 177, 182, 184; ***repens* 35**: 215; **53**: 175, 177; **59**: 129; **60**: 80, 82; **63**: 97, 98, 99; ***rubrum* 43**: 239; **63**: 97, 98, 99.

***EUTORULOPSIS uniguttulata* 15**: 111.

***EUTRYBLIDIELLA panchanani* 23**: 261; ***sabina* 23**: 261.

***EUTYPA acharii* 26**: 45, 46; **27**: 136, 139, 143, 147, 148; **31**: 1, 2; ***aspera* 26**: 45, 46; **27**: 136, 142, 143, 148; **31**: 1, 2; ***flavovirens* 13**: 155; **25**: 110; **26**: 44, 45, 55; **27**: 88, 90, 134, 139, 142, 143, 147, 148; **31**: 1, 2; **57**: 129; ***lata* 13**: 155, 157; **14**: 72; **26**: 45, 47; **61**: 87; ***leioplaca* 57**: 135; ***maura* 61**: 88, 89; ***moravica* 52**: 56; ***scabrosa* 13**: 154; **26**: 45, 46, 123; ***spinosa* 7**: 137; **16**: 103; **18**: 163, 164, 177; **26**: 45; **59**: 72, 75, 76.

***EUTYPELLA alnifraga* 25**: 36; **27**: 86, 90; ***prunastri* 13**: 156; ***quaternata* 61**: 87, 93; ***sorbi* 26**: 46, 47, 55; **61**: 87; ***sorbi* f. *macrospora* 13**: 156; ***stellulata* 13**: 222.

***EUVALSA pseudoplatani* 13**: 219.

***EVERNIASTRUM cirrhatum* 56**: 157; ***moreliense* 56**: 157.

***EVERNIOPSIS trulla* 23**: 23.

***EVERSIA parvula* 41**: 29, 31, 33; ***subopaca* 41**: 33.

***EVULLA carpatica* 2**: 5.

***EXIDIA cartilaginea* 44**: *31*, *32*, *33*, *34*; ***gemmata* 14**: 112; ***glandulosa* 4**: 95; **13**: 218; **25**: 105; **33**: 162; **46**: 286; ***minutissima* 39**: 53; ***nigricans* 63**: 256; ***nucleata* 59**: 72, 76; ***pezizaeformis* 11**: 92; ***pithya* 7**: 138; **56**: 276; **63**: 222, 225, 230, 256; ***plana* 32**: 222; **56**: 275; ***recisa* 7**: 92; ***saccharina* 27**: 221; **63**: 223, 225; ***thuretiana* 7**: 140; **18**: 159, 162, 175, 178; ***truncata* 18**: 3; **32**: 222; **52**: 11; ***umbrinella* 7**: 157.

***EXOASCUS betulae* 50**: 113; ***betulinus* 50**: 109; ***turgidus* 50**: 109.

***EXOBASIDIUM arescens* 56**: 136; ***expansum* 57**: 271, 272; ***japonicum* 56**: 136; ***karstenii* 56**: 136; ***myrtilli* 56**: 136; ***oxycocci* 56**: 135, 136; ***pachysporum* 56**: 136; **57**: 269, 271, 272; ***rhododendri* 7**: 157; **56**: 136; ***rostrupii* 56**: 136; **57**: 269, 271, 272; ***vaccinii* 7**: 105; **56**: 136.
***EXOPHIALA dermatitidis* 39**: 159, 162, 164; **61**: 207; ***gougerotii* 39**: 162; ***jeanselmei* 35**: 218, 221; **39**: 159, 162; **44**: 5, 7, 73; ***moniliae* 39**: 159; **44**: 5, 7, 8, 74; ***oligosperma* 61**: 206; ***spinifera* 35**: 218; **39**: 159, 162; **44**: 5, 74, 75, 76; ***werneckii* 35**: 218, 219, 221; **39**: 158, 159.
***EXOSPORIUM celastri* 46**: 319; ***tiliae* 13**: 158; **61**: 87, 90.
***EXSEROHILUM pedicellatum* 45**: 155, 157, 158; ***rostratum* 44**: 5, 7, 74; ***turcicum* 43**: 46, 48, 50.
***EXTRAWETTSTEININA pinastri* 49**: 199.
***FABOSPORA fragilis* 32**: 138.
***FABRAEA astrantiae* 14**: 74; **16**: 90.
***FAERBERIA carbonaria* 35**: *185*, *186*, *187*; **36**: 186; **53**: *31*, *32*, *33*, *36*, *37*, *38*, *39*, 46, 47.
***FARINODISCUS pulveraceus* 41**: 196, 205.
***FARLOWIELLA australis* 49**: 216; ***carmichaeliana* 35**: 98; ***carmichaelina* 49**: 208, 209, 215, 216; ***repanda* 49**: 216.
***FARYSIA thuemenii* 56**: 136.
***FASTIGIELLA caroliniana* 26**: 6.
***FAVOLUS alveolaris* 11**: 214, 215, 222; ***bipindiensis* 64**: 15; ***brasiliensis* 11**: 215, 222; **55**: 16, 36; ***europaeus* 11**: 214; **26**: 85; ***friesii* 55**: 16; ***lauterbachii* 64**: 18; ***mollucensis* 55**: 19; ***mori* 11**: *214*, *215*, *216*; ***novo-guineensis* 64**: 18; ***preussii* 64**: 19; ***princeps* 38**: 141, 142; ***spathulatus* 55**: 18, 19; ***tenuiculus* 11**: 169.
***FAVOTRICHOPHYTON floriforme* 12**: 45; ***glabrum* 12**: 46; ***violaceum* 12**: 46; ***violaceum* var. *coccineum* 12**: 46; ***violaceum* var. *khartoumense* 12**: 46; ***violaceum* var. *marginatum* 12**: 46.
***FAYODIA bisphaerigera* 18**: 13; ***familia* 7**: 87; ***fuliginaria* 9**: 21; ***lacerata* 16**: 181; **34**: 70; ***maura* 12**: 127; **14**: 79.
***FECHTNERIA subterranea* 21**: 251.
***FELLHANERA bouteillei* 56**: 157; ***buxi* 56**: 157; ***cenii* 56**: 154, 157; ***christiansenii* 56**: 157; ***fuscatula* 56**: 157; ***semecarpi* 56**: 157; ***sublecanorina* 56**: 157; ***subtilis* 56**: 157.
***FELLHANEROPSIS myrtillicola* 56**: 157.
***FEMSJONIA luteoalba* 11**: 92; ***pezizaeformis* 11**: 92; ***radiculata* 11**: 92.
***FENESTELLA princeps* 27**: 91; ***vestita* 13**: 157; **27**: 91.
***FENNELLIA flavipes* 53**: 178, 183.
***FIBRODONTIA gossypina* 64**: 36.
***FIBROPORIA radiculosa* 45**: 148; **46**: 213, 223; ***subrufa* 38**: 203, 204; **46**: 59; ***vaillantii* 38**: 204; **40**: 194, 196, 197.
***FIBULOPORIA cremea* 48**: 320; ***donkii* 27**: 122; **35**: 240; **46**: 117; ***subvermispora* 46**: 116, 117.
***FILOBASIDIELLA arachnophila* 46**: *126*, *127*, *128*; ***bacillispora* 32**: 146; **39**: 159; **48**: 183; ***depauperata* 46**: *126*, *127*, *128*, *129*; ***neoformans* 32**: 146; **35**: 214, 219; **39**: 159, 236, 241; **44**: 72; **46**: 127, 128; **48**: 183; ***neoformans* var. *bacillispora* 39**: 236; **44**: 73; **48**: 183.
***FILOBASIDIUM floriforme* 32**: 144; **39**: *235*, *236*, *237*, 239.

FILOSPORELLA annelidica **63**: 141; ***versimorpha*** **49**: 11, 15; **53**: 313, 314.
FIMARIA bohemica **1**: 122; **31**: 69; **35**: 9; **54**: 116, 129, 130, 131; ***cervaria*** **19**: 214; **35**: 11; ***cervina*** **35**: 138; **44**: 143; ***coprina*** **23**: 158; ***hepatica*** **19**: 214; **22**: 212, 213, 215, 216; **35**: 11, 139, 142; ***humana*** **1**: *119*, *120*, *121*, *122*, *123*, *124*; **19**: 214; **31**: 69; **35**: 9, 12; **38**: 147; ***leporina*** **22**: 216; ***leporum*** **1**: 122; **13**: 95, 96, 100; **14**: 90; **19**: 213, 214; **27**: 223; **35**: 11, 139; ***leporum*** **var.** ***capreoli*** **35**: 11; ***murina*** **1**: 122; **22**: 215, 216; **35**: 11; ***porcina*** **19**: 212, 214; **23**: 159; **35**: 12, 139; **39**: 180; ***theioleuca*** **19**: 214; **23**: 158; **35**: 9, 12, 73, 137, 139; ***virginea*** **23**: 157, 158; **35**: 12, 139; **47**: 195; **52**: 56.
FIMETARIA bombardioides **13**: 94.
FISTULINA hepatica **5**: 75, 172; **7**: 153; **9**: 96; **14**: 75, 226, 228; **15**: 154, 157; **16**: 157; **18**: 3; **19**: 115; **20**: 82, 88, 110; **23**: 201; **24**: 178; **30**: 55; **32**: 222; **35**: 109; **36**: 28, 29, 189; **41**: 51; **43**: 93; **44**: 209; **49**: *41*, *42*, *43*, *44*, *45*, *46*, *47*, 132.
FLABELLOPILUS giganteus **11**: 155, 167; **14**: 75; **16**: 13, 22; **18**: 3.
FLABELLOSPORA acuminata **63**: 141; ***crassa*** **60**: 67, 71; ***irregularis*** **53**: 17; ***multiradiata*** **60**: 67, 71; ***verticillata*** **60**: 67, 71.
FLAGELLOSCYPHA faginea **33**: 156.
FLAGELLOSPORA curta **63**: 120, 124, 127, 128; ***curvula*** **54**: 255; **60**: 67; **63**: 120, 124, 125, 128, 141, 148; ***leucorhynchos*** **63**: 135, 141; ***penicillioides*** **23**: 136, 137; **60**: 67; **63**: 127, 141.
FLAMMULA astragalina **16**: 186, 187; ***carbonaria*** **3**: 87; **7**: 185; **8**: 10, 13; **15**: 225; **19**: *233*, *234*, *235*, *236*, *237*, *238*; ***croceolamellata*** **7**: 157; ***devonica*** **6**: *159*, *160*, *161*, *162*; **7**: 160; **14**: 71; ***fusa*** **52**: 248, 249, 250; ***fusus*** **52**: 243, 244, 249; ***graminis*** **14**: 164, 174, 176; ***granulosa*** **52**: 20, 26, 34; ***gummosa*** **9**: 24; **22**: 45, 48; ***gymnopodia*** **52**: 35; ***henningsii*** **7**: 191; **9**: 44; **12**: 123; **14**: 97; ***lenta*** **4**: 36; ***lubrica*** **4**: 36; ***muricata*** **18**: 115; **19**: 114; ***paludosa*** **52**: 56; ***penetrans*** **3**: 7; ***pholiotiformis*** **52**: 35; ***picea*** **52**: 20, *35*, *36*; ***sapinea*** **16**: 180; ***scamba*** **10**: 179, 183; **14**: 89; ***spumosa*** **19**: 233; ***squammulosa*** **52**: *36*, *37*; ***vacini*** **52**: *37*, *38*.
FLAMMULASTER carpophilus **46**: 174, 180; **52**: 8; **63**: 256; ***limulatus*** **52**: 34, 330; **59**: 76, 77, 79; ***limulatus*** **var.** ***limulatus*** **59**: 72; ***muricatus*** **59**: 72, 77.
FLAMMULINA cephalariae **60**: 227, 228; ***elastica*** **60**: 117, 118, 226, 227, 228; ***elastica*** **f.** ***longispora*** **60**: 117; ***fennae*** **41**: 54; **44**: 222; **46**: 81; **60**: 117, 118; ***mexicana*** **60**: 117, 118; ***ononidis*** **32**: *205*, *206*, *207*, *208*, *209*, *210*, *211*, *212*, *213*; **43**: 31, 32, 34, 86, *88*, *89*, *90*; **44**: 204, 207, 209, 213, 214, 221; **46**: 81; **60**: 117, 221, 222, 223, 224, 225, 226, 227, 228; ***populicola*** **60**: 117, 118; ***rossica*** **60**: 113, 114, 115, 116, 117, 118, 120; ***velutipes*** **1**: 38; **11**: 41; **14**: 88, 106; **19**: 231, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **22**: 188; **23**: 190; **25**: 107; **27**: 214; **29**: 150; **30**: 21, 51; **31**: *57*, *58*, *59*; **32**: 67, 205, 212, 222; **35**: 110, *152*, *153*, *154*, *155*, *156*, *157*, *158*, *159*, *160*; **38**: 220; **40**: 55; **41**: 51, 54; **42**: 165; **43**: 93; **44**: 204, 207, 209, 216, 222; **46**: 81; **55**: 158; **60**: 117, 118, 120, 210, 226, 227, 228; ***velutipes*** **f.** ***pygmaea*** **32**: 213; ***velutipes*** **subsp.** ***pratensis*** **32**: 205; ***velutipes*** **var.** ***lactea*** **60**: 226; ***velutipes*** **var.** ***lupinicola*** **60**: 225, 226, 228; ***velutipes*** **var.** ***pratensis*** **32**: 205; **60**: 229; ***velutipes*** **var.** ***velutipes*** **60**: 226.
FLAVIPORUS brownii **28**: 121; **31**: *164*, 165, *165*, *166*, 168; ***rufoflavus*** **31**: 165.
FLAVOPUNCTELIA soredica **56**: 157.
FLOCCULARIA luteovirens **11**: 50; **12**: 35; **23**: 13, 14; ***straminea*** **11**: 49; **12**: 35; **58**: 247, 258.

FLOCCULINA carpophila **18**: 169; *ferruginea* **16**: 168, 169; *granulosa* **16**: 170; *rhombispora* **25**: 107, 111; *siparia* **16**: 169, 170; *subincarnata* **18**: 159, 160, 169, 170, 178.

FOMES annosus **3**: 7; **4**: 49, 103; **5**: 18, 167, 168, 170; **8**: 88, 90, 91; **10**: 83; **11**: 158, 186, 188, 190, 243; **12**: 201; **13**: 219; **17**: 160; **18**: 91, 162; **19**: 175; **20**: 221; **22**: 45, 51, 53, 54; **27**: 221; **29**: 214; **30**: 54, 164, 165; **43**: 30; *annularis* **25**: 89, 94, 99; *atroalbus* **64**: 15; *auriscalpioides* **64**: 15; *australis* **25**: 94, 99; *betulinus* **5**: 17; *bomfimensis* **64**: 15; *braunii* **31**: 165; *brownii* **25**: 89, 99; *cajanderi* **11**: 157; *carneus* **55**: 19; *castaneae* **29**: 5; *cinereus* **38**: 142; *comorensis* **64**: 16; *connatus* **13**: 147, 151; *corrugis* **11**: 158, 168; **14**: 125, 127, 129; **15**: 22, 181, 189; **17**: 108; *cremeotomentosus* **64**: 16; *cytisinus* **7**: 158; **11**: 203; **13**: 146, 147; **26**: 83; **30**: 165; *dahlii* **64**: 16; *dryadeus* **27**: 69; *emini* **64**: 17; *everhartii* **22**: 12; *fasciatus* **22**: 284, 292; **55**: 19; *fomentarius* **3**: 15; **4**: 102; **5**: 18, 171; **8**: 77, 88, 90, 91; **10**: 78, 83; **11**: 136, 158, 169, 186, 189, 190, 241, 243, 245, 246; **12**: *201*, *202*, *203*, *204*; **13**: 32, 217, 220; **14**: 31, 88; **15**: 181, 189; **16**: 13, 156; **17**: 182; **18**: 3, 71, 158, 162, 222; **20**: 174; **22**: 45, 284, 292; **23**: 79, 201; **27**: 221; **31**: 120, 137, 138; **32**: 104, 105, 121, 222; **36**: 32; **37**: 116, 124; **38**: 142, 220; **40**: 57, 195; **41**: 51; **44**: 142, 230; **45**: 52; **47**: 211; **49**: 132, 141, 143, 172; **50**: 134, 280, 283, 287, 288; **55**: 19; **56**: 270, 275; **57**: 310, 311; **63**: 256; *fomentarius* **f.** *inzengae* **24**: 84; *fomentarius* **subsp.** *nigricans* **22**: 284; *fuscopurpureus* **29**: 5; *glaucoporus* **55**: 27; *haeuslerianus* **64**: 17; *hirtus* **26**: 200; *hispidus* **9**: 24; *igniarius* **5**: 19; **6**: 94; *igniarius* **f.** *tremulae* **22**: 279, 291; *igniarius* **var.** *pinuum* **5**: 18; *igniarius* **var.** *populinus* **22**: 280; *igniarius* **var.** *trivialis* **54**: 57; *introstuppeus* **64**: 18; *jezoensis* **39**: 72; *lauterbachii* **64**: 18; *lividus* **38**: 142; *marginatus* **4**: 104; **5**: 17, 18, *168*, *169*, *170*; **8**: 88; **9**: 99, 100; **10**: 77, 83; **11**: 97, 100, 186, 189, 190, 229, 241, 243; **12**: 201; **13**: 29, 219, 221; **14**: 31, 230; **19**: 175; **28**: 112; **29**: *91*, *92*, *93*, *94*, *95*; **30**: 21, 54; **35**: 200; **40**: 57; **42**: 5; *marmoratus* **55**: 19; *minutulus* **64**: 18; *musashiensis* **64**: 18; *nigricans* **var.** *populinus* **22**: 279, 280, 291; *nigrolimitatus* **26**: 91; **54**: 63; *officinalis* **1**: 62; **11**: 133; **13**: 141, 145, 146, *149*, *150*, *151*; *oleicola* **64**: 19; *paulensis* **64**: 19; *pini* **20**: 185, 187; **39**: 72; *pinicola* **11**: *228*, *229*, 230; **42**: 5; *pomaceus* **20**: 186; *populinus* **13**: 147, 148, 151; *pseudoconchatus* **64**: 19; *putearius* **26**: 91; *rhizomatophorus* **64**: 19; *roseus* **5**: 153, 154; **44**: 230; *roseus* **f.** *pribramensis* **44**: 235; *rubriporus* **29**: 5, 6; **30**: 161; *rufoflavus* **31**: 165; *scutellatus* **30**: 165; *subamboinensis* **64**: 20; *sulcatus* **55**: 28; *tenuis* **11**: 220; *tremulae* **22**: 279, 291; **54**: 69; *ulmarius* **30**: 166, 167; *undatus* **25**: 94; *versicolor* **64**: 20; *warburgianus* **64**: 21.

FOMITIPORIA cubensis **38**: 142; *punctata* **54**: 67; *weirii* **24**: 148.

FOMITOPSIS annosa **18**: 13, 91, 162, 222; **19**: 18; **23**: 79; *cajanderi* **11**: 157, 168; *carnea* **55**: 19; *cytisina* **11**: 157, 168; **13**: 146, 147; **24**: 84; **26**: 123; **30**: 165; **35**: 198; *durescens* **44**: 229; *iberica* **57**: 326; *insularis* **20**: 175; *nivosa* **64**: 15; *palustris* **55**: 34; *pinicola* **11**: 157, 168; **13**: 29, 36; **14**: 88, 97, 230; **15**: 181, 189; **17**: 182; **18**: 6, 91, 162; **19**: 175, 177, 178; **22**: 51, 53, 54; **25**: 18; **27**: 6, 34, 221; **30**: 54; **31**: 120; **32**: *55*, *56*, *57*, *58*, *59*, *60*, 222; **33**: 131; **34**: *183*, *184*, *185*, *186*, *187*; **35**: 198, 199; **36**: 32, 45; **40**: 194; **41**: 51, 53; **42**: 1, 5, 9, 10; **43**: 31, 32, 34, 87; **44**: 92, 96, 98, 142, 204, 207, 213, 214, 229, 235, 238, 239; **45**: 38; **46**: 215, 224, 284, 286, 288; **49**: 32, 132, 173; **55**: 114, 158; **56**: 275; **57**: 107, 310, 326; **63**: 223, 225, 230, 256; *rosea* **11**: 157, 168; **14**: 89,

229, 230; **15**: 22; **16**: 19, 156; **17**: 51, 180, 182, 185; **19**: 25; **21**: 56, 57, 97; **23**: 79; **27**: 221; **35**: 240; **36**: 32; **44**: 235; **46**: 116; **55**: 19; **57**: 326; ***scutellata*** **11**: 157, 168.

FONSECAEA compacta **39**: 159, 162; **44**: 135; ***dermatitidis*** **39**: 159, 162, 164; ***pedrosoi*** **35**: 162; **39**: 160, 162; **44**: 135.

FONTANOSPORA alternibrachiata **50**: 3, 9; **54**: 255; ***eccentrica*** **50**: 3, 8, 9; **54**: 255; **63**: 141; ***fusiramosa*** **50**: *3*, *4*, *4*, *5*, *5*, *6*, *6*, *7*, *7*, *8*, *8*, 9; ***minima*** **50**: 3, 9, 10.

FRACCHIAEA heterogenea **27**: 86.

FRANTISEKIA fissiliformis **59**: 141, 143, 144, 145, 146, 149, 150; ***mentschulensis*** **59**: 141, 143, 146, 147, 149, 150; ***ussurii*** **59**: 141, 143, 150.

FROMMEELLA mexicana **var.** ***indicae*** **55**: 277, 280.

FROMMEËLLA **56**: 124, 128; ***tormentillae*** **53**: 99; **56**: 128; **57**: 261.

FUCKELIA helvetica **34**: 139.

FUGOMYCES cyanescens **58**: 81, 82, 83, 84, 86, 87, 88, 89, 90, 93, 94, 95.

FUJIMYCES oodes **35**: 96, 100.

FULGENSIA bracteata **50**: 229; ***bracteata*** **var.** ***bracteata*** **56**: 158; ***canariensis*** **56**: 158; ***subbracteata*** **56**: 158.

FULIGO cinerea **46**: 13; **53**: 324, 329, 347; ***leviderma*** **53**: 324; ***muscorum*** **16**: 37; ***rufa*** **18**: 164; **53**: 324, 347; ***septica*** **18**: 164, 177, 180; **44**: 146; **53**: 324; **63**: 230; ***septica*** **var.** ***candida*** **53**: 324; ***septica*** **var.** ***flava*** **53**: 324; ***varians*** **18**: 180.

FUNALIA cervina **60**: 2, 7; ***extenuata*** **23**: 78; **24**: 84; **32**: 222; ***gallica*** **11**: 161, 169, 220, 223; **20**: 242; ***kuzyana*** **11**: 161, 169, 214, *218*, *219*, *220*, 223.

FUSARIUM acremoniopsis **12**: 18; **21**: 177; ***acuminatum*** **45**: 35; ***aleyrodis*** **12**: 18; ***aloes*** **46**: 319; ***anthophilum*** **44**: 75; ***aquaeductuum*** **26**: *233*, *234*, *235*, *236*; **37**: 115; **40**: 22, 26; ***argillaceum*** **12**: 93, 94; **43**: 239; ***avenaceum*** **10**: 238; **17**: 98, 100, 101; **27**: 49, 50, 52; **28**: 118; **32**: 110, 230; **33**: 172; **37**: 114, 118; **38**: 243, 244; **43**: 239; **50**: *318*, *319*, *320*, *321*; **52**: 142; **55**: 92; ***avenaceum*** **var.** ***avenaceum*** **45**: 35; ***bulbigenum*** **43**: 239; ***caraganae*** **11**: 185; ***chlamydosporum*** **12**: 87, 90, *92*, *93*, *94*; **50**: 319, 321; ***cirrosum*** **12**: *185*, *186*, *187*; **13**: 218, 219, 222, 223; ***coccinellum*** **46**: 319; ***coccophilum*** **12**: 18; **43**: 239; ***coeruleum*** **12**: 83, 87, 88, *92*, *93*, *94*; **14**: 186; **43**: 239; **45**: 35; ***concolor*** **43**: 239; **45**: 35; ***conglutinans*** **var.** ***callistephi*** **11**: 198; ***crookwellense*** **55**: 130; ***culmorum*** **10**: 238; **12**: 49, 83, 87, 89, 93, 94; **17**: 98, 100, 101; **28**: 118; **32**: 110, 116, 228, 230; **33**: 60; **37**: 115, 118; **38**: 196, 243, 244; **40**: 50; **43**: *99*, *100*, *101*, 239; **47**: 293, 297; **50**: 319, 321; **52**: 142, 161; **55**: 88, 95, 97, 126, 130, 147; ***dimerum*** **39**: 160; **43**: 239, 240; ***discolor*** **43**: 239; ***discolor*** **var.** ***sulphureum*** **12**: 89; ***dlamini*** **53**: 230; ***episphaeria*** **39**: 160; ***equiseti*** **12**: 93, 94; **50**: 320; **52**: *151*, *152*; **60**: 84; **61**: 152; ***equiseti*** **var.** ***equiseti*** **45**: 35; ***flocciferum*** **43**: 100, 239; **45**: 35; ***fructigenum*** **4**: 101; ***genevense*** **12**: 89; ***georginae*** **15**: 178; ***gibbosum*** **12**: 86, 87, 91, 93, 94; **43**: 239; ***gibbosum*** **var.** ***acuminatum*** **12**: 91; ***graminearum*** **17**: 98, 100, 101; **32**: 110, 112; **37**: 114, 118; **43**: 239; **45**: 35; **48**: 58; **50**: *318*, *319*, *320*, *321*; **52**: 142; **55**: 130; **57**: 307, 315; **63**: 98, 100, 101, 103; ***graminum*** **2**: 74; ***heidelbergense*** **12**: 21; ***herbarum*** **4**: 101; ***heterosporum*** **10**: 238, 239, 241; **12**: 86, 87, 91, 93, 94; **14**: 186; **43**: 239; ***heterosporum*** **var.** ***negundinis*** **10**: 239; ***javanicum*** **11**: 185; **12**: 87, 92, 93; **24**: 163, 207, 210, 211; ***javanicum*** **var.** ***radicicola*** **23**: 248; **28**: 118; **43**: 239; ***juruanum*** **12**: 18, 93; ***kuhnii***

43: 240; ***larvarum*** **12**: 18; ***lateritium*** **12**: 86, 87, 91, 93, 94; **35**: 172; **43**: 240; **60**: 79, 80; ***lini*** **53**: 153; ***lycopersici*** **1**: 108; **17**: 100; **53**: 153; ***merismoides*** **12**: 93, 94; **23**: 248; **36**: 70; **43**: 240; ***microcera*** **12**: 87, 93; ***moniliforme*** **12**: *15*, *16*, *17*, *18*, *19*, *20*, *21*, *22*, 49, 87, 90, 92; **14**: 186; **17**: 98; **24**: 163; **31**: 62, 66; **32**: 110, 228, 230; **35**: 216; **37**: 118; **38**: 3; **39**: 160; **40**: 50, 69; **43**: 240; **44**: 5, 9, 75; **45**: 53, 113; **50**: *36*, *37*, *38*, *39*, *40*, *41*, 43; **52**: 142; **53**: 191, 193, 194, *197*, *198*, *199*, *200*, *229*, *230*, *230*, *231*, *231*, *232*, *232*, *233*, *233*, *234*, *234*; **55**: 130, 147; **56**: 227, 228, 229, 230, 235; **60**: 79; ***moniliforme*** **var.** ***lactis*** **43**: 240; ***moniliforme*** **var.** ***subglutinans*** **12**: 20, 92; **14**: 185, 186; **24**: 163; **43**: 240; **47**: 298; ***napiforme*** **53**: 230; ***nivale*** **10**: 238; **17**: *98*, *99*, *100*, *101*; **32**: 110; **36**: 68; **37**: 118; **39**: 160; **43**: 240; **50**: 320; ***nivale*** **var.** ***maius*** **43**: 240; ***nygamai*** **53**: 230; ***orthoceras*** **12**: 93; **41**: 9; **43**: 240; ***oxysporum*** **12**: 87, *92*, *93*, *94*; **13**: 244, 248; **14**: 186; **19**: 58, *61*, *62*; **22**: 51, 53, 54; **23**: 245, 247, 248; **24**: 163; **28**: 114; **31**: 2, 3, 62; **32**: 110, 112, 116, 228, 230; **33**: *170*, *171*, *172*, *173*; **35**: 216; **36**: 68; **37**: 118; **38**: *235*, *236*, *237*, *238*, *239*, 243, 244; **39**: 160; **40**: 22, 26, 27, 50, 51; **42**: 229; **43**: 96, 107, 239, 240; **44**: 5, 9, 75; **45**: 113; **50**: *36*, *37*, *38*, *39*, *40*, *41*, 43, *318*, *319*, *320*, *321*; **51**: 72, 73, 158, 160, 167; **52**: 141, 142, 153, 221, 222; **53**: 215, 217; **55**: 88, 92, 95, 97, 130, 245; **56**: 223, 227, 228, 229, 230, 235; **59**: 130, 131, 134; **60**: 79, 80, 84; **61**: 149, 151, 153, 158; **63**: 100, 101, 103; ***oxysporum*** **f.** ***melonis*** **46**: 2; ***oxysporum*** **f. sp.** ***dianthi*** **42**: 230; ***oxysporum*** **f. sp.** ***lycopersici*** **36**: 68, 69; **50**: 130; ***oxysporum*** **f. sp.** ***pisi*** **41**: 165; **52**: 153; ***oxysporum*** **var.** ***orthoceras*** **12**: 92; **23**: 247, 248; **37**: 113; **43**: 240; ***oxysporum*** **var.** ***oxysporum*** **45**: 35; ***oxysporum*** **var.** ***redolens*** **43**: 240; **52**: 154; ***poae*** **12**: 49, 87, 90, 92; **14**: 186; **32**: 228, 230; **37**: 114, 118; **43**: 240, 241; **45**: 35; **50**: *318*, *319*, *320*, *321*; **52**: 161; **55**: 121, 126; **59**: 233, 234; **60**: 84; **61**: 153; ***proliferatum*** **50**: 319, 321; **53**: 230, 234; **55**: 73, 75, 76, 78, 79; **60**: 79, 80, 84; ***putrefaciens*** **4**: 101; ***redolens*** **12**: 93, 94; **43**: 240; **61**: 153; ***reticulatum*** **12**: 93, 94; **50**: 313, 318, 319; **55**: 104; ***reticulatum*** **var.** ***negundinis*** **11**: 185; ***roseum*** **29**: 212; **31**: 62; **35**: 216; **38**: 196; ***sacchari*** **var.** ***subglutinans*** **43**: 240; ***sambucinum*** **12**: 83, 86, 87, 89, 93, 94; **14**: 186; **17**: 98; **38**: *243*, *244*; **43**: 239, 240; **50**: 318, 320, 321; ***sambucinum*** **var.** ***minor*** **12**: 89; ***sambucinum*** **var.** ***minus*** **10**: 96; **43**: 240; ***sambucinum*** **var.** ***ossicolum*** **12**: 89; ***sambucinum*** **var.** ***sambucinum*** **45**: 35; ***sambucinum*** **var.** ***sublunatum*** **12**: 89; ***sambucinum*** **var.** ***trichothecoides*** **12**: 89; ***sarcochroum*** **12**: 87, 90, *92*, *93*, *94*; ***scirpi*** **12**: 93, 94; ***semitectum*** **12**: 87, 93; **17**: 100; **43**: 240; **50**: *319*, *320*, *321*; **53**: 231; ***solani*** **12**: 18, 83, 87, 88, *91*, *92*, *93*, *94*; **14**: 186; **17**: 100; **24**: 163, 212; **31**: 66, 207, 208, 210; **32**: 227, 228, 230; **33**: 170, 172, 173; **37**: *116*, *117*, *118*; **38**: 3; **39**: 160; **42**: 229; **43**: *96*, *97*, *98*, *99*, *100*, *101*, *102*, *103*, *104*, *105*, *106*, *107*, 239, 240; **44**: 5, 8, 75; **45**: 113; **50**: 39, *318*, *319*, *320*, *321*; **51**: 84, 160, 164, 167; **52**: 142, *153*, *154*, 223; **53**: 153, 200, 213, 215; **55**: 73, 75, 76, 78, 79, 88, 92, 95, 97; **56**: 223, 227, 228, 229, 230, 235; **57**: 245; **59**: 130, 131, 134; **60**: 79, 80; **61**: 149, 151, 153, 158; **63**: 100, 101; ***solani*** **f.** ***phaseoli*** **31**: 63; ***solani*** **f. sp.** ***phaseoli*** **36**: 71; ***solani*** **f. sp.** ***pisi*** **31**: 63; **42**: 230; **52**: *153*, *154*; ***solani*** **var.** ***argillaceum*** **43**: 240; ***solani*** **var.** ***coeruleum*** **12**: 92; **38**: 243, 244; ***solani*** **var.** ***eumartii*** **12**: 91; **38**: 243; ***solani*** **var.** ***martii*** **12**: 91; ***solani*** **var.** ***minus*** **12**: 91; ***solani*** **var.** ***redolens*** **12**: 88, 91; **43**: 240; ***solani*** **var.** ***solani*** **45**: 35; ***solani*** **var.** ***striatum*** **12**: 91; ***sphaeriae*** **12**: 87, 93, 94; **17**: 100; ***spiraeae*** **38**: 46, 47; ***sporotrichiella*** **14**: 186; **43**: 241; ***sporotrichiella*** **var.** ***poae*** **12**: 92; **43**: 241; ***sporotrichiella*** **var.** ***sporotrichioides*** **12**: 92; **43**: 241; ***sporotrichiella*** **var.** ***tricinctum*** **10**: 238; ***sporotrichioides*** **43**: 241; **50**: *318*, *319*, *320*,

321; **55**: 121, 123, 130, 268; **59**: 233, 234; ***sporotrichoides*** **37**: 114; **50**: 39; ***stilboides*** **43**: 241; ***subglutinans*** **53**: *229*, *230*, *230*, *231*, *231*, *232*, *232*, *233*, *233*, *234*, *234*; **61**: 153; ***sulphureum*** **12**: 89; **38**: 243, 244; ***tabacinum*** **33**: 172; **45**: 35; ***tricinctum*** **43**: 241; **50**: 319, 321; **52**: 142; **55**: 126; **59**: 231, 233, 234; **60**: 75, 78, 79, 80, 84, 86; ***tuberis*** **15**: 178; ***tumidum*** **12**: 86, 87, 89, 93, 94; ***udum*** **31**: 65; ***vasinfectum*** **17**: 100; ***ventricosum*** **43**: 241; **45**: 35; **55**: 88, 92, 95, 97, 99; ***verticillioides*** **60**: 79, 80, 84.

FUSCIDEA lightfootii **56**: 158.

FUSCOPORELLA nicaraguensis **55**: 33.

FUSCOPORIA callimorpha **64**: 55, 59, 60, 61, 62; ***carbonaria*** **55**: 18, 19; ***contigua*** **54**: 53; ***ferrea*** **59**: 92; **64**: 58, 61; ***ferruginosa*** **54**: 55; **64**: 58, 60, 61; ***gilva*** **59**: 92; **64**: 55, 56, 57, 58, 60, 61; ***senex*** **64**: 55, 58, 60, 61, 62; ***torulosa*** **59**: 91, 92, 93, 94, 95, 96, 97, 98; **64**: 58, 60, 61, 62; ***viticola*** **54**: 71; **59**: 92, 94, 97; ***wahlbergii*** **59**: 92; ***weirii*** **24**: 148.

FUSCOSCYPHA acicularum **41**: 201.

FUSICLADIOPSIS cerasi **25**: 168; ***euphorbiae*** **25**: 169.

FUSICLADIUM amygdali **25**: 167; ***asiaticum*** **27**: *236*, 237, *237*, *238*, 240; **47**: 195; ***caricinum*** **38**: 40, 43; ***carpophilum*** **25**: *165*, *166*, 167, *167*, *168*, *169*, 171; ***cerasi*** **25**: 165, 171; ***convolvularum*** **25**: *165*, *166*, *167*, *170*, 171, *171*, *172*; ***dendriticum*** **25**: 165; ***euphorbiae*** **25**: *165*, *166*, *167*, *168*, *169*, 172; ***fuliginosum*** **46**: 319; ***luzulae*** **42**: 81, 83; ***maculicolum*** **27**: 237, 238; ***pruni*** **25**: 167; ***radiosum*** **27**: 236, 237, 239; ***romellianum*** **27**: *236*, *237*, *238*, 240; ***saliciperdum*** **27**: 236, 239, 240; ***spiraeae*** **38**: 46; ***virescens*** **25**: 165; ***virgaureae*** **25**: 165, *167*, *168*, *169*, 170, 172.

FUSICOCCUM corylinum **52**: 56; ***perniciosum*** **34**: 152, 156; ***petiolicolum*** **52**: 56; ***petrakeanum*** **52**: 56.

FUSIDIUM parasiticum **14**: 193, 194; ***pteridis*** **46**: 319; ***sulphureum*** **12**: 89; ***terricola*** **33**: 85.

FUSISPORA sistrata **15**: *217*, *218*, *219*, 221, *223*, *224*, *225*, *226*, 233.

FUSOMA veratri **28**: 187.

GAEUMANNOMYCES graminis **14**: 104; **37**: 117; **38**: 3, 195, 196; **43**: 155; **52**: 142; ***graminis*** **var. *tritici*** **38**: 3, 4, 6, 7; **57**: 315.

GALACTINIA adae **17**: 61, 68; **22**: 181; **23**: 32; **35**: 67; ***adae*** **f. *latispora*** **23**: 24, 32; **35**: 67; ***alnicola*** **16**: 111; ***amethystina*** **23**: 91, 93, 96; ***ampelina*** **17**: 68; ***ampliata*** **24**: *59*, *60*, *61*, *62*, *63*, *64*; ***amplissima*** **16**: 110; **35**: 68; ***arvernensis*** **24**: 73, 75; ***atroviolacea*** **23**: 26, 233; ***badia*** **15**: 74; **16**: 111; **17**: 68; **18**: 12; **22**: 181, 217; **23**: 33; **35**: 68; ***badioconfusa*** **17**: 61, 68; **35**: 68; ***cerea*** **17**: 68, 69; **24**: 64; **35**: 69, 136; ***chlorophaea*** **14**: 164, 165, 175; **35**: 69; ***combustorum*** **17**: 69; **35**: 72; ***cornui*** **35**: 134; ***crassipes*** **24**: 62, 63, 64; ***depressa*** **28**: 226; ***echinospora*** **14**: 79; **15**: 74; **17**: 69; **23**: 24, 33; **35**: 69; ***echinospora*** **var. *autumnalis*** **23**: 24, 33; **35**: 134; ***fimeti*** **14**: 79; **15**: 74; **22**: *90*, *91*, *92*; **35**: 69; ***gerardii*** **21**: 31, 32, 53; **22**: *217*, *218*, *219*; **35**: 69; ***hortensis*** **17**: 68; ***ionella*** **21**: 31, 32; **22**: *217*, *218*, *219*; ***leiocarpa*** **52**: 263; ***limosa*** **23**: 33, 198; **35**: 70; ***lividula*** **23**: 34; **24**: 135, 143; ***michelii*** **23**: 32; ***micropus*** **16**: 111; **24**: 62, 67, *68*, *69*, *70*, *71*, *72*, *73*, *74*, *75*; **35**: 70; ***moravecii*** **22**: *90*, *91*, *92*; **47**: 195; **52**: 56; ***muricata*** **52**: 263; ***paludicola*** **17**: 70; ***palustris*** **17**: 61, 70; **22**: 90; **35**: 134; ***phillipsii*** **23**: 91, 93, 205; ***plebeia*** **23**: 31, 32, 205; **30**: 140, 142; **35**: 70; ***polaripapulata*** **23**: 24, 33; ***praetervisa*** **23**: 24, 32;

***praetervisa* var. *minor* 23**: 24, 32; ***proteana* var. *sparassoides* 36**: 112; ***saniosa* 14**: 73, 75, 112, 225; **22**: 217; **23**: 205; **35**: 71; ***sarrazinii* 23**: 200; **30**: 130; ***succosa* 14**: 75, 78, 225; **16**: 111; **22**: 217; **23**: 31, 32; **35**: 72; ***sylvestris* 16**: 111; **24**: 72, 75; **35**: 68; ***tosta* 30**: 140, 141; ***trachycarpa* 52**: 264; ***varia* 16**: 111; **24**: 65, *71*, *72*, *73*, *74*; ***varia* f. *lignicola* 24**: 68; ***varia* f. *terrestris* 24**: 72; ***vesiculosa* 14**: 79, *219*, *220*, *221*; ***vesiculosa* f. *cerea* 14**: *219*, *220*, *221*; **17**: 68; **23**: 141; ***vesiculosa* var. *succinea* 14**: 220; ***violacea* 14**: 79; **15**: 74; **17**: 69; **35**: 71, 136.

***GALEOSCYPHA pileiformis* 43**: *210*, *211*, *212*, *213*, *214*; **45**: 37.

***GALERA aberrans* 52**: 303; **58**: 274; ***albipes* 51**: *42*, *43*, *44*, *45*; **59**: 40; ***apala* 51**: 43; ***aquatilis* 14**: 113; ***argentea* 14**: 106; ***atripes* 52**: 23; ***brachypodii* 51**: 43; **59**: 40; ***bulbosa* 51**: 43, 45, 46; ***camerina* 19**: 45; ***carbonaria* 51**: 63; ***clavata* 14**: 113; ***conferta* 51**: 45, *47*, *48*, *49*; ***coprophila* 2**: 88, 89; ***digitalina* 51**: 49, 50; **59**: 34; ***dumetorum* 10**: 175; **51**: 48, 49, 51; ***echinata* 51**: 50, 52; **59**: 42; ***fechtneri* 21**: 251; ***hypnorum* 51**: 65; ***josserandii* 19**: 45; ***juniana* 51**: *52*, *53*, *54*; ***laricina* 10**: 175; **51**: 51; ***lateritia* 51**: 53; ***leporina* 51**: *53*, *54*, *55*; ***mairei* 58**: 280; ***major* 51**: *55*, *56*; ***marginata* 19**: 114; ***megalospora* 59**: 26; ***melea* 14**: 113; **51**: 56, 57; ***microcephala* 51**: 56, 57; ***microspora* 10**: 176; **37**: *215*, *216*, *217*, 231; **51**: 58; **59**: 45; ***mycenoides* 37**: 228, 232; ***paludosa* 8**: 18; **16**: 158; ***pulchella* 51**: 58, 59; **59**: 31; ***pusilla* 58**: 280; ***pygmaeoaffinis* 2**: 89; **15**: 203; **51**: 60; ***reticulata* 51**: 59, 60; ***rickenii* 2**: 89; ***rickenii* f. *tetraspora* 7**: 158; ***rimosa* 51**: *60*, *61*, *62*; **52**: 303; **58**: 274; ***rostellata* 51**: *61*, *62*, *63*, *64*; ***siliginea* 51**: 63; **52**: 305; **59**: 29, 32; ***siliginea* var. *silvaticum* 52**: 305; ***sordida* 14**: 104; **51**: 57, 63; ***spartea* 10**: 176; **51**: *63*, *64*, *65*; **59**: 45; ***sphagnorum* 7**: 43; ***spicula* 14**: 113; **16**: 165, 166; **37**: 215; **51**: 65; ***stenophylla* 15**: 203; **20**: 145; ***subterranea* 52**: 57; ***sulcata* 2**: 37; ***tenera* 6**: 14; **18**: 168; **19**: 44, *233*, *234*, *235*, *236*, *237*, *238*; **51**: 65; ***tenera* f. *convexa* 19**: 45; ***tenera* f. *tenella* 18**: 168; **19**: 45; ***tenera* var. *hyalopoda* 51**: 45; ***tenera* var. *siliginea* 59**: 32; ***teneroides* 16**: 166; ***tibiicystis* 8**: 18; ***togularis* 51**: 65; **52**: 23; ***urticae* 51**: *65*, *66*, *67*; ***velata* 51**: 51, 66, 67; ***velutipes* 51**: 66, *68*, *69*; **59**: 34; ***vesicaria* 51**: 68, 69; ***vestita* 58**: 282.

***GALERINA ampullaceocystis* 46**: 177, 183; ***atkinsoniana* 46**: 175, 179, 181; ***autumnalis* 48**: 111, 112; ***badipes* 44**: 86; **46**: 284, 285, 287; **48**: 112; ***beinrothii* 48**: 112; ***calidarium* 46**: 13, 30; ***calyptrata* 37**: 227; **56**: 274; **63**: 256; ***camerina* 19**: 46; ***cinctula* 46**: 178, 183; ***clavata* 9**: 144; ***corcontica* 37**: 212, 224, 225, 234, 235; ***detriticola* 37**: 212, *226*, *227*, *228*, 235; ***gibbosa* 14**: 96; ***graminea* 14**: 223, 227, 228; ***hypnorum* 14**: 88; **18**: 170; **19**: 18; **25**: 107; **27**: 214; **37**: *226*, *227*, *228*, 235; **44**: 86; **56**: 276; ***jaapii* 37**: 228, 229, 232; ***josserandii* 19**: 46; ***laevis* 44**: 86; ***marginata* 14**: 89, 125; **18**: 171; **23**: 78; **25**: 107; **27**: 215; **42**: 224, 225; **43**: 86, 182; **44**: 86, 222, 223; **46**: 81, 176, 182, 184, 185; **48**: 105, 111, 112; **52**: 11, 212; **63**: 256; ***mniophila* 18**: 160, 170; **44**: 86; ***mycenoides* 37**: 228, 232; ***mycenopsis* 14**: 106, 225; **19**: 18; **22**: 146; ***paludosa* 14**: 90, 94, 96, 100; **16**: 158; **18**: 4, 223; **23**: 79; **25**: 107; **26**: 123; **37**: 128; **44**: 86; **48**: 265; **56**: 276, 282; **63**: 256; ***pseudobadipes* 44**: 86; ***pseudocamerina* 19**: 43, 45, 46; **44**: 86; **46**: 177, 182, 184; ***pseudomniophila* 37**: 228, 235; **44**: 86, 140; ***pseudomycenopsis* 9**: 144; ***pumila* 56**: 273; ***rubiginosa* 37**: 226, 235; ***sideroides* 19**: 46; **46**: 178, 183, 184; **63**: 256; ***sphagnorum* 11**: *147*, *148*, *149*; **14**: 94, 96, 98, 100; ***stagnina* 14**: 98; ***steglichii* 48**: 13; ***stordalii* 45**: 35; **63**: 251, 256; ***stylifera* 46**: 177, 182, 184; ***subclavata* 45**: 35; ***sulcipes* 48**: 112; ***tibiicystis* 14**: 94, 96; **24**: 105; **48**: 265; ***triscopa* 14**: 89; **18**: 160; **24**: 109; **46**: 177, 182, 184;

52: 31; ***unicolor*** **18**: 160, 171; **48**: 112; **52**: 24; ***venenata*** **48**: 112; ***vittaeformis*** **37**: 226, 234; **44**: 86.

GALEROMYCENA mirabilis **20**: 69, 70.

GALEROPSINA pyrispora **20**: 74.

GALEROPSIS allosperma **13**: 207; ***angusticeps*** **13**: 201, 207, 210; ***besseyi*** **13**: 201, 207, 210; ***bispora*** **13**: *200*, *201*, *202*, *203*, 204, *204*, *205*, *209*, *210*, *211*; ***cucullata*** **13**: 201, 207; ***desertorum*** **1**: 92; **13**: *200*, *201*, *202*, *203*, *204*, *205*, *206*, *207*, *208*, *209*, *210*; **14**: 104, 107; **15**: 4; **52**: 57; ***liberata*** **13**: 201, 207; ***madagascariensis*** **13**: 207; ***mitraeformis*** **13**: 207; ***paradoxa*** **13**: 201, 207, 210; ***plantaginiformis*** **13**: 200, 201, *203*, *204*, *205*, 206, *206*, *207*; ***polytrichoides*** **13**: 207.

GALERULA cyanopus **58**: 276; ***macrospora*** **59**: 26.

GALIELLA javanica **37**: 242.

GALZINIA cymosa **37**: 210, 211; ***forcipata*** **37**: 206, *209*, *210*, *211*; ***geminispora*** **37**: 206, 208, 210, 211.

GAMOSPHAERA serpens **39**: *15*, *16*, *17*, *18*, *19*, 21, 23.

GAMUNDIA leucophylla **63**: 8.

GANODERMA adspersum **25**: *88*, *89*, *90*, *91*, *92*, *93*, *94*, *95*, *96*, *97*, *98*, *99*, *100*, *101*; **30**: 163, 164; **31**: *117*, *118*, *119*; **36**: 186; **37**: 108; **40**: 6; **47**: 200; **49**: 133, 143, 144, 173; **55**: 20; ***applanatum*** **4**: 102; **5**: 19, 171; **7**: 154, 155; **8**: 88; **11**: 187; **12**: *201*, *202*, *203*, *204*; **13**: 148, 217; **16**: 156; **18**: 162, 222; **20**: 110; **21**: 97; **23**: 201; **24**: 178; **25**: *88*, *89*, *90*, *91*, *92*, *93*, *94*, *95*, *96*, *97*, *98*, *99*, *100*, *101*, 104; **27**: 221; **29**: *91*, *92*, *93*, *94*, *95*; **30**: 55, 164; **31**: 119; **32**: 222; **35**: 109; **36**: 31; **40**: 114, 199; **41**: 51, 53, 167; **47**: 312; **50**: 304, 308; **56**: 276; **63**: 257; ***applanatum*** **f.** ***australe*** **25**: 94; ***atkinsonii*** **35**: *121*, *122*, *123*, *124*, *125*, *126*, *127*, *128*, *129*, *130*, *131*, *132*, *133*; **37**: *49*, 50, *50*, *51*; ***australe*** **25**: 88, 94, 99; **47**: 200; **55**: 20; **57**: 326; **64**: 17; ***baumii*** **7**: 155; ***carnosum*** **37**: *49*, *50*, *51*; **49**: 133, 141, 174; ***chalceum*** **64**: 16; ***donkii*** **27**: 122; ***europaeum*** **23**: 78; **25**: *88*, *89*, *90*, *91*, *92*, *93*, *94*, *95*, *96*, *97*, *98*, *99*, *100*, *101*; **30**: 163; **31**: 117; **55**: 20; ***hildebrandtii*** **64**: 17; ***linhartii*** **25**: 88, 94, 99; ***lipsiense*** **43**: 87, 89; **44**: 142; **46**: 84; **49**: 133, 143, 174; **50**: 134; ***lucidum*** **1**: 81; **7**: 155; **10**: 59; **11**: 162, 170; **13**: 148; **14**: 76, 226; **15**: 154, 157, 181, 189; **18**: 91; **32**: 222; **35**: *121*, *122*, *123*, *124*, *125*, *128*, *129*, *130*, *131*, *132*; **37**: 50; **47**: 200; **49**: 175; **50**: 304, 308, 310; **52**: 6, 155; **57**: 311; **64**: 60, 61; ***lucidum*** **var.** ***resinaceum*** **47**: 200; ***multiplicatum*** **64**: 20; ***opacum*** **55**: 24; ***pfeifferi*** **10**: 13, 15, 60, *99*, *100*, *101*, *102*; **11**: 162, 170; **24**: 109; **25**: 88, 93; **59**: 77, 78, 79; ***preussii*** **64**: 19; ***pseudoboletus*** **f.** ***montanum*** **35**: 121; ***resinaceum*** **24**: 84; **26**: 123; **36**: 186; **40**: 6; **47**: 200; **49**: 133, 143, 144, 175; **55**: 20; ***resinaceum*** **var.** ***martellii*** **47**: 195; ***rivulosum*** **55**: 21; ***sulcatum*** **55**: 21; ***tornatum*** **55**: 20; ***tsugae*** **21**: 57; ***tuberculosum*** **55**: 20; ***valesiacum*** **11**: 162, 170; **31**: 115; **35**: 128; ***weberianum*** **55**: 21; ***zonatum*** **55**: 21.

GARNAUDIA elegans **40**: 81; ***triseptata*** **40**: 74, 79, 81.

GASPARRINIA aurantia **60**: 283, 284, 285, 286, 288; ***aurantia*** **var.** ***centrifuga*** **60**: 285; ***aurantia*** **var.** ***intermedia*** **60**: 280; ***callopisma*** **60**: 278, 279, 288.

GASTROPILA fragilis **64**: 65, 66, 67, 68, 69, 70, 71.

GASTROSPORIUM simplex **4**: 99; **7**: 138, 159; **10**: 128; **14**: 70, 81, 116, 119, 120, 224, 227, 228; **15**: 95, 97; **16**: 16; **17**: 203; **24**: 28, 31; **43**: 87, 89, 92; **46**: 78, 84.

GAUTIERIA graveolens **2**: 59; ***graveolens* var. *lacunosa*** **2**: 59; ***morchellaeformis*** **7**: 161; **14**: 75, 113, 226; **30**: 233; ***morchellaeformis* var. *globispora*** **14**: 112; ***morchellaeformis* var. *magnicellaris*** **14**: 75; ***otthii*** **14**: 77; **50**: 67.

GEASTER asper **3**: 46; ***atratus*** **1**: *71*, *72*, *73*, *74*; **52**: 57; ***bryantii*** **1**: 116, 117; **4**: *128*, *129*, *130*; ***coronatus*** 1: 116; ***ellipticis*** **6**: 61; ***fimbriatus*** **1**: 116; **2**: 44; **4**: 130; **8**: 144; ***floriformis*** **1**: 116; **7**: 40; ***fornicatus*** **1**: 82, 99, 116, 117; ***hungaricus*** **7**: 34, 36, *40*, *41*, *42*; ***kalchbrenneri*** **49**: 165; ***limbatus*** **1**: *71*, *72*, *73*, *74*, 116; **10**: 18, 22, 23; ***lugubris*** **46**: 319; ***macowani*** **46**: 319; ***mammosus* var. *galericulatus*** **46**: 324; **49**: 164; ***minimus*** **3**: 47; **8**: 144; ***pectinatus*** **1**: *115*, *116*, *117*, *118*, *119*; **4**: 129, 130; ***pluriosteus*** **6**: 61, 68, 69; ***rufescens*** **1**: 72, 116; ***schmidelii*** **3**: 46; ***sibiricus*** **52**: 57; ***striatulus*** **46**: 319; ***triplex*** **1**: 116; **7**: 155; ***vittatus*** **46**: 319.

GEASTRUM ambiguum **8**: *104*, *105*, *106*; **9**: 190; ***asper*** **24**: 22; ***atratum*** **11**: 204; ***badium*** **14**: 106; **28**: 177; ***berkeleyi*** **41**: *115*, *116*, *117*, *118*; ***berkeleyi* var. *berkeleyi*** **41**: *115*, *116*, *117*, *118*; ***berkeleyi* var. *continentale*** **11**: 181; **17**: 205; **28**: 177; **41**: *115*, *116*, *117*, *118*; ***brumale*** **28**: 177; ***bryantii*** **6**: *66*, *67*; **9**: 191, 192; **10**: 186; ***campestre*** **6**: *119*, *120*, *121*, 164; **8**: *104*, *105*, *106*, *107*; **9**: 189, 190, 192; **13**: 203, 210; **14**: 104; **18**: 9, 15, 110, 113, 114, 116; **24**: 22, 29; **31**: 180; **36**: 206, 208; **41**: 116, 118; ***campestre* f. *ochraceum*** **11**: 182; ***campestre* f. *violaceum*** **11**: 182; ***cesatii*** **12**: 5; ***coronatum*** **10**: 18, 21, 22; **11**: 204; **19**: 115; **26**: 122; **40**: 95; **45**: 34; ***coronatum* var. *muellerii*** **11**: 181; ***cryptorhynchum* var. *kalchbrenneri*** **49**: 165; ***drummondii*** **18**: 2; ***fimbriatum*** **6**: 65; **14**: 76, 226; **18**: 113; **31**: 180; ***floriforme*** **4**: 54, 98; **6**: *119*, *120*, *121*, 122, 164; **7**: *35*, *36*, *37*, *38*, *39*, *40*, *41*, *42*; **8**: 105; **9**: *189*, *190*, *191*, *192*; **10**: 22, 23; **13**: 203, 210; **18**: 9, 15, 110, 113, 114, 116; **28**: 177; ***fornicatum*** **10**: 20; **11**: 193, 204; **14**: 117, 119, 121; **24**: 108; **26**: 122; **28**: 177; ***hollosii*** **11**: 181; **41**: *115*, *116*, *117*, *118*; ***hungaricum*** **6**: 164; **7**: *34*, *35*, *36*, *37*, *38*, *39*, *40*, *41*, *42*; **26**: 238; **28**: 177; **31**: 180; ***indicum*** **17**: 205; ***kotlabae*** **11**: 181; **18**: 2; **41**: 174; ***lageniforme*** **13**: 141, 149, 150, 152; **15**: 17; **26**: 122; **28**: 177; ***lageniforme* var. *ahmadii*** **11**: 181; ***lageniforme* var. *koreanum*** **11**: 181; ***lageniforme* var. *umbrinum*** **11**: 181; ***leptospermum*** **7**: 42; ***limbatum*** **6**: 60, 61, 64; **10**: 18, 22; **11**: 204; **28**: 177; ***mammosum*** **7**: 36, *40*, *41*, *42*; ***melanocephalum*** **10**: 22, 23; **11**: 182; **15**: 17, 77, 81; **16**: 158; **21**: *192*, *193*, *194*; **23**: 80; **26**: 37, 122; **28**: 177; **30**: 233; ***melanocephalum* var. *pilatii*** **11**: 181; ***minimum*** **6**: 58, 63; **7**: 42, 138; **8**: 105, 106; **12**: 5; **13**: 157; **14**: 70, 81, 224, 227, 228; **15**: 96; **16**: 16; **24**: 24, 27, 31; **26**: *238*, *239*, *240*; **28**: 177; **29**: 26, 28; **31**: 180; **44**: 125; ***minimum* var. *fumosicollis*** **11**: 181; ***minimum* var. *minimum*** **15**: 95; ***nanum*** **4**: 54; **9**: 191, 192; **13**: 210; **14**: 70, 81, 104, 224, 227, 228; **18**: 13, 114, 116; **26**: 239; **28**: 177; **31**: 180; **45**: 34; ***nanum* f. *striata*** **6**: 62, 65; ***nanum* var. *coniferarum*** **11**: 181; **14**: 76, 113; **21**: 53; ***pectinatum*** **6**: 63, 65, 66; **9**: 191; **10**: 22, 23; **14**: 76; **18**: 13; **30**: 199; **31**: 180; **33**: 166; **41**: 116, 118; ***pedicellatum*** **41**: 116, 118; ***pouzarii*** **8**: *100*, *101*, *102*, *103*, *104*, *105*, *106*, *107*; **9**: 190; **11**: 181; **24**: *21*, *22*, *23*, *24*, *25*, *26*, *27*, *28*, *29*, *30*, *31*; **26**: *238*, 239, *239*, *240*; **31**: 180; **36**: *206*, *207*, *208*, *209*; **45**: 36; **47**: 92; ***pseudolimbatum*** **6**: 164; **9**: 189, 190, 192; **13**: 203, 210; ***pseudostriatum*** **17**: 205; **41**: *115*, *116*, *117*, *118*; ***quadrifidum*** **6**: 59, 60, 64; **10**: 20; **14**: 76, 106; **18**: 13; **30**: 199; **31**: 118; **33**: 166; **35**: 110; ***quadrifidum* var. *sabulosum*** **11**: 181; ***recolligens*** **14**: 70, 81, 113, 224, 227, 228; **18**: 2; **24**: 28, 31; **26**: 122, 238, 239; **28**: 177; **31**: 180; **35**: 241; ***rufescens*** **6**: 60, 64, 65, 162; **9**: 191; **14**: 76, 106, 226; **18**: 13; **28**: 177; **30**: 199; ***saccatum* var. *cinereum*** **11**: 181; ***saccatum* var. *wichanskyi*** **11**: 181; ***schmidelii*** **4**: 54;

sessile **30**: 198; **31**: 180; **33**: 166; **35**: 110; ***smardae*** **10**: *18*, *19*, *20*, *21*, *22*, *23*; **11**: 181; **16**: 68; ***smardae*** **var.** ***slovenicum*** **11**: 181; ***smithii*** **8**: 105, 106; ***striatum*** **14**: 76, 126; **15**: 17; **18**: 114, 116; **26**: 122, 238, 239; **28**: 177; **31**: 180; **35**: 241; ***striatum*** **f.** ***rufidum*** **11**: 181; ***triplex*** **10**: *21*, *22*, *23*; **11**: 5; **15**: 17; **16**: 158; **17**: 205; **21**: 55; **23**: 79, 198; **26**: 37, *238*, *239*, *239*, *240*, *240*; **28**: 177; **31**: 114; ***triplex*** **f.** ***roseum*** **11**: 181; ***triplex*** **f.** ***striatum*** **26**: 238.

GELATOPORIA pannocincta **43**: 36; **44**: 233; **46**: 224; ***subvermispora*** **45**: 148, 149; **46**: 114, 116, 120.

GENEA hispidula **1**: 76, 77; ***klotzschii*** **5**: 5; ***kunzeana*** **39**: 68; ***lespiaultii*** **5**: 4; ***neuwirthii*** **5**: 3; **17**: 208; ***pulchra*** **1**: *75*, *76*, *77*, 91; **2**: 66; **3**: 24; **5**: 3; **14**: 75, 112; ***sphaerica*** **4**: 95; **5**: *3*, *4*, *5*; **14**: 112; ***verrucosa*** **5**: 5; **39**: 68.

GENEOSPERMA geneosporum **50**: 86, 87, 89; ***laevisporum*** **50**: 86.

GENICULOSPORA grandis **63**: 124, 128, 141; ***inflata*** **54**: 255; **63**: 141.

GEOGLOSSUM atropurpurem **17**: 45; ***cookeanum*** **8**: 144; **64**: 135, 139; ***difforme*** **14**: 160; ***fallax*** **45**: 134, 141, 142; ***glabrum*** **64**: 135, 139; ***glabrum*** **f.** ***difforme*** **14**: 160, 163; ***hirsutum*** **12**: *243*, *244*, *245*; ***nigritum*** **14**: 160; ***ophioglossoides*** **14**: 163; ***simile*** **64**: 139; ***sphagnophilum*** **64**: 139; ***thymiphilum*** **12**: *243*, *244*, *245*; ***uliginosum*** **64**: 135, 136, 137, 138, 139; ***velugelianum*** **64**: 139.

GEOMYCES asperulatus **63**: 65; ***auratus*** **19**: 223; ***cretaceus*** **19**: 223; ***destructans*** **63**: 65, 66, 67, 68, 70, 71, 72, 73, 74; ***laevis*** **63**: 65; ***luteus*** **63**: 65; ***pannorum*** **33**: 83, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 241; **55**: 88, 92; **59**: 125, 128, 130, 131, 134; **63**: 66, 71, 72; ***pulvereus*** **63**: 66; ***sulphureus*** **19**: 223; **63**: 66; ***vinaceus*** **19**: *223*, *224*, *225*; **63**: 66; ***vulgaris*** **19**: 223; **43**: 241.

GEOPETALUM alachuanum **34**: 65; ***carbonarium*** **7**: *185*, *186*, *187*, *188*, *189*, *190*, *191*; **35**: 44, *185*, *186*, *187*; **36**: 186; **53**: 31, 36, 37; ***geogenium*** **35**: *185*, *186*, *187*; **53**: 36; ***petaloides*** **7**: 190; **34**: *63*, *64*, *65*, *66*; **35**: 185; **53**: 36, 37; ***rickenii*** **34**: 62, 66; **46**: 16.

GEOPHILA depilata **11**: 13.

GEOPORA michaelis **16**: 112; ***sepulta*** **35**: 83.

GEOPYXIS alba **35**: 85; ***albocinerea*** **35**: 85; ***alpina*** **22**: 181; **35**: 12, 137, 142; ***ammophila*** **17**: 71, *73*, *74*, *75*; ***bufonia*** **35**: 11; ***carbonaria*** **3**: 84, 85, 87; **14**: 79; **16**: 106; **23**: 26; **35**: 12, 138, 143, 240; ***catinus*** **35**: 11, 84; ***cavinae*** **35**: 85; ***coccinea*** **13**: 3; ***cookei*** **42**: 197; ***cookei*** **var.** ***percevalii*** **42**: 197; ***craterium*** **7**: 29, 30; **20**: 242; **35**: 87; ***cupularis*** **15**: 76; **35**: 84, 85, 136; ***expallens*** **35**: 85, 134; ***flavidula*** **22**: 181; **35**: 12; ***foetida*** **23**: 205; **35**: 12, 142; ***gaillardiana*** **12**: 59; **14**: 75, 225; **15**: 76; **35**: 84, 85, 134; ***grandis*** **47**: 195; **52**: 57; ***grossegranulosa*** **35**: 85; ***micropus*** **24**: 62, 67, *68*, *69*, *70*, *71*, *72*, *73*, *74*, *75*; ***muralis*** **24**: 65; ***pellucida*** **35**: 134; ***pusilla*** **35**: 12; ***radicans*** **35**: 85; ***rapulum*** **15**: *137*, *138*, *139*; ***unicolor*** **23**: *123*, *124*, *125*, *126*; ***vulcanalis*** **23**: 205; **35**: 12.

GEOSMITHIA argillacea **56**: 10; ***cylindrospora*** **48**: 227; **56**: 10; ***eburnea*** **56**: 10, 11; ***emersonii*** **48**: 227; **53**: 181; **56**: 10, 11; ***lavendula*** **56**: 3, 10; ***malachitea*** **56**: 10; ***namyslowskii*** **56**: 10; ***pallida*** **56**: 11; ***putterillii*** **56**: 3, 12, 15; ***swiftii*** **53**: 181; **56**: 10, 11; ***viridis*** **56**: 10.

GEOTRICHUM amycelicum **32**: 240; ***asteroides*** **32**: 147; ***candidum*** **12**: *157*, *158*, *159*, *160*, *161*, 162; **13**: 184, 227, 228, 230, 232; **14**: 58; **16**: *237*, *238*, *239*, *240*, *241*, *242*, *243*; **20**: 182; **22**: 112; **23**: *50*, *51*, *52*; **24**: 154; **25**: 114; **26**: *233*, *234*, *235*, *236*; **31**: 209, 210; **32**: 35, 36, 41, 147; **33**: 110,

115, 231, 232; **34**: 84, 85; **35**: 162, 163, 213, 229, 230; **36**: 53, 123, 124, 168, 245; **38**: 15, 16; **39**: 113, 160, 238; **40**: 22, 26, 27; **41**: 11; **43**: *227*, *228*, *229*, *230*, *231*, *232*, *233*; **44**: *154*, *155*, *156*, *157*, *158*, *159*; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; **46**: 273, 275, *277*, *278*, *279*; **48**: 83, 147, 148, 149, 150, 151, 152; **52**: 177; **55**: 88, 92, 95, 97, 99, 121; **59**: 210; **60**: 80, 82, 84; ***cinereum*** **12**: 158; ***hirtum*** **32**: 241; ***matalense*** **32**: 147; ***matalense*** **var.** ***chapmanii*** **12**: 161; ***microsporum*** **24**: 162, 164, 165; **25**: *112*, *113*, 114, *114*, *115*, *116*; ***mycoderma*** **12**: 160; ***penicillatum*** **38**: 15, 16; ***purpurascens*** **12**: 158; ***rotundatum*** **32**: 240; ***terrestre*** **39**: 48, 49; ***vanriji*** **32**: 241; ***zambettakesi*** **32**: 241.

GERRONEMA albidum **29**: 27; **37**: 100; ***chrysophyllum*** **46**: 287; ***corticiphila*** **60**: 207; ***corticiphilum*** **60**: 207; ***daamsii*** **46**: 121, 122; ***fibula*** **32**: 208, 222; ***josserandii*** **30**: 53; ***marchantiae*** **28**: 121; **38**: 213; **46**: *121*, *122*, *123*, *124*; ***nemorale*** **60**: 197, 198, 200, 201, 202, 203, 204, 205, 206, 207, 209, 210, 211; ***postii*** **46**: *121*, *122*, *123*, *124*; ***strombodes*** **60**: 203, 207, 210; **63**: 251, 257; ***subclavatum*** **60**: 203, 204, 207, 210; ***venustissima*** **20**: 135, *138*, *139*, *140*; ***viridilucens*** **63**: 8; ***xanthophyllum*** **60**: 210.

GIBBERA salisburgensis **49**: 193; ***straussii*** **49**: 194.

GIBBERELLA baccata **12**: 91; ***cyanea*** **10**: 239; **12**: 91; ***fujikuroi*** **12**: 92; **35**: 216; **39**: 160; **40**: 69; **44**: 75; **50**: 102, 104; **51**: 162, 164; **52**: 130; **55**: 95; ***fujikuroi*** **var.** ***subglutinans*** **14**: 185, 186; ***gordonia*** **51**: 162, 163; ***heterochroma*** **10**: 239; ***intricans*** **51**: 162, 163; ***pulicaris*** **12**: 86, 89; **55**: 268; ***pulicaris*** **f.** ***robiniae*** **10**: 239; ***pulicaris*** **var.** ***minor*** **12**: 89; ***saubinetii*** **2**: 74; **21**: 185; ***zeae*** **55**: 262, 268; **57**: 315.

GIBBERIDEA alnicola **27**: 86; ***rhododendri*** **27**: 86, 93.

GIBELLULA alata **56**: 189; ***alba*** **14**: 193; ***arachnophila*** **9**: 135; ***arachnophila*** **f.** ***leiopus*** **56**: 186; ***clavata*** **56**: 189; ***globosa*** **56**: 189; ***globosostipitata*** **56**: 189; ***leiopus*** **14**: 193, 195, 196; **56**: 185, 186, 187, 189, 190; ***mainsii*** **56**: 189; ***pulchra*** **14**: 193; **56**: 186, 189.

GILMANIELLA humicola **37**: 115; **46**: 264, 268; **48**: 73, 74, 75; **53**: 166; **61**: 153; ***macrospora*** **61**: 149, 151, 153, 157, 158.

GLENOSPORA brevis **11**: 22; ***gammelii*** **11**: 22; ***loboi*** **44**: 132; ***sacchari*** **17**: 13, 15.

GLENOSPORELLA albicans **19**: 223; ***loboi*** **11**: 21.

GLENOSPOROPSIS amazonica **11**: 21.

GLEOPHYLLUM odoratum **61**: 192.

GLIOBOTRYS alboviridis **43**: 241.

GLIOCLADIUM atrum **24**: 164; **43**: 241; ***catenulatum*** **36**: 70; **43**: 107, 241; **46**: 248; **53**: 215, 216, 217; **55**: 78; ***deliquescens*** **33**: 85; **43**: 241; ***fimbriatum*** **3**: 9; **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 241; ***penicillioides*** **3**: 9, 10; **43**: 241; **61**: 153; ***roseum*** **32**: 227, 228, 231; **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **37**: 116; **38**: *235*, *236*, *237*, *238*, *239*; **43**: *96*, *97*, *98*, *99*, *100*, *101*, *102*, *103*, *104*, *105*, *106*, *107*, 241, 242; **46**: 87, 89, 90, 91, 255; **52**: 220, 221, 222; **53**: 219; **56**: 224; ***varians*** **43**: 241; ***vermoesenii*** **43**: 241; ***verrucaria*** **43**: 241; ***verticilloides*** **43**: 242; ***virens*** **43**: 242; **52**: 224, 225; **56**: 224; **61**: 111; ***viride*** **43**: 241.

GLIOMASTIX chartarum **19**: 108; ***murinella*** **32**: 228, 231; ***murorum*** **33**: 83, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **43**: 242; ***murorum*** **var.** ***felina*** **57**: 242; ***subiculosa*** **60**: 80, 82.

GLIOPHORUS psittacinus **18**: 223.

GLOBULINA sarothamni **32**: 204; ***urticae*** **3**: 44, 45.
GLOEOCYSTIDIELLUM citrinum **18**: 162; ***ochraceum*** **35**: 240.
GLOEOCYSTIDIUM caesiocinereum **4**: 40, 84; ***ipidophilum*** **8**: 140, 143; ***lindtneri*** **20**: 119; **40**: 219; ***praetermissum*** **7**: 138; ***tenue*** **4**: 84.
GLOEOPHYLLUM abietinum **5**: 17, 170; **8**: 88, 90, 91; **11**: 170; **17**: 182; **19**: 79; **36**: 32; **40**: 194, 199; **43**: 134; **47**: 200; **49**: 133, 175; **56**: 276; **63**: 257; ***berkeleyi*** **55**: 21; ***mexicanum*** **55**: 21; **64**: 18; ***odoratum*** **36**: 32; **40**: 96; **42**: 8; **44**: 234; **56**: 275; **63**: 230, 257; ***sepiarium*** **5**: 17, 125, 170; **8**: 88, 91; **11**: 170, 187, 241, ***244***, ***245***, ***246***; **14**: 97, 106, 226; **18**: 162; **19**: 79, 178; **28**: 31; **35**: 219; **44**: 142, 234; **45**: 38; **49**: 134, 176; **54**: 198, 200; **55**: 21; **57**: 310; **63**: 222, 225, 257; ***striatum*** **55**: 22, 25; ***subferrugineum*** **44**: 234, 235; ***trabeum*** **7**: ***123***, ***124***, ***125***; **25**: 105; **36**: 32.
GLOEOPORUS adustus **4**: 78; **5**: 19, 170; **8**: 88; **9**: 24, 25; **12**: 214; **13**: 217; **14**: 31, 226; **27**: 220; ***amorphus*** **5**: 170; **9**: 24; **11**: 168, 189; **18**: 68, 70, 73, 74; **22**: 51, 53, 54, 126, 127; **42**: 1, 9; ***bourdotii*** **18**: 65, 66, 68, 69, 73, 74; ***conchoides*** **11**: 168; **18**: 69, 70, 74; ***dichrous*** **9**: 24; **11**: 168, 214, 218, 223; **12**: 103; **15**: 22; **18**: 5; **21**: 55; **24**: 84; **28**: 121; ***fumosus*** **5**: 170; **9**: 24; ***pannocinctus*** **17**: 182; **18**: 65; **27**: 221; **42**: ***130***, ***131***, ***132***; **43**: 36; ***thompsonii*** **43**: 36.
GLOEOSPORIUM bolleyi **44**: 162; ***fructigenum*** **4**: 100; ***kalchbrenneri*** **49**: 165; ***lagenarium*** **6**: 84; **11**: 57; ***polystigmicola*** **9**: ***108***, ***109***, ***110***, ***111***; ***vagans*** **52**: 57; ***vogelianum*** **52**: 57.
GLOEOTINIA granigena **33**: 198, 200; ***temulenta*** **33**: 200.
GLOEOTULASNELLA calospora **11**: 70, 73, 78; ***cystidiophora*** **11**: 70, 76, 77; ***griseorubella*** **11**: 76, 80; ***hyalina*** **11**: 70, 76, 78; ***metachroa*** **11**: 70, 78; ***opalea*** **11**: 70, 76, 77; ***pinicola*** **11**: 70, 79, 80; ***traumatica*** **11**: 76, 77; ***tremelloides*** **11**: 70, 79.
GLOIOTHELE lamellosa **64**: 18.
GLOMERELLA cingulata **4**: 100; **21**: 185; **35**: 216; **56**: 36; ***miyabeana*** **17**: 50.
GLOMOSPORIUM leptideum **56**: 136.
GLOMUS mosseae **52**: 69.
GLONIOPSIS curvata **49**: 209, 216, 217; ***praelonga*** **49**: 217.
GLONIUM circumserpens **56**: 158; ***graphicum*** **35**: 94; ***lineare*** **12**: 149; ***nitidum*** **49**: 210.
GNAPHALOMYCES adamovskyi **43**: 133.
GNOMONIA alni **24**: 130; ***alniella*** **24**: 129, 130; ***alni-viridis*** **24**: 129, 131; **27**: 86, 90; **28**: 221; ***amenticola*** **10**: 121, 122; **24**: 129; **27**: 91; ***apiculata*** **28**: 222; ***borealis*** **28**: 220, 221; ***campylostyla*** **28**: 221; ***cerastis*** **13**: 154; **28**: 221; ***comari*** **49**: 196, 197; ***conformis*** **24**: 129, 130; **27**: 91; ***coryli*** **28**: 222; ***depressula*** **26**: 43, 46, 47, 55; **28**: 222; ***devexa*** **28**: 222; ***emarginata*** **28**: 222; ***errabunda*** **28**: 222; ***erythrostoma*** **28**: 222; ***euphorbiae*** **28**: 222; ***fimbriata*** **28**: 222; ***geranii*** **28**: 220, 221; ***leptostyla*** **28**: 222; ***lysimachiae*** **28**: 222; ***needhami*** **28**: 222; ***occulta*** **49**: 197; ***perversa*** **24**: 129; **28**: 222; ***petiolicola*** **28**: 222; ***pratensis*** **28**: ***219***, ***220***, ***221***, ***222***; ***robertiani*** **28**: ***220***, ***221***, ***222***; **52**: 57; ***rosae*** **28**: 222; ***rostellata*** **26**: 47; **28**: 222; ***rubi*** **26**: 47; ***salicella*** **28**: 222; ***sesleriae*** **28**: 222; ***setacea*** **27**: 86; **28**: 222; ***setacea* f. *alni*** **24**: 129; ***tetraspora*** **28**: 222; ***vepris*** **28**: 222; ***vulgaris*** **28**: 222.
GNOMONIELLA kriegeriana **28**: 220; ***nana*** **52**: 323; ***tubiformis*** **27**: 86; **35**: 240.
GODRONIA fuliginosa **61**: 73.
GODRONIOPSIS nemopanthis **52**: 57.

GOLOVINOMYCES biocellatus **60**: 259, 260; *cichoracearum* **57**: 317; **59**: 201, 202, 203; **60**: 259; *galeopsidis* **60**: 253.
GOMPHIDIUS corallinus **26**: 220; *flavipes* **30**: 81; *glutinosus* **3**: 7; **10**: 186, 191; **18**: 13; **19**: 16, 115; **20**: 59; **26**: 219; **27**: 229; **30**: 81; **32**: 222; **44**: 221, 223; **52**: 212; *glutinosus* **b)** *delicatulus* **46**: 324; *helveticus* **15**: 159, 160; **19**: 123, 125; **22**: 189, 191, 195, 200; **25**: 144; **27**: *229*, *230*, *231*, *232*, *233*, *234*; **30**: 81, 82; *helveticus* **var.** *tatrensis* **30**: 82; *largus* **26**: 219; *loculatus* **26**: 220; *maculatus* **3**: 123; **14**: 104; **18**: 13; **24**: 117; **26**: 220; *nigricans* **26**: 219; *oregonensis* **26**: 219; *pseudomaculatus* **26**: 220; *pseudovinicolor* **26**: 220; *purpurascens* **30**: 86; *roseus* **3**: 123, 124; **7**: 159; **9**: 118; **14**: 125; **16**: 20, 157; **18**: 222; **23**: 79; **26**: 219; **32**: 222; *rutilus* **14**: 225; **22**: 195; **26**: 219; **27**: 229, 232; **29**: 27; **32**: 222; **42**: 160; *rutilus* **var.** *fulmineus* **30**: 86; *smithii* **26**: 219; *subroseus* **26**: 219; *viscidus* **7**: 153; **10**: 191; **18**: 13; **30**: 86; *viscidus* **var.** *fulmineus* **30**: 86; *viscidus* **var.** *tatrensis* **7**: 153; **10**: 54; **19**: 123; **27**: *229*, *230*, *231*, *232*, *233*, *234*; **30**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*.
GOMPHOS pholideus **18**: *77*, *78*, *79*, *80*, *81*.
GOMPHUS clavatus **16**: 156; **18**: 191, 222; **20**: 110; **24**: 178; **45**: 34; *pseudoclavatus* **29**: 200.
GONATOBOTRYS simplex **15**: 178; **59**: 208, 210.
GONATOBOTRYUM fuscum **44**: 106; *parasiticum* **47**: 151, 156, 157.
GONATORRHODIELLA parasitica **47**: 156.
GONGRONELLA butleri **43**: 242.
GONYTRICHUM caesium **25**: 25, 27, 28; **61**: 88; *chlamydosporium* **61**: 87, 91; *macrocladum* **38**: 105.
GORGOMYCES honrubiae **63**: 148; *hungaricus* **63**: 141, 148.
GORGONICEPS aridula **8**: 58; **35**: 92, 97; **44**: 144; *boltonii* **45**: 134, 142; *hypothallosa* **38**: 197, 199; *kuitoensis* **52**: 57; *obscura* **8**: 58; *subviridula* **44**: 140, 144; *viridula* **59**: 104.
GRAMINCOLA gracilis **20**: 74.
GRAMMOTHELE lineata **55**: 23; *polygramma* **55**: 23.
GRANDINIA alutaria **56**: 276; *brinkmannii* **22**: 250; *granulosa* **36**: *72*, *73*, *74*, *75*; **56**: 276; *granulosa* **var.** *ochracea* **36**: 74; *microspora* **4**: 85; *nespori* **56**: 276.
GRAPHIOLA phoenicis **56**: 136.
GRAPHIS afzelii **56**: 158; *colliculosa* **56**: 158.
GRAPHIUM atrum **33**: 158; *bulbicola* **27**: 105; *cavipes* **13**: 92, 98, 99, 102; *comatrichoides* **13**: 99; *eumorphum* **27**: *98*, *99*, *100*, *101*, *102*, *103*, *104*, *105*; **33**: 231, 232; **39**: 160; *fimbriisporum* **57**: 93, 94; *fragrans* **27**: 105; *fruticolum* **43**: 242; *guttuliferum* **43**: 242; *laricis* **59**: 227, 228, 230, 231, 232, 233, 234, 235, 236, 237; *penicillioides* **43**: 242; **56**: 19, 20; **61**: 153; *putredinis* **61**: 153; *pycnocephalum* **20**: 45, 50, 53; **56**: 20; **57**: 93; **59**: 232, 233, 234; *silanum* **53**: 288, 291, 292; *stercorarium* **13**: 99; *stilboideum* **27**: 105; *ulmi* **35**: 216, 219.
GRELETIA marchica **47**: 195; **52**: 57; *reticulosperma* **47**: 195; **52**: 57.
GREMMENIELLA abietina **35**: 96.
GRIFOLA acanthoides **20**: 97; *castaneae* **7**: 156; *fractipes* **30**: 181; *frondosa* **5**: 74, 134; **11**: 155, 167; **15**: 22, 181, 189; **24**: 84; **26**: 83; **32**: 222; **38**: 173; **50**: 304, 307, 308, 310; **57**: 326; *gigantea* **16**: 157; **19**: 127; **20**: 98, 103; *montana* **10**: 59; **18**: 91; **27**: 220; *obducta* **subsp.** *osseocolorata*

43: 36; ***ossea*** **11**: 167; **14**: 112; **15**: 22; **24**: 108; **31**: 164; **43**: 37; ***sulphurea*** **1**: *11*, *12*, *13*, *14*; **4**: 52, 74; **5**: 171; **7**: 124; **10**: 59, 78; **11**: 132, 133, 189, 190; **18**: 91, 232; **20**: 87, 101; **22**: 9, 45; **30**: 55; ***umbellata*** **4**: *27*, *28*, *29*; **5**: 74, 134; **7**: 159; **11**: 155, 167; **13**: 40, 41, 46, 48; **15**: 181, 189; **16**: 157; **22**: 156; **63**: 44.

GROSMANNIA serpens **20**: 52.

GRUBYELLA ferruginea **12**: 45.

GUCEVICZIA setosa **29**: 101.

GUEPINIA cyphella **14**: 241, 243; ***femsjoniana*** **11**: 92; ***helvelloides*** **4**: 40; **6**: *180*, *181*, *182*, *183*, *184*; **7**: 159; **9**: 103; **10**: 162; **15**: 16; ***merulina*** **11**: 91; ***petaloides*** **46**: 319; ***peziza*** **11**: 91; ***rufa*** **4**: 40; **16**: 156; ***sparassoides*** **46**: 319.

GUEPINIOPSIS alpina **11**: 91; ***merulinus*** **11**: 91; ***monticola*** **11**: 91; ***torta*** **11**: 90, 91.

GUIGNARDIA steppani **52**: 57; ***sudetica*** **52**: 57.

GUILLIERMONDELLA fragilis **32**: 138; ***lactis*** **32**: 239.

GYALECTA geoica **56**: 158; ***schisticola*** **56**: 158.

GYALECTIDIUM catenulatum **56**: 158; ***filicinum*** **56**: 158; ***palmicola*** **56**: 155, 158.

GYALIDEA culbersoniana **56**: 158; ***kawanae*** **56**: 156, 158.

GYALIDEOPSIS helvetica **58**: 105, 108; ***mexicana*** **56**: 155, 158; ***zeylandica*** **56**: 155, 158.

GYMNOASCUS gypseum **22**: 57; ***reessii*** **17**: 135, 139; **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 214; **43**: 242; **50**: 102, 104; **61**: 153; ***roseus*** **43**: 242.

GYMNOGOMPHUS helveticus **30**: 81.

GYMNOMITRULA abietis **16**: 105.

GYMNOPILUS bellulus **25**: 107, 111; ***dilepis*** **55**: 162, 171; ***fulgens*** **19**: 43, 46, 47; ***hybridus*** **44**: 204, 207; **46**: 81, 177, 183, 286; **59**: 72; ***igniculus*** **55**: 161, 162, 163, 165, 166, 168, 169, 170; ***josserandii*** **53**: *133*, *134*, *134*, *135*, *135*, *136*, *136*, *137*, *137*, *138*, *138*, *139*, *139*; ***junonius*** **26**: 123; **32**: 222; ***luteifolius*** **55**: 162, 171; ***neerlandicus*** **64**: 198; ***peliolepis*** **55**: 162, 171; ***penetrans*** **14**: 97; **46**: 13, 31; **56**: 274; **59**: 72; **63**: 257; ***picreus*** **25**: 107; **63**: 257; ***purpuratus*** **48**: 13; **55**: 162, 170, 171; ***sapineus*** **25**: 107; **44**: 86, 222; **56**: 286; **59**: 72; ***spectabilis*** **48**: 16, 103; ***subbellulus*** **53**: 134, 137, 138, 139; ***subsphaerosporus*** **53**: 134, 137, 138, 139.

GYMNOPUS acervatus **63**: 233; ***alkalivirens*** **60**: 18; ***androsaceus*** **63**: 257; ***aquosus*** **63**: 257; ***bisporiger*** **60**: 21, 24; ***brassicolens*** **48**: 312; ***brassicolens*** **var.** ***pallidus*** **48**: 312; **52**: 57; ***confluens*** **63**: 257; ***dryophilus*** **63**: 233; ***familia*** **63**: 3; ***foetidus*** **60**: 24; ***fuscopurpureus*** **60**: 18; **63**: 252, 257; ***herinkii*** **48**: *309*, *310*, *310*, *311*, *311*, *312*, *312*; **52**: 95; ***hondurensis*** **63**: 206; ***impudicus*** **48**: 312; ***loiseleurietorum*** **60**: 18; ***luxurians*** **52**: *41*, *42*, *43*, *44*, *45*, *46*, *47*, *48*; ***myriadophyllus*** **7**: 81; ***nivalis*** **60**: 25; ***obscuroides*** **60**: 13, 14, 15, 16, 17; ***perforans*** **60**: 24, 25; **63**: 257; ***peronatus*** **63**: 257; ***potassiovirescens*** **60**: 18, 25; ***pubipes*** **60**: 18; ***pubipes*** **var.** ***pallidopileatus*** **60**: 18; ***pyrenaeicus*** **60**: 25; ***quercophilus*** **60**: 25; ***semihirtipes*** **60**: 19; ***spongiosus*** **60**: 19; ***vernus*** **60**: 25; ***virescens*** **60**: 19.

GYMNOSPORANGIUM amelanchieris **62**: 99; ***aurantiacum*** **52**: 57; ***clavariiforme*** **56**: 128; ***cornutum*** **56**: 128; ***malyi*** **52**: 57; ***nidus-avis*** **47**: 195; ***sabinae*** **56**: 128; **57**: 261; ***torminali-juniperinum*** **56**: 138; ***tremelloides*** **56**: 128.

GYMNOSPORIUM arundinis **36**: 105; ***phaeospermum*** **36**: *104*, *105*; ***physciae*** **46**: 319.

GYOERFFYELLA biappendiculata **28**: 119; ***gemellipara*** **28**: 119; **63**: 141; ***rotula*** **63**: 141; ***speciosa*** **28**: 119.
GYROCEPHALUS helvelloides **16**: 156; ***rufus*** **15**: 16; **26**: 37.
GYROCRATERA ploettneriana **20**: 129.
GYRODON lignicola **25**: 136; ***lividum*** **4**: 111, 149; **5**: 85; ***lividus*** **6**: *75*, *76*, *77*; **7**: 160; **14**: 112; **15**: 13; **16**: 170; **21**: 129; **22**: 106; **32**: 222; **33**: 161, 164; **41**: 82; **44**: 125; **57**: 9; ***merulioides*** **46**: 55; ***stejskalii*** **2**: 37.
GYROMITRA ambigua **28**: 91; **40**: 17; ***apiculata*** **28**: 91; ***arctica*** **28**: 91; ***brunnea*** **26**: 1, 3, 6; **28**: 88; ***bubaci*** **35**: 134; **40**: *11*, *12*, *13*, *14*, *15*, *16*, *17*, *18*; ***caroliniana*** **23**: 78; **28**: 88, 91; ***esculenta*** **2**: *105*, *106*; **3**: *34*, *35*; **5**: 75; **6**: 114; **7**: 161; **8**: 188, 192; **13**: 7, 9; **14**: 106; **19**: 17; **20**: *178*, *179*, *180*, *181*; **23**: 78, *171*, *172*, *173*, 175, 176, 178; **26**: 2, 3, 6; **28**: 90, 91; **32**: 221; **33**: 57, 58, 252; **35**: 12, 90, 141, 143; **36**: 202; **40**: *11*, *12*, *13*, *14*, *15*, *16*, *17*, *18*; **42**: 160, 224, 225; **43**: 178, 181; **44**: 221; **48**: 109, 117, 118; ***esculenta*** **var.** ***alba*** **8**: *75*, *76*, *77*; **40**: *11*, *12*, *13*, *14*, *15*, *16*, *17*, *18*; **64**: 198; ***esculenta*** **var.** ***bubaci*** **40**: *11*, *12*, *13*, *14*, *15*, *16*, *17*, *17*, *18*, *18*; ***esculenta*** **var.** ***fulva*** **40**: *11*, *12*, *13*, *14*, *15*, *15*, *16*, *16*, *17*, *17*, *18*, *18*; ***fastigiata*** **26**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*; **28**: 84; **33**: 58; **35**: 10, 12, 143; ***gabretae*** **8**: *170*, *171*, *172*; **9**: 155, 156; **15**: *42*, *43*, *44*, *45*; **27**: 224; **28**: 90; **35**: 74; **59**: 52, 55, 56; ***gigas*** **3**: 36; **5**: 75; **14**: 126, 225; **18**: 13; **26**: 1, 3, *5*, *6*, *7*; **28**: *84*, *85*, *86*, *87*, *88*, *89*; **33**: 58; **35**: 10, 11, 143; ***gigas*** **var.** ***pumila*** **35**: 11; ***inflata*** **2**: 36; **26**: 1, 6, 7; **35**: 143; ***infula*** **8**: 170; **14**: *6*, *7*, *8*, *9*, *10*, *11*, 64, 88, 89; **16**: 111; **18**: 163; **26**: 2, 3; **27**: 224; **28**: 88, 90, 91; **33**: 58; **35**: 13, 141, 143; **40**: 17; ***korfii*** **28**: 88, 91; ***krombholzii*** **3**: 36; **35**: 12, 143; **36**: 202; ***leucoxantha*** **28**: 92; ***macrospora*** **28**: 92; ***montana*** **28**: 87, 88, 91; ***neuwirthii*** **17**: 208; **35**: 134; ***olympiana*** **28**: 92; ***parma*** **28**: 84, 91, 92; ***perlata*** **28**: 92; ***phillipsii*** **36**: *109*, *110*, *111*, *112*, *113*; ***pratensis*** **26**: 1, 2, 6, 7; **35**: 10; ***queletii*** **26**: 1, 2, 6; **28**: 92; ***sphaerospora*** **8**: 171; **15**: *42*, *43*, *44*, *45*; **59**: 55; ***sphaerospora*** **f.** ***gabretae*** **35**: 74; ***suspecta*** **3**: 36; **35**: 12, 134; ***tasmanica*** **28**: 92; ***underwoodii*** **28**: 88; ***ussuriensis*** **28**: 91; ***warnei*** **28**: 92.
GYROMITRODES sphaerospora **8**: 171; **59**: 55.
GYROPHANA himantioides **14**: 78; **33**: 94; ***lacrymans*** **7**: 64; **24**: 67; **33**: *94*, *95*, *96*, *97*; **46**: 146.
GYROPHILA amara **12**: 78; ***rufa*** **19**: 142, 145; ***tigrina*** **3**: 27; **21**: 4.
GYROPORUS castaneus **4**: 111; **5**: 74; **14**: 112, 116, 119, 120; **15**: 13, 155, 157; **16**: 20, 157; **18**: 115; **19**: 16; **22**: 106, 146; **32**: 222; **33**: 164; **38**: 220; **41**: 82; **52**: 8; ***cyanescens*** **14**: 116, 117, 119, 120, 130; **15**: 13; **16**: 13, 187, 188; **18**: 91, 115, 197; **22**: 106; **25**: 43, 107; **32**: 222; **36**: 78, 187; **41**: 82; **44**: 125; **46**: 171, 186; ***griseus*** **43**: 5, 6; ***lividus*** **35**: 241.
GYROTHRIX circinata **38**: 105; ***podosperma*** **40**: 79.
HAASIELLA splendidissima **20**: *135*, *136*, *137*, *138*, *139*, *140*, 229.
HADROTRICHUM arundinaceum **17**: 13, 19.
HAEMATOMMA africanum **56**: 158; ***babingtonii*** **56**: 158; ***persoonii*** **56**: 158.
HAEMATOSTEREUM gausapatum **13**: 12, 13; **45**: 15, 21; ***rugosum*** **13**: *12*, *13*, *14*; **14**: 106; ***sanguinolentum*** **13**: 12, 13, 144; **14**: 97, 106.
HAGLUNDIA elegantior **32**: 13; ***magnipilosa*** **32**: 11, 13, 14; ***perelegans*** **21**: 148; **29**: 61; **32**: *13*, *14*, *14*, *15*, *15*; **43**: 69; ***sarmentorum*** **21**: 146, 147; **32**: 14, 15; **62**: 30.
HAINESIA viburni **52**: 57; ***zavrelii-ignatii*** **52**: 57.

HALECANIA australis **56**: 158; ***viridescens*** **58**: 109.
HALOCYPHINA villosa **61**: 111, 113.
HALOSARPHEIA retorquens **61**: 113.
HAMATOCANTHOSCYPHA acericola **41**: 16, 20, 21; ***cuneata*** **39**: 207; ***laricionis*** **31**: 11; **39**: 211, 212; **41**: 199; **63**: 137, 217, 225; ***sulphureocitrina*** **37**: 65.
HAMIGERA avellanea **43**: 242; **53**: 178, 181; ***striata*** **43**: 242.
HANSENIASPORA apuliensis **32**: 148; ***guilliermondii*** **32**: 148; **44**: 154; ***osmophila*** **39**: 48; ***uvarum*** **32**: 148; **39**: 240; **44**: *154*, *155*, *156*, *157*, *158*, *159*; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; **46**: 273, 275, *277*, *278*, *279*; ***valbyensis*** **32**: 148; **35**: 161; **39**: 48, 49.
HANSENULA anomala **13**: 37, 46, 48; **18**: 32; **32**: 137; **33**: 113; **34**: 84, 85; **35**: 213; **36**: 168; **39**: 236, 237, 239; **43**: *223*, *227*; **44**: *154*, *155*, *156*, *157*, *158*, *159*; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; **46**: 272, 273, *277*, *278*, *279*, 281; **48**: 147, 148, 149, 150, 152; ***anomala*** **var. *schneggii*** **33**: 113; **35**: 213; ***beckii*** **35**: 213; ***caliphornica*** **13**: 45; ***jadinii*** **35**: 213; **39**: 239; ***polymorpha*** **39**: 160; **42**: 171, 174; ***saturnus*** **var. *saturnus*** **39**: 239; ***subpelliculosa*** **42**: 116.
HAPALOPILUS aurantiacus **17**: 176; **18**: 5; **20**: 102; **21**: 205; ***croceus*** **17**: 176, 184; **20**: 81, *90*, *91*, *92*, *93*, *94*, *95*, *96*, *97*, 99, 101, 102; **24**: 84; **26**: 123; **30**: 54; **41**: 51; **58**: 153, 154; ***fibrillosus*** **17**: 176, 177; ***nidulans*** **11**: 155, 168; **17**: 175, 184; **20**: *101*, *102*, *103*; **32**: 222; **33**: 162; **50**: 304, 307, 308, 310; ***ochraceolateritius*** **17**: 176, 185; ***rutilans*** **10**: 59; **35**: 109; **41**: 51; **44**: 142; **45**: 93; **47**: 201; **49**: 176; **52**: 8; **63**: 257; ***salmonicolor*** **21**: 205, 206; ***subtestaceus*** **17**: 176, 185; ***taxi*** **17**: 175.
HAPLOGRAPHIUM delicatum **31**: 193, 194; **33**: 167; **35**: 110; **41**: 195; **46**: 48; ***fuscipes*** **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; ***tenuissimum*** **35**: 110.
HAPLOPORUS odorus **45**: 96; **57**: 326.
HAPLOSPORANGIUM bisporale **23**: 246, 247; **43**: 242; ***decipiens*** **23**: 245; **43**: 242; ***gracile*** **23**: 246; **43**: 242; ***lignicola*** **23**: 246, 248; **43**: 242; ***parvum*** **44**: 131.
HAPLOTRICHUM album **30**: 3; ***aureum*** **30**: 3; **33**: 145; ***candicans*** **33**: 145; ***capitatum*** **23**: 210; **30**: 3; **33**: 145; ***caribense*** **30**: 3; **38**: 105; ***chilense*** **30**: 3; ***conspersum*** **30**: 4; **33**: 145; **56**: 276; ***curtisii*** **30**: 4; **38**: 105; **40**: 148; ***ellipsosporum*** **30**: 4; ***elongatum*** **30**: 4; ***gracile*** **30**: 4; ***linderi*** **30**: 4; ***magnisporum*** **30**: 4; ***medium*** **30**: 4; ***ovalisporium*** **30**: 4; ***pulchrum*** **30**: 4; ***ramosissimum*** **30**: 4; ***rubiginosum*** **30**: 4; ***simile*** **30**: 4; ***sphaerosporum*** **30**: 4; ***tenerum*** **30**: 4; **40**: 148; ***tomentosum*** **30**: 4; ***vesiculosum*** **30**: 4.
HARPIDIUM rutilans **56**: 158.
HARPOGRAPHIUM fasciculatum **33**: 145.
HARPOSPORIUM anguillulae **26**: 230.
HARZIA acremonioides **43**: 171; **59**: 210; ***verrucosa*** **43**: 171.
HEBELOMA aestivale **58**: 288; ***albocrenulatum*** **21**: 35; ***alpinum*** **58**: 288; ***alvarense*** **58**: 288; ***anthracophilum*** **8**: *10*, *11*, *12*, *13*; ***bruchetii*** **47**: 48; ***cistophilum*** **58**: 288; ***claviceps*** **14**: 75; ***crassum*** **1**: 48; ***crustuliniforme*** **5**: 105; **8**: 13; **12**: 120, 122; **18**: 12; **28**: 124; **30**: 52; **32**: 222; **34**: *192*, *193*, *194*, *195*; **44**: 221; **48**: 98; **52**: 6; ***cylindrosporum*** **58**: 288; ***domardianum*** **58**: 287; ***edurum*** **58**: 288; ***fallax*** **52**: 57; ***fastibile*** **14**: 77; **58**: 288; ***fusisporum*** **58**: 288; ***laterinum*** **58**: 288; ***leucosarx*** **58**: 288; ***longicaudum*** **18**: 10; **19**: 114; **58**: 288; ***marginatulum*** **47**: *46*, *47*,

48; ***mesophaeum*** **8**: 12, 13; **14**: 117; **18**: 13; **19**: 16; **24**: 109; **28**: 124; **33**: 164; **44**: 86; **45**: 50; **58**: 288; ***pallidoluctuosum*** **58**: 288; ***polare*** **58**: 287, 288; ***populinum*** **58**: 288; ***punctatiforme*** **52**: 58; ***punctatum*** **8**: *10*, *11*, *12*, *13*; ***pusillum*** **14**: 96; **35**: 241; ***quercetorum*** **58**: 288; ***radicosum*** **14**: 77, 112; **16**: 158; **18**: 223; **32**: 222; ***repandum*** **45**: 35; **47**: 48; ***sacchariolens*** **14**: 78, 113; **15**: 225; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **58**: 288; ***sarcophyllum*** **58**: 287; ***senescens*** **58**: 288; ***sinapizans*** **14**: 117; **18**: 10; **29**: 27; **32**: 222; **48**: 98; **52**: 6; **58**: 288; ***sinuosum*** **4**: 149; **14**: 225; ***squammulosum*** **52**: 23; ***strophosum*** **14**: 113; **58**: 288; ***subconcolor*** **58**: 288; ***syrjense*** **58**: 287; ***theobrominum*** **58**: 288; ***vaccinum*** **58**: 288; ***vejlense*** **58**: 288; ***velutipes*** **58**: 287; ***versipelle*** **14**: 225; **18**: 13; **34**: *192*, *193*, *194*.

HEBELOMINA neerlandica **64**: 198.

HEIMIOMYCES fulvipes **38**: 213.

HELICOBASIDIUM brebissonii **54**: 31.

HELICODENDRON pinicola **49**: 78; ***triglitziensis*** **33**: 142, 145.

HELICOMA ambiens **40**: 148; **41**: 34; ***asperothecum*** **47**: 195; ***divaricata*** **41**: 29, 31, 33, 34; ***morganii*** **25**: 25, 27, 28; ***muelleri*** **25**: 25, 27, 28; **38**: 105; **40**: 148; ***olivaceum*** **33**: 142, 146; ***perelegans*** **25**: 25, 27, 28; **33**: 142, 146; ***violaceum*** **25**: 25, 27, 28.

HELICOON farinosum **33**: 142, 146; **43**: 242.

HELICORHOIDION botryoideum **38**: 106.

HELICOSPORIUM aureum **25**: 25, 27, 28; **38**: 106; ***citreoviride*** **25**: 25, 27, 28; ***gracile*** **25**: 25, 27, 28; ***griseum*** **25**: 25, 27, 28; **38**: 106; **40**: 149; ***guianense*** **25**: 25, 27, 28; ***linderi*** **25**: 25, 27, 28; ***lumbricoides*** **25**: 25, 27, 28; **38**: 106; ***lumbricopsis*** **25**: 25, 27, 28; ***nematosporum*** **38**: 106; ***pallidum*** **25**: 25, 27, 28; ***panacheum*** **25**: 25, 27, 28; ***pannosum*** **38**: 106; ***phragmitis*** **25**: 25, 27, 28; **33**: 157; ***vegetum*** **25**: 25, 27, 28; **33**: 146; **61**: 89.

HELICOSTYLUM moreliae **50**: 246; ***pyriforme*** **23**: 65.

HELISCELLA stellata **54**: 255; **63**: 141, 148.

HELISCINA antennata **54**: 255; ***campanulata*** **54**: 255; **63**: 142.

HELISCUS lugdunensis **54**: 255; **63**: 120, 124, 142, 148.

HELMINTHOSPHAERIA clavariae **12**: 127; ***corticiorum*** **33**: 151.

HELMINTHOSPORIUM allii **32**: 111; ***anthyllidis*** **49**: 120; **52**: 58; ***arundinaceum*** **38**: 39; ***bornmuelleri*** **52**: 58; ***capitulatum*** **51**: 19; ***carbonum*** **55**: 262; ***dimorphosporum*** **41**: 107, 111, 113; ***dorycarpum*** **38**: 115; ***foveolatum*** **40**: 149; ***hawaiense*** **39**: 159; ***helianthi*** **49**: 123; ***lini*** **37**: *72*, *73*, *74*, *75*; ***mauritianum*** **38**: 107; ***nanum*** **37**: *72*, *73*, *74*, *75*; ***palmigenum*** **38**: 107; ***pedicellatum*** **31**: 62; **45**: 155, 157, 158; ***poae*** **42**: 84; **52**: 58; ***rostratum*** **44**: 74; ***sativum*** **28**: 117, 118; ***setariae*** **52**: 58; ***simplex*** **46**: 48; ***spiciferum*** **37**: 72; **39**: 159; **44**: 68; ***vagans*** **43**: 49; ***velutinum*** **41**: 109; ***victoriae*** **24**: 194; **38**: 195; **43**: 155.

HELOTIUM acuum **37**: 68; ***acuum*** **var.** ***carneum*** **37**: 68; ***aesculi*** **14**: 112; **43**: 74; ***affinissimum*** **57**: 208, 217; ***agaricinum*** **59**: 105; ***airae*** **16**: 102; **33**: 196; ***albidum*** **40**: 206; ***calathicolum*** **33**: 196; ***callorioides*** **13**: 124; ***calyculus*** **16**: 99; ***capense*** **46**: 319, 326; ***caudatum*** **14**: 73; **16**: 99; ***citrinicolor*** **16**: 99; ***citrinum*** **43**: 73; ***clavus*** **var.** ***grandis*** **43**: 67; ***conigenum*** **14**: 126; ***conscriptum*** **16**: 99; ***consobrinum*** **16**: 100; ***costatum*** **40**: 216; ***cruentatum*** **46**: 150; ***dearnessii*** **64**: 128; ***destructor*** **25**: 109, 111; ***dubium*** **43**: 74; ***dumbirense*** **46**: 160, 161;

duriusculum **33**: 195; ***eburneum*** **33**: 195; ***epiphyllum*** **14**: 87; **16**: 100, 101; **27**: 224; ***fagineum*** **16**: 102, 113; ***flammeum*** **41**: 198; ***friesii*** **14**: 16, 20; ***fructigenum*** **14**: 76, 226; **16**: 101, 102, 113; **29**: 29; ***geogenum*** **14**: *12*, *13*, *14*, 20; **33**: *225*, *226*, *227*; ***grisellum*** **41**: 198; ***herbarum*** **13**: 124; **16**: 94, 96, 100; ***herbarum*** **f. *alpestre*** **16**: 94, 96, 100; ***imberbe*** **7**: 139; **25**: 109; **30**: 14; ***immarginatum*** **46**: 149; ***immutabile*** **14**: 15, 16, 20; **16**: 100; ***juniperinellum*** **37**: 68; ***lecithinum*** **26**: 214; ***limogenum*** **52**: 58; ***longisporum*** **33**: *225*, *226*, *227*; ***lutescens*** **14**: 126; ***macrosporum*** **64**: 133; ***moniliferum*** **33**: 195; ***mycetophilum*** **31**: 137, 138; ***novum*** **16**: 100, 101; ***pallidesubolivaceum*** **12**: 221, *226*, *227*, *228*; ***peruni*** **40**: 216; **43**: 72; ***phyllogenum*** **16**: 101; ***phyllophilum*** **16**: 101; ***pileatum*** **57**: 216, 217, 218; ***procerum*** **25**: 109; **32**: 17; ***proximellum*** **37**: 68; ***pruinosum*** **41**: 198; ***pulvinatum*** **16**: 101; ***punctatum*** **41**: 201; ***purpuratum*** **49**: 164; ***repandum*** **f. *citripes*** **16**: 101, 113; ***rhizogenum*** **57**: 208; ***rhizophilum*** **57**: 206, 209, 210, 211; ***robergei*** **14**: 73; ***rokebyense*** **16**: 101, 113; ***rubicolum*** **16**: 99; ***schimperi*** **8**: 18; ***scutellatum*** **49**: 164; ***scutula*** **14**: 226; **16**: 100, 102; ***serotinum*** **16**: 99; ***smardae*** **16**: 68; ***subpallidum*** **33**: 195; ***subrubescens*** **57**: 208; ***subtile*** **37**: 68; ***suzai*** **3**: 42; ***tabescens*** **24**: 105; ***taborense*** **25**: 109, 111; ***tatrae*** **12**: 220, *226*, *227*, *228*; ***trapezoideum*** **14**: 15, 16, 20; ***umbilicatum*** **41**: 23, 24; ***vacini*** **14**: 112; ***virgultorum*** **16**: 99.

HELVELLA acetabulum **15**: 75; **17**: 70; **29**: 29; **32**: 221; **33**: 162; **35**: 13, 142, 143; ***affinis*** **35**: 15; ***albella*** **23**: 34; **34**: 215; **35**: 13, 142; ***albipes*** **34**: 215; **35**: 14; ***alpestris*** **63**: 185; ***arctica*** **var. *macrosperma*** **45**: 35; ***aterrima*** **35**: 15; ***atra*** **9**: 18; **14**: 113; **21**: 53; **22**: 89, 180; **32**: 221; **35**: 13, 15, 138, 142, 143; **63**: 185; ***birretum*** **35**: 13; ***branzeziana*** **22**: *87*, *88*, *89*; **35**: 13, 142; **47**: 195; **52**: 58; **63**: 177, 178, 180, 181, 182, 183, 184, 185, 186; ***cinerella*** **35**: 14; ***corium*** **35**: 13, 141, 143; **63**: 185; ***cornuta*** **35**: 135; ***costifera*** **35**: 14, 142; ***crispa*** **5**: 74; **14**: 77; **16**: 112; **32**: 221; **35**: 2, 14, 142, 143; **48**: 118; **52**: 7; **63**: 257; ***cupuliformis*** **35**: 14, 142; **63**: 177; ***cupuliformis*** **var. *cupuliformis*** **63**: 177; ***dura*** **35**: 14; ***elastica*** **5**: 74; **9**: 152, 155, 156; **22**: 181; **23**: 34; **33**: 162; **35**: 14, 142, 143; **44**: 144; **52**: 11; ***ephippium*** **14**: 78, 225; **18**: 10, 12; **35**: 14, 15, 135, 142; **63**: 185; ***esculenta*** **3**: 34; **5**: 75; **35**: 143; ***fastigiata*** **26**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*; **28**: 84; **35**: 10; ***fistulosa*** **35**: 14, 143; ***flavida*** **14**: 112; **35**: 14; ***foetida*** **35**: 14; ***fuliginea*** **35**: 15; ***fuliginosa*** **35**: 15; ***gabretae*** **52**: 93; ***gigas*** **3**: *36*, *37*; **5**: 75; **26**: 1; **28**: *84*, *85*, *86*, *87*, *88*, *89*; **35**: 10; ***inflata*** **35**: 13; ***infula*** **14**: *6*, *7*, *8*, *9*, *10*, *11*, 64; **35**: 143; ***klotzschiana*** **22**: 181; **35**: 135; ***lactea*** **35**: 14, 142; ***lacunosa*** **14**: 225; **16**: 112; **18**: 10, 12, 163; **32**: 221; **33**: 162; **35**: 15, 138, 142, 143; ***lacunosa*** **var. *cinerea*** **35**: 15; ***lacunosa*** **var. *nigra*** **35**: 15; ***lacunosa*** **var. *tricuspidata*** **35**: 15; ***latispora*** **35**: 15, 142; ***leucomelaena*** **34**: 214; **35**: 15, 142, 143; ***leucomelas*** **33**: 162; ***leucopus*** **33**: 58; **34**: *214*, *215*, *216*; **35**: 15, 138, 141; ***macropus*** **22**: 181; **27**: 224; **31**: 115; **32**: 221; **35**: 15, 142, 143; ***macrosperma*** **45**: 35; ***mitra*** **35**: 14; ***monachella*** **14**: 223; **33**: 58; **34**: 215; **35**: 14, 135; ***murina*** **35**: 135; ***nigra*** **35**: 15; ***nivea*** **35**: 14; ***pallescens*** **14**: 225; **35**: 14; ***pallescens*** **var. *biloba*** **35**: 14; ***pezizoides*** **9**: 18; **14**: 113; **22**: 181; **32**: 221; **35**: 13, 15, 142; ***phlebophora*** **35**: 16, 142; **38**: 174; ***pithyophila*** **16**: 112; **35**: 16, 142; ***platycephala*** **38**: 52; ***pulla*** **35**: 14; ***quadrisulca*** **35**: 14; ***queletii*** **18**: 12; **26**: 1, 2, 6; **35**: 15, 16, 138, 142; ***ramosa*** **35**: 135; ***rhodopus*** **35**: 12; ***scrobiculata*** **35**: 15, 16; ***slovenica*** **34**: 216; ***solida*** **35**: 14; ***solitaria*** **35**: 16, 142; ***sphaerospora*** **8**: 171; **9**: 156; **15**: *42*, *43*, *44*, *45*; **59**: 55; ***stevensii*** **22**: 89; **23**: 205; **35**: 16, 142; ***subcostata*** **f. *minor*** **3**: 1; **14**: 112; ***sublabra*** **38**: 174; ***sulcata*** **16**: 112; **35**: 15; ***suspecta***

35: 12; ***terrestris*** **53**: 288, 291, 292; ***tremellosa*** **35**: 10; ***unicolor*** **35**: 16, 142; ***vacini*** **35**: 16; ***villosa*** **22**: 181; **35**: 16, 142; **44**: 124.

HELVELLELLA gabretae **8**: *170*, *171*, *172*; **9**: *151*, *152*, *153*, *154*, *155*, *156*; **14**: 88; **15**: *42*, *43*, *44*, *45*; **27**: 224; **35**: 74; **59**: 52, 55; ***sphaerospora*** **8**: 171, 172; **9**: *154*, *155*, *156*; **15**: *42*, *43*, *44*, *45*; ***sphaerospora*** **f.** ***gabretae*** **59**: 55.

HEMIARCYRIA ablata **20**: 191; ***calyculata*** **20**: 191; ***clavata*** **20**: 191; ***expansa*** **22**: 130; ***funalis*** **20**: 191; ***longifolia*** **20**: 194; ***obscura*** **20**: 190, 191; ***paradoxa*** **20**: 190; ***plumosa*** **20**: 191; ***rubiformis*** **20**: 194, 195; ***stipata*** **22**: 141; ***varneyi*** **20**: 191; ***wigandii*** **20**: 190.

HEMICORYNESPORA aseptata **41**: 107, 109; ***deightonii*** **41**: 110; ***mirata*** **41**: 110; ***naviculiformis*** **41**: 110.

HEMILECCINUM depilatum **60**: 40, 52, 55; ***impolitum*** **60**: 40, 52, 53, 55.

HEMILEIA woodii **46**: 319.

HEMIMYCENA angustispora **61**: 28; ***candida*** **48**: 40; **61**: 28, 29, 30, 31; ***cephalotricha*** **52**: 7; **61**: 29, 33, 34; ***crispata*** **54**: 232; ***crispula*** **61**: 28, 29, 35; ***crispula*** **var.** ***crispula*** **61**: 31, 35, 36; ***crispula*** **var.** ***tetraspora*** **61**: 35; ***cucullata*** **35**: 110; **48**: 40; **52**: 11; **61**: 28, 29, 32, 36, 37; ***cyphelloides*** **54**: 230; ***delectabilis*** **56**: 273; **61**: 28, 29, 32, 38, 40, 41; ***delectabilis*** **var.** ***bispora*** **54**: 219; **61**: 38, 39, 40, 41, 42; ***delectabilis*** **var.** ***delectabilis*** **61**: 38, 39; ***delicatula*** **56**: 282; ***epichloë*** **61**: 29, 41, 42, 45; ***globulifera*** **61**: 27, 28, 29, 43, 44, 47, 48; ***gracilis*** **27**: 215; **44**: 86; **56**: 273; **61**: 28, 29, 45, 48, 49, 50, 64; ***gypsella*** **61**: 28; ***hirsuta*** **52**: 12; ***juncicola*** **61**: 29, 68, 69; ***lactea*** **52**: 11; **61**: 28, 29, 50; ***lactea*** **var.** ***lactea*** **61**: 50, 51; ***lactea*** **var.** ***tetraspora*** **61**: 50, 51, 52; ***mairei*** **61**: 29, 53, 54; ***mauretanica*** **54**: 208, 211, 212, 213, 216, 222, 228; **61**: 28, 29, 53; ***mauretanica*** **var.** ***apogama*** **54**: 171; ***mauretanica*** **var.** ***cystidiata*** **61**: 46, 53, 55; ***mauretanica*** **var.** ***mauretanica*** **54**: 229; **61**: 53; ***mauretanica*** **var.** ***megaspora*** **54**: 222; ***mauretanica*** **var.** ***microcephala*** **61**: 53, 55, 56, 57; ***mauretanica*** **var.** ***stenospora*** **54**: 211; ***persimilis*** **54**: 219; **61**: 29, 56, 58, 64; ***pithyophila*** **54**: 219; ***pseudocrispata*** **54**: 206; **61**: 29, 58, 59; ***pseudocrispula*** **61**: 28, 29, 46, 60; ***pseudogracilis*** **54**: 217, 223, 227; ***pseudolactea*** **61**: 28, 29, 61, 62; ***rickenii*** **61**: 28; ***stiriispora*** **61**: 27, 28, 29, 62, 63; ***subimmaculata*** **61**: 29, 64, 65; ***subtilis*** **54**: 230; **61**: 29, 64, 66; ***tanjae*** **61**: 27, 28, 29, 67, 68; ***tatrensis*** **61**: 54.

HEMIPHOLIOTA destruens **48**: 285.

HEMISPORA rugosa **32**: 240.

HEMITRICHIA abietina **20**: 189, 190; ***calyculata*** **53**: 324, 331; ***chrysosperma*** **20**: 189; ***chrysospora*** **20**: 198; ***clavata*** **20**: *189*, *190*, 191, *191*, *192*, *193*; **53**: 324; ***clavata*** **var.** ***montana*** **20**: 191; ***helvetica*** **20**: 198; ***intorta*** **20**: 190, 194; ***intorta*** **var.** ***leiotricha*** **20**: 191; ***karstenii*** **20**: 189, 190; ***leiocarpa*** **20**: 189, 190, 193; ***leiotricha*** **20**: 189, 191; ***montana*** **20**: 191; ***ovata*** **20**: 190; ***rubiformis*** **20**: 194, 195; ***serpula*** **20**: 189, 190, 196, 198; **53**: 324; ***stipata*** **var.** ***fusca*** **22**: 307, 308; ***stipitata*** **20**: 191; ***vesparium*** **14**: 76; **17**: 97; **20**: 189, 190, 194, 195; **25**: 110; ***vesparium*** **var.** ***mirabilis*** **20**: 196.

HENDERSONIA acicola **35**: 96, 97; ***andropogonis*** **52**: 58; ***aquatica*** **subsp.** ***junciseda*** **56**: 215; ***bulgarica*** **52**: 58; ***convolvuli*** **52**: 58; ***crastophila*** **29**: 97, 99, 101; ***crataegi*** **52**: 58; ***elegans*** **29**: 97; ***fiedleri*** **var.** ***maior*** **52**: 58; ***genistaecola*** **14**: 104, 107; ***graminis*** **29**: 99, 101; ***herpotricha*** **29**: 97; ***hirta*** **29**: 97, 99; ***juncina*** **56**: 215; ***mori*** **46**: 319; ***paludosa*** **29**: 97;

***sarmentorum* var. *salicis-capreae* 52**: 58; ***secalina* 29**: 97; ***stipae-capillatae* 13**: 155; ***ucrainica* 52**: 58.
***HENDERSONULA toruloidea* 39**: 160; **44**: 104.
***HENNINGSOMYCES candidus* 59**: 72, 76; **60**: 210.
***HEPPIA adglutinata* 56**: 158; ***solorinoides* 56**: 158.
***HERCOSPORA tiliae* 13**: 155, 158, 221.
***HERICIUM alpestre* 5**: 120, 122; **16**: 21; **17**: 108; **18**: 159, 162, 178; **30**: 55; ***alpestre* f. *caput-ursi* 5**: 120, 121; **17**: 108; ***clathroides* 30**: 55; **31**: 115; **36**: 24; **41**: 51; **59**: 72; ***coralloides* 5**: 120, 122; **7**: 140; **14**: 89; **15**: 16; **19**: 114, 127; **21**: 129; **25**: 105; **44**: 222; **59**: 72, 77, 78, 79; ***croceum* 7**: 117; ***erinaceus* 36**: 186; **52**: *195*, *196*, *197*, *198*, *199*, *200*, *201*, *202*, *203*, *204*, *205*, *206*, *207*; **58**: 154; **59**: 72, 77; ***flagellum* 27**: 221; **30**: 55; **31**: 115; **36**: 45; **41**: 51; **46**: 177, 182, 184, 185; **59**: 72; ***fragile* 18**: 175; ***ramosum* 25**: 105; **30**: 55; ***schestunowii* 19**: 73, 77.
***HERMATOMYCES sphaericum* 40**: 149.
***HERPOTRICHIA juniperi* 63**: 154; ***moravica* 52**: 58.
***HERPOTRICHIELLA pilosella* 35**: 94, 109.
***HETEROBASIDION annosum* 11**: 158, 168; **14**: 106; **17**: 182; **19**: 175, 177; **22**: 192; **26**: 83; **30**: 54, 164; **32**: *55*, *56*, *57*, *58*, *59*, *60*, 222; **33**: 162; **35**: 109; **36**: 186; **40**: 96, 201; **41**: 51; **43**: 87, 89, 93; **44**: 117, 142; **45**: 40, 59, 60; **46**: 84, 223; **48**: 99; **49**: 134, 176; ***parviporum* 63**: 257.
***HETEROCHAETELLA crystallina* 4**: *39*, *40*, *41*, *42*; **7**: 106, 108; ***dubia* 4**: 42; **7**: *106*, *107*, *108*; ***dubia* f. *brachyspora* 7**: 107; ***dubia* f. *crassior* 7**: 107; ***dubia* f. *sphaerospora* 7**: 107; ***dubia* var. *dasychaeta* 7**: 106; ***dubia* var. *mesochaeta* 7**: *106*, *107*, *108*; ***dubia* var. *psilochaeta* 7**: 107.
***HETEROCONIUM chaetospira* 43**: 242; **61**: 153, 158.
***HETEROPORUS biennis* 13**: 143, 145, 150; **20**: 98, 103; **26**: 122; ***biennis* f. *glabra* 43**: 37; ***biennis* f. *lindtneri* 13**: 145; ***fractipes* 30**: 181; ***humilis* 30**: 181.
***HETEROSPHAERIA patella* 44**: 144; **64**: 108.
***HETEROSPORIUM allii* 11**: 57; ***echinulatum* 8**: 16.
***HETEROTRICHIA gabriellae* 22**: 130.
***HEXAGONIA atrosanguinea* 64**: 15; ***bipindiensis* 64**: 15; ***brevis* 55**: 23; ***floridana* 55**: 36; ***glabra* 64**: 15, 18; ***hydnoides* 55**: 34; ***mori* 11**: 214, 215; ***niam-niamensis* 64**: 18; ***nitida* 11**: 160, 169; ***patouillardii* 38**: 141; ***pobeguinii* 64**: 20; ***polygramma* 55**: 23; ***reniformis* 55**: 36; ***stuhlmannii* 64**: 20; ***taxodii* 55**: 37; ***tenuis* 55**: 8, 23, 25, 26; ***wilsonii* 55**: 36.
***HEYDERIA abietis* 18**: 163; **22**: 191, 192, 194, 200; **35**: 92; **63**: 158.
***HIATULA grangei* 16**: 228; ***grangei* f. *brunneoolivacea* 16**: 228; ***lutea* 9**: 126.
***HIEMSIA pseudoampezzana* 23**: 83, 93, 94; **35**: 16, 138, 143.
***HILITZERIA moravica* 43**: 242.
***HIRNEOLA auricula-judae* 4**: 37; **13**: 150; **14**: 106; **16**: 111, 156; **20**: 110; **23**: 201; **24**: 178; **32**: 222; **33**: 156; **57**: 311; ***nigricans* 44**: 118; **45**: 48.
***HIRSCHIOPORUS abietinus* 11**: 160; **15**: 182, 190; **17**: 182; **18**: 91, 162; **25**: 17; **27**: 221; **35**: 109; **36**: 32; **45**: 38; **55**: 48; ***abietis* 11**: 160; ***fuscoviolaceus* 11**: 160; **14**: 97, 106; **15**: 182, 190; **23**: 200; **32**: 222; ***laricis* 11**: 160; ***pargamenus* 45**: 94.

HIRSUTELLA gigantea **24**: 87; *guignardii* **57**: 221, 227, 229, 231, 232, 233; *sausurei* **15**: 152.
HISTOPLASMA capsulatum **14**: 239; **35**: 214; **39**: 157; **44**: 4, 6, 129, 138; **48**: 25, 27, 139; **52**: 172; **57**: 323; *capsulatum* var. *capsulatum* **39**: 160; **44**: 2, 11, 130, 134; *capsulatum* var. *duboisii* **35**: 215; **39**: 160; **44**: 2, 6, 13, 130; *capsulatum* var. *farciminosum* **44**: 2, 6, 11, 131; *duboisii* **35**: 215; **39**: 160; **44**: 4, 130; *farciminosum* **35**: 215; **44**: 131.
HJORTSTAMIA crassa **60**: 213, 215; *papyrina* **60**: 213, 215, 216.
HOHENBUEHELIA abietina **34**: 61, 62, 64; **37**: 109; **43**: 117; *alachuana* **34**: 65; *angustata* **34**: 63, 66; **47**: *39*, *40*, *41*, *42*; *atrocoerulea* **14**: 75, 112, 226; **31**: 33; **32**: 222; **33**: 164; **34**: 68; **44**: 222; **47**: 39; *aurantiopsis* **47**: 41; *auriscalpium* **34**: 61, 62, 65, 66; **37**: 110; **59**: 73, 76, 77; *delasotae* **47**: 41; *fluxilis* **34**: 68; *geogenia* **16**: 176; **36**: 186; *geogenia* var. *queletii* **34**: 60; *grisea* **34**: 68; **59**: 73; *mastrucata* **47**: 39; **59**: 73, 76; *patagonica* **34**: 62; *petaloides* **14**: 88; **15**: 33; **16**: 176; **18**: 159, 160, 178; **27**: 215; **30**: 52; **32**: 222; **34**: 57, 60, 61, *63*, *64*, *65*, *66*; **35**: 185; **37**: 109; **41**: 51; **52**: 8; **53**: 36, 37; **59**: 73; *phalligera* **34**: 68; *portegna* **34**: 57, 68, 69; *recedens* **34**: 57, 62, 66; **43**: 117; **46**: 16; **47**: 41; *repanda* **34**: 62; *rickenii* **16**: 176; **36**: 186; **41**: 51; **46**: 4, 6, 8, 9, 12, 14, 15; *serotina* **14**: 87, 89; **27**: 218; *spathulata* **34**: 60, 61; **59**: 73; *spathulina* **47**: 41; *stratosa* **47**: 41; *tenuissima* **47**: 41.
HOLOCRYPHIA eucalypti **61**: 98.
HOLUBOVAEA roystoneicola **38**: 107; **40**: 149.
HOLWAYA mucida **61**: 180.
HOMOSTEGIA lichenum **24**: 222.
HOPLOTHRIPS pedicularius **20**: 216.
HORAKIA flavofusca **52**: 330.
HORMIACTELLA asetosa **35**: 99; *fusca* **35**: 99.
HORMIACTIS fimicola **38**: 241; **43**: 242.
HORMISCIUM dermatitidis **35**: 218; **44**: 138; *laxum* **15**: 178; *pinophilum* **13**: 156; *stilbosporum* **13**: 155; **43**: 242.
HORMOCONIS resinae **43**: 236; **55**: 95.
HORMODENDRUM cladosporioides **43**: 242; *compactum* **35**: 218; **44**: 135; *pedrosoi* **35**: 218; **44**: 135; *resinae* **13**: 184, 185.
HORMONEMA dematioides **59**: 231, 234; **61**: 118, 120, 121, 122, 123; **63**: 158.
HORTAEA werneckii **61**: 206.
HUMARIA albodiscina **31**: 70; **35**: 19; *alpina* **47**: 7, 13, 17, 18, 20; **50**: 199; *anceps* **35**: 9, 135; *appendiculata* **50**: 89; *applanata* **35**: 135; *aquatica* **35**: 21; *araneosa* **35**: 135; *aurantiaca* **23**: 88, 95; **28**: 133; *bipolaris* **14**: 78; **35**: 135; *bohemica* **35**: 135; *bolaris* **21**: 239, 240; *boudieri* **15**: 68; *brunnea* **35**: 84; *bulgarioides* **11**: 240; *callichroa* **15**: 62, 67, 68, 76; **23**: 87, 90; **35**: 17; **43**: 213, 214; *calospora* **15**: 62, 67, 68, 76; **23**: 228, 229; **35**: 18; *carneosanguinea* **29**: 129; **39**: 135; *carneoviolacea* **31**: 70; **35**: 64; *chateri* **47**: 243; *cinnabarina* **23**: 89; **35**: 17; *coccinea* **35**: 64; *coccinea* var. *muralis* **15**: 68, 69; **35**: 64; *combusta* **35**: 3; *congrex* **17**: 65; *convexula* **35**: 135; *coprinaria* **35**: 8; *coprogena* **52**: 58; **54**: 128; *cremoricolor* **35**: 135; *crenulata* **35**: 20; **50**: 27; *deerrata* **35**: 73; *delectans* **28**: 131, 132; *disciformis* **31**: 70; **35**: 74; *duriuscula* **14**: 112; **35**: 8; *euchroa* **35**: 135; *euphorbiae* **28**: 134; *flavorubens* **28**: 133;

35: 135; **47**: 253; ***flavotingens*** **37**: 237, 239; ***fulvescens*** **47**: 13; ***fusispora*** **14**: 96; **35**: 16, 143; ***fusispora*** **var.** ***vitellina*** **35**: 16; ***gerardii*** **21**: 31; ***glumarum*** **28**: 130; ***granulata*** **35**: 9, 143; ***granulata*** **var.** ***succinea*** **35**: 9; ***hazslinszkya*** **28**: 137; **35**: 135; ***hemisphaerica*** **23**: 27; **35**: 23; **52**: 8; ***hirta*** **35**: 135; ***hirtella*** **17**: 62; ***humosa*** **35**: 135; ***hyalinoalba*** **4**: 11, 12; ***ignea*** **35**: 64; ***intermedia*** **35**: 135; ***ionella*** **21**: 31, 32; ***jungermanniae*** **2**: 5; **35**: 135; ***lechithina*** **26**: *213*, *214*, *215*, *216*; **35**: 8, 9, 137; ***lechithina*** **f.** ***magnifica*** **35**: 9; ***leonina*** **14**: 112; **28**: 129, 130; **34**: *217*, *218*, *219*; **35**: 3; ***leporum*** **35**: 11; ***leucoloma*** **15**: 70; **16**: 106, 107; **35**: 64; ***leucolomoides*** **35**: 135; ***lilacina*** **15**: 69; **17**: 65; **35**: 65; ***limbata*** **1**: 122, 124; ***limosa*** **35**: 135; ***luteola*** **31**: 71; **35**: 8; **39**: 245; ***macrospora*** **17**: 65; **35**: 64; **54**: 130; ***mandensis*** **35**: 9; ***melina*** **35**: 65, 135; ***meslinii*** **15**: 62, 67, 69, 70, 76; **17**: 67; **35**: 65; ***microspora*** **37**: 237; ***miniata*** **26**: 78; **35**: 20; **47**: 238, *241*, *242*, *243*, *244*, *245*; ***misturae*** **28**: 135; ***nivea*** **35**: 73; ***nobilis*** **35**: 135; ***ollaris*** **35**: 77; ***oocardii*** **31**: 167; **35**: 74, 75; ***parasitica*** **35**: 135; ***patavina*** **28**: 132; ***persoonii*** **25**: 198, 199; ***persoonii*** **var.** ***amethystina*** **25**: 198; ***petrakii*** **35**: 135; **52**: 58; ***phaeoloma*** **35**: 9; ***phillipsii*** **14**: 113; **19**: 35; **23**: 91, 93; ***pilifera*** **35**: 135; ***pinetorum*** **28**: 135; ***polytrichi*** **16**: 116; ***purpurascens*** **35**: 135; ***rhodoleuca*** **16**: 106, 107; **28**: 132; **35**: 20; ***rosella*** **35**: 135; ***roumeguerii*** **35**: 135; ***rubricosa*** **35**: 65, 135; ***rustica*** **15**: 70; **23**: 226; **35**: 65, 135; ***rutilans*** **14**: 126; **16**: 115; **35**: 20; ***sabranskyana*** **35**: 135; ***salmonicolor*** **35**: 17; ***sanguinea*** **35**: 65; ***schroeteri*** **35**: 73; ***scutellata*** **35**: 82; ***semiimmersa*** **28**: 132, 133; **35**: 135, 137; ***setosa*** **35**: 135; ***speluncarum*** **35**: 20; ***stercoraria*** **31**: 69; **35**: 10; **54**: *136*, *137*, *138*, *139*, *140*, *141*, *142*; ***stercorea*** **35**: 8; **47**: 12; ***stercorea*** **var.** ***alpina*** **47**: 13; ***stercorea*** **var.** ***aurantiacoflava*** **47**: 13, 17, 18, 20; ***stercorea*** **var.** ***glacialis*** **47**: 13; ***stercorea*** **var.** ***insignis*** **47**: 31; ***subhirsuta*** **35**: 135; ***sublutea*** **15**: 68, 69; **31**: 70; **35**: 65; ***subreticulata*** **47**: 195; ***subvirescens*** **31**: 69; **35**: 17; ***sudetica*** **35**: 135; ***sydowii*** **26**: *214*, *215*, *216*; **35**: 21; ***taphrospora*** **15**: 68; ***tenuis*** **15**: 65; ***tetraspora*** **35**: 65; ***theleboloides*** **35**: 9; ***uncinata*** **31**: 70; **35**: 74; ***ustulata*** **1**: 124; **35**: 73; ***varia*** **24**: 72; ***velenovskyi*** **35**: 86; ***vernalis*** **35**: 86; ***violascens*** **30**: 140; **35**: 69; ***vitellina*** **35**: 9, 137; ***vitellina*** **f.** ***subglabra*** **35**: 137; ***wrightii*** **23**: 227, 228; ***zamurensis*** **28**: 130; ***zonata*** **35**: 77.

HUMARIELLA scutellata **35**: 82; ***stercorea*** **47**: 13.

HUMARINA deformis **15**: 68; ***gerardii*** **3**: 1; **21**: 31, 32; ***rufa*** **14**: 224; ***testacea*** **14**: 224; ***tetraspora*** **26**: 138.

HUMICOLA alopallonella **18**: 103, 106, 107; **21**: 78, *83*, *84*, *84*, *85*, *85*, 88; ***brevis*** **18**: 103, 105, 107; **21**: 78, *81*, *82*, *83*, 85, 88; **43**: 242; ***brunnea*** **21**: 78, 82, 88; ***brunnea*** **var.** ***africana*** **21**: 84, 86, 88; **24**: 162, 163, 165; ***fuscoatra*** **18**: *102*, *103*, *104*, 106, 107; **21**: *78*, 79, *79*, *80*, 82, 83, 85, 88; **23**: 245, 247, 248, 249; **24**: 163; **27**: 105; **32**: 231; **33**: 171, 172; **37**: *28*, *29*, *30*, 115; **43**: 242; **46**: 255; **48**: 82; **53**: 164, 166; **55**: 88, 92; **59**: 130; **61**: 153; ***fuscoatra*** **var.** ***africana*** **21**: 78; ***fuscoatra*** **var.** ***fuscoatra*** **21**: 80; **59**: 210; ***fuscoatra*** **var.** ***longispora*** **21**: *78*, *79*, 80, *80*, 83; ***fuscoatra*** **var.** ***longispora*** **f.** ***insolens*** **21**: 78, 80, 83, 85, 86, 88; ***grisea*** **18**: *102*, *103*, *104*, *105*, *106*, *107*; **21**: 78, *80*, *81*, *82*, 85, 88; **32**: 227, 229, 231; **33**: *170*, *171*, *172*, *173*, *174*; **43**: *96*, *97*, *98*, *99*, *100*, *101*, *102*, *103*, *104*, *105*, *106*, *107*, 243; **46**: 255; **51**: 163; **53**: 155, 164; **61**: 153; ***grisea*** **var.** ***thermoidea*** **21**: 78, 81, 82, 85, 88, 89; **55**: 256; ***insolens*** **21**: *78*, *79*, *80*; **38**: 6; **55**: 256;

lanuginosa **18**: 103, 106, 107; **21**: 89; ***minima*** **21**: 78, 84, *86*, *87*, *88*; ***nigrescens*** **18**: 103, 106, 107; **21**: 78, *83*, 84, *84*, *85*, 88; **37**: 115; **43**: 243; **46**: 109; ***stellata*** **18**: 103, 106, 107.

HUMPHREYA coffeata **55**: 24; ***eminii*** **64**: 17.

HYALINIA crystallina **9**: 114; **14**: 73; **35**: 109; ***flavideroseola*** **9**: *112*, *113*, *114*; ***rubella*** **9**: 114.

HYALOCAMPOSPORIUM acutum **63**: 142; ***hyalinum*** **63**: 142; ***longiflagellatum*** **63**: 142; ***marylandicum*** **63**: 142.

HYALODENDRON lignicola **55**: 76.

HYALOPERONOSPORA arabidopsidis **60**: 94; ***barbareae*** **60**: 94; ***berteroae*** **60**: 94; ***brassicae*** **60**: 94; ***camelinae*** **60**: 94; ***cardaminopsidis*** **60**: 94; ***cheiranthi*** **60**: 95; ***crispula*** **60**: 95; ***erophilae*** **60**: 95; ***galligena*** **60**: 95; ***hesperidis*** **60**: 95; ***isatidis*** **60**: 95; ***lunariae*** **56**: 123; **60**: 95; ***niessleana*** **56**: 123; **60**: 95; ***parasitica*** **56**: 123; **60**: 95; ***thlaspeos-arvensis*** **60**: 95; ***thlaspeos-perfoliati*** **60**: 96.

HYALOPEZIZA ciliata **41**: 205; **45**: 136; ***graminicola*** **43**: 222; ***pani*** **39**: 214.

HYALOPSORA aspidiotus **56**: 128; ***polypodii*** **56**: 128; **62**: 99.

HYALOPUS bogolepoffii **39**: 156; ***populi*** **12**: 20; ***spinosus*** **57**: 243.

HYALORIA europaea **12**: 191.

HYALOSCYPHA acerina **39**: *205*, *206*, *207*, *208*, *209*, *210*; **41**: 22; ***acuminatula*** **32**: 202; ***acuum*** **13**: 211; **39**: 205; ***albohyalina*** **64**: 114; ***albolutea*** **39**: 205; **42**: 79; ***albolutea*** **var. *obscura*** **39**: 206; ***alniseda*** **39**: 206, 210; ***amyloideopilosa*** **37**: 65; ***asperipila*** **31**: 8, 9, 197, 198; ***barbata*** **39**: 216; ***betularum*** **36**: *146*, *147*, *148*, *149*; ***betulina*** **39**: 206; ***capreolaria*** **39**: 206; ***caricicola*** **39**: 206; ***carnosula*** **39**: 206; ***carpinacea*** **39**: 205, 206, 216; ***cejpii*** **32**: 204; **39**: 207; ***cerberi*** **32**: 204; **39**: 207; ***cladii-marisci*** **40**: 203, 209; ***contorta*** **39**: 207; ***cretacea*** **16**: 12; **39**: 207; ***cretacea*** **var. *lupuli*** **39**: 207; ***cuneata*** **39**: 207; ***cupularum*** **41**: 16, 20, 22; ***cylindrospora*** **39**: 207; ***cylindrospora*** **var. *alba*** **39**: 208; ***daedaleae*** **39**: 208; **64**: 122; ***degenerans*** **39**: 208; ***dematiicola*** **31**: 193, 194; **41**: 195; ***deparcula*** **41**: 195; ***epilobii*** **39**: 208; ***eriophori*** **33**: 199; **39**: 208; ***falcata*** **39**: 208; ***glyceriae*** **16**: 12; **33**: 199; **39**: 208; ***graminum*** **39**: 208, 210; ***hederae*** **39**: 209, 210; ***hellebori*** **39**: 209; ***herbarum*** **39**: 209; ***hungarica*** **3**: 42; **39**: 209; **41**: 19; ***hyalina*** **16**: 96; **31**: 193, 194, 197, 198; **32**: *202*, *203*, *204*; **33**: 153; **37**: 66; **39**: 205, 206, 209, 210, 212, *214*, *215*, *216*, *217*, *218*; **41**: 22; ***hyalina*** **var. *laricina*** **39**: 210; ***hyalina*** **var. *setosa*** **16**: 96; **39**: 210; ***hyperici*** **39**: 210; ***hypericicola*** **32**: 202; ***incrustata*** **39**: 210; ***intacta*** **40**: 203, 209, 210; ***iridina*** **39**: 210; ***iridina*** **var. *nivea*** **39**: 210; ***lachnobrachya*** **36**: 147; **39**: 213; **41**: 196; ***lachnoides*** **39**: 210; ***lacustris*** **39**: 211; ***lectissima*** **39**: 209; ***leuconica*** **35**: 92; **39**: 206, 208, 210, 211, 216; **44**: 144; ***lignatilis*** **31**: 193; **39**: 211; ***lonchitidis*** **39**: 211; **41**: 204; ***longevestita*** **39**: 211; ***lunispora*** **39**: 211; **43**: 223, 224; ***lutea*** **36**: 147; ***luteopallida*** **42**: 76, 79, 80; ***luzulae*** **39**: 211, 218; ***lycopodii*** **39**: 211, 212; ***mali*** **39**: 212; ***martialis*** **39**: 212; ***martii*** **39**: 212; ***microscopica*** **39**: 212; **42**: 77; ***microspis*** **13**: 158; **39**: 212; **41**: 202; ***militaria*** **39**: 212; ***minima*** **39**: 212; ***mirabilis*** **14**: 73; **39**: 213; ***mollisiaeformis*** **13**: 212; **39**: 213; ***nympharum*** **39**: 213; ***obsoleta*** **31**: 193, *195*, *196*, *197*; ***ochracea*** **16**: 12; **39**: 213; **45**: 138; ***oenotherae*** **39**: 213; ***oligospora*** **39**: 213; ***olivacea*** **31**: 193; **39**: 213; **41**: 195; **52**: 290; ***pani*** **39**: 214; ***parenchymatosa*** **39**: 214; ***pellucida*** **39**: 214; **45**: 136; ***perpusilla*** **22**: 146; **39**: 205, 206, 209, 210, *214*, *215*, *216*, *217*, *218*; **41**: 22; **42**: 79, 80; **44**: 144;

porrima **41**: 22; ***priapi*** **31**: 193, 195, 197; **39**: 215; ***priapi*** **var.** ***obsoleta*** **31**: 196; **39**: 215; **41**: 201; ***priapi*** **var.** ***vernalis*** **31**: *195*, *196*, *197*, 198, *198*; **39**: 215; ***protonematosa*** **39**: 210, 215; ***pteridina*** **16**: 9; **39**: 215; ***puberula*** **46**: 33; ***pygmaea*** **39**: 217; ***quercina*** **18**: 163; **31**: *195*, *196*, *197*; **39**: 210, 215; ***quercina*** **var.** ***barbata*** **39**: 216; ***quercus*** **39**: 210, 216; ***reticulata*** **2**: *117*, *118*, *119*, *120*; **14**: 73; **40**: 203; **41**: 195; ***rubi-fruticosi*** **32**: 203; **37**: 66; ***salicina*** **39**: 207, 216; ***sarothamni*** **39**: 216; ***secalina*** **39**: 216; **40**: 209; ***senilis*** **39**: 210, 216; ***sesleriae*** **39**: 216; ***setosa*** **16**: 96; ***spinosae*** **39**: 210, 217; ***stevensonii*** **14**: 88; **16**: 96; **25**: 109; **27**: 224; **32**: 158, 202, 221; **39**: 205, 209; **44**: 144; ***substipitata*** **2**: 119; **39**: 217; ***subtilis*** **14**: 73; **39**: 217; ***subtilis*** **var.** ***drupacea*** **39**: 217; ***sulphurea*** **36**: 147; **39**: 217, 218; ***sulphureopilosa*** **40**: 203, 210, 211; ***tenuispora*** **39**: 218; ***terrestris*** **39**: 218; ***tiliae*** **39**: 210, 218; ***trapezispora*** **42**: 76, 79; ***typhacea*** **39**: 218; ***ulmacea*** **39**: 218; ***umbrina*** **13**: 214; **16**: 9; **39**: 218; ***uncipila*** **33**: 204; ***velenovskyi*** **32**: 202; ***vernalis*** **31**: 198; ***vitreola*** **39**: 209; **41**: 201; **44**: 144.

HYALOSTACHYBOTRYS bisbyi **47**: 154.

HYALOTRICHA corticicola **41**: 205; ***crispula*** **16**: 96.

HYDATINOPHAGUS americanus **1**: 32; ***apsteinii*** **1**: 32.

HYDNANGIUM candidum **3**: 20; **4**: 91, 92; ***carneum*** **2**: 62; **4**: 91, 137, 138, 141; ***galatheium*** **4**: 91, 138, 139; ***krjukovense*** **var.** ***moravicum*** **14**: 112; ***monosporum*** **4**: 91, 138, 140, 141; ***nigricans*** **46**: 319; ***pila*** **4**: 140, 141; ***stephensii*** **4**: 140; ***stephensii*** **var.** ***galatheium*** **4**: 140; ***tasmanicum*** **49**: 164.

HYDNELLUM acre **10**: 68; **15**: 131; ***alachuanum*** **15**: 132; ***amicum*** **10**: 74; ***aurantiacum*** **10**: 74, 76; **14**: 125; **15**: 131, 132; **19**: 113; **27**: 221; **51**: 106, 119, *123*, *124*, *125*; **57**: 62, 63, 75, 283, 290, 292, 294, 295; ***auratile*** **19**: 113; **51**: 105, 119, 123, 124, 126, 132; **57**: 62, 63, 283; ***caeruleum*** **10**: 68, 74; **14**: 125; **15**: 131, 132; **44**: 222; **51**: 105, 119, *121*, *122*, *123*, *123*; **57**: 62, 65, 74, 75, 76, 282, 290, 292, 293, 294, 296; ***carbunculus*** **10**: 74; ***compactum*** **12**: 123; **15**: 132; **57**: 65, 73, 75, 284, 285, 290, 292, 293, 294, 295; ***concrescens*** **32**: 222; **51**: 105, 106, 115, 119, 124, 127, 132, 134, 135; **52**: 6; **57**: 61, 66, 67, 75, 285, 290, 292, 294; ***cumulatum*** **51**: 106, 119, 132, 134, 136; **57**: 67, 75, 289, 292, 294; ***diabolus*** **14**: 126; **15**: 132; **18**: 5; **28**: 121; **57**: 63, 64; ***ferrugineum*** **51**: 106, 121, 127, 129, 130; **57**: 64, 66, 70, 73, 75, 285, 290, 292, 294; ***ferrugipes*** **57**: 62, 75, 292, 294; ***floriforme*** **57**: 62, 63, 75, 76, 283, 290, 292, 294, 295; ***geogenium*** **10**: 69, 76; **28**: 121; **51**: 106, 119, 134, 137, 138; **57**: 68, 73, 75, 76, 285, 286, 289, 290, 292, 293, 294, 296; ***mirabile*** **10**: 68; **15**: 131; **57**: 64, 75, 289, 290, 292, 294, 295; ***peckii*** **35**: 240; **51**: 100, 106, 121, 124, 127, 128, 130; **57**: 63, 64, 75, 284, 290, 292, 293, 294; ***pineticola*** **32**: 218; ***scrobiculatum*** **10**: 69, 72, 74; **51**: 106, 119, 130, *132*, *133*, *134*; **57**: 64, 66, 67, 75, 284, 285, 290, 292, 294; ***spongiosipes*** **14**: 130, 132; **15**: 16; **22**: 147; **32**: 217, 218; **51**: 100, 106, 121, 127, 130, 131; **57**: 65, 66, 73, 75, 76, 284, 289, 290, 292, 294, 295; ***spongiosum*** **51**: 130; ***suaveolens*** **10**: 68, 76; **14**: 125; **15**: 131, 132; **49**: 38; **51**: 105, 119, 120, 121, 123; **57**: 61, 62, 73, 74, 75, 76, 282, 290, 292, 293, 294, 296; ***tardum*** **57**: 66, 67, 75, 290, 292, 293, 294, 295; ***velutinum*** **10**: 69, 70, *74*, *75*, *76*; **14**: 126; **15**: 16, 32; **51**: 130; ***velutinum*** **var.** ***spongiosipes*** **32**: 217; ***zonatum*** **10**: 65, 69, 70, 75; **14**: 126, 130; **18**: 11; **51**: 117.

HYDNOBOLITES cerebriformis **14**: 77; ***tulasnei*** **9**: 186.

HYDNOCRISTELLA himantia **25**: *129*, *130*, *131*, *132*, *133*, *134*.

HYDNOPHLEBIA chrysorhiza **64**: 23, 25, 29, 39, 40.
HYDNOPOLYPORUS fimbriatus **60**: 210.
HYDNOTRYA carnea **9**: *185*, *186*, *187*, *188*; ***jurana*** **9**: 185; ***soehneri*** **9**: 188; ***tulasnei*** **2**: 66; **3**: 20; **7**: 51; **9**: *185*, *186*, *187*, *188*; **14**: 76, 112; **16**: 112; **22**: 180; **59**: 215, 216, 217, 218, 219, 220, 221, 223.
HYDNUM albiceps **64**: 23, 24; ***albomagnum*** **10**: 76; ***alboviride*** **25**: 129; ***amarescens*** **10**: 67; **14**: 125, 127, 129; **51**: 148; ***amicum*** **10**: 74, 75; **14**: 130; **49**: 36; ***aspratum*** **4**: 37; ***atroviride*** **10**: 68; ***aurantiacum*** **57**: 62; ***balsamiodorum*** **49**: 37; **51**: 144; ***balsamiolens*** **49**: 37; **51**: 144; ***brevipes*** **10**: 68; ***caput-ursi*** **5**: 120; ***chrysodon*** **64**: 23, 25, 40; ***cinereum*** **10**: 74; **49**: 36; ***commutatum*** **10**: 67, 76; **51**: 151; ***confluens*** **10**: 74, 75; ***coralloides*** **1**: 81; **59**: 72; ***cristatum*** **10**: 68; ***croceum*** **7**: 117, 119, 122, 123; ***cyathiforme*** **10**: 74, 75; ***dissitum*** **64**: 27; ***earleanum*** **7**: 118; ***ebneri*** **57**: 69; ***fechtneri*** **21**: 251; ***fennicum*** **10**: 66; ***fernandesianum*** **var.** ***ohiense*** **64**: 27, 28; ***fernandesium*** **64**: 28; ***ferrugineum*** **10**: 74; ***foetidum*** **7**: 118, 119; ***fuligineoalbum*** **9**: 95, 96; **51**: 107; ***fuligineoviolaceum*** **10**: 68; **46**: 319; **51**: 151; ***fumosum*** **10**: 68, 76; ***fuscoatrum*** **7**: 119; ***geogenium*** **3**: 16, 18; ***graveolens*** **10**: 75; ***hepaticum*** **46**: 319; **51**: 117; ***himantia*** **25**: *129*, *130*, *131*, *132*, *133*, *134*; ***hypochrum*** **64**: 23, 25; ***imbricatum*** **5**: 74; **10**: 66, 186; **15**: 132; **21**: 4; **26**: 217; ***infundibulum*** **9**: 96; ***inopinatum*** **10**: 67, 76; ***laevigatum*** **10**: 67; **14**: 125; **51**: 142; ***leptodon*** **64**: 28; ***leucopus*** **51**: 142; ***luteocarneum*** **7**: 118; ***membranaceum*** **64**: 29; ***membranaceum*** **var.** ***dryinum*** **64**: 28; ***micheneri*** **64**: 23, 26, 27; ***murrillii*** **10**: 68, 76; ***nigrum*** **var.** ***melilotinum*** **49**: 36; ***ohiense*** **64**: 23, 27, 28; ***olidum*** **1**: 101; ***pachyodon*** **11**: 156; ***pallidum*** **64**: 23, 28, 29, 40; ***pendulum*** **11**: 161, 169; ***piperatum*** **10**: 68, 76; ***repandum*** **1**: 7; **2**: 93; **3**: 7; **5**: 74; **10**: 66; **13**: 41, 47; **21**: 161; **22**: 193, 252; **26**: 217; **36**: 24; **42**: 158; **44**: 142; **52**: 4, 5; ***rufescens*** **10**: 76; **46**: 170; **52**: 6; **63**: 257; ***scabripes*** **10**: 68; ***scabrosum*** **10**: 66, 67; **14**: 126, 130; **15**: 132; ***schiedermayeri*** **7**: 118, 119; ***schweinitzii*** **64**: 23, 29, 40; ***septentrionalis*** **16**: 156; ***serpens*** **25**: 133, 134; ***setosum*** **7**: 117, 119, 120, 122, 123; **9**: 24; ***spongiosipes*** **32**: 217; ***stipatum*** **64**: 36; ***subfuscum*** **25**: 133; ***subsquamosum*** **10**: 67; ***sulphureum*** **3**: 16, 18; **10**: 49; **46**: 319; **51**: 138; ***tsugicola*** **64**: 20; ***umbilicatum*** **10**: 76; ***underwoodii*** **10**: 68, 76; ***vellereum*** **10**: 74; ***velutinum*** **14**: 130; ***violaceum*** **9**: 96; ***violascens*** **9**: 96.
HYDROBASIDIUM terrigenum **24**: 6.
HYDROCYBE armeniaca **10**: 249; **20**: 79; ***armillata*** **14**: 125; ***bibula*** **10**: 29; ***bovina*** **18**: 10, 13; ***brunnea*** **14**: 225; ***candelaris*** **14**: 225; ***colus*** **12**: 12; ***decembrina*** **48**: 301; ***decipiens*** **19**: 16; ***duracina*** **14**: 225; ***erythrina*** **18**: 12; ***firma*** **14**: 225; ***hemitricha*** **14**: 96; ***incisa*** **18**: 13; ***isabellina*** **12**: *12*, *13*, *14*; **18**: 13; **23**: 141; ***naucoriaeformis*** **48**: 301; ***nucicolor*** **52**: 58; ***paleacea*** **22**: 268; ***pelargoniae*** **18**: 2.
HYDROMETROSPORA symmetrica **63**: 142, 148.
HYDROPUS atramentosus **16**: 173, 182, 183, 184, 190, 191; **21**: 57, 59; **27**: 215; **60**: 125, 126, 127, 128, 130, 132, 133, 134; ***floccipes*** **52**: 12; ***fuliginarius*** **14**: 88; **27**: 215; **60**: 127; ***marginellus*** **14**: 88, 89; **16**: 173, 182, 184, 190, 191; **18**: 159, 160, 178; **21**: 56; **27**: 215; **46**: 178, 183, 184; **56**: 274; ***marginellus*** **var.** ***rugosidiscus*** **25**: 107, 111; ***scabripes*** **52**: 12; ***scabripes*** **var.** ***quadrisporus*** **54**: 171; ***subalpinus*** **46**: 178, 183; ***trichoderma*** **46**: 178, 183, 184.

HYGROCYBE acutoconica **32**: 208; **52**: 8; ***calyptriformis*** **21**: 57, 59; **28**: 121; **58**: 154; ***cantharellus*** **4**: 96; ***ceracea*** **14**: 78; ***citrinovirens*** **21**: 57; ***coccinea*** **32**: 208; **42**: 158; ***coccineocrenata*** **48**: 265; ***conica*** **4**: 109; **14**: 78; **22**: 195; **32**: 208, 222; **44**: 86; **52**: 6; **59**: 189; ***conica*** **f. *pseudoconica*** **52**: 6; ***intermedia*** **21**: 57; ***laeta*** **59**: 185, 188, 189, 197; ***lewelliniae*** **49**: 164; ***marchii*** **16**: 168; ***marzuolus*** **3**: 26; ***miniata*** **4**: 96; ***mucronella*** **14**: 104; **59**: 189; ***nigrescens*** **44**: 222; ***obrussea*** **14**: 78; ***pratensis*** **52**: 8; ***psittacina*** **8**: 122; **14**: 78; **16**: 157; **18**: 223; **23**: 79; **32**: 208; **52**: 8; **59**: 2, 3; ***punicea*** **16**: 20; **32**: 208; ***reai*** **4**: 83, 96; **52**: 8; ***reai*** **var. *insipida*** **4**: 83; ***russocoriacea*** **59**: 185, 189, 190, 197; ***sciophana*** **24**: *125*, *126*, *127*, *128*; ***strangulata*** **16**: 167, 168; **32**: 208; ***streptopus*** **43**: 117; ***turunda*** **14**: 96; ***unguinosa*** **14**: 78; ***veselskyi*** **35**: 167; **43**: 117; ***virginea*** **52**: 6; **59**: 190; ***virginea*** **var. *ochraceopallida*** **59**: 190.

HYGROPHOROPSIS albida **14**: 78; **20**: 73; **37**: 100; ***aurantiaca*** **4**: 149; **6**: 56; **14**: 96; **18**: 11, 115, 160; **19**: 15, 17, 19; **22**: 195; **27**: 34; **32**: 222; **35**: 197; **38**: 220; **44**: 86; **46**: 67, 71; **63**: 257; ***aurantiaca*** **var. *atrotomentosa*** **6**: 56; **14**: 77; ***muscoides*** **4**: 149; ***rufa*** **63**: 251, 257.

HYGROPHORUS agathosmus **10**: 234; **18**: 13; **24**: 117; **25**: 107; ***arbustivus*** **10**: 234; **15**: 14; ***atramentarius*** **36**: 189; ***calophyllus*** **22**: 192, 195, 200; **30**: 228; ***camarophyllus*** **3**: 27; **22**: 195; ***capreolarius*** **14**: 125; ***caprinus*** **3**: 60, 107; **30**: 228; ***chlorophanus*** **6**: 39; ***chrysaspis*** **10**: 234, 235; **15**: 14; **18**: 170; **23**: 205; **25**: 62; ***chrysodon*** **14**: 126, 225; **22**: 146, 195; **24**: 84; **35**: 110; **52**: 11; ***coccineus*** **6**: 39; ***conicus*** **6**: 39; ***cossus*** **10**: *233*, *234*, *235*; **14**: 225; **27**: 31; **35**: 110; **43**: 57; **48**: 301, 303; ***discoideus*** **14**: 104, 126, 225; **30**: 196; **52**: 11; ***discolor*** **46**: 319; ***discoxanthus*** **52**: 4, 5; ***eburneus*** **14**: 225; **18**: 160, 170; **32**: 222; **33**: 164; **35**: 110; **46**: 170, 172, 282, *284*, *285*, *286*, 288, 290; **56**: 270, 272; **63**: 257; ***erubescens*** **14**: 126; **23**: 205; ***erubescens*** ***** ***capreolarius*** **46**: 324; ***erubescens*** **var. *capreolarius*** **47**: 195; ***fagi*** **56**: 272; ***flavodiscus*** **10**: 234, 235; ***foetens*** **23**: 198; ***gilvus*** **46**: 319; ***gliocyclus*** **14**: 104, 225; ***hedrychii*** **10**: *232*, *233*, *234*, *235*; **15**: 14; **23**: 205; ***hyacinthinus*** **24**: 117; **46**: 171, 172, 186; ***hyacinthus*** **21**: 57; ***hypothejus*** **7**: 142; **19**: 16; **32**: 222; **44**: 86; ***hypothejus*** **var. *mendax*** **46**: 324; ***lacmus*** **18**: 6; ***laetus*** **12**: 242; **24**: *125*, *126*, *127*; ***langei*** **18**: 2; ***leucophaeus*** **10**: 234, 235; **23**: 205; ***lewelliniae*** **46**: 319; **49**: 164; ***lindtneri*** **52**: 12; ***lucorum*** **42**: 165; **44**: 86; **46**: 319; ***marchii*** **16**: 168; ***marzuolus*** **1**: 38; **3**: *26*, *27*, *28*; **5**: 98; **11**: 203; **12**: 197; **16**: 157; **20**: 110, 242; **21**: 2, 4; **23**: 78; **24**: 117, 178; **52**: 94; ***melizeus*** **10**: 235; **14**: 89, 225, 226; **18**: 159, 160, 170, 178; **27**: 215; **31**: 115; **34**: 232; ***miniatus*** **16**: 168; **22**: 146; ***minutulus*** **24**: 126; ***nemoreus*** **18**: 13; **52**: 10; ***nitratus*** **2**: 24; **7**: 174; **16**: 163; ***olivaceoalbus*** **14**: 72, 89, 126, 225; **18**: 160; **19**: 114; **27**: 215; **32**: 222; **37**: 109; **44**: 86; **46**: 288; **56**: 271, 281, 282; **63**: 233, 257; ***penarius*** **18**: 13; **28**: 173; **29**: 27; **43**: 57; **46**: 171, 172, 289; **52**: 8; **63**: 257; ***perplexus*** **24**: 127; ***persoonii*** **var. *fuscovinosus*** **52**: 8; ***piceae*** **14**: 89; **27**: 215; ***poetarum*** **25**: 62; **30**: 196; ***pratensis*** **24**: 126; ***psittacinus*** **24**: *125*, *126*, *127*; ***pudorinus*** **14**: 125; **21**: 57; **30**: 193, 196; ***pustulatus*** **14**: 125; **19**: 114; **24**: 117; **27**: 34; **37**: 109; **44**: 86; **46**: 170, 172; **56**: 271, 281, 282; **63**: 257; ***reai*** **14**: 113; ***roseodiscoideus*** **52**: 12; ***russocoriaceus*** **18**: 20; ***russula*** **19**: *197*, *198*, *199*; **34**: 77; **42**: 160, 163, 164; **52**: 8; ***scarlatinus*** **46**: 319; ***schulzeri*** **14**: 113; ***sciophanoides*** **24**: 127; ***sciophanus*** **24**: *125*, *126*, *127*, *128*; ***speciosus*** **36**: 189; ***strangulatus*** **16**: 167, 168; ***subpurpurascens*** **10**: 235; ***substrangulatus*** **16**: 168; ***subviscifer*** **63**: 252, 257; ***tephroleucus*** **14**: 104; **24**: 117; ***unguinosus*** **24**: 127; ***xanthochrous*** **24**: 125, 126.

HYMENOCHAETE carpatica **7**: 155; **53**: 141, 142, 143, *144*, *145*, *146*, *147*; ***cinnamomea*** **29**: 28; **36**: 29; ***corrugata*** **12**: 138; **53**: 142; **63**: 195; ***cruenta*** **52**: *307*, *308*, *309*, *310*, *311*, *312*, *313*, *314*, *315*; ***fuliginosa*** **14**: 89; **21**: 57, 59; **25**: 105, 111; **27**: 221; **44**: 140, 142; ***kalchbrenneri*** **49**: 164, 165; ***mougeotii*** **7**: 138; **10**: 183; **12**: *136*, *137*, *138*, *139*, *140*, *141*, *142*, *143*; **13**: 144, 151, 219, 222, 223; **14**: 88; **16**: 156; **18**: 222; **21**: 57; **23**: 110; **27**: 221; **52**: 307, 308, 309, 310; ***mougeotii*** **f. *murashkinskyi*** **52**: 310; ***murashkinskyi*** **7**: 155; **12**: 138; **52**: 307, 310; ***rubiginosa*** **12**: 138; **14**: 76; **18**: 6; **32**: 222; **33**: 162; **39**: 74; **45**: 18; **46**: 287, 289; **47**: 201; ***sphaericola*** **52**: *307*, *308*, *309*, *310*, *311*, *312*, *313*, *314*, *315*; ***subfuliginosa*** **12**: 138; **17**: 51; **53**: 141; ***tabacina*** **12**: 138; **31**: 114; **36**: 29; **50**: 304, 308, 310; **63**: 197, 198, 200; ***tjibodensis*** **39**: 195.

HYMENOGASTER arenarius **8**: 185; ***aromaticus*** **2**: 5; ***caerulescens*** **25**: *44*, *45*, *46*; ***calosporus*** **2**: 9, 10; **3**: 1, 75; ***citrinus*** **2**: 9, 10; **14**: 112; ***decorus*** **2**: 9; ***hessei*** **59**: 73, 75, 76; ***lilacinus*** **3**: 75; **4**: 91; ***luteus*** **2**: 9, 10, 61; **3**: 75; **14**: 75; ***luteus*** **f. *trigonospora*** **2**: 6, 10; ***luteus*** **f. *typica*** **2**: 6; ***luteus*** **var. *subfuscus*** **14**: 112; ***muticus*** **2**: 9; ***niveus*** **59**: 73, 75, 76; ***olivaceus*** **14**: 75, 113; **39**: 68; ***pallidus*** **2**: 10; ***pruinatus*** **2**: 8; ***rehsteineri*** **4**: 92; ***remyi*** **14**: 150, 151; ***sulcatus*** **1**: 75; **2**: *5*, *6*, *7*, *8*, *8*, *9*, 61; **14**: 75, 113; ***tener*** **2**: 9; **4**: 91; **14**: 113; ***thwaitesii*** **2**: 6; **3**: 75; ***vacekii*** **14**: 124; **15**: 16; ***verrucosus*** **14**: 75, 124; ***vulgaris*** **2**: *5*, *6*, 7, *7*, *8*, 61; **4**: 92, 93; **14**: 75, 113; **39**: 68.

HYMENOPHALLUS hadriani **9**: 120; ***roseus*** **48**: 279; ***togatus*** **46**: 319.

HYMENOSCYPHUS albidus **40**: 206; ***angustisporus*** **42**: 137, 139; ***autumnalis*** **45**: 134, 136, 141; ***caeruleoannulatus*** **46**: 33, 35, 38; ***calyculus*** **35**: 240; **44**: 144; ***caudatus*** **33**: 153; **40**: 206; **44**: 144; ***consobrinus*** **64**: 133; ***dearnessii*** **64**: 127, 128, 129, 130, 131, 132; ***diabasicus*** **45**: 134, 137; ***duschekiae*** **45**: 134, 135, 137; ***epiphyllus*** **18**: 163; ***ericae*** **59**: 215, 216; ***euphorbiae*** **42**: 140; ***fructigenus*** **32**: 221; **33**: 162; **52**: 8; **64**: 133; ***fucatus*** **64**: 131, 132; ***fucatus*** **var. *badensis*** **64**: 131, 132; ***fucatus*** **var. *fucatus*** **64**: 131, 132; ***herbarum*** **33**: 153; **42**: 147; **44**: 144; ***imberbis*** **30**: 14; **33**: 153; ***longisporus*** **64**: 132; ***marchantiae*** **45**: 140, 141, 142; ***mycetophilus*** **31**: 132, 137; ***myrtilli*** **44**: 140, 144; ***nigromaculatus*** **29**: 132; ***ombrophilaeformis*** **31**: 8, 11; ***peruni*** **40**: 216; **43**: 65, *71*, 72, *72*, *73*; ***phyllophilus*** **45**: 138; ***pileatus*** **64**: 133; ***ravus*** **43**: 65, 67, 68, 221; ***repandus*** **43**: 73; **44**: 144; ***resinae-piceae*** **40**: 203, 210, 211; ***rhytidiadelphi*** **32**: 11, 16, 17; ***robergei*** **33**: 153; ***salicellus*** **35**: 240; **44**: 144; ***salmanovicensis*** **32**: 157, 158; ***sazavae*** **46**: 36; ***sclerotigerus*** **44**: 140, 144; **46**: 33, 36, 38; ***scutula*** **33**: 153; **35**: 109; **44**: 144; **56**: 276; **64**: 131; ***serotinus*** **33**: 154; **56**: 275; ***sphagnisedus*** **33**: 198, 200; ***syringaecolor*** **29**: 129, 132, 133; ***umbilicatus*** **41**: 24; ***vernus*** **30**: 14; **57**: 216.

HYMENOSTILBE sphecophila **10**: 34.

HYMENULA georginae **15**: 178; ***viridiflava*** **13**: 157.

HYPHODERMA amylohypha **27**: 203; ***argillaceum*** **54**: 39; **59**: 181; ***barba-jovis*** **59**: 181; ***clavigerum*** **59**: 181; ***pallidum*** **44**: 140, 142; ***puberum*** **27**: 201; **45**: 79; **59**: 181; ***radula*** **25**: 105; ***reticulatum*** **27**: 203; ***roseocremeum*** **18**: 162; ***sambuci*** **33**: 156; ***setigerum*** **27**: 203; **35**: 109; **56**: 276; ***tenue*** **27**: 203.

HYPHODISCOSIA europaea **35**: *29*, *30*, *31*; ***jaipurensis*** **35**: 29.

HYPHODONTIA arguta **27**: 221; **64**: 36; ***breviseta*** **40**: 213; **63**: 257; ***crustosa*** **18**: 162; ***fimbriiformis*** **64**: 35; ***hastata*** **21**: 57, 59; ***latitans*** **55**: 187, 188, 189, 198; ***pallidula*** **18**: 162; ***pruni*** **27**: *201*, *202*, *203*, *204*, *205*; ***quercina*** **47**: 201; ***sambuci*** **26**: 70; **59**: 181.

HYPHOLOMA candolleanum **2**: 87; **28**: 205; ***canoceps*** **58**: 11; ***capnoides*** **4**: 62; **18**: 160; **19**: 18, 115; **30**: 52; **32**: 222; **40**: 96; **41**: 51; **42**: 166; **43**: 86; **44**: 87, 222; **46**: 177, 182, 185; **52**: 29; **56**: 274; **63**: 257; ***cascum*** **4**: 149; **16**: 170; **18**: 233; ***coprinifacies*** **4**: 16, *17*, *18*, *19*, *20*; **17**: *9*, *10*, *11*, 108; **20**: *34*, *35*, *36*, *37*; **27**: *45*, *46*; **28**: 121; **37**: 177, 179, 180; **39**: *26*, *27*, *28*, *29*, 33, 59, 61, 179; **52**: 93; **58**: 78, 79; **60**: 187; ***cotoneum*** **16**: 170; ***cyanescens*** **4**: 16, 18, 20; **27**: 42, 45; **30**: 54; **37**: 179; **39**: *26*, *27*, *28*, 59; **60**: 189; ***dispersum*** **4**: 20; ***elongatum*** **56**: 276, 282; **63**: 257; ***epixanthum*** **27**: 215; ***fasciculare*** **2**: 87; **4**: 20, 62; **9**: 99, 102; **16**: 188; **18**: 91, 160, 233; **19**: 18, 114, 128; **21**: 17, 161; **29**: 27; **30**: 52; **32**: 223; **38**: 220; **42**: 115; **43**: *31*, *32*, *33*, *34*; **44**: 87, 213, 214, 222; **46**: 4, 6, 13, 30, 67, 68, 71, 72, 176, 182, 184, 185, 284, 286, 289; **48**: 40, 98, 100; **52**: 28, 29; **56**: 274; **59**: 122; **63**: 257; ***hydrophilum*** **7**: 142; **9**: 99, 100, 102; **19**: *233*, *234*, *235*, *236*, *237*, *238*; ***lacrymabundum*** **16**: 170; ***lateritium*** **9**: 99, 102; **43**: 196; ***lepidotum*** **23**: 263; ***leucotephrum*** **14**: 113; ***maculatum*** **58**: 10; ***marginatum*** **18**: 160; **44**: 87; **46**: 177, 183; **56**: 274; **63**: 257; **64**: 184, 185; ***melanthinum*** **16**: 170; **23**: 263, 264; ***minutellum*** **60**: 151; ***myosotis*** **24**: 105; **60**: 176; **63**: 251, 257; ***pannucioides*** **58**: 19; ***pilatii*** **22**: 241; ***polytrichi*** **44**: 87, 222; ***populinum*** **23**: 263; ***radicosum*** **16**: 187; **44**: 87; **63**: 257; ***semilanceatum*** **var.** ***coerulescens*** **4**: 20; ***subericaeum*** **35**: 241; **60**: 176, 183; ***sublateritium*** **6**: 94; **8**: 88; **16**: 187, 188; **18**: 160; **19**: 18, 128; **30**: 52; **32**: 223; **38**: 220; **43**: 86, 89, 90, 196; **44**: 222; **46**: 68, 71, 176, 182, 185, 286, 289; **52**: 29, 247, 248, 249; **56**: 274; **63**: 257; ***subochraceum*** **50**: 46, 50; ***subpapillatum*** **58**: 16; ***subviride*** **44**: 124, 125; **63**: 257; ***udum*** **18**: 4; **24**: 105; **44**: 124, 125; **63**: 257; ***varicosum*** **27**: 215; ***worthingtonii*** **39**: 26, 27, 33.

HYPHOMYCES perniciosus **46**: 14.

HYPHONECTRIA aureonitens **14**: 29.

HYPHOPICHIA burtonii **44**: *154*, *155*, *156*, *157*, *158*, *159*; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*.

HYPHORADULUM conspicuum **41**: 26, 28.

HYPHOZYMA variabilis **38**: 16, 17.

HYPOCENOMYCE caradocensis **48**: 218; **56**: 158; **63**: 230; ***foveata*** **56**: 158; ***friesii*** **56**: 158; ***praestabilis*** **48**: 218; ***scalaris*** **48**: 218; ***sorophora*** **48**: 218.

HYPOCHNELLA violacea **25**: 62; **29**: 63.

HYPOCHNOPSIS fuscata **12**: 70; ***mustialaënsis*** **59**: 178.

HYPOCHNUS crustaceus **12**: 75; ***echinosporus*** **12**: 68; ***epimyces*** **12**: 68; ***fuscatus*** **12**: 70; ***granosus*** **12**: 76; ***lavandulaceus*** **12**: 68; ***mucidulus*** **12**: 67, 68; ***mustialaënsis*** **59**: 178; ***phylacteris*** **12**: 69; ***roseogriseus*** **12**: 68; ***solani*** **11**: 81; ***sparsus*** **12**: 73; ***subfuscus*** **12**: 70; ***tristis*** **12**: 70; ***umbrinus*** **12**: 70; ***violeus*** **11**: 71; ***zygodesmoides*** **12**: 68.

HYPOCOPRA bombardioides **13**: 94; ***fimeti*** **33**: 162, 167; ***merdaria*** **33**: 167; ***saccardoi*** **52**: 271.

HYPOCREA carnea **46**: 319; ***chrysostigma*** **46**: 319; ***citrina*** **14**: 25, 31; **19**: 178; **27**: 225; ***citrina*** **var.** ***fungicola*** **14**: 31; ***fungicola*** **14**: 31; **19**: 178; **26**: 123; **27**: 225; ***gelatinosa*** **61**: 87, 92, 93; ***karsteniana*** **14**: 31; ***lactea*** **14**: 31; **35**: 240; **56**: 276; ***lateritia*** **14**: 26; ***lycogalae*** **46**: 319; ***pulvinata*** **14**: 31; **44**: 146; **61**: 87, 92; ***rufa*** **10**: 89, 91; **18**: 163; **56**: 276; **61**: 87; **63**: 257; ***rufa*** **var.** ***minor*** **10**: 89, 91; ***rufa*** **var.** ***rufa*** **10**: 89, 91; ***spinulosa*** **10**: 88; **33**: 151; ***subcitrina*** **46**: 319; ***sulfurella*** **46**: 319.

HYPODENDRUM albocrenulatum **21**: 35.

HYPODERMA commune **32**: 221; ***scirpinum*** **33**: 154; ***vincetoxici*** **9**: 113.
HYPODERMELLA sulcigena **34**: 228.
HYPOGYMNIA bitteri **50**: 235; ***farinacea*** **56**: 158; ***imshaugii*** **56**: 158; ***maderensis*** **56**: 158; ***physodes*** **50**: 230, 287, 290; **63**: 225, 230; ***tavaresii*** **56**: 158.
HYPOMYCES armeniacus **12**: 153; ***asclepiadis*** **12**: 88, 92; ***ater*** **10**: 88; **14**: 28; ***aurantius*** **7**: 139; **12**: 123, 154; **14**: 26, 30; **38**: 4; **44**: 146; ***aureonitens*** **14**: 29; ***chrysospermus*** **12**: 152; ***decipiens*** **4**: 56; ***deformans*** **14**: 26; ***haematococcus*** **12**: 88, 91, 92; ***haematococcus*** **var.** ***breviconus*** **12**: 91; ***haematococcus*** **var.** ***cancri*** **12**: 91; ***ipomoeae*** **12**: 88, 92; **24**: 211; ***lateritius*** **14**: 26; ***linkii*** **12**: 152; ***luteovirens*** **10**: 87; ***ochraceus*** **12**: 153; ***odoratus*** **18**: 144, 146; ***polyporinus*** **14**: 30; ***rosellus*** **12**: 153; **14**: 26, 30; **17**: 162; **18**: *144*, *145*, *146*; **19**: 178; **26**: 123; **38**: 4; ***roseus*** **14**: 30; ***thiryanus*** **14**: 26; ***torminosus*** **14**: 26, 28; ***tuberosus*** **12**: 156; ***violaceus*** **18**: 164, 177; ***viridis*** **10**: 87, 88; **14**: 28; ***vuilleminianus*** **14**: 26.
HYPOPHYLLUM albocitrinum **2**: 18.
HYPOPICHIA burtonii **46**: 272, 273, *277*, *278*, *279*, 281.
HYPORHAMMA reticulatum **20**: 196, 198.
HYPORRHODIUS prunulus **5**: 74.
HYPOXYLON aeneum **39**: *129*, *130*, *131*, *132*, *133*; ***albocinctum*** **39**: 23; ***argillaceum*** **26**: *129*, *130*, *131*; ***atropunctatum*** **33**: 216; ***atropurpureum*** **39**: *19*, *20*, *21*, *22*; ***atroviride*** **23**: 119; **34**: 128, 135; ***bacchi*** **36**: 249; ***balansae*** **39**: 134; ***bipapillatum*** **39**: 18, 23, 24; ***carbonaceum*** **39**: 22, 23; ***caries*** **39**: 134; ***chestersii*** **39**: 18, 24; ***cinereolilacinum*** **33**: 212, 213, 216; **40**: 3; ***coccineum*** **8**: *77*, *78*, *79*; **11**: 190; **13**: 217; ***cohaerens*** **26**: 133, 136; **59**: 73, 76; **61**: 87; ***colliculosum*** **39**: 134; ***crustaceum*** **27**: 86; ***cylindrophorum*** **34**: 127; ***deustum*** **26**: 133; **36**: 184; ***effusum*** **39**: 19, 24; ***epirhoidium*** **39**: 134; ***fragiforme*** **18**: 163; **26**: 130, 133; **35**: 109; **46**: 282, 284, 286, 289; **53**: 302; **56**: 275; **61**: 87, 88; **63**: 258; ***fragiliforme*** **33**: 212; ***fraxinophilum*** **26**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*; ***fuscum*** **13**: 158; **24**: 130; **26**: 130, 133; **27**: 86, 95, 134, *137*, *138*, *139*, 141, 148; **29**: 29; **31**: 1, 2; **32**: 19, 21, 221; **34**: 125; **35**: 109; **64**: 118; ***glycyrrhiza*** **33**: *213*, *214*, *215*; ***grandineum*** **33**: 213; ***gwyneddii*** **39**: 24; ***howeianum*** **26**: 130, 133, 134; **31**: 117; **35**: 109; **61**: 87; ***hydnicolum*** **39**: 134; ***irregulare*** **39**: 133; ***kalchbrenneri*** **49**: 165; ***lilacinofuscum*** **39**: 133; ***macrocarpum*** **32**: *19*, *20*, *21*; **61**: 87, 91, 92; ***macrocenangium*** **34**: 128; ***mammatum*** **34**: 228; **39**: 15; ***mediterraneum*** **33**: 216; **40**: 3; ***michelianum*** **39**: 23; ***moravicum*** **26**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*; ***multiforme*** **26**: 130, 133; **27**: 86, 134, 138, 139, 148; **31**: 1, 2; **39**: 15, 21; **51**: 12; **61**: 87; ***nummularium*** **26**: 133; **33**: *207*, *208*, *209*, *210*, *211*, *212*, *213*, *214*, *215*, *216*, *217*; **40**: 2, 3; ***ohiense*** **23**: 119; **34**: 128, 135; ***petersii*** **34**: 128, *144*, *145*, *146*, *147*, *148*, *149*; ***placenta*** **46**: 319; **49**: 165; ***polyspermum*** **34**: 126; ***quadratum*** **33**: 214; ***repandoides*** **40**: 3; ***reticulatum*** **39**: 19; ***rubiginosum*** **26**: 123, 129, 133, 134, 136; **32**: 21; **35**: 109; **39**: 22; **61**: 87; ***rubrostromaticum*** **26**: 136; ***rutilum*** **26**: 134; ***sassafras*** **33**: 212, 213; ***scleroderma*** **23**: 119; **34**: 135; ***semiimmersum*** **33**: 214; ***serpens*** **18**: 164; **26**: 133, 135; **27**: 133; **34**: 142; **39**: *15*, *16*, *17*, *18*, *19*, 21, 23, *131*, *132*, *133*, *134*; **56**: 276; ***subluteum*** **39**: 133; ***ticinense*** **55**: 187, 190, 191; ***truncatum*** **39**: 23; ***tubulina*** **23**: 119; **34**: 132; ***udum*** **13**: 154; ***ustulatum*** **39**: 16; ***vogesiacum*** **32**: 21; ***vogesiacum*** **var.** ***microsporum*** **32**: 21.
HYPSILOPHORA callorioides **46**: 319.

HYPSIZYGUS tessulatus **34**: *57*, *58*, *58*, *59*, *59*; **44**: 125.
HYSTERANGIUM calcareum **4**: 91; **14**: 112, 124; **50**: 67; ***clathroides*** **2**: 5, 59, 61; **3**: 75; **4**: 91; **7**: 154; **18**: 9; **21**: 106; ***coriaceum*** **50**: 67; ***crassum*** **40**: 95; ***nephriticum*** **50**: 67; ***pompholyx*** **2**: 61; ***rubricatum*** **2**: 60; **14**: 124; **50**: 67; ***separabile*** **14**: 77; ***stoloniferum*** **3**: 75; **50**: 67; ***stoloniferum*** **var.** ***rubescens*** **14**: 75, 77; ***thwaitesii*** **14**: 226.
HYSTERIUM angustatum **13**: 154, 212; ***carmichaelinum*** **49**: 215; ***curvatum*** **49**: 216; ***elongatum*** β ***curvatum*** **49**: 216; ***naviculare*** **49**: 216.
HYSTEROGRAPHIUM curvatum **14**: 72; **49**: 216; ***mori*** **35**: 94.
HYSTERONAEVIA minutissima **56**: 63, 69, 71, 81, 82, 83, 218, 219.
HYSTEROPELTELLA moravica **52**: 58.
HYSTEROPEZIZELLA diminuens **41**: 91; **56**: 63, 69, 70, 72, 81, 82, 219.
HYSTEROSTEGIELLA zelendarkensis **32**: 11, 17.
IDRIELLA bolleyi **44**: 162; ***lunata*** **32**: 173; **55**: 123.
ILLOSPORIUM carneum **17**: 155, 159.
INCRUPILA aspidii **39**: 211; **41**: 204; ***lonchitidis*** **39**: 211; ***sulphurea*** **39**: 218; ***viridipilosa*** **40**: 204.
INCRUPILELLA carpini **46**: 33, 36, 37; ***flexipila*** **40**: 203, 204, 205, 207; **41**: 201; **46**: 39.
INCRUSTOPORIA nivea **36**: 26, 34; ***semipileata*** **31**: 117; ***stellae*** **37**: 201; ***subincarnata*** **21**: 56, 57; ***tschulymica*** **39**: 36; **42**: 133, 134.
INERMISIA aggregata **23**: 87; **35**: 16, 142, 143; **44**: 144; **56**: 276; ***buchsii*** **23**: 86, 87, 94, *223*, *224*, *225*; **35**: 16; ***fusispora*** **23**: 86, 87, 94, 224, 225; **26**: 140; **27**: 224; **28**: 132; **35**: 16; ***fusispora*** **var.** ***permunda*** **23**: 225; ***fusispora*** **var.** ***scotica*** **23**: 225.
INFUNDIBULUM linteicolum **35**: 69; ***tiliaceum*** **35**: 73.
INGADERIA trogloditycа **56**: 155, 158.
INGOLDIELLA hamata **60**: 67.
INOCYBE abietis **30**: 65, 66, 70, 171, 174, 179; **39**: 125; **43**: 58; ***abjecta*** **14**: 113; **31**: 21, 23; ***absistens*** **27**: 15, 18; ***acuta*** **14**: 89; **25**: 107, 111; **27**: 215; **33**: 137; **34**: 45, 52; **35**: *102*, *103*, *104*, *105*, *106*; **44**: 87; ***acutella*** **34**: 53, 165, 167, 168; **35**: *102*, *103*, *104*, *105*, *106*; ***aeruginascens*** **48**: 12, 103; ***albidodisca*** **29**: 65; **30**: 171, 173; **39**: 125; ***albidodisca*** **var.** ***albidodisca*** **29**: 69, 70; ***albidodisca*** **var.** ***reidii*** **29**: 70; **30**: 171, 173; ***albomarginata*** **27**: 22, 23; **33**: 137; **36**: 223; ***alluvionis*** **30**: 65, 77, 79, 172, 174; ***alnea*** **34**: 51, 52; ***amblyspora*** **28**: 195, 197; **30**: 171, 173; ***analogicus*** **28**: 143; ***annulata*** **20**: 70, 71; ***appendiculata*** **32**: *161*, *162*, *163*, *164*, *165*; ***argillacea*** **25**: 107; **27**: 215; ***armeniaca*** **31**: 114; ***asinina*** **46**: 319; ***assimilata*** **46**: 170, 186; **56**: 271, 281; ***asterospora*** **1**: 95; **6**: 40; **12**: 117; **14**: 112; **19**: 17; **21**: 53; **25**: 7, 107; **29**: 71; **30**: 126; **32**: 223; **33**: 164; **34**: 48, 49, 52; **52**: 8, 212; **63**: 258; ***atripes*** **10**: 180, 183; **15**: 16; **16**: 114; **18**: 11; **20**: 165; **25**: 62; **30**: 75, 170, 173; **32**: 223; ***aurea*** **34**: 47, 52; ***aureoplumosa*** **52**: *331*, *332*, *333*, *334*; ***auricoma*** **32**: 23; ***boltonii*** **28**: 138, *142*, *143*, *144*, 146, 149, 150; **34**: 47, 51, 52; **44**: 87; ***bongardii*** **14**: 75, 111; **21**: 53; **27**: 19, 23; **29**: 27, 31; **31**: 15; **44**: 125; **52**: 8, 14; ***bongardii*** **var.** ***cervicolor*** **14**: 75, 111; ***bresadolae*** **34**: 49, 52; ***brevispora*** **28**: *138*, *139*, *140*, *141*, *142*, *143*; **34**: 45, 47, 52; ***brunnea*** **1**: 95; **29**: 76; **30**: 65, *72*, *73*, 75, 76, 173, 174, 176; ***brunneoatra*** **25**: *4*, *5*, *5*, *6*, *6*; **27**: 22; ***brunneorufa*** **25**: 1, 5, 7, 8; **30**: *126*, *127*, *128*; **34**: 49, 52; ***caesariata*** **9**: 160; **18**: 9;

24: 109; **28**: 215; ***calamistrata*** **31**: 117; ***calospora*** **23**: 198; **34**: 48, 52; **58**: 154; ***canens*** **34**: 48, 52; ***capucina*** **34**: 49, 52; ***carbonaria*** **24**: *100*, *101*, *102*, 109; ***carpta*** **9**: 160; **28**: 143; **34**: 52; ***casimiri*** **34**: 47, 52; ***cervicolor*** **1**: 91; **52**: 7; ***cicatricata*** **3**: 117; **34**: 45, 52; ***cincinnata*** **14**: 77, 225; **18**: 13; **30**: 196; **36**: 85, 89, *92*, *93*, *94*, 96; ***cincinnata*** **var.** ***major*** **52**: 8; ***cincinnatula*** **36**: *85*, *86*, *87*; ***cinerascentipes*** **34**: 52; ***cinnabarina*** **52**: 58; ***coelestium*** **48**: 103; ***commutabilis*** **30**: 228; ***concinnula*** **25**: 8; **34**: 51, 52; ***cookei*** **12**: 117; **14**: 117; **18**: 10, 12; **31**: 191, 192; **32**: 223; **33**: 137; ***cortinata*** **28**: 199; ***corydalina*** **14**: 75; **15**: 16; **20**: 126; **21**: 57; **33**: 68, 75, 76, 79; **35**: 110; **39**: 61; **44**: 222, 223; **48**: 103; ***crocifolia*** **8**: *121*, *122*, *123*, *124*; **30**: 60; **31**: 20; **52**: 93; ***curreyi*** **31**: 191; ***curreyi*** **f.** ***alpina*** **31**: 191; ***decipiens*** **34**: 48, 51, 52; ***decipientoides*** **28**: 149; **34**: 47, 52; ***deglubens*** **27**: 15, 17, 18; **31**: *15*, *16*, *17*, *18*, *19*, 21, 26; **32**: 29; ***descissa*** **3**: 118; **14**: 106, 225; **18**: 13; **19**: 16; **27**: 11, 14; **31**: 115, 201; **32**: *22*, *23*, *24*, *25*, *26*, *27*, *28*, *29*, *30*, *31*, 165; ***descissa*** **f.** ***aurivenia*** **32**: 29; ***descissa*** **var.** ***auricoma*** **9**: 144; **32**: 23; ***descissa*** **var.** ***aurivenia*** **32**: 23; ***descissa*** **var.** ***brunneoatra*** **3**: 118; **25**: 5; **32**: 27; ***descissa*** **var.** ***macrospora*** **3**: 118; ***descissa*** **var.** ***microspora*** **3**: 118; **25**: 3; **32**: 27; ***destricta*** **27**: 11, 14, 23; **36**: 223; ***destricta*** **var.** ***bulbosa*** **27**: 23; **36**: 223; ***dulcamara*** **9**: 157, 158, 160; **19**: 16; **25**: 240, 241; **27**: *1*, *2*, *3*, *4*, *5*; **34**: 51, 52; **52**: 212; ***dulcamara*** **f.** ***scoriana*** **27**: 2; ***dunensis*** **34**: 51, 52; ***echinata*** **8**: 86; ***egenula*** **34**: 45, 49, 52; ***erinaceomorpha*** **33**: 68, *72*, *73*, *74*, *75*; ***erubescens*** **44**: 221; **56**: 175; ***eutheles*** **27**: 14; **28**: 195, 197, 199, *202*, *203*, *204*, 205, *205*, *206*, *207*, *208*, *209*, *210*, *211*, 216; **29**: 65, 66; **30**: 75, 176; ***eutheles*** **var.** ***pallidipes*** **31**: 21, 23; ***eutheles*** **var.** ***queletii*** **30**: 176; ***eutheloides*** **31**: 23; ***fastigiata*** **1**: 94; **6**: 40; **12**: 117; **14**: 106, 112, 171, 176, 225; **18**: 13, 115; **19**: 16; **25**: 107; **27**: 13; **28**: 138; **29**: 27; **31**: *189*, *190*, *191*, *192*, 204; **32**: 28; **33**: 164; **34**: 51; **37**: 122; **48**: 100; ***fastigiata*** **f.** ***alpestris*** **31**: 191; ***fastigiata*** **f.** ***alpina*** **31**: 191; ***fastigiata*** **f.** ***arenicola*** **31**: 192; ***fastigiata*** **subsp.** ***cerina*** **31**: 192; ***fastigiata*** **subsp.** ***curreyi*** **31**: 191; **32**: 223; ***fastigiata*** **subsp.** ***fastigiata*** **31**: 191; **32**: 223; ***fastigiata*** **subsp.** ***lilofastigiata*** **31**: *189*, *190*, *191*; **32**: 223; **47**: 195; ***fastigiata*** **subsp.** ***lobata*** **31**: 192; ***fastigiata*** **subsp.** ***umbrinella*** **31**: 191; **32**: 223; ***fastigiata*** **var.** ***lobata*** **31**: 192; ***fastigiata*** **var.** ***umbrinella*** **14**: 77; **31**: 191; ***fastigiella*** **31**: 191; ***fechtneri*** **21**: 251; ***fibrosa*** **14**: 113; **34**: 48, 52; ***fibrosoides*** **34**: 48, 50, 52; ***flavofusca*** **52**: 330; ***flocculosa*** **14**: 77; **27**: 15, 18; **31**: *15*, *16*, *17*, *18*, *19*, *20*, *21*, 23, 26; **52**: 4, 12, 14, 212, 215; ***friesii*** **14**: 225; **15**: 225; **25**: 5, 62; **29**: 76; **30**: 66; **34**: 51; ***frumentacea*** **4**: 83; ***fuligineoatra*** **25**: 7, 8; **30**: 127, 128; **34**: 50, 52; ***fulvella*** **34**: 47, 52; ***fulvida*** **29**: 65, 70, 71; **30**: 171, 173, 176, 179; ***furfurea*** **30**: 65, 66, 67, 69, 172, 174; ***fuscidula*** **27**: 18; **46**: 171; ***fuscidula*** **var.** ***fuscidula*** **52**: 212; ***fuscomarginata*** **52**: 331; ***gaillardii*** **34**: 49, 52; ***gausapata*** **27**: 15, 18; **28**: 205, 216; **30**: 69; **31**: 15, 18, *21*, *22*, *23*, 26; **32**: 223; **34**: 170; ***geophylla*** **4**: 148; **6**: 40; **14**: 89, 225; **16**: 188; **18**: 13; **22**: 195; **25**: 107; **27**: 215; **32**: 223; **44**: 87; **46**: 171, 173, 186; **48**: 100; **52**: 7, 213; **56**: 272; ***geophylla*** **f.** ***alba*** **52**: 58; ***geophylla*** **var.** ***geophylla*** **63**: 258; ***geophylla*** **var.** ***lilacina*** **36**: 98; **52**: 212; **63**: 258; ***geophylla*** **var.** ***lutescens*** **27**: *11*, *12*, *13*, *14*; ***geophylla*** **var.** ***violacea*** **1**: 88; **11**: 179; **15**: 225; **25**: 107; ***geraniodora*** **25**: *239*, *240*, *241*; **36**: 227; **47**: 46; ***geraniodora*** **var.** ***depauperata*** **47**: 46; ***geraniodora*** **var.** ***velifera*** **47**: 46; ***geraniolens*** **34**: 170; **36**: 226; ***giacomi*** **28**: 143, 149; **34**: 47, 52; ***glabrodisca*** **34**: 45, 50, 52; ***globocystis*** **28**: 149; **34**: 47, 48, 52; ***godeyi*** **6**: 73; **14**: 75, 126, 225; **15**: 16, 159, 160; **18**: 13, 122; **29**: 27, 32; **30**: 170, 173; **33**: 164; ***grammata*** **8**: 122;

14: 113; **27**: 14; **34**: 51, 52; ***grammopodia*** **30**: 79, 172, 174; ***griseolilacina*** **16**: 169; **25**: 62; **27**: 14; **36**: 85, *88*, *89*, *90*, *91*, *92*; ***griseovelata*** **27**: 18; **31**: *201*, *202*, *203*, *204*, *205*; **32**: 29; **36**: 96; ***haemacta*** **39**: 61; **44**: 222, 223; **48**: 103; ***halophila*** **18**: 6; ***hirsuta*** **1**: 95; ***hirtella*** **12**: 117; **15**: 225; **18**: 10; **23**: 205; **27**: 17; **28**: 195, 208, 210, 211, *214*, *215*, *216*; **30**: 171, 173; **31**: 115; **34**: 158, 163, 169; ***hirtelloides*** **28**: 195, 211, 212; **30**: 171, 174; **36**: 227; ***hiulca*** **34**: 50, 52; ***humilis*** **25**: 7, 8; **34**: 49, 52; ***hypophaea*** **27**: 15, 18; **31**: 15, 16; ***hystrix*** **14**: 112; **18**: 2; **36**: 91, 96, 98; **40**: 241, 245; ***incarnata*** **25**: 62; **33**: 68, 71, 72, 79; ***indissimilis*** **18**: 10; ***injuncta*** **27**: 13; ***ionipes*** **28**: 142; **34**: 52; ***jacobi*** **34**: 49, 52; **46**: 171; ***jurana*** **1**: 95; **4**: 83; **14**: 75, 111, 117; **16**: 158; **23**: 79; **25**: 62; **27**: 19, 23; **28**: 121; **29**: 77; **36**: 189; ***kalchbrenneri*** **49**: 165; ***kuehneri*** **28**: 195, 199, *204*, *205*, *206*; **29**: 66; **30**: 70, 172, 174; ***kuthanii*** **33**: *134*, *135*, *136*, *137*; ***lacera*** **18**: 9, 12; **19**: 18; **23**: 171, 174; **24**: 100, 109; **27**: 15; **31**: 205; **32**: 223; **33**: 76; **34**: 48, 166; **36**: 98; **44**: 87; ***lacera*** **var.** ***griseolilacinoides*** **36**: 98; ***lacera*** **var.** ***halophila*** **8**: 144; ***laevigata*** **27**: 215; ***laevigata*** **f.** ***depallens*** **52**: 58; ***laevispora*** **52**: 59; ***langei*** **14**: 77; **28**: 195, 208, *214*, 215, *215*, *216*; **30**: 69, 176; **34**: *169*, *170*, *171*; ***langei*** **f.** ***bispora*** **30**: 176; ***lanuginella*** **3**: 117, 118; **28**: 149; **34**: 47, 51, 52; **52**: 330; ***lanuginosa*** **34**: 48, 51, 52; **36**: 98; **56**: 271; **63**: 258; ***leiocephala*** **52**: 11; ***leptocystis*** **31**: 115; **32**: 29; ***lilofastigiata*** **36**: 98; ***longicystis*** **34**: 48, 52; ***lucifuga*** **6**: 40; **27**: *11*, *12*, *13*, *14*, *15*, *16*, *17*, *18*; **28**: 205, 208, 215; **31**: 15, 18, 21; **34**: 163; **36**: 223; ***lucifuga*** **f.** ***gralla*** **27**: 15; ***lucifuga*** **var.** ***lutescens*** **19**: 48; **34**: 158; ***lutescens*** **19**: 43, 47, 48; **27**: 11; **34**: *158*, *159*, *160*, *161*, *162*, *163*; ***lutescens*** **var.** ***roseoinhalata*** **34**: 159, 161, 163; ***maculata*** **14**: 75; **29**: 28, 32; **30**: 72; **32**: 223; ***maculata*** **var.** ***fastigiella*** **29**: 27, 32; ***malenconii*** **9**: 160; ***margaritispora*** **34**: *50*, *51*, *52*; ***maritima*** **8**: 144; **34**: 51, 52; ***metrodii*** **33**: *220*, *221*, *222*, *223*, *224*; ***microspora*** **25**: 3; **29**: 77; ***mixtilis*** **23**: 205; **34**: 50, 52; **36**: 184; **52**: 213; **56**: 272; ***moravica*** **52**: 59; ***napipes*** **6**: 73; **7**: 192; **12**: 117; **14**: 87, 98; **25**: *107*, *108*, *109*, *110*, *111*; **27**: 215; **31**: 114; **34**: 47, 52; **35**: 105; **44**: 87, 140; **46**: 171, 172, 186; **48**: 100; **54**: 200; **56**: 271; **63**: 258; ***nematoloma*** **34**: 49, 52; ***oblectabilis*** **28**: 197; **30**: 128; **34**: 48, 50, 52; **52**: 212; ***oblectabilis*** **f.** ***decemgibbosa*** **30**: 128; ***obscura*** **6**: 40; **15**: 225; **16**: 169; **18**: 12; **20**: 126; **29**: 27; **30**: 196; **34**: 51; **36**: 85, 86, 90, 95, 96, 97; **44**: 87; ***obscura*** **var.** ***longipes*** **36**: 97; ***obscura*** **var.** ***obscurissima*** **36**: 95; ***obscura*** **var.** ***purpurea*** **36**: 95; ***obscura*** **var.** ***violascens*** **36**: 95; ***obscuroides*** **30**: 196; **36**: 85, 88, 89; ***obscuroides*** **var.** ***marginata*** **36**: 89; ***obsoleta*** **14**: 164, 171, 176; ***ochracea*** **34**: 51, 52; ***ochraceoviolascens*** **36**: 85, 91; ***ochroalba*** **30**: 172, 174; ***oreina*** **34**: 51, 52; ***ovalispora*** **29**: 65, *75*, *76*, *76*, *77*, *77*; **30**: 69, 128, 170, 173; ***ovatocystis*** **25**: 107, 111; **34**: 48, 52; ***pallescens*** **62**: 35; ***pallidipes*** **31**: 15, 21, *23*, *24*, *25*, *26*; ***paludinella*** **34**: 49, 52; ***patouillardii*** **1**: 55; **5**: 106; **6**: 40, *70*, *71*, *72*, *73*; **7**: 157, 160; **11**: 191; **12**: 117; **14**: 75, 111, 117, 118, 120, 124, 225, 228, 250; **15**: 16, 160; **16**: 158, 169; **18**: 122, 219, 220; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **23**: 79; **24**: 107; **27**: 23; **33**: 164, 252; **35**: 116; **42**: 160; **43**: 178; **48**: 100; ***pelargonium*** **28**: 212, 214; **30**: 66, 73, 79, 170; **31**: 114; **36**: 227; **39**: 125; ***perbrevis*** **9**: 160; ***personata*** **36**: 85, 90; ***petiginosa*** **4**: 157; **14**: 87, 89; **22**: 146; **25**: 107; **27**: 215; **30**: 196; **31**: 115; **34**: 49, 52; **46**: 171, 186; ***phaeocephala*** **31**: 15; ***phaeodisca*** **31**: 115; **32**: 24, 26; ***phaeodisca*** **var.** ***geophylloides*** **32**: 24; ***phaeoleuca*** **30**: 79, 172, 174; **39**: 125, 126; ***phaeosticta*** **34**: 50, 52; ***plumosa*** **36**: 96; **49**: 165; ***posterula*** **27**: *11*, *12*, *13*, *14*; **28**: 205, 211; ***praetervisa*** **14**: 126; **33**: 164; **34**: 50, 52; ***proximella*** **28**: 142, 143, 149; **34**: 47, 52; ***pseudoasterospora*** **34**: 45, 47, 52; ***pseudoconfusa***

30: 172, 174; **33**: 220; ***pseudodestricta*** **27**: 11, *18*, *19*, *20*, *21*, *22*, 23; **33**: 222; **36**: 98; ***pseudohiulca*** **34**: 50, 52; ***pseudoumbrina*** **34**: 47, 52; ***pudica*** **22**: 195; ***pusio*** **14**: 79, 113; **16**: 169; **18**: 10; **31**: 114; **32**: 223; **36**: 85, 86, 89, 98; **52**: 4, 12; ***putilla*** **14**: 106; **34**: 45, 49, 52; ***pyriodora*** **14**: 111; **20**: 126; **29**: 27, 32; **30**: 228; **32**: 165; **33**: *68*, *69*, *70*, *71*, *72*, *73*, *74*, *75*, *76*, *77*, *78*, *79*, *80*; **44**: 125; ***pyriodora*** **var.** ***incarnata*** **14**: 75; **33**: 71, 79; ***queletii*** **30**: *176*, *177*, *178*, *179*; **32**: 22, 29; ***quietiodor*** **33**: 137; ***reducta*** **36**: 227; ***relicina*** **14**: 75, 113; **34**: 52; ***rennyi*** **34**: 45, 52; ***repanda*** **34**: 49, 52; ***rhacodes*** **34**: 165, 166, 168; **45**: 35; ***rickenii*** **28**: 142, 143; ***rimosa*** **12**: 117; **18**: 10; **30**: 73, 176; **52**: 9, 213, 215; ***rimosa*** **var.** ***brunnea*** **30**: 72; ***rufoalba*** **34**: 53; ***salicis*** **34**: 50, 52, 165, 166, 168; ***sambucina*** **14**: 113; **30**: 176; ***scabella*** **14**: 106; **18**: 12; **19**: 17; **28**: 195, 197; **30**: 171, 173; ***scabra*** **33**: 72, 75; ***serotina*** **8**: 144; **44**: 125; ***similis*** **10**: 180; **52**: 59; ***sindonia*** **28**: 199, *204*, *205*, *206*, *207*; **30**: 176; **52**: 7, 213, 215; ***soluta*** **46**: 171; **52**: 213; ***splendens*** **14**: 225; **27**: 21; **30**: 79; **52**: 4, 12, 14, 213, 215; ***squarrosa*** **36**: *85*, *86*, *87*; ***striatorimosa*** **34**: 47, 52; ***subalbidodisca*** **29**: *65*, *66*, *67*; **30**: 171, 174; ***subbrunnea*** **29**: 65, *71*, *72*, *73*, *74*, *75*, *76*; **30**: 75, 76, 172, 174; **33**: 222; ***subcarpta*** **28**: 142, 149; ***subtigrina*** **31**: 15, 25, 26; **32**: 29; **34**: 170; ***tabacina*** **34**: 50, 52; ***tatrae*** **47**: 46; ***tenebrosa*** **52**: 4, 12, 14; ***terrifera*** **25**: 2, 3; **30**: 171, 173; **39**: 125; ***terrigena*** **9**: 157, *159*, *160*, *161*; **14**: 79; **52**: 331; ***tigrina*** **24**: 102; **30**: 69; **34**: 170; ***trechispora*** **34**: 49, 52; ***tricolor*** **33**: 68, 77, 78; **48**: 103; ***trinii*** **15**: 160; ***tristis*** **52**: 59; ***trivialis*** **34**: 48, 52; ***umboninota*** **34**: 53; **35**: 102, 103, 105; ***umbratica*** **34**: 49, 51, 52; ***umbrina*** **1**: 95; **12**: 117; **14**: 225; **18**: 10, 12; **32**: 223; **34**: 47, 51, 52; **37**: 122; ***umbrinella*** **31**: 191; ***vaccina*** **30**: 65, 69, 70, 172, 174; **39**: 125; ***variabillima*** **34**: 47, 52; ***velenovskyi*** **52**: 59; ***velenovskyi*** **f.** ***incrassata*** **52**: 59; ***violascens*** **36**: 91; ***virgatula*** **27**: 18, 22, 23; **31**: 16, 17; ***vulpinella*** **30**: 172, 174; ***whitei*** **52**: 213; ***xanthodisca*** **27**: 11, 14; ***xanthomelas*** **34**: 50, 52.

INODERMUS croceus **20**: 90.

INOLOMA alboviolaceum **12**: 124; ***arenatum*** **18**: 78; ***bolare*** **12**: 123, 124; **20**: 74; ***bulliardii*** **14**: 225; ***callisteum*** **12**: 123; ***collinitum*** **19**: *233*, *234*, *235*, *236*, *237*, *238*; ***cotoneum*** **14**: 225; ***cyanites*** **2**: 101; ***inodorum*** **14**: 113; ***malachium*** **16**: 130, 132, 138; ***pholideum*** **12**: 124; **18**: *77*, *78*, *79*, *80*, *81*; ***tophaceum*** **12**: 40, 124; ***traganum*** **2**: 47; **4**: 21; **20**: 75, 79; ***violaceum*** **16**: 158; **18**: 19.

INONOTUS abietis **39**: 77; ***andersonii*** **17**: *1*, *2*, *3*, *4*, *5*, *6*, *7*; **32**: *108*, *109*; **36**: *11*, *12*, *13*, *14*, *15*, *16*, *17*, *18*, *19*, 186; **40**: 6; **41**: 162; **42**: 135; **43**: 245; ***chinensis*** **34**: *208*, *209*, *210*, *211*, *212*, *213*; **42**: 130; ***chondromyelus*** **22**: 284, 292; **27**: 71, 81; ***coffeaceus*** **23**: 163, 169; ***corruscans*** **27**: 75; ***cuticularis*** **14**: 226; **22**: 253; **27**: 70, 80; **28**: 125; **30**: 163; **36**: 184; **49**: 134, 177; **59**: 77, 79; ***dryadeus*** **13**: 29; **20**: 81; **27**: *69*, *70*, *71*, *72*, *73*, *74*, *75*, *76*, *77*, *78*, *79*, *80*, *81*, *82*; **28**: 124; **29**: 10; **30**: 55; **35**: 109; **36**: 186; **37**: 108; **39**: 36; **40**: 6; **41**: 51; **44**: 98; **49**: 134; ***dryophilus*** **20**: 81; **22**: 284, 292; **23**: 163, 164, 166, 168, 169; **24**: 151; **27**: *69*, *70*, *71*, *72*, *73*, *74*, *75*, *76*, *77*, *78*, *79*, *80*, *81*, *82*; **28**: 125; **32**: 47, 50, 51, 52, 223; **36**: 186; ***everhartii*** **30**: 17, 18; ***glomeratus*** **30**: 56; **41**: 51; ***hastifer*** **35**: *25*, *26*, *27*; **49**: 177; **56**: 275; ***heinrichii*** **24**: *147*, *148*, *149*, *150*, *151*; ***heinrichii*** **f.** ***nodulosus*** **24**: 148; ***hispidus*** **4**: 78; **5**: 172; **9**: 24; **12**: 126, 127; **15**: 181, 189; **23**: 164, 200; **28**: 125; **30**: 163; **36**: 45; **43**: 87; **44**: 213, 214, 216; **46**: 84; **49**: 134, 177; ***krawtzewii*** **17**: *1*, *2*, *3*; ***levis*** **27**: 75; ***luteocontextus*** **22**: 284, 292; ***nidus-pici*** **4**: 48, 52; **10**: 16; **11**: 198, 203; **15**: 22, 184, 190; **26**: 123; **28**: 125; **36**: 14, 15, 186; **37**: 201; **40**: 6; **42**: 130; **49**: 134, 143; **50**: 304, 308, 310;

nodulosus **7**: 139; **8**: *93*, *94*, *95*; **12**: 187; **13**: 217; **17**: 182; **18**: 163; **27**: 221; **28**: 124; **35**: *25*, *26*, *27*; **36**: 29; **46**: 287; **56**: 270, 275; **63**: 258; ***obliquus*** **4**: 47, 48; **11**: 184, 214, 222, 224; **15**: 22, 184, 190; **17**: *2*, *3*, *4*, 51; **21**: 203; **28**: 125; **31**: 121; **32**: 109; **36**: 15, 186; **37**: 201; **43**: 245; **50**: 305, 307, 308, 310; **57**: 311; ***polymorphus*** **25**: 105; **28**: 124; **35**: *25*, *26*, *27*; ***pseudohispidus*** **32**: 47, 51; ***pseudoradiatus*** **64**: 17; ***radiatus*** **5**: 172; **13**: 220; **14**: 226; **15**: 182, 190; **23**: 163, 166, 169; **28**: 124; **31**: 120; **32**: 223; **35**: 27; **44**: 125, 142; **49**: 135, 178; **50**: 305, 307, 308, 310; ***radiatus*** **var.** ***licentii*** **42**: 130; ***radiatus*** **var.** ***nodulosus*** **27**: 221; **36**: 29; ***rheades*** **22**: 284, 292; **23**: *163*, *164*, *165*, *166*, *167*, *168*, *169*; **28**: 125; **30**: 167; **32**: 47, 50, 51; **44**: 125; ***rheades*** **f.** ***coffeaceus*** **23**: *163*, *164*, *165*, *166*, *167*, *168*, *169*; ***rheades*** **f.** ***corruscans*** **27**: 75; **32**: 52; ***rheades*** **var.** ***corruscans*** **32**: 52; ***rheades*** **var.** ***nodulosus*** **11**: 189; ***rickii*** **47**: *159*, *160*, *161*, 199, 201; **50**: 134; ***subhispidus*** **32**: 50, 51; ***tamaricis*** **22**: 284, 292; **23**: 163, 164, 166, 169; **24**: 151; **32**: 47; **47**: 201; ***tamaricis*** **f.** ***corneus*** **32**: 50; ***torulosus*** **40**: 6; ***weirii*** **24**: *146*, *147*, 148, *148*, *149*, *150*.

INSTITALE elata **46**: 319.

IODOPHANUS carneus **25**: 152, 155, 156, 158, 159; **33**: 154; **35**: 17, *138*, *139*, *140*, 142, 143; **36**: *40*, *41*, *42*, *43*; ***carneus*** **var.** ***sublividus*** **31**: 69; **35**: 17, 139; ***difformis*** **35**: 17; ***testaceus*** **25**: 155, 156, 159; **35**: 17, *139*, *140*, *141*, *142*, *143*.

IONOMIDOTIS chilensis **64**: 80; ***fulvotingens*** **64**: 80, 85; ***irregularis*** **59**: 73, 75, 76; **64**: 79, 82, 83, 84, 85, 86, 87, 88, 89, 90.

IRPEX archeri **64**: 23, 29, 30, 31, 33; ***crassus*** **11**: 218; ***decolor*** **64**: 34; ***decolorans*** **64**: 23, 31, 33, 34; ***depauperatus*** **64**: 23, 31, 33, 34, 35; ***fimbriiformis*** **64**: 31, 33, 35, 36; ***foliaceodentatus*** **21**: 57, 59; ***furfuraceovelutinus*** **64**: 23, 36, 37; ***fuscoviolaceus*** **var.** ***lenzitoides*** **45**: 91; ***galzinii*** **64**: 23, 37; ***gracillimus*** **45**: 92; ***grossus*** **46**: 319; ***hexagonoides*** **46**: 319; ***hirsutus*** **46**: 319; ***lacteus*** **11**: 161, 169; **35**: 197, 199; **36**: 24; **43**: 37, 38; **50**: 134, 135, 305, 307, 308, 310; **52**: *156*, *157*; **55**: 120; **56**: 163, 168, 170, 172, 276; ***mollis*** **3**: 7; **11**: 156, 167, 218; ***obliquus*** **35**: 25; ***pavichii*** **46**: 320; ***pendulus*** **11**: 161, 169; ***raduloides*** **43**: 37; ***spathulatus*** **var.** ***dendroides*** **45**: 92; ***tiliaceus*** **45**: 92; ***tulipiferae*** **43**: 37; ***woronowii*** **28**: 26, *29*, *30*, *31*, 34.

IRPICIPORUS mollis **11**: 156, 168; ***pachyodon*** **11**: 156, 168, 214, 217, 218, 223; **19**: 73, 77.

ISARIA arachnophila **9**: 135; ***brachiata*** **43**: 243; ***coralloidea*** **46**: 320; ***crassa*** **9**: 134; ***densa*** **9**: 135; ***destructor*** **9**: 135; **33**: 170; ***farinosa*** **9**: 19, 134, 135, 137; **35**: 217; ***fumosorosea*** **9**: 137; **62**: 67, 68, 69, 71, 72, 73, 74, 75, 76; ***granulosa*** **49**: 164; ***hypoxyli*** **46**: 320; ***ramosa bifida*** **9**: 134; ***ramosa varie divisa*** **9**: 134; ***simplex*** **9**: 134; ***sphecophila*** **10**: 34, 35; ***sphingum*** **8**: 24; ***terrestris*** **9**: 134; ***truncata*** **9**: 134, 135.

ISCHNODERMA albotextum **44**: 99; ***benzoinum*** **15**: 182; **25**: *15*, *16*, *17*, *18*, *19*, *20*, 105; **27**: 221; **31**: 115; **36**: 34; **44**: *92*, *93*, *94*, *95*, *96*, *97*, *98*, *99*, *100*; **61**: 192; ***corrugis*** **25**: 15, 19; ***dryadeum*** **44**: 98; ***erubescens*** **44**: 98; ***fuliginosum*** **25**: 15, 19; ***helveolum*** **44**: 98; ***resinosum*** **13**: 29; **14**: 126; **25**: 15; **27**: 221; **36**: 187; **43**: 93; **44**: *92*, *93*, *94*, *95*, *96*, *97*, *98*, *99*, *100*; **46**: 78, 84; **49**: 135, 141, 179; **57**: 326; **59**: 73, 77, 78, 79; **63**: 251, 258; ***resinosum*** **f.** ***benzoinum*** **25**: 15; ***resinosum*** **f.** ***fusca*** **10**: 15; ***resinosum*** **f.** ***fuscum*** **17**: 182; **25**: 15; ***rosulatum*** **44**: 99; ***scaurum*** **44**: 99; ***soloniense*** **44**: 98.

ISOSOMA carnosum **43**: 65, 67.

ISSATCHENKIA fermentans **39**: 162; *kudriavzevii* **39**: 162; *orientalis* **32**: 134; **39**: 158, 240; **44**: 70.
ISTHMOLONGISPORA ampulliformis **63**: 142; *lanceata* **63**: 142; *minima* **60**: 72; **63**: 142.
ISTHMOTRICLADIA britannica **63**: 142; *gombakiensis* **60**: 67, 71; *laeensis* **60**: 67, 71, 72; **63**: 142.
ITAJAHYA galericulata **9**: 56; **48**: 275; *rosea* **9**: 56; **48**: 275.
ITHYPHALLUS aurantiacus var. *pusillus* **48**: 276; *balansae* **48**: 276; *costatus* **48**: 278; *cucullatus* **48**: 277; *imperialis* **9**: 120; **17**: 164; *impudicus* **9**: 120, 122; *impudicus* var. *carneus* **9**: 122; **48**: 279; *impudicus* var. *imperialis* **9**: 122; *impudicus* var. *iosmos* **9**: 122; *ornatus* **7**: 157; *roseus* **48**: 278; *tenuis* **48**: 278.
IUBILAEA juniperina **46**: 46; *quercina* **46**: 47.
IUBILEA carlinae **46**: 44; *picea* **46**: 41, 42.
IXOCOMUS amarellus **13**: *87*, *88*, *89*, *90*, *91*, *92*; *bellini* **25**: 142; *boudieri* **25**: 142; *bovinus* **3**: 123; **5**: 74; **6**: 145, 146; **7**: 159; **9**: 147; **10**: 44; *elegans* **5**: 74; **9**: 147; **10**: 44, 46, 187; *flavidus* **7**: 191; *granulatus* **4**: 111; **5**: 14, 74; **6**: 145; **8**: 51; *grevillei* **3**: 123; *leptopus* **25**: 142; *lignicola* **25**: 136; *luteus* **3**: 123; **4**: 111; **5**: 74; **6**: 145; **8**: 55; **9**: 147; **10**: 44; *piperatus* **12**: 61; *placidus* **3**: 123; **5**: 74; *plorans* subsp. *placidus* **8**: 57; *sanguineus* var. *gentilis* **5**: 77; *tridentinus* **3**: 123; **4**: 66, 111; **9**: 39, 40, 76; **18**: 224; *variegatus* **5**: 74; **8**: 56; **9**: *146*, *147*, *148*; **10**: 44, 46; **29**: 110, 111, 184, 185; **30**: 24, 25, 143; **34**: *9*, *10*, *11*, *12*; *viscidus* **3**: 123; **17**: 89.
JAAPIA argillacea **12**: 35.
JACULISPORA submersa **63**: 143.
JACZEWSKIA phalloides **21**: 106; **48**: 275.
JAFNEA fusicarpa **62**: 1, 10; *imaii* **62**: 10; *semitosta* **62**: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10.
JAFNEADELPHUS amethystinus **27**: 129; *asperulus* **27**: 129, 131; *fagicola* **38**: 174; *ferrugineus* **27**: 129; *ferrugineus* subsp. *imaii* **38**: 174; *olivaceofuscus* **27**: *129*, *130*, *131*; **35**: 17, 140, 141; **52**: 59; *subvirescens* **31**: 69; **35**: 17, 140, 142; *tectipus* **47**: *264*, *265*, *266*.
JAHNOPORUS hirtus **61**: 187, 188, 190, 191, 192, 193, 194.
JARAIA salicis **7**: 51.
JUGULOSPORA rotula **52**: 273.
JUHGHUHNIA complicata **55**: 6.
JULELLA avicenniae **61**: 111.
JUNCTOSPORA pulchra **35**: 99.
JUNDZILLIA tubulina **18**: 58.
JUNGHUHNIA kotlabae **55**: 1, 2, 3, 5, 24; *luteoalba* **45**: 95, 147, 148; **49**: 27, 29; *micropora* **59**: 146; *undigera* **55**: 6.
KALLICHROMA tethys **61**: 111.
KALMUSIA epimelaena **52**: 59.
KARAKULINIA cerasi **25**: 168; *euphorbiae* **25**: 169.
KAVINIA alboviridis **25**: 129, 130, 133; *bourdotii* **25**: 129, 133; **26**: 37; *himantia* **7**: 137, 138; **21**: 53; **25**: *129*, *130*, *131*, *132*, *133*, *134*; *sajanensis* **4**: 83; **25**: 129; **26**: 37.
KEISSLERINA moravica **52**: 59.

***KERATINOMYCES ajelloi* 13**: *103*, *104*, *105*, *106*, *107*, 185; **16**: 125, 126; **17**: 198, 199; **19**: 226; **22**: 57, 58; **23**: *191*, *192*, *193*, *194*; **28**: 105; **30**: *41*, *42*, *43*, *44*, *45*, *46*, *47*; **31**: 212; **36**: 240; **43**: 243; ***ajelloi* var. *nana* 43**: 243.

***KERATINOPHYTON terreum* 30**: 20; **31**: 212; **53**: 190, 191, 192, 195, 199.

***KERNIA geniculotricha* 27**: 165, 166.

***KHEKIA ambigua* 49**: 221; ***mutabilis* 34**: 131.

***KICKXELLA alabastrina* 43**: 243.

***KIRCHBAUMIA imperialis* 48**: 274.

***KIRSCHSTEINIELLA applanata* 25**: 35, 37; **26**: 123.

***KIRSCHSTEINIOTHELIA aethiops* 49**: 196, 198; ***applanata* 49**: 198.

***KLASTERSKYA acuum* 28**: 222; **35**: 94.

***KLOECKERA africana* 18**: 32; **38**: 224; **42**: 116, 118; ***apiculata* 13**: 37, 44, 48, 49; **18**: 32; **32**: 36, 41, 148; **33**: 111; **35**: 161; **36**: 53, 123, 124; **38**: 224; **39**: 240; **42**: 116, 118; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; ***apis* 44**: *154*, *155*, *156*, *157*, *158*, *159*; ***corticis* 38**: 224; **39**: 48, 49; ***lodderae* 32**: 148.

***KLOECKERASPORA uvarum* 32**: 148.

***KLUYVEROMYCES bulgaricus* 32**: 36, 39, 148, 243, 244; **33**: 109, 113, 114; **34**: *84*, *85*, *86*; **35**: 229; **36**: 53, 123, 124, 168; **39**: 152; ***cicerisporus* 32**: 243; ***delphensis* 42**: 116; ***fragilis* 32**: 138, 149, 243; **35**: 213; **39**: 158; ***lactis* 32**: 149, 239; **39**: 241; **40**: 111; ***lodderae* 42**: 116; ***marxianus* 32**: 243; ***marxianus* var. *bulgaricus* 39**: 242; ***marxianus* var. *drosophilarum* 44**: *154*, *155*, *156*, *157*, *158*, *159*; ***marxianus* var. *lactis* 39**: 236, 237, 241, 242; **52**: 162; ***marxianus* var. *marxianus* 39**: 237, 242; **52**: 162; ***vanudenii* 38**: 18.

***KMETIA exigua* 47**: 195.

***KNEIFFIA tessulata* 64**: 23, 31, 33, 38.

***KNEIFFIELLA bombycina* var. *bombycina* 12**: 72; ***bombycina* var. *calcarea* 12**: 72, 77; ***bombycina* var. *slovaca* 12**: 72, 77; ***stereicola* 64**: 23, 36.

***KOLEROGA noxia* 24**: 8.

***KOMMAMYCE bulliardii* 33**: *207*, *208*, *209*, 216; **40**: 3; ***lateritia* 33**: 209.

***KOMPSOSCYPHA chudei* 50**: 29.

***KORUNOMYCES terminaliae* 40**: 77, 79; ***zapatensis* 40**: 74, 77, 79.

***KOTLABAEA deformis* 23**: *85*, *86*, 87, *87*, *88*, *89*, *90*, 94, 95; **35**: 17, 141, 142; **43**: 213, 214; ***delectans* 28**: 131.

***KRETZSCHMARIA deusta* 61**: 87.

***KRIEGERIELLA minuta* 49**: 199; ***mirabilis* 35**: 94; **49**: 196, 199.

***KROMBHOLZIA aurantiaca* 1**: 95; **4**: 111; **5**: 74; **6**: *1*, *2*, *3*, *4*, *5*, *6*, *7*; **9**: 1, 2, 4, 5; ***aurantiaca* f. *arctica* 9**: 5; ***aurantiaca* f. *aurantiaca* 9**: 5; ***aurantiaca* f. *duriuscula* 9**: 5; ***aurantiaca* f. *intermedia* 9**: 5; ***aurantiaca* f. *percandida* 9**: 5; ***aurantiaca* f. *quercina* 9**: 5; ***aurantiaca* f. *rufescens* 9**: 5; ***aurantiaca* f. *sanguinescens* 6**: 5, 7; ***crocipodia* 43**: 5; ***duriuscula* 9**: 1, 2, 4; ***extremiorientalis* 36**: 81; ***floccopus* 6**: 8; ***nivea* 21**: 110; ***oxydabilis* 36**: 82; ***percandida* 9**: 4; ***pseudoscabra* 9**: 4; ***rotundifoliae* 25**: *11*, *12*, *13*, *14*; **36**: 82; ***rufescens* 1**: 95; **2**: 96; **5**: 74; **6**: 1, 2, *7*, *8*, *9*, *10*, *11*; **7**: 73, 94; **8**: 112; **9**: 1, 2, 4, 148; **10**: 44; ***rufescens* f. *griseotomentosa* 6**: 10;

rufescens* f. *percandida **6**: 10; ***rufescens* f. *quercina*** **9**: 3; ***rufescens* f. *tomentosa*** **6**: 10; ***rufescens* var. *quercina*** **9**: 1, 3; ***rugosa*** **4**: 111; **5**: 74; ***scabra*** **4**: 111; **5**: 74; **6**: 1; **8**: 20; **9**: 4, 148; **10**: 44; **20**: 60; ***scabra* f. *chionea*** **21**: 110; ***scabra* subsp. *rotundifoliae*** **25**: 11; ***tesselata*** **4**: 111; **5**: 74; **13**: 42, 46.

KROMBHOLZIELLA albella **36**: 81; ***americana*** **36**: 81; ***arenicola*** **36**: 81; ***areolata*** **36**: 81; ***atrostipitata*** **36**: 81; ***aurantiaca*** **36**: *78*, *79*, *80*, *81*, *82*, *83*, *84*; ***chalybaea*** **36**: 81; ***cinnamomea*** **36**: 81; ***coffeata*** **36**: 81; ***extremiorientalis*** **36**: 81; ***fibrillosa*** **36**: 81; ***flavostipitata*** **36**: 81; ***holopus*** **36**: 81; ***insignis*** **36**: 81; ***melanea*** **36**: 81; ***nigrescens*** **36**: 81; ***obscura*** **36**: 81; ***olivaceopallida*** **36**: 82; ***oxydabilis*** **36**: 82; ***pallidistipes*** **36**: 82; ***pellstoniana*** **36**: 82; ***percandida*** **36**: 82; ***piceina*** **36**: 82; ***ponderosa*** **36**: 82; ***potteri*** **36**: 82; ***pseudoscabra*** **36**: 82; ***quercina*** **36**: 82; ***rimulosa*** **36**: 82; ***roseofracta*** **36**: 82; ***roseotincta*** **36**: 82; ***rotundifoliae*** **36**: 82; ***rufescens*** **36**: 82; ***rugosiceps*** **36**: 82; ***salicola*** **36**: 82; ***scabra*** **36**: *78*, *79*, *80*, *81*, *82*, *83*, *84*; ***snellii*** **36**: 82; ***subatrata*** **36**: 82; ***subleucophaea*** **36**: 82; ***subrobusta*** **36**: 82; ***subtestacea*** **36**: 82; ***variabilis*** **36**: 83; ***variicolor*** **36**: 83; ***variobrunnea*** **36**: 83; ***vulpina*** **36**: 83.

KUBICKIA tatrensis **11**: *32*, *33*, *34*, *35*, *36*, *37*, 39, 40.

KUEHNEOLA uredinis **56**: 128.

KUEHNEROMYCES mutabilis **1**: 38, 101; **2**: 5; **9**: 144; **14**: 106; **16**: 21, 158, 188; **18**: 160, 223; **19**: *234*, *235*, *236*, *237*, *238*; **23**: 79; **27**: 215; **29**: 27; **30**: 21, 52; **32**: 223; **35**: 110, 200, 202; **40**: 114; **41**: 50, 51, 53, 167; **42**: 160; **43**: 86; **44**: 87, 209, 210, 216; **45**: 50; **46**: 69, 176, 182, 185, 286; **52**: 19, 21, 25; **56**: 274; **63**: 258; ***vernalis*** **8**: 170, 171.

KYLINDRIA zignoëllae **51**: 7.

LABOULBENIA melanaria **10**: *205*, *206*, *207*, *208*; ***rougetii*** **10**: 205, *206*, *207*, *208*; ***vulgaris*** **10**: *205*, *206*, *207*, *208*.

LACCARIA affinis **46**: 169, 170, 172, 187; ***amethystea*** **16**: 157, 188; **18**: 160; **23**: 79; **27**: 215; **28**: 115; **29**: 27, 164; **32**: 223; **33**: 164; **35**: 241; **40**: 41; **46**: 169, 170, 286; **56**: 271, 282; **63**: 258; ***amethystina*** **1**: 88; **4**: 157; **9**: 99; **10**: 167, 168; **11**: 204, 205, *207*, *208*, *209*, *210*, *211*; **14**: 79, 87, 225; **16**: 157; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **20**: 215; **22**: *161*, *162*, *163*, *164*, *165*, *166*, 196; **25**: 66, 67, *70*, *71*, *72*, 74; **27**: 1; **44**: 87; **46**: 69; **52**: 7, 213; ***bicolor*** **22**: 146, 265, 275; **30**: 232; **32**: 223; **44**: 87; ***echinospora*** **22**: 146; ***laccata*** **8**: 122; **10**: 167, 168; **11**: 197; **14**: 79, 96, 225; **16**: 188; **18**: 10, 12, 13; **19**: 17, *233*, *234*, *235*, *236*, *237*, *238*; **20**: 215; **22**: *161*, *162*, *163*, *164*, *165*, *166*, 196; **25**: 71, 107; **27**: *1*, *2*, *3*, *4*, *5*; **28**: 115; **32**: 223; **33**: 164; **40**: 241; **44**: 87, 222; **45**: 50; **46**: 286, 289; **52**: 4, 5, 213, 215; **56**: 271, 282; **63**: 258; ***laccata* subsp. *maritima*** **8**: 144; ***laccata* var. *vulcanica*** **27**: 2, 4; ***lineata*** **14**: 77; ***proxima*** **11**: 197; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **25**: 107; **26**: 123; **27**: 2; **32**: 223; **33**: 164; **36**: 58; **44**: 87; **46**: 171, 186; ***proxima* var. *bicolor*** **22**: 146; ***pumila*** **45**: 35; ***tortilis*** **22**: 146; **23**: 199; **25**: 107.

LACHNASTER gracilis **41**: 199.

LACHNEA abundans **35**: 86; ***acerina*** **25**: 83; **35**: 80; ***aeruginosa*** **4**: 44; ***ampezzana*** **23**: 83, 94; **28**: 137; **35**: 16; ***amphidoxa*** **14**: 112; **35**: 135; ***appendiculata*** **50**: 89; ***araneosa*** **35**: 87; ***arenosa*** **28**: 23; **31**: 70; **35**: 80; ***aurantia*** **35**: 3; ***austriaca*** **13**: 3; **47**: 255; ***badioberbis*** **32**: *70*, *71*, *72*, *73*; ***barbata*** **21**: 239, 240; **35**: 20; ***boudieri*** **47**: 255; ***cadaverina*** **31**: 69; **35**: 8;

caespitosa **35**: 86; ***carneosanguinea*** **35**: 67, 135; ***cejpii*** **25**: *82*, *83*, *84*; **35**: 80, 109; ***cervorum*** **16**: 108; **25**: *83*, *84*, *85*, *86*, 109; **32**: 73; **35**: 80, 109; ***cervorum*** **var.** ***furcata*** **35**: 80; ***chateri*** **25**: 83; **35**: 20, 82; **47**: 243; ***coccinea*** **13**: 3; ***colensoi*** **32**: 72; ***convexa*** **35**: 80; ***coprinaria*** **22**: 32, 34, 35, 36, 40; ***coprogena*** **54**: 127; ***dalmeniensis*** **35**: 9; ***erinaceus*** **35**: 80; ***erinaceus*** **var.** ***furcata*** **35**: 87; ***flavobrunnea*** **25**: 83; **35**: 135; ***fleischeriana*** **50**: 89; ***foliincola*** **35**: 86; ***folliculata*** **50**: 89; ***fulva*** **14**: 112; **35**: 20; ***fulvescens*** **47**: 13; ***furcata*** **35**: 87; ***fuscidula*** **35**: 85; ***gemella*** **22**: *34*, *35*; **35**: 143; ***geneospora*** **50**: 89; ***gilva*** **35**: 85; **52**: 269; ***gintlii*** **25**: 82, 83; **35**: 80; ***gintlii*** **var.** ***rigidula*** **25**: 83; **35**: 82; ***glareosa*** **14**: 168, 223, 227, 228; **16**: 109; **35**: 87; ***gregaria*** **15**: 66; **35**: 86; ***gregaria*** **f.** ***ferruginea*** **35**: 86; ***gregaria*** **f.** ***nigrella*** **35**: 86; ***gregaria*** **f.** ***obtusipilosa*** **35**: 86; ***gregaria*** **f.** ***pseudogregaria*** **15**: 66; **35**: 87; ***gregaria*** **var.** ***uliginosa*** **35**: 86; ***hemisphaerica*** **7**: 154; **14**: 75, 225; **16**: 107; **18**: 12; **23**: 27; **35**: 23, 144; ***hemisphaerica*** **f.** ***infusoria*** **35**: 23; ***hemisphaerioides*** **14**: 79; **15**: 66; **35**: 86; ***hemisphaerioides*** **var.** ***tenuipilosa*** **35**: 86; ***hirta*** **35**: 82, 135; ***hirta*** **var.** ***alnea*** **35**: 79; ***hrabanovi*** **25**: 83, 84; **31**: 70; **35**: 80; ***humana*** **1**: *119*, *120*, *121*, *122*, *123*, *124*; **35**: 12, 73; ***humillima*** **1**: 124; ***hystrix*** **25**: 83; **35**: 80; ***hystrix*** **var.** ***carpathica*** **25**: 84; **35**: 80; ***hystrix*** **var.** ***prunicola*** **25**: 84; **35**: 80; ***ignea*** **14**: 112; **15**: 64; **22**: 39; **35**: 8; ***insignis*** **47**: 31; ***intermixta*** **35**: 4; ***iuliana*** **35**: 67, 88; ***kerguelensis*** **32**: 75, 76; ***laricina*** **31**: 70; **33**: 17; **35**: 86; ***leporina*** **14**: 112; **35**: 87; ***limosa*** **25**: 84; **28**: 136; **35**: 81; ***livida*** **35**: 135; ***lojkeana*** **14**: 112; ***longisetosa*** **35**: 86; ***lusatiae*** **16**: 109; **25**: 84; **35**: 80; ***lusatiae*** **var.** ***macrospora*** **25**: 85; **35**: 81; ***lysimachiae*** **35**: 83; ***macrospora*** **35**: 135; ***mariae*** **1**: 124; **35**: 85, 88; ***maurilabra*** **1**: 124; ***melaloma*** **1**: 124; **3**: 86; **35**: 4, 142; ***melaloma*** **f.** ***combusta*** **35**: 4; ***melaloma*** **f.** ***dubia*** **35**: 4; ***melaloma*** **var.** ***combusta*** **35**: 3; ***melaloma*** **var.** ***dubia*** **35**: 4; ***melaloma*** **var.** ***fusca*** **35**: 4; ***miniata*** **35**: 20; **47**: 243; ***minuta*** **22**: 38, 39; **35**: 9; ***moravica*** **14**: 112; **35**: 86; ***nigrohirtula*** **25**: 85; ***nuda*** **14**: 112; **35**: 8; ***nympharum*** **17**: 62; **25**: 84; **28**: 22; **32**: 76; **35**: 81; ***oligochaeta*** **62**: 2; ***oligotricha*** **62**: 2; ***pediseta*** **22**: 36; **50**: 192; ***pilatii*** **25**: 82, 84; **35**: 81; ***pseudoampezzana*** **7**: 137; **9**: 192; **14**: 70; **23**: 83, 93, 94; **35**: 143; ***pseudotrechispora*** **25**: 82, 84; **35**: *80*, *81*, *82*; ***radiculata*** **9**: 17; **42**: 197; ***radiculata*** **var.** ***percevalii*** **42**: 199; ***ramosa*** **1**: 124; **35**: 73; ***regalis*** **35**: 81; ***rubicunda*** **47**: 243; ***salicina*** **31**: 71; **35**: 87; ***scubalonta*** **47**: 13; ***scutellata*** **35**: 82; ***scutellata*** **f.** ***balnei*** **25**: 83; ***scutellata*** **f.** ***bulbopilosa*** **35**: 82; ***scutellata*** **f.** ***depauperata*** **12**: 192; ***scutellata*** **var.** ***alnea*** **25**: 83, 84; **35**: 79; ***scutellata*** **var.** ***subaurantiaca*** **25**: 85; ***setosa*** **25**: 84, 85; **35**: 80, 136; ***setosa*** **f.** ***cervorum*** **16**: 108; **32**: 73; **35**: 80; ***setosa*** **var.** ***cervorum*** **32**: 73; ***setosa*** **var.** ***gintlii*** **35**: 80; ***setosa*** **var.** ***nigrohirtula*** **25**: 85; **35**: 81; ***speluncarum*** **14**: 112; **16**: 109; **21**: 240; **35**: 20; ***stercorea*** **35**: 8; **47**: 12; ***stercorea*** **f.** ***citrinella*** **35**: 8; ***stercorea*** **var.** ***citrinella*** **31**: 69; **35**: 8; **50**: 192; ***stercorea*** **var.** ***glacilis*** **47**: 13; ***stercorea*** **var.** ***maialis*** **35**: 8; ***stercorea*** **var.** ***microspora*** **47**: 7, 21, 25, 26; ***superba*** **15**: 64; **17**: 63; **23**: 156, 158; **25**: 82, 85; **35**: 81, 82, 136; ***tenuis*** **15**: 65; **35**: 83; ***tenuis*** **var.** ***kavinae*** **35**: 83, 89; ***terrestris*** **35**: 86; ***theleboloides*** **22**: 32, 35, 37, 38, 40; **35**: 9; ***umbrata*** **17**: 63; **35**: 8, 136; ***umbrorum*** **25**: 86; **35**: 82, 136; ***umbrorum*** **f.** ***arenosa*** **35**: 80; ***umbrorum*** **var.** ***limosa*** **25**: 84; **28**: 136; **35**: 81; ***umbrorum*** **var.** ***pratensis*** **25**: 84; **35**: 82; ***velenovskyi*** **35**: 86, 88; ***vernalis*** **31**: 70; **35**: 87; ***violacea*** **29**: 129; **35**: 67, 137; **39**: 135, 137; ***violacea*** **var.** ***rosella*** **14**: 112; **35**: 67; ***vitellina*** **11**: 110; **14**: 167; **22**: 32, 40; **35**: 9, 137, 143; ***vitellina*** **f.** ***subglabra*** **35**: 9, 137; ***votrubae*** **22**: 38, 39; **35**: 9.

LACHNELLA brunneola **57**: 145; *brunneola* **var.** *fagicola* **57**: 150; *ciliata* **16**: 104; *corticalis* **12**: 223, 229; *craterellus* **54**: 94; *dematiicola* **31**: 193, 194; *filicina* **43**: 223; *flammea* **41**: 198; **57**: 170; *gallica* **16**: 104; *prasina* **30**: 9; *stercorea* **14**: 90; *subflammea* **41**: 198.

LACHNELLULA abietis **44**: 144; *calyciformis* **35**: 95; **44**: 144; *chrysophthalma* **16**: 102; *fuckelii* **35**: 92; *fuscosanguinea* **35**: 92; *hahniana* **44**: 144; *occidentalis* **35**: 92; **63**: 217, 237; *subtilissima* **35**: 92, 97; **63**: 217, 222, 225, 237; *suecica* **16**: 102, 104; **41**: 202; *willkommii* **44**: 144; **56**: 276, 277.

LACHNOBOLUS arcyrella **13**: 51; **22**: 134.

LACHNUM aberrans **43**: 71, 72; *acicularum* **41**: 201; *acutipilum* **41**: 202; *acutum* **33**: *201*, *202*, *203*, *204*; *acutum* **var.** *holci* **33**: 204; *acutum* **var.** *majus* **33**: 203; *agaricinum* **41**: 204; **57**: 167, 186; *agropyri* **33**: 197; *alneum* **57**: 163, 195, 205; *alnisedum* **57**: 212, 215; *atropae* **16**: 94; *autumnale* **45**: 136; *badium* **43**: 69, 71; *belanense* **12**: *221*, *222*, *223*, *226*, *227*, *228*, *229*; *bicolor* **14**: 75; **57**: 151, 155, 167; *bicolor* **var.** *rubi* **44**: 144; **63**: 233; *brevipilosum* **43**: 226; **57**: 186, 187, 188, 189, 190, 202; *brevipilum* **57**: 187, 190; *calycioides* **56**: 67; *calyculiforme* **14**: 226; **57**: 143; *capitatum* **39**: 214; *cerinum* **57**: 168; *clandestinum* **44**: 144; *claviculatum* **14**: 76; *conisedum* **57**: 200, 215; *controversum* **42**: 141; *corticale* **12**: 223, 229; **13**: 156, 212; *corylinum* **57**: 183, 186, 190, 191, 192, 195; *cotoneastris* **45**: 139, 141; *crataegi* **16**: 94; **57**: 183, 184, 186, 192, 193, 194, 195, 196, 205, 212; *crystallinum* **14**: 75; **57**: 160, 215; *diminutum* **55**: 231, 232, 233, 234; **56**: 203, 205, 218, 219; *elongatisporum* **42**: 141; *eriophori* **39**: 208; *fasciculare* **57**: 183, 184, 186, 191, 192, 195, 196, 197, 198, 205; *flammeum* **14**: 72; **57**: 170; *flavofuligineum* **42**: 77; *fulvellum* **57**: 183, 184, 191, 192, 195, 198, 203, 215; *fuscescens* **14**: 74, 87; **57**: 143; *fuscescens* **f.** *fagicola* **57**: 150; *fuscescens* **var.** *fagicola* **57**: 150; *grande* **57**: 183, 191, 208, 211, 216, 217, 218; *impudicum* **43**: 226; **57**: 183, 184, 186, 198, 199, 200, 202, 203; *laeve* **30**: 9; **45**: 140, 141; *longisporum* **42**: 141; *microsporum* **57**: 190; *minutum* **57**: 205; *mughonicolum* **44**: 140, 144; *nidulus* **3**: 42; **41**: 200; *niveum* **57**: 162; *nudipes* **44**: 144; *papyraceum* **14**: 224; **57**: 157, 185, 200, 205, 212, 215; *patulum* **14**: 76; *piceum* **57**: 183, 205, 208, 211, 217; *pinicolum* **57**: 205; *pseudocorticale* **12**: *222*, *223*, *224*, *225*, *226*, 229; *pubescens* **43**: 215, 223, 225; **57**: 183, 186, 190, 191, 198, 200, 201, 202, 203, 212; *pudibundum* **57**: 185, 187, 191, 192, 195, 196, 200, 203, 204, 205, 211; *pudicellum* **45**: 140; *pulverulentum* **var.** *fructicola* **57**: 157; *pygmaeum* **14**: 71; **44**: 144; **57**: 183, 185, 190, 191, 200, 202, 203, 205, 206, 207, 208, 211, 212, 216, 217, 218; *radovii* **38**: 201; *relicinum* **44**: 140, 144; *rhizophilum* **14**: 224; **57**: 183, 185, 191, 206, 208, 209, 210, 211; *rhytismatis* **14**: 73; *roseum* **56**: 63, 73, 82, 219; *sagarum* **33**: 204; **42**: 141; **45**: 140; *subvirgineum* **57**: 183, 184, 186, 212, 213; *sulphureum* **33**: 193; *tenuipilosum* **42**: 137, 139, 140; *tyrolense* **3**: 42; *virgineum* **14**: 87; **41**: 204; **43**: 225; **57**: 160, 186, 198, 200, 212, 214, 215; *virgineum* **f.** *carpophila* **57**: 215; *xanthippae* **57**: 192.

LACRYMARIA lacrymabunda **44**: 222; **46**: 82; *velutina* **19**: 114, *233*, *234*, *235*, *236*, *237*, *238*.

LACTARIA deliciosa **5**: 75; *piperata* **5**: 75; *volema* **5**: 75.

LACTARIUS acerrimus **11**: 51; **15**: 14; **18**: 11, 13; **23**: 183, 184, 186; *acris* **4**: 89, 90; **7**: 111; **18**: 10; **23**: 183, 184, 186; *adscitus* **10**: 170; **23**: 184; **26**: 141, *145*, *146*, *147*, *148*; *akahatsu* **4**: 38; *albivellus* **40**: 241, 245; *albocremeus* **12**: *207*, 208, *208*, *209*, 211; **20**: 245; **21**: 59; **52**: 59; *albus*

2: 112; **43**: 206; ***alpigenes*** **12**: 207; ***aspideus*** **3**: 110; **8**: 168; **12**: 207; **14**: 75, 112, 225; **44**: 87, 140; ***atlanticus*** **52**: 10; ***aurantiacoochraceus*** **8**: 40, 41; **22**: 17; ***aurantiacus*** **1**: 114; **2**: 5; **3**: 53; **8**: 158; **23**: 184; **33**: 164; ***azonites*** **1**: 114; **4**: 85, 86, 89, 90; **9**: 152, 155, 156; **10**: 149, 150, 153; **12**: 120, 121; **22**: 147; **23**: 183, 184, 186; **33**: 164; ***badiosanguineus*** **10**: 150, 154; **24**: 105, 117; **56**: 272; ***bertillonii*** **48**: 43, 45; ***blennius*** **1**: 114; **2**: *110*, *111*, *112*, *113*, *114*; **3**: 53; **4**: 88, 157; **5**: 52, 116; **7**: 110, 112, 154; **8**: 168; **10**: 150, 154; **11**: 52; **14**: 74, 87, 225; **16**: 188; **18**: 160; **21**: 236; **23**: 183, 184, 186; **26**: 142; **27**: 31, 215; **30**: 196; **34**: 76, 77; **46**: 170, 172, 288; **48**: 43; **56**: 271; **58**: 48, 50, 53, 55; ***blennius*** **f. *albidopallens*** **2**: 112; ***blumii*** **43**: 206; ***bresadolianus*** **8**: 44, 45, 170; **23**: 185; ***brunneoviolaceus*** **58**: 72; ***camphoratus*** **5**: 101; **8**: 168; **10**: 149, 154; **11**: 120, 174, 175; **14**: 87, 126; **18**: 12, 160; **23**: 185; **27**: 215; **32**: 223; **34**: 77; **38**: 220; **44**: 87; **48**: 43; **52**: 10; **56**: 271; **58**: 52, 53, 55; **63**: 258; ***campylopus*** **26**: 145; ***capsicoides*** **10**: 170; ***cavinae*** **8**: 155, 156, 158; **9**: 119; ***chrysophyllus*** **11**: *50*, *51*, *51*, *52*, *52*, *53*, *53*; **13**: 234, 236, 239; ***chrysorrheus*** **1**: 114; **3**: 49, 53; **4**: 148; **7**: 108, 109, 111; **10**: 150, 154; **14**: 126; **18**: 115; **22**: 147; **23**: 183, 184, 186; **32**: 223; **34**: 76, 77; **48**: 43, 45; **52**: 4, 5; ***chrysorrheus*** **var. *immutabilis*** **10**: 150; ***cilicioides*** **10**: 150, 154; **14**: 75, 112, 117, 235; **15**: 14; **22**: 20, 21, 22, 23; **23**: 183, 184, 186, 205; **25**: 62; **43**: 206; ***cimicarius*** **8**: 154; **11**: 174; ***circellatus*** **10**: 157, 170; **11**: 51; **13**: 236, 239; **15**: 14; **23**: 183, 184, 186; **26**: 141, 147, 148; **34**: 77, 79; **35**: 110, 241; **58**: 50, 51, 53, 56; ***citriolens*** **22**: *20*, *21*, *22*, *23*; **23**: 205; **25**: 62; **29**: 27, 32; **43**: 206; ***controversus*** **6**: 145; **7**: 109, 111; **10**: 154, 168; **14**: 117; **15**: 14; **16**: 21; **23**: 184; **32**: 223; **33**: 1; **40**: 252; **52**: 10; ***cookei*** **14**: 230, 232, 236, 237; **52**: 59; ***cremor*** **1**: 110, 115; **8**: 154; **11**: 174, 175; **23**: 184; ***crinitus*** **22**: 22; ***cupricolor*** **20**: 151, *154*, *155*, *156*, *157*, *158*, *159*; ***curtus*** **13**: *233*, *234*, *235*, *236*, *237*, 239, 240; **36**: 187; ***cyathula*** **5**: 101; **6**: 41; **8**: 156; **15**: 160; **40**: 38; ***deceptivus*** **5**: 115, 117; **14**: 233, 234, 237; ***decipiens*** **3**: *49*, *50*, *51*, *52*, *53*, *54*; **7**: 108, 109, 111; **8**: 122, 153; **9**: 118; **10**: 150, 154; **11**: 119; **20**: 151, 156, 157; **23**: 184; **30**: 228; **32**: 223; **34**: 76, 77; **38**: 51; ***deliciosus*** **1**: 7, 114; **2**: 44; **3**: 4, 52; **4**: 38, 60, 88, 96; **5**: 75, 127, 128; **6**: 145, 146, 148, 150; **7**: 73, 77, 79, 110; **8**: 40, 44, 45; **9**: 98, 147, 148; **10**: 44, 164, 192; **11**: 121, 134; **14**: 26; **15**: 155, 157; **18**: 144; **19**: 16; **22**: 50, 53, 54, 196; **23**: 185; **27**: 34; **29**: 111, 185; **30**: 25; **32**: 223; **34**: 76, 77, 79; **38**: 220; **42**: 115, 166; **45**: 34; **48**: 41, 48, 99; ***deliciosus*** **var. *pini*** **8**: *52*, *53*; ***deliciosus*** **var. *sanguifluus*** **5**: 75; ***deterrimus*** **42**: 161, 163; **44**: 87; **45**: 34; **48**: 41, 48, 99; **56**: 270, 272, 282; ***eburneus*** **33**: 1, *4*, *5*, *6*, 12; ***echinosporus*** **14**: 230, 231, 233, 234, 237; **20**: 245; ***evosmus*** **23**: 183, 184, 186; ***exsuccus*** **43**: 196, 197; ***fascinans*** **13**: 233, 237; **23**: 184; **52**: *318*, *319*, *320*, *321*, *322*; ***favrei*** **43**: 207; ***flavidulus*** **48**: 42; ***flavidus*** **10**: 186; **14**: 75, 98; **15**: 14; **20**: 126, 165; **23**: 183, 184, 186; **29**: 27; **58**: 50, 53, 57; ***flexuosus*** **7**: 110, 112; **10**: 170; **19**: 114; **23**: 185; **26**: 145; **44**: 222, 223; ***fluens*** **2**: 113, 114; **23**: 184; ***fuliginosus*** **4**: *85*, *86*, *87*, 89, 90; **7**: 111; **8**: 168; **9**: 152, 155, 156; **10**: 150; **14**: 75, 112, 117; **27**: 216; **34**: 77; **48**: 42; ***fulvissimus*** **15**: 14; **20**: 126; **58**: 52, 53, 56; ***glaucescens*** **5**: *111*, *112*, *113*, *114*, *115*, *116*, *117*; **7**: *110*, *111*, *112*; **8**: 41, 42; **10**: 151, 155; **11**: 121, 122; **14**: 74; **16**: 21; **23**: 184; **33**: 1, *3*, *4*, *5*, *6*, *6*, 12; **35**: 110; **36**: 184; **58**: 52, 53, 57, 61; ***glaucescens*** **f. *sphaerospora*** **5**: 116, 117; ***glutinopallens*** **10**: 28, 155; **12**: 206; **13**: 239; **23**: 185; **48**: 43; ***glyciosmus*** **5**: 51, 101; **7**: 110; **10**: 155, 168; **11**: 122; **14**: 125; **15**: 14, 225; **16**: 21; **19**: 114; **23**: 185; **28**: 211; **34**: 76, 77, 79; **43**: 205; **44**: 87; **58**: 47, 53, 55; ***griseus*** **12**: 210, 212; ***hatsudake*** **4**: 38; **8**: 43; ***helvus*** **8**: 168; **9**: 118; **10**: 149, 171, 186; **12**: 251; **14**: 94, 96, 125, 230, 236, 237; **22**: 50, 53, 54; **23**: 185;

25: 149; **30**: 52; **34**: 76, 78; **37**: 128, 214; **42**: 195; **44**: 87; **47**: 257; **48**: 98; **54**: 198, 200; **56**: 270, 271, 282; **63**: 258; ***hepaticus*** **10**: 150; ***hibbardiae*** **15**: 14; **16**: 21; **34**: 77, 79; ***hometii*** **33**: 1, *7*, *8*, *9*, *10*, 11, *11*, *12*; ***hortensis*** **10**: 170; **26**: 141, 144, *146*, *147*, *148*; **29**: 27, 32; **34**: 40; **43**: 51, 54; ***hortensis*** **var.** ***hortensis*** **26**: 143; ***hortensis*** **var.** ***olivaceus*** **26**: 143, *146*, *147*, *148*; ***hortensis*** **var.** ***tephroleucus*** **26**: 143, *146*, *147*, *148*; ***hradecensis*** **2**: *83*, *84*, *85*; **9**: 114, 116, 119; **20**: *151*, *152*, *153*, *154*, 156, 157, 244; ***hrdovensis*** **58**: 67, 68, 69, 70, 72; ***hysginoides*** **52**: *317*, *318*, *319*, *320*, *321*, *322*; ***hysginus*** **5**: 52; **10**: 28, 155, 170; **11**: 50, 52; **13**: 233, 234, 237, *239*, *240*, *241*; **14**: 225; **23**: 185; **26**: 142; **58**: 47, 53, 59; ***ichoratus*** **1**: *110*, *111*, *112*, *113*, *114*, *115*; **2**: 84, 85; **4**: 88; **8**: 153; **9**: 118; **10**: 152, 155, 186; **11**: 122; **14**: 74, 225, 230, 235, 237; **15**: 14; **18**: 10; **20**: 154, 157; **23**: 184; **33**: 164; **34**: 77, 79; **58**: 56; ***ichoratus*** **var.** ***pulcherrima*** **1**: *113*, *114*; ***indigo*** **10**: 150; **23**: 154; **48**: 48; ***insulsus*** **1**: 114; **3**: 52; **4**: 88; **8**: 40, 44, 45; **10**: 186; **11**: *50*, *51*, *52*; **15**: 14; **32**: 223; **52**: 6; ***intermedius*** **22**: 22, 23; ***jecorinus*** **8**: 154; **11**: 50; ***krombholzii*** **5**: 52; **11**: 50; **27**: 216; ***laccatus*** **21**: 161; ***lacunarum*** **10**: 150; **11**: 119; **23**: 183, 185, 186; **58**: 53, 59; ***lateritioroseus*** **10**: 170, 171; **12**: 210; ***lignyotus*** **4**: 85, 87, 88, 89; **7**: 111; **10**: 28, 149, 156, 186; **11**: 122; **14**: 125, 230, 232; **18**: 160; **23**: 78, 183, 185, 186; **24**: 117; **43**: 205; **44**: 87; **46**: 171, 172, 186; **54**: 198, 199; **56**: 271, 281; **63**: 258; ***lilacinus*** **7**: 110; **8**: 158; **10**: 156, 168, 170, 171; **11**: 122; **15**: 159, 160; **21**: 54, 56; **22**: 180; **26**: *145*, *146*, *147*; **34**: 38, 39, 42, 43, 95; ***luridus*** **7**: 111; **58**: 72; ***luteus*** **12**: *206*, 207, *207*, *208*, 211; **20**: 245; ***mairei*** **8**: 40, 41; **22**: 12; ***mairei*** **var.** ***zonatus*** **8**: 40, 41; **10**: 156; **22**: *14*, *15*, *16*, *17*; ***mammosus*** **23**: 185; ***marcipanis*** **4**: 149; **9**: *114*, *115*, *116*, 119; **23**: 184; **33**: 164; ***mitissimus*** **1**: 111, 114, 115; **8**: 158; **9**: 118; **10**: 156, 186; **18**: 13; **19**: 114; **22**: 196; **23**: 185; **25**: 107; **33**: 164; **34**: 77, 79; **44**: 87; **46**: 288; **54**: 200; **56**: 271; ***mititicus*** **26**: 146, 147; ***moravicus*** **33**: 1, *10*, *11*, *12*; ***musteus*** **5**: 52; **12**: 205, 206; **52**: 322; ***nanus*** **45**: 35; **47**: 45, 53, 54; ***necans*** **43**: 205; ***necator*** **9**: 98; **16**: 158; **18**: *223*, *224*, *225*; **21**: 97; **23**: 185; **34**: 76, 77; **43**: 205, 206; **48**: 43, 45, 99; **56**: 270, 281; ***noncamphoratus*** **11**: 174; ***obnubilis*** **8**: 154, 156; **11**: 174; ***obscuratus*** **8**: 154; **14**: 78; **15**: 159, 160; **33**: 156; **34**: 38, 39, 43, 95; **44**: 87; **56**: 272; ***odoratus*** **2**: 37; **5**: 101; **15**: 14; **22**: 147; **34**: 76; ***pallidus*** **1**: 114; **3**: *49*, *50*, *51*, *52*, *53*, *54*; **5**: 52; **7**: 110, 112; **9**: 118; **10**: 156; **11**: 50, 52, 123; **12**: 208; **13**: 239; **14**: 112; **18**: 160; **20**: 126, 151, 152, *154*, *155*, *156*, *157*, *158*; **23**: 183, 184, 186; **27**: 216; **46**: 170, 172, 173, 186; **52**: 322; **56**: 272; **58**: 48, 50, 53, 55; ***paludestris*** **22**: 17; ***pearsonii*** **22**: 19; **23**: 184; ***pergamenus*** **5**: 115, 117; **33**: *1*, *2*, *3*, *4*, *5*; ***persooni*** **4**: 85; ***picinus*** **1**: 114; **4**: *85*, *86*, *87*, *88*, *89*, *90*; **7**: 111; **10**: 28, 150, 156; **12**: 127; **14**: 230, 232, 236, 237; **18**: 160; **23**: 183, 185, 186; **24**: 117; **34**: 77; **46**: 171, 172; **48**: 42; ***picinus*** **var.** ***elongatus*** **4**: 88; ***picinus*** **var.** ***montanus*** **4**: 88, 89; ***pilatii*** **22**: *14*, *15*, *16*, 17, *17*, *18*, *19*; ***pinicola*** **29**: 27; ***piperatus*** **1**: 57; **5**: 41, 75, *111*, *112*, *113*, *115*, *116*, *117*, 127; **6**: 145; **7**: *110*, *111*, *112*, 158; **8**: *41*, *42*, *43*; **10**: 148, 150, 155, 156, 168; **11**: 122, 123; **16**: 188; **18**: 10; **20**: 60; **23**: 177, 185; **25**: 107; **33**: *1*, *2*, *3*, *4*, *5*, *6*, *6*, 12, 164; **34**: 77; **35**: 110, 116; **42**: 161, 166; **46**: 171; **48**: 41; **52**: 7; **56**: 272; **58**: 47, 48, 50, 52, 53, 56, 61; ***piperatus*** **β** ***exsuccus*** **43**: 196; ***plumbeus*** **6**: 145; **43**: 205; ***porninsis*** **8**: 45, 62, 65, 66; **9**: 114; **10**: 28, 156; **11**: 123; **14**: 78, 83, 126; **24**: 117; **33**: 164; **34**: 77; ***pterosporus*** **14**: 230; **23**: 184; **58**: 50, 53, 60; ***pubescens*** **10**: 156; **12**: 205, 206; **20**: 156, 158; **23**: 185; **32**: 223; **34**: 77, 79; **43**: 206, 207; **44**: 87; **58**: 47, 53, 59; ***pyrogalus*** **4**: 148; **7**: 110, 112; **8**: 168; **10**: 156, 157, 170, 171; **11**: 52; **12**: 214; **14**: 87, 225; **15**: 225; **23**: 184; **26**: 141, 144; **27**: 216; **34**: 39, 40, 76, 77; **43**: 54; **52**: 318; ***pyrogalus*** **var.**

polyzonus **26**: 144; ***pyrogalus*** **var.** ***umbrosus*** **26**: 145; ***quietus*** **1**: 111, 112, 114; **2**: 83, 84; **3**: 53; **4**: 148; **7**: 112; **9**: 114, 116, 119; **10**: 157, 186; **11**: 123, 175; **14**: 75, 130; **15**: 225; **18**: 11, 144; **19**: 115; **20**: *152*, *153*, *154*, 157; **23**: 184; **32**: 223; **33**: 164; **34**: 76, 77, 79; **35**: 110; **58**: 52, 53, 55; ***quietus*** **var.** ***nigrescens*** **9**: 116; ***radiatus*** **11**: 174; ***repraesentaneus*** **3**: 7, *110*, *111*, *112*, *113*, *114*; **5**: 47; **7**: 111; **10**: 149, 150, 152, 157; **14**: 89; **27**: 34, 216; **28**: 121; ***resimus*** **6**: 145; **7**: 109; **10**: 150, 154; **12**: 209, 211; **14**: 230, 233, 234, 237; **22**: 20, 21; **34**: 77; ***retisporus*** **27**: 216; ***robertianus*** **58**: 72; ***romagnesii*** **58**: 43, 48, 50, 53, 56, 60; **59**: 73, 76; ***roseozonatus*** **32**: 223; **34**: 77, 79; **36**: 187; ***rubescens*** **3**: 49, *52*, *53*, *54*; **7**: 109; ***rubrocinctus*** **8**: 154; **9**: 114, *116*, *117*, *118*, *119*; **23**: 185; **24**: 105; ***rubrofuscus*** **10**: 170, 171; ***rufus*** **3**: 53; **4**: 147, 149; **6**: 6, 145; **7**: 152; **8**: 168; **9**: 118; **10**: 157, 168; **14**: 94, 96, 125; **18**: 115, 160; **19**: 15, 17, 19, 20, 115; **20**: 59; **23**: 177, 185; **25**: 144; **32**: 223; **34**: 77, 79; **37**: 128; **38**: 220; **42**: 158, 161, 163, 166, 168; **44**: 87; **45**: 49; **46**: *67*, *68*, *69*, 71, 72; **48**: 43, 100; **54**: 200; **56**: 270, 271; **58**: 53, 55, 59; **63**: 258; ***ruginosus*** **23**: 183, 184, 186; **56**: 270, 272; ***rugosus*** **8**: *156*, *157*, *158*, *159*; **9**: 119; **14**: 87; **20**: 154, 157; **27**: 216; ***russuloides*** **12**: 205, 206; ***salicis-reticulatae*** **45**: 35; **47**: 54; ***salmoneus*** **8**: 44; **15**: 14; ***salmonicolor*** **10**: 157; **15**: 14; **22**: 196; **52**: 213, 215; ***sanguifluus*** **4**: 38; **7**: 110; **8**: 43; **10**: 186; **14**: 77, 225; **30**: 196; **48**: 41, 48, 99; ***scoticus*** **43**: 206, 207; ***scrobiculatus*** **1**: 114; **3**: 110, 113; **4**: 88; **5**: 47; **6**: 145; **7**: 109, 111; **10**: 150, 157; **12**: 209, 211; **14**: 77, 126, 235; **22**: 20; **24**: 117; **27**: 216; **48**: 41, 43; ***semisanguifluus*** **8**: 44; **15**: 14; **18**: 13; **34**: 78; ***serifluus*** **1**: 114; **5**: 101; **8**: 156, 159; **9**: 117, 118; **10**: 149, 157, 186; **11**: 174, 175; **14**: 225; **18**: 10, 12; **23**: 184; **32**: 223; **33**: 164; **34**: 76, 77, 79; **58**: 48, 52, 53, 56, 61; ***siccus*** **4**: 89, 90; **14**: 225, 227; ***sordidus*** **9**: 114; ***sphagneti*** **10**: 157; **23**: 183, 185, 186; ***spinosulus*** **7**: 110; **10**: 157; **26**: 141, 145, 147; **44**: 87, 140; ***subdulcis*** **1**: 111; **7**: 109, 111; **8**: 153, 154, 158; **9**: *117*, *118*, *119*; **10**: 152, 158; **12**: 214; **14**: 87, 117; **16**: 188; **18**: 160; **20**: 152, 154, 157; **23**: 183, 184, 186; **27**: 216; **31**: 115; **32**: 223; **40**: 241; **46**: 169, 170, 172; **52**: 7; **56**: 270, 271, 285; **58**: 47, 48, 50, 53, 55; **63**: 258; ***subsalmoneus*** **8**: 44; **15**: 14; ***subtomentosus*** **14**: 230, 235, 236, 237; ***subumbonatus*** **8**: 154; **9**: 117; **11**: 174; **14**: 112; **58**: 61; ***subvellereus*** **5**: 115, 117; **7**: 109; **33**: 10, 11; ***sulphurescens*** **40**: 252; ***syringinus*** **10**: *168*, *169*, *170*, *171*, *172*; ***tabidus*** **1**: 115; **7**: 108; **8**: 154; **11**: 119, 123, 124, 174; **44**: 87; **56**: 271; **58**: 47, 53, 56; **63**: 258; ***tatrorum*** **12**: *209*, *210*, *211*, *212*; **20**: 245; **52**: 59; ***theiogalus*** **1**: 114, 115; **3**: 49, 50, 53; **7**: 108, 109, 111; **8**: *153*, *154*, *155*, *156*, 158, 159; **9**: 114, 118; **10**: 150, 158, 168, 186; **11**: 119; **23**: 183, 185, 186; **26**: 123; **34**: 39, 41; **58**: 56; ***tithymalinus*** **23**: 184; ***tomentosus*** **14**: 230, *235*, *236*, *237*; **22**: 20, 22; ***torminosus*** **3**: 113; **6**: 145, 149; **7**: 111, 112; **8**: 40, 168; **10**: 158; **11**: 191; **12**: 209, 211; **19**: 114; **22**: 17, 21; **23**: 172, 185; **26**: 147; **29**: 27; **32**: 223; **34**: 76, 78, 79; **35**: 110, 200; **38**: 220; **48**: 43, 98; **58**: 53, 55, 59; ***torminosus*** **subsp.** ***cilicioides*** **43**: 206; ***torminosus*** **subsp.** ***pubescens*** **43**: 206, 207; ***torminosus*** **var.** ***cilicioides*** **7**: 111; ***torminosus*** **var.** ***gracillimus*** **43**: 207; ***torminosus*** **var.** ***pubescens*** **7**: 111; **43**: 206, 207; ***trivialis*** **3**: 53; **5**: *49*, *50*, *51*, *52*; **7**: 110, 112; **11**: 50, 52; **13**: 233, 234, 237, 239, 240; **14**: 125, 127, 128; **15**: 14; **23**: 185; **24**: 105; **26**: 123; **52**: 321; ***turpis*** **2**: 5, 113; **8**: 168; **10**: 158; **11**: 124, 170; **16**: 158; **18**: 115; **19**: 114; **29**: 27; **32**: 198, 223; **38**: 220; **43**: 205; **44**: 87; **46**: 67, 71; **56**: 271; **63**: 258; ***umbrinus*** **7**: 110; **10**: 170; **26**: 144; ***utilis*** **52**: 318, 321; ***uvidus*** **1**: 114; **2**: 5; **3**: 113; **7**: 111; **10**: 150; **12**: 123; **14**: 75; **23**: 184; **26**: 142; **29**: 27; **32**: 223; **33**: 165; **34**: 76, 77; **38**: 220; **48**: 43; **52**: 10; **58**: 72; ***uvidus*** **var.** ***candidulus*** **24**: 105; ***uvidus*** **var.** ***flavida*** **3**: 114; ***vellereus*** **4**: 148; **5**: 115, 117;

7: *109*, *110*, *111*; **8**: 42; **10**: 158, 168, 186; **12**: 156; **14**: 74, 230, 233, 234, 237; **16**: 188; **18**: 13, 160; **19**: 114; **21**: 17; **23**: 185; **32**: 11; **33**: 1, *7*, *8*, *9*, *10*, *11*, *12*; **34**: 76, 77; **35**: 110; **43**: 213; **46**: 171, 187; **48**: 41, 43, 45; **52**: 6; **56**: 272, 285; **58**: 52, 53; ***vellereus* var. *bertillonii*** **10**: 158; **33**: *9*, *10*, *11*, *12*; ***vellereus* var. *boudierii*** **33**: 9; ***vellereus* var. *brunnensis*** **7**: 111; ***vellereus* var. *fuscescens*** **33**: 9; ***vellereus* var. *hometii*** **33**: 9; ***vellereus* var. *odorans*** **33**: 9, 12; ***vellereus* var. *queletii*** **33**: 9; ***vellereus* var. *velutinus*** **10**: 158; **33**: 9; ***velutinus*** **33**: 1, *7*, *8*, *9*, *10*, *11*, *12*; ***velutinus* var. *fuscescens*** **33**: 11; ***vietus*** **7**: 110, 112; **10**: 150, 158; **18**: 160; **20**: 153, 154, 157; **22**: 17, 18; **23**: 185; **34**: 77; **44**: 87; **56**: 272; ***vietus* f. *constans*** **10**: 150; ***vinosus*** **30**: 228; ***violascens*** **15**: 14; **23**: 185; **58**: 72; ***viridis*** **2**: 110; ***volemus*** **1**: 114; **5**: 75, 128, 129, 132; **7**: 77, 79; **8**: 158, 168; **10**: 118, *149*, *150*, *151*, *152*, 158; **11**: 62, 119, 124, 137; **14**: 111; **23**: 185; **34**: 77; **35**: 110; **45**: 34; **58**: 48, 50, 52, 53, 56; ***zonarioides*** **8**: 45; ***zonarius*** **8**: 45; **12**: 207; **14**: 111, 117, 225; **34**: 78, 79; ***zonarius* var. *insulsus*** **6**: 145; ***zonarius* var. *scrobipes*** **25**: 62.

LACTOBACILLUS acidophilus **52**: 162; ***reuteri*** **52**: 162; ***rhamnosus*** **52**: 162.

LAESTADIA niesslii **18**: 187, 188; ***steppani*** **52**: 57.

LAETINAEVIA adonis **9**: 113; ***carneoflavida*** **43**: 217; ***epilobii*** **9**: 113; ***fagicola*** **30**: 8, 11.

LAETIPORUS montanus **43**: 245; ***persicinus*** **64**: 17; ***speciosus*** **11**: 155, 167; ***sulphureus*** **10**: 59; **11**: 155, 167; **17**: 182; **20**: 87, 101; **23**: 177, 178; **24**: 84; **30**: 55; **32**: *55*, *56*, *57*, *58*, *59*, *60*, 223; **35**: 199; **36**: 34, 35, 45; **41**: 51, 53; **43**: *31*, *32*, *33*, *34*, 87, 93; **44**: 142, 208, 209, *213*, *214*, *215*, *216*; **46**: 84, 224; **47**: *163*, *164*, *165*, *166*, *167*, *168*, 199, 202; **49**: 135, 179; **63**: 258.

LAETISARIA arvalis **38**: 7.

LAGENIDIUM callinectes **1**: 29.

LAMBERTELLA carpatica **30**: 8, 14; ***tropicalis*** **30**: 16.

LAMPRODERMA arcyrioides **24**: *103*, *104*; **53**: 324; ***arcyrionema*** **53**: 324; ***sauteri*** **24**: 103, 104; ***scintillans*** **35**: 95; **53**: 324, 333; ***violaceum* var. *sauteri*** **24**: 103, 104.

LAMPROSPORA amethystina **12**: 223, 229; **14**: 166, 175; ***annulata*** **15**: 62, 67, 70, 76; **26**: *39*, *40*, *41*; **35**: 17, 141, 142; ***arvensis*** **35**: 17, 142; ***asperella*** **32**: 77; ***biannulata*** **15**: 70, 71; ***calospora*** **23**: 228, 229; **35**: 18, 141; ***carbonaria*** **23**: 205, 228, 229; **35**: 18, 138; ***crechqueraultii*** **17**: 61; **22**: 181; **23**: 229, 230; **26**: 39, 40, 76, 78; **35**: 18, 137, 141, 142; ***crechqueraultii* f. *ovalispora*** **22**: 182; ***crechqueraultii* var. *macracantha*** **22**: 181; **35**: 18; ***crechqueraultii* var. *macrantha*** **15**: 71; **17**: 67; **23**: 229, 230; **26**: 40; **32**: 77; **35**: 18; ***crechqueraultii* var. *modesta*** **32**: 76, 77; ***crechqueraultii* var. *ovalispora*** **17**: 67; **23**: 229, 230; **26**: 40, 41; **35**: 18; **39**: 180; ***crouanii*** **22**: *212*, *213*, 214, *214*, *215*; **23**: 230; **26**: 40; **35**: 18, 138, 141, 142; ***crouanii* f. *magnihyphosa*** **22**: *212*, *213*, *214*, *215*; **23**: 230; **35**: 18; ***dictydiola*** **15**: 62, 67, 71, 76; **23**: 229; **35**: 18, 141, 238; ***georgii*** **12**: 223, 226, 229; **17**: 65; **23**: 25; **25**: 198, 199; **26**: 39; **35**: 75; **39**: 180; **47**: 195; ***jetelae*** **14**: 112; **26**: 39; **35**: 75, 88; ***lutziana*** **26**: *37*, *38*, *39*, *40*, *41*; **35**: 18, 137, 138; ***macracantha*** **35**: 18, 137, 142; ***macrantha*** **23**: 230; ***miniata*** **14**: 218; **15**: 62, 67, 72, 75, 76; **23**: 230; **25**: 109; **26**: 39, 40; **35**: 18; ***miniata* f. *magnihyphosa*** **35**: 18; ***minuta*** **31**: 69; **35**: 18, 141; ***modestissima*** **17**: 67; **35**: 18, 141; ***ovalispora*** **23**: 230; **35**: 18, 141, 142; ***planchonis*** **12**: 223, 229; ***wrightii*** **23**: 222, 227, 228; **26**: 40, 41; **35**: 18, 138.

LAMPTEROMYCES japonicus **30**: 52; **41**: 51; **48**: 98.

LANGERMANNIA gigantea **5**: 133; **9**: 40; **11**: 62; **17**: 204; **28**: 176; **42**: 160, 163, 164, 166; **43**: 185; **57**: 311; **60**: 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241.
LANGERONIA soudanensis **39**: 164.
LANZIA aesculi **43**: 65, 71, 73, 74; ***echinophila*** **47**: *101*, *102*, *103*, *104*, 104, *106*, *107*, *108*, *109*, *110*, *111*, *112*, *113*, *114*, *115*, *116*, *117*, *118*, *119*, *120*, *121*, *122*, *123*, *124*, 125; x, *126*, *127*, *128*, *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*; ***filicis-maris*** **36**: *149*, *150*, *151*; ***henningsiana*** **36**: 153; **48**: *265*, *266*, *266*, *267*, *267*, *268*, *268*, *269*, *269*, *270*, *270*; ***longipes*** **33**: 155; ***luteovirescens*** **44**: 144; **47**: 101, 106, 125.
LARICIFOMES officinalis **11**: 158, 168; **13**: 141, 145, 146, *149*, *150*, *151*; **57**: 311.
LARIDOSPORA appendiculata **63**: 140.
LASALLIA pustulata **51**: 175.
LASCHIA cinerascens **46**: 320; **49**: 164; ***cinereopruinosa*** **46**: 320.
LASIOBELONIUM subflavidum **41**: 196.
LASIOBOLUS brachytrichus **13**: 97, 102; **22**: 303, 305, 306, 308; **25**: 157, 160; **35**: 19; ***capreoli*** **13**: 96, 101; **24**: 144; **25**: 151, 156, 157, 160; **26**: 38; **35**: 19; ***ciliatus*** **16**: 107; **22**: 185, 305, 306, 308; **23**: 30, 31; **25**: 109, 156; **27**: 224; **35**: 19, 138, 139, 143; **44**: 144; ***cuniculi*** **13**: 96, 102; **25**: 151, 157, 160; **35**: 19, 138, 139, 143; ***diversisporus*** **25**: 156, 157, 160; **35**: 19, 139; **47**: 271; ***dubius*** **54**: 118, 120, 122, 124, 129; ***equinus*** **13**: 93, 96, 99, 102; **14**: 79, 90; **16**: 107; **22**: 305; **23**: 31; **25**: 156, 157; **27**: 224; **35**: 19, 143; **47**: 10; ***equinus*** **var.** ***major*** **35**: 136; ***equinus*** **var.** ***rupicaprarum*** **13**: 96, 101; **25**: 157, 160; ***intermedius*** **35**: 19; ***lasioboloides*** **35**: 19, 139; ***leporinus*** **13**: 96; **25**: 157; **35**: 19, 138, 139, 143; ***macrotrichus*** **35**: 19, 139; ***minimus*** **35**: 19; ***pilosus*** **22**: 305; **25**: 151, 156, 157, 160; **35**: 19; ***pilosus*** **var.** ***vaccinus*** **25**: 156; ***pulcherrimus*** **35**: 19; ***raripilus*** **54**: 117; ***ruber*** **25**: 157, 160; **35**: 19, 138, 139; ***stercoreus*** **47**: 13; ***vaccinus*** **35**: 19.
LASIOBOTRYS implexa **52**: 59.
LASIOCHLAENA anisea **44**: *92*, *93*, *94*, *95*, *96*, 97, *97*, *98*, *99*, *100*; ***benzoina*** **44**: 98.
LASIODIPLODIA rhodina **39**: 158; ***theobromae*** **39**: 160; **60**: 80, 82; **61**: 153, 155, 158.
LASIOSORDARIA lignicola **49**: 214.
LASIOSPHAERA gigantea **14**: 117; **15**: 17; **16**: 13; **17**: 204.
LASIOSPHAERIA britzelmayri **51**: 27; ***britzelmayri*** **subsp.** ***fennica*** **51**: 3, 12, 24; ***canescens*** **27**: 86; **61**: 87, 92; ***capensis*** **46**: 320; ***caudata*** **25**: 37; **35**: 94; **61**: 87, 90; ***glabrata*** **28**: 123; **61**: 87; ***hemipsila*** **50**: 81; ***hirsuta*** **28**: 123; **33**: 152; **61**: 87; ***hispida*** **25**: 37; **61**: 87; ***immersa*** **61**: 87, 90, 91, 92; ***larvispora*** **34**: 131; ***meznaensis*** **61**: 82; ***muscicola*** **25**: 57, 58; ***ovina*** **28**: 123; **44**: 146; **61**: 87; ***rehmiana*** **50**: 81; ***rhacodium*** **28**: 123; **61**: 88; ***sorbina*** **25**: 37; **28**: 123; ***spermoides*** **49**: 215; **56**: 275; **61**: 88, 90, 92; ***sphagni*** **25**: 57, 58; ***sphagnorum*** **25**: *56*, *57*, *58*; ***strigosa*** **25**: 35, 37, 41; **61**: 88; ***sublanosa*** **28**: 123; ***velutina*** **51**: 23.
LASIOSTICTIS fimbriata **35**: 93, 96; **37**: 70.
LATERIRAMULOSA quadriradiata **53**: 2, *9*, *10*, *11*, *12*, *13*, 24; ***uniinflata*** **54**: 255; **60**: 72; **63**: 120, 128, 142, 148.
LAURERA elatior **56**: 158.
LAURILIA sulcata **13**: 12, 15; **14**: 89; **27**: 223; **40**: 129; **59**: 61.

LAXITEXTUM bicolor **13**: 12; **14**: 98; **21**: 55; **22**: 252; **23**: 198, 201; **36**: 184; **43**: *138*, *139*, *140*, *141*, *142*, *143*, *144*, *145*, *146*; **45**: 15; **56**: 276; **60**: 213, 216, 218.
LAZULINOSPORA cyanea **45**: *75*, *76*, *77*, *78*, *79*; *wakefieldiae* **45**: 75; **59**: 181.
LEANGIUM stipatum **22**: 141.
LECANACTIS grumulosa **56**: 158; *lyncea* **var.** *spilomatica* **58**: 114; *totarae* **56**: 158.
LECANIA coeruleorubella **58**: 109, 112; *cyrtella* **50**: 282, 283; *cyrtellina* **58**: 109; *furfuracea* **56**: 154, 158; *hutchinsiae* **58**: 110; *nylanderiana* **58**: 112; *nylanderiana* **var.** *athallina* **56**: 154, 158; *suavis* **58**: 112.
LECANICILLIUM acerosum **57**: 235; *lecanii* **57**: 231; *longisporum* **59**: 208, 210, 211; *muscarium* **57**: 226, 227, 229, 231, 234; **59**: 208, 210, 211; *psalliotae* **57**: 235.
LECANIDION atratum **33**: 162.
LECANORA arizonica **23**: *15*, *16*, *17*, *18*, *19*, *20*, *21*, *22*, *23*; *campestris* **50**: 233, 238; *chondroderma* **23**: 23; *conizaeoides* **48**: 218; **50**: 287, 290; *culbersonii* **56**: 158; *demissa* **50**: 232; *dispersoareolata* **23**: 23; *epibryon* **subsp.** *broccha* **56**: 158; *expersa* **56**: 158; *garovaglii* **50**: 232; *marginalis* **23**: *19*, *20*, *21*, *22*, *23*; *meridionalis* **56**: 158; *phryganitis* **23**: 23; *polytropa* **51**: 175; *pringlei* **23**: 23; *pseudistera* **50**: *231*, 232, *232*, *233*, 237, 238; *ripartii* **50**: 233; *rubina* **23**: *17*, *18*, *19*, *20*, *21*, *22*, *23*; *rupicola* **47**: 142; *saligna* **50**: 290; **56**: 158; *soralifera* **50**: 230; **51**: 175; *subaurea* **50**: 230; *sulphurella* **56**: 158.
LECCINUM americanum **36**: 81; *arenicola* **36**: 81; *areolatum* **36**: 81; *atrostipitatum* **36**: 81; *aurantiacum* **1**: 38; **11**: 120; **14**: 89; **22**: 110; **25**: 183, 184; **27**: 9, 214; **29**: 111, 185; **30**: 25; **32**: 223; **36**: *78*, *79*, *80*, *81*, *82*, *83*, *84*; **42**: 161, 163; **43**: 3, 4, 6; **57**: 43, 45; *aurantiacum* **f.** *aurantiacum* **29**: 185; *aurantiacum* **var.** *decipiens* **22**: 110; *aurantiacum* **var.** *quercinum* **14**: 75; **15**: 13; **22**: 110, 146; **36**: 82; *avellaneum* **58**: 272; *carpini* **14**: 75, 106; **42**: 161; **57**: 45; **58**: 272; *chalybaeum* **36**: 81; *chromapes* **57**: 44, 45; *cinnamomeum* **36**: 81; *coffeatum* **36**: 81; *constrictum* **36**: 78; *crocistipidosum* **44**: 113; *decipiens* **32**: 223; *depilatum* **43**: 1, 3, 4, 11; **60**: 55; *duriusculum* **14**: 112; **15**: 13; **22**: 110; **32**: 223; **43**: 4; **57**: 45; *edule* **36**: 78, 80; *elephantinum* **36**: 78; *eximium* **57**: 44; *fibrillosum* **36**: 81; *flavostipitatum* **36**: 81; *fragrans* **43**: 1, 3, 4, 5, 11; **57**: 30; **60**: 53; *griseum* **22**: 110; **27**: 10; **33**: 165; **42**: 163; **43**: 3, 5, 6; **44**: 124; **57**: 45; *holopus* **18**: 2, 5; **22**: 110; **25**: 11, 12; **31**: 114; **32**: 221, 223; **43**: 6; **44**: 124; **57**: 45; *holopus* **var.** *americanum* **36**: 81; *impolitum* **60**: 55; *insignis* **36**: 81; *lactifluum* **36**: 78; *luridum* **36**: 78; *luteoporum* **43**: 1, 3, 5, 6; **57**: 10, 45; *melaneum* **31**: 114; **32**: 223; *molle* **58**: 272; *nigrescens* **14**: 41, 75, 111, 117; **15**: 13; **22**: 110; **33**: 165; *niveum* **43**: 1, 3, 6; **44**: 124, 125; **57**: 45; *obscurum* **36**: 81; *olivaceopallidum* **36**: 82; *olivaceosum* **58**: 272; *oxydabile* **27**: 9, 10; **31**: 114; **44**: 125; *pellstonianum* **36**: 82; *percandidum* **27**: 9, 10; **43**: 3, 6; *piceinum* **36**: 82; **43**: 3, 6; **44**: 113; **57**: 45; *piperatum* **36**: 78; *ponderosum* **36**: 82; *potteri* **36**: 82; *pseudoscabrum* **43**: 1, 3, 6; **57**: 45; **58**: 272; *quercinum* **31**: 32; **32**: 223; **36**: 82; **43**: 4; **57**: 45; *rimulosum* **36**: 82; *roseofractum* **36**: 82; **59**: 73, 76; *roseotinctum* **36**: 82; **43**: 6; **57**: 45; *rotundifoliae* **21**: 55; **25**: *11*, *12*, *13*, *14*; **43**: 3, 6; **57**: 45; *rubeolarium* **36**: 78; *rubropunctum* **57**: 44; *rufescens* **43**: 1, 3, 7; *rufum* **43**: 3, 4, 6; **57**: 45; *rugosum* **14**: 225; **22**: 110; *salicola* **36**: 82; *scabrum* **1**: 38; **12**: *120*, *121*, *122*; **18**: 12; **19**: 70; **22**: 110; **25**: 11, 12, 183; **26**: 57; **32**: 223; **36**: *78*, *79*, *80*, *81*, *82*, *83*, *84*; **42**: 161, 163, 166, 167; **43**: 7; **44**: 88; **57**: 45; *scabrum* **f.** *chioneum*

21: *110*, *111*; ***scabrum* f. *cinnamomeum* 22**: 110; ***scabrum* f. *melaneum* 22**: 110; ***scabrum* var. *avellaneum* 58**: 272; ***scabrum* var. *niveum* 15**: 13; ***snellii* 36**: 82; ***subatratum* 36**: 82; ***subcinnamomeum* 32**: 223; **44**: 113; ***subglabripes* 43**: 3, 4, 7, 11; **57**: 44; ***subleucophaeum* 36**: 82; ***subrobustum* 36**: 82; ***subtestaceum* 36**: 82; ***subtomentosum* 36**: 78; ***testaceoscabrum* 18**: 12; **19**: 70; **22**: 110; **27**: 9; **32**: 223; **43**: 7; **57**: 45; ***thalassinum* 27**: 10; **30**: 233; **32**: 220, 221, 223; **43**: 5; **44**: 113; ***variabile* 36**: 83; ***variicolor* 36**: 83; **43**: 5; **57**: 45; ***variobrunneum* 36**: 83; ***versipelle* 44**: 88; **57**: 45; **58**: 272; **64**: 157; ***vulpinum* 32**: 223; **36**: 83.

***LECIDEA fuscoatra* 53**: 288, 291, 292; ***gypsicola* 56**: 158; ***speirodes* 56**: 158; ***variegatula* 50**: 290, 292; **56**: 158.

***LECIDELLA carpathica* 47**: 140, 142; ***endolithea* 47**: 142.

***LECIOGRAPHA inspersa* 17**: *155*, 156, *156*, *157*; ***parasitica* 23**: 107; **24**: 220, 224, 226, 227.

***LECYTHOPHORA hoffmannii* 59**: 231.

***LEIFIDIUM tenerum* 56**: 158.

***LEIOPODA moranae* 20**: 70.

***LEISHMANIA donovani* 44**: 130.

***LEMALIS aurea* 35**: 97.

***LEMONNIERA aquatica* 54**: 255; **63**: 120, 124, 128, 135, 142, 148; ***centrosphaera* 63**: 143; ***cornuta* 63**: 143; ***filiformis* 63**: 143; ***pseudofloscula* 54**: 255; **63**: 143; ***terrestris* 23**: 136; **54**: 255; **63**: 120, 124, 128, 143.

***LENTARIA michenerii* 13**: 76; ***mucida* 27**: 34, 221; **31**: 115; **59**: 73, 75; ***soluta* 25**: 133.

***LENTINELLUS bisus* 19**: 184; ***bisus* f. *flabellinus* 16**: 179; ***castoreus* 7**: *165*, *166*, *167*; **16**: 173, *176*, *177*, *178*, *179*, 190; **18**: 159, 160, 170, 178; **19**: 182, 184, 185; **21**: 56, 57; **27**: 216; **36**: 114; **44**: 125; ***cochleatus* 7**: 165; **16**: 21, 157; **18**: 223; **19**: 184, 185; **23**: 79; **31**: 117; **32**: 223; **36**: 187; **44**: 216; **46**: 178, 183, 184; **53**: 53; **56**: 274; ***cochleatus* subsp. *inolens* 33**: 165; **35**: 110; ***flabelliformis* 7**: 140; **16**: 173, 178, 179, 190; **19**: *184*, *185*; **21**: 55, 59; **31**: 33; ***laurocerasi* 19**: *183*, 184, *184*, *185*; ***omphalodes* 7**: 140, 165; **16**: 190; **19**: *183*, 184, *184*, *185*; ***pilatii* 7**: *162*, *163*, *164*, *165*, *166*, *167*; **19**: 184, 185; **30**: 60; **48**: 234; **52**: 93; ***tridentinus* 7**: 140; **19**: 184; ***ursinus* 7**: 165; **16**: 177, 178, 190; **19**: *182*, *183*, *184*, *185*; **24**: 84, 109; **59**: 77, 78; ***vulpinus* 7**: *165*, *166*, *167*; **16**: 177, 178, 190; **19**: *182*, *183*, 184, *184*, *185*; **31**: 32; **59**: 77, 78.

***LENTINULA edodes* 56**: 167.

***LENTINUS adhaerens* 7**: 138; **9**: 161; **12**: 124, 198; **14**: 125; **16**: 176, 179; **19**: 115; **25**: 107; **46**: 178, 183; **56**: 274; ***auricula* 7**: 166; **13**: 40, 47; **19**: 184; ***bisus* 16**: 179; ***castoreus* 7**: *165*, *166*, *167*; **16**: *176*, *177*, *178*, *179*; ***cochleatus* 16**: 157; **53**: 35; ***crinitus* 53**: 61; ***cyathiformis* 4**: 21; **11**: 233, 234, 235; **21**: 24, 28; **53**: 54; ***degener* 14**: 125, 128, 129; **21**: *24*, *25*, *26*, *27*, *28*; **24**: 84; **25**: 193; **26**: 84, 123; **30**: 228; **46**: 320; **53**: 54; ***edodes* 30**: 52; **32**: 67, 120, 122; **37**: 125; **38**: 169, 173; **40**: 55; **48**: 57, 58; **52**: 155; **57**: 311; ***fastuosus* 46**: 320; ***flabellinus* 16**: 178, 179; ***fuscopurpureus* 46**: 320; ***holumbrinus* 21**: 161; ***hyracinus* 46**: 320; ***jugis* 2**: 37; **7**: 154, 166; ***laeviceps* 46**: 320; ***lecomtei* 53**: 61; ***lepideus* 11**: 127, 187; **12**: 197; **14**: 112, 226, 246; **16**: 21; **19**: 18, 175, 177; **21**: 24, 27; **22**: 196; **23**: 176; **26**: 84; **30**: 52; **40**: 199; **41**: 51; **44**: 209, 210, 221, 223; **46**: 82; ***martianoffianus* 46**: 320; ***melzeri* 23**: 5, 7; ***miserculus* 46**: 320; ***murrayi* 46**: 320; ***omphalodes* var. *flabelliformis* 4**: 97; **16**: 178, 179; ***schaefferi* 53**: 54; ***squamosus* 10**: 78, 83;

strigosus **53**: 61; ***suavissimus*** **7**: 156; **8**: 180; **11**: *231*, *232*, *233*, *234*, *235*; **12**: 123; **14**: 97; **15**: 14; **18**: 76; **26**: 84, 87; **53**: 31, 33, *41*, *42*, *43*, 45, 47, 50; ***suffrutescens*** **53**: 58; ***tigrinus*** **3**: 27; **5**: 18; **7**: 154; **8**: 88; **21**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*, *10*, 26, 27; **25**: 188, 193; **26**: 84, 89; **27**: *49*, *50*, *51*, *52*, *53*; **28**: 113; **30**: 21, 52, 167; **31**: *214*, *215*, *216*, *217*, *218*, *219*, *220*, *221*, *222*; **41**: 51, 53; **53**: 30, 31, *43*, *44*, *45*, *46*, *47*; ***tigrinus*** **var.** ***dunalii*** **53**: 50; ***ursinus*** **var.** ***incolorabilis*** **16**: 177; ***veraecrucis*** **34**: 71, 72; ***vulpinus*** **7**: *165*, *166*, *167*; **16**: 177, 190; **27**: 216; ***vulpinus*** **f.** ***auricula*** **16**: 177; ***woodii*** **46**: 320.

LENTODIOPSIS albida **53**: 67.

LENTOMITELLA cirrhosa **61**: 88; ***crinigera*** **61**: 88.

LENZITES abietina **5**: 17; **10**: 78; ***abietina*** **f.** ***resupinata*** **44**: 228; ***acuta*** **19**: 80, 81; ***beckleri*** **19**: 80, 81; ***betulina*** **6**: 93; **11**: 160, 169; **19**: *79*, *80*, *81*; **25**: 105; **32**: 223; **46**: 284, 287, 288; **49**: 135, 143; **55**: 155; **63**: 258; ***betulina*** **f.** ***decolorata*** **19**: 80; ***betulina*** **f.** ***flaccida*** **19**: 80; ***betulina*** **f.** ***variegata*** **19**: 80; ***betulina*** **var.** ***cubensis*** **19**: 80, 81; ***cinnamomea*** **19**: 80; ***cubensis*** **19**: 80; ***elegans*** **55**: 24; ***flaccida*** **19**: 80; ***isabellina*** **19**: 80; ***japonica*** **19**: 80, 81; ***laricina*** **45**: 91; ***madagascariensis*** **64**: 18; ***ochracea*** **19**: 80; ***pinastri*** **46**: 320; ***quercina*** **f.** ***minutipora*** **45**: 96; ***reichardtii*** **19**: 80, 81; **20**: 122; **24**: 84; **31**: 114; **43**: 43; ***rhabarbarina*** **55**: 22; ***sepiaria*** **3**: 7; **5**: 17, 125, 126; **7**: 51; **8**: 88, 91; **35**: 219; ***sepiaria*** **f.** ***monstrosa*** **44**: 228; ***sepiaria*** **f.** ***resupinata*** **44**: 228; ***sepiaria*** **var.** ***dentifera*** **17**: 174; ***torrida*** **46**: 320; ***tricolor*** **36**: 32; ***variegata*** **19**: 80; ***warnieri*** **31**: 114; **43**: 43; **47**: 209; ***wranyi*** **43**: 134.

LENZITOPSIS oxycedri **22**: 254; **57**: 326.

LEOCARPUS fragilis **18**: 164; **35**: 95; **53**: 324.

LEOTIA atrovirens **14**: 73; ***elegantula*** **46**: 320; ***gelatinosa*** **14**: 225; ***lubrica*** **52**: 7; **56**: 273; **63**: 258.

LEPIDELLA beillei **20**: 239; ***codinae*** **20**: 239; ***echinocephala*** **20**: 239; ***vittadinii*** **20**: 239.

LEPIOTA acicularis **58**: 251; ***acutesquamosa*** **13**: 57; **14**: 77; **15**: 16, 82; **20**: 126; **30**: 196; **35**: 241; **58**: 234, 254; ***acutesquamosa*** **f.** ***gigantea*** **58**: 235, 254; ***acutesquamosa*** **var.** ***furcata*** **14**: 45, 226; **16**: *219*, *220*, *221*, *222*, *223*, *224*, *225*, *226*, *227*, *228*; **58**: 234, 235, 254; ***acutesquamosa*** **var.** ***typica*** **16**: *219*, *220*, *221*, *222*, *223*, *224*, *225*, *226*, *227*, *228*; ***adulterina*** **15**: 226, 234; ***affinis*** **58**: 241, 242, 256; ***alba*** **14**: 113; **44**: 221; **58**: 229, 254, 260; ***americana*** **13**: 117; ***amianthina*** **4**: 149; **58**: 246, 257; ***amianthina*** **var.** ***evae*** **58**: 246, 257; ***amianthina*** **var.** ***foetidissima*** **58**: 246, 257; ***areolata*** **58**: 248, 258; ***aspera*** **33**: *161*, *162*, *163*, *164*, *165*; **44**: 222; **58**: 234, 235, 254, 260; ***aurantiaca*** **58**: 251; ***badhamii*** **13**: *117*, *118*, *119*; **58**: 236, 255, 256; ***badhamii*** **var.** ***badhamii*** **58**: 256; ***barlae*** **58**: 249, 259; ***bettinae*** **58**: 249, 259, 260; ***betulina*** **58**: 251; ***bohemica*** **58**: 243, 244, 257; ***boudieri*** **13**: 108, 109, 114; **58**: 232, 254, 260; ***brebissonii*** **2**: 82; ***bresadolae*** **13**: 117; **58**: 237, 255; ***brunneoincarnata*** **12**: 123; **14**: 77, 113; **16**: 233; **18**: 116; **20**: 126; **48**: 111, 112; **58**: 231, 254, 260; ***brunnescens*** **15**: 226; **20**: 126; **58**: 249, 259; ***bucknalii*** **8**: 40; ***bucknallii*** **14**: 73; **20**: 126; **21**: 53; **23**: 78, 205; **25**: 62; **37**: 216, 231; **58**: 240, 256; ***bulbosa*** **58**: 251; ***carcharias*** **11**: 128; **58**: 246, 258; ***carinii*** **16**: *220*, *221*, *222*; **58**: 249, 260; ***caroli*** **58**: 251; ***castanea*** **13**: 57; **14**: 77, 117, 226; **16**: 233; **18**: 13; **25**: 62; **29**: 27; **52**: 11; **58**: 232, 250, 254, 255, 259, 260; ***cepaestipes*** **2**: 81; **9**: 126; **13**: 58, 110, 114; **58**: 244, 257; ***cepaestipes*** **var.** ***cretacea*** **58**: 244, 257; ***cepaestipes*** **var.** ***lutea*** **9**: 125; ***cinnabarina*** **58**: 246, 258; ***citrina*** **2**: 78,

81; **9**: 125; ***citrinella*** **13**: 110, 114; ***clypeolaria*** **3**: 52; **14**: 106; **15**: 217; **16**: *219*, *220*, *221*, *222*, *223*, *224*, *225*, *226*, *227*; **18**: 13; **20**: 126; **22**: 196; **29**: 27; **32**: 223; **33**: 165; **52**: 5; **58**: 228, 229, 254, 260; ***clypeolaria*** **var.** ***alba*** **58**: 229; ***clypeolaria*** **var.** ***crocea*** **58**: 228, 254; ***clypeolaria*** **var.** ***latispora*** **58**: 249, 259; ***clypeolaria*** **var.** ***metulaespora*** **13**: 57; ***clypeolaria*** **var.** ***ochraceosulfurescens*** **58**: 228, 229, 254; ***collariata*** **58**: 248, 258; ***cortinarius*** **16**: 233; **58**: 230, 254, 260; ***cortinarius*** **var.** ***cortinarius*** **58**: 230, 254; ***cosici*** **58**: 252; ***cretacea*** **2**: 78; **9**: 126, 130, 131; ***cretini*** **16**: 234; ***cristata*** **2**: 82; **10**: 162; **12**: 214; **14**: 106, 226; **15**: 225; **16**: 224, 226, 232; **19**: 17, 115; **20**: 126; **29**: 27; **32**: 223; **33**: 165; **44**: 222; **58**: 233, 254, 260; ***cristata*** **f.** ***pseudoexcoriata*** **52**: 59; **58**: 233, 254; ***cristata*** **var.** ***cristata*** **58**: 249, 254, 259; ***cristata*** **var.** ***exannulata*** **58**: 233; ***cristata*** **var.** ***pallidior*** **58**: 233; ***cristata*** **var.** ***sericea*** **13**: 57; ***crustata*** **58**: 252; ***cygneoaffinis*** **13**: 57; **58**: 245, 257; ***cystophora*** **47**: *289*, *290*, *291*; ***cystophoroides*** **47**: 291; ***decipiens*** **58**: 248, 258; ***delicata*** **58**: 247, 258; ***densesquamosa*** **58**: 238, 255; ***denudata*** **2**: 37; **13**: 58, *108*, *109*, *110*, *111*, *112*, *113*, *114*, *115*, *116*; **58**: 244, 257; ***dumetorum*** **58**: 252; ***echinacea*** **13**: 57; **14**: 113; **16**: *220*, *221*, *222*, *223*, *224*, *225*, *226*, *227*; **58**: 235, 254, 260; ***echinata*** **3**: 106; **8**: 82, 86, 87; **13**: 57; ***echinella*** **16**: *220*, *221*; **58**: 231, 250, 254, 255, 259, 260, 261; ***echinella*** **var.** ***asperula*** **16**: *220*, *221*; ***echinella*** **var.** ***eriophora*** **16**: *220*, *221*; ***echinellus*** **58**: 231; ***eriophora*** **16**: *220*, *221*, *222*, *223*, *224*, *225*, *226*, *227*; **58**: 235, 254, 260; ***erminea*** **13**: 57; **14**: 44, 104; **16**: 226; **18**: 13, 116; **58**: 229, 254, 260; ***exannulata*** **58**: 230, 254; ***exannulata*** **var.** ***striata*** **58**: 230, 254; ***excoriata*** **2**: 31; **13**: 57; **58**: 242, 256, 257; ***excoriata*** **subsp.** ***mastoidea*** **2**: 31; ***eyrei*** **3**: *104*, *105*, *106*; **4**: 157, 158; **58**: 245, 257; ***felina*** **14**: *44*, *45*, 77; **18**: 159, 160, 171, 178; **20**: 126; **36**: 187; **58**: 230, 254, 260; **63**: 251, 258; ***flammula*** **2**: 78, 81; ***flos-sulphuris*** **2**: 78; **9**: 126, 130, 131; ***forquignonii*** **16**: 228, 234; **58**: 231, 254, 260; ***forquignonii*** **var.** ***forquignonii*** **58**: 254; ***friesii*** **34**: 100; **58**: 235, 254; ***fulvella*** **14**: 77, 226; **16**: 226, 233; **20**: 126; **21**: 53; **23**: *205*; **25**: 62; **58**: 232, 254, 260; ***furnacea*** **6**: 51, 52; ***fuscovinacea*** **23**: 205; **30**: 193, 197; **58**: 249, 259, 261; ***georginae*** **34**: 39, 41; ***glabra*** **58**: 252; ***glioderma*** **58**: 247, 258; ***globularis*** **58**: 251; ***glyciosma*** **58**: 251; ***gracilenta*** **2**: *29*, *30*, *31*; **14**: 75; **58**: 241, 256; ***gracilis*** **58**: 230; ***gracilis*** **var.** ***laevigata*** **58**: 230; ***grangei*** **16**: 219, 228; **18**: 116; **58**: 233, 254, 255, 260; ***grangei*** **f.** ***brunneoolivacea*** **13**: 57; **16**: 228; **58**: 233, 255; ***granulata*** **58**: 251; ***granulosa*** **30**: 51; **58**: 247, 258; ***granulosa*** **var.** ***amianthina*** **58**: 251; ***granulosa*** **var.** ***carcharias*** **58**: 251; ***granulosa*** **var.** ***mesomorpha*** **58**: 251; ***granulosa*** **var.** ***rufescens*** **15**: 226, 227, 234; ***griseovirens*** **16**: 233, 234; **58**: 233, 250, 255, 259, 260; ***gueguenii*** **13**: 108, 109, 114; ***haematites*** **58**: 246, 258; ***haematosperma*** **3**: 106; **8**: 82, 86; **13**: 57, 117; **16**: 158; ***hederacea*** **58**: 252; ***hedrychii*** **4**: 141, 144; **23**: 13, 14; **58**: 247, 258; ***heimii*** **58**: 249, 259; ***helveola*** **2**: 36; **6**: 40; **14**: 223; **15**: 16; **33**: 251, 252; **48**: 111, 112; **58**: 232, 255, 260; ***helveola*** **var.** ***helveola*** **58**: 255; ***heterospora*** **58**: 245, 257; ***hetieri*** **14**: 112; **15**: 217, *225*, 226, *226*, *227*, 229, 230, 232, 234; **58**: 239, 256; ***hetieri*** **f.** ***gracilis*** **15**: 226; **58**: 239, 256; ***hetieri*** **var.** ***semiglobata*** **15**: 226; **58**: 239; ***hetieriana*** **15**: 226; ***hispida*** **16**: *219*, *220*, *221*, *222*, *223*, *224*, *225*, *226*, *227*, *228*, *229*, *230*, *231*, *232*; **20**: 126; **30**: 197; **58**: 235, 255, 260; ***hispida*** **f.** ***ionobasis*** **16**: *219*, *220*, *221*, *222*, *223*, *224*, *225*, *226*, *227*, *228*, *229*, *230*, *231*, *232*; **58**: 236, 255; ***holosericea*** **58**: 237, 255; ***huysmani*** **15**: 226, 227; **58**: 239, 256; ***hystrix*** **16**: *219*, *220*, *221*, *222*, *223*, *224*, *225*, *226*, *227*, *228*; **58**: 250, 259, 261; ***ignicolor*** **16**: 233; **58**: 232, 255, 260; ***ignipes*** **16**: 226, 233; **20**: 126; **23**: 205; **58**: 250, 259, 260; ***ignivolvata*** **58**: 230, 255,

260; ***illinita*** **58**: 247, 258; ***incerta*** **2**: 81, 82; **9**: 130; ***irrorata*** **14**: 112; **58**: 250, 259; ***josserandii*** **48**: 111, 112, 113; **58**: 250, 259, 261; ***konradii*** **58**: 242, 256; ***kuehneriana*** **58**: 249, 259; ***lacerata*** **58**: 252; ***laevigata*** **8**: 122; **18**: 116; **58**: 229, 230, 255; ***langei*** **15**: 226; ***latisquamosa*** **58**: 252; ***lenticularis*** **58**: 251; ***leucothites*** **25**: 147; **30**: 52; **58**: 237, 255; ***licmophora*** **9**: 130, 131; ***lignicola*** **16**: *220*, *221*, *222*; ***lilacea*** **30**: 233; **44**: 221, 223; **58**: 233, 255, 260; ***lilacinogranulosa*** **58**: 250, 259; ***littoralis*** **36**: 188; ***locquinii*** **58**: 231, 249, 255, 259, 260; ***lutea*** **2**: 78, 80, 81; **9**: 126, 130, 131; **13**: 58, 109, 110, 114; **58**: 245, 257; ***magnispora*** **58**: 250, 259, 260; ***mastoidea*** **2**: *29*, *30*, *31*; **13**: 57; **14**: 104; **58**: 241, 256; ***mastoidea*** **var.** ***pobudae*** **58**: 241, 256; ***medullata*** **58**: 245, 257; ***meleagris*** **2**: 78; **4**: 109; **58**: 238, 255; ***meleagris*** **var.** ***nigricans*** **58**: 238, 256; ***menieri*** **58**: 250, 259; ***mesomorpha*** **58**: 248, 258; ***metulaespora*** **19**: 15, 16, 19; ***micropholis*** **58**: 233, 234, 255, 260; ***micropholis*** **f.** ***moravica*** **14**: 113; **58**: 251; ***micropholis*** **var.** ***felinoides*** **58**: 234, 255; ***microsperma*** **58**: 250, 259; ***minuta*** **58**: 250, 259; ***morieri*** **2**: 82; ***naucina*** **13**: 57, 59, 60; **46**: 19, 20; **58**: 237, 256; ***nigricans*** **58**: 238; ***nitens*** **58**: 252; ***nitida*** **58**: 252; ***nivea*** **58**: 252; ***nuda*** **23**: 176; ***nympharum*** **58**: 238, 256; ***ochraceocyanea*** **16**: 228; ***ochraceosulfurescens*** **58**: 228, 229, 254, 260; ***olgae*** **13**: 59, 60; **58**: 237, 256; ***olivieri*** **58**: 250, 259; ***oreadiformis*** **14**: 43, 226; **58**: 229, 230, 254, 255, 260; ***oreadiformis*** **var.** ***laevigata*** **58**: 229; ***ossaeiformispora*** **16**: 233, 234; ***pallida*** **58**: 250, 259, 260; ***pandorae*** **58**: 252; ***parvannulata*** **58**: 232, 255, 260; ***parvula*** **1**: 92; **14**: 104; **58**: 252; ***perplexa*** **47**: 195; **58**: 250, 259, 261; ***pilatiana*** **24**: 219; **58**: 236; ***pilodes*** **58**: 232; ***pinguis*** **58**: 248, 258; ***polinea*** **13**: 117; **58**: 248, 258; ***pomacea*** **14**: 223, 227, 228; **15**: 217; **52**: 23; **58**: 252; ***pratensis*** **58**: 229, 255, 260; ***procera*** **1**: 7; **2**: 29; **4**: 148; **5**: 73; **7**: 77, 79, 152; **10**: 248; **11**: 177; **13**: 39, 46, 48, 57; **20**: 126; **29**: 111, 185; **30**: 25, 52; **35**: 110; **58**: 240, 257; ***procera*** **var.** ***umbrosa*** **58**: 240, 257; ***prominens*** **2**: *29*, *30*, *31*; **14**: 75, 117; **58**: 241, 257; ***pseudocristata*** **58**: 242, 257; ***pseudofelina*** **16**: 233, 234; **58**: 250, 259, 260; ***pseudogranulosa*** **58**: 252; ***pseudohelveola*** **13**: 57; **14**: 77; **18**: 13; **20**: 126; **23**: 205; **25**: 62; **58**: 231, 255, 260; ***pseudohelveola*** **var.** ***pseudohelveola*** **58**: 255; ***pseudohelveola*** **var.** ***sabulosa*** **58**: 231; ***pseudolilacea*** **58**: 231, 255; ***pudica*** **29**: 27; **46**: 19, 20; ***puellaris*** **14**: 126; ***pulverulenta*** **15**: 217; ***pusilla*** **58**: 253; ***pyrochroa*** **58**: 234, 255, 260; ***rachodes*** **58**: 243; ***rachodes*** **var.** ***hortensis*** **58**: 243; ***rachodes*** **var.** ***puellaris*** **58**: 243; ***retinosa*** **58**: 253; ***rhacodes*** **3**: 7; **4**: 109, 148; **8**: 37; **9**: 99; **10**: 186; **11**: 120; **13**: 57; **14**: 117; **18**: 12; **20**: 126; **30**: 52; **35**: 110; **40**: 55; **58**: 243, 257; ***rhacodes*** **var.** ***hortensis*** **18**: 233; **58**: 243, 257; ***rhacodes*** **var.** ***puellaris*** **58**: 243, 257; ***rhodorhiza*** **16**: 226, 233; **20**: 126; **23**: 205; **30**: 232; **58**: 231, 255, 260; ***rickenii*** **2**: 30, 31; **58**: 241, 257; ***rubella*** **58**: 249, 259, 260; ***rubens*** **10**: 31; **14**: 42, 49; ***rubescens*** **58**: 242, 257; ***rufescens*** **15**: 217, 224, 226, 227, 234; ***rufovelutina*** **10**: *29*, *30*, *31*; **13**: 57; **14**: 41; **24**: 217, 219; **58**: 236, 256; ***rufovelutina*** **var.** ***sanguinescens*** **10**: *30*, *31*; **58**: 236, 256; ***rufovelutina*** **var.** ***subrubens*** **14**: 42; **58**: 237, 256; ***seminuda*** **12**: 59; **14**: 73, 126; **15**: 217, 219, 233; **20**: 126; **23**: 205; **25**: 107; **35**: 110; **44**: 124; **58**: 239, 240, 256; ***serena*** **13**: 57; **14**: 113; **58**: 238, 256; ***sericata*** **58**: 238, 239, 256; ***setulosa*** **18**: 13, 116; **20**: 126; **58**: 250, 259, 261; ***shiitake*** **4**: 36; ***sinopica*** **16**: 228; ***sistrata*** **15**: *217*, *218*, *219*, 221, *223*, *224*, *225*, *226*, 233; **58**: 240, 256; ***sladkyi*** **58**: 253; ***smithiana*** **15**: 226, 227; ***stepophila*** **58**: 248, 258; ***straminella*** **2**: 82; **13**: 110; ***subalba*** **16**: 233; ***subfelinoides*** **58**: 233; ***subgracilis*** **19**: 43, 48, 49; **58**: 230, 255, 260; ***subincarnata*** **16**: 226, 233; **18**: 116; **48**: 111, 112; **58**: 250, 259, 261; ***sublaevigata***

58: 250, 259, 260; ***sublittoralis*** **24**: 217, 219; ***tenella*** **2**: 82; ***thymiphila*** **14**: 223, 227, 228; **58**: 248, 251, 258; ***tomentella*** **16**: 233; **20**: 126; **58**: 232, 255, 260; ***variegata*** **58**: 253; ***ventriosospora*** **20**: 126; **22**: 196; **33**: 165; **44**: 125; **58**: 250, 259, 260; ***ventriosospora*** **var.** ***fulva*** **58**: 250; ***ventriosospora*** **var.** ***umbrinorufescens*** **58**: 250; ***ventriosospora*** **var.** ***ventriosospora*** **58**: 250, 259; ***wichanskyi*** **13**: 57; **14**: 42; **15**: 254; **16**: 13; **24**: *217*, *218*, *219*; **58**: 239, 256; ***xanthophylla*** **58**: 250, 259, 261; **59**: 73, 76.

LEPIOTOPHYLLUM badhamii **13**: *117*, *118*, *119*; ***heterosporum*** **58**: 245.

LEPIOTULA helveola **2**: 105; **13**: 7, 9.

LEPISTA alboalutacea **10**: 173; **19**: 100; ***amara*** **12**: 78; ***barbara*** **10**: 173; ***flaccida*** **44**: 222; **52**: 6; **63**: 258; ***gilva*** **56**: 273; ***glaucocana*** **21**: 56; **31**: 35; ***graveolens*** **32**: 218, 219; ***inversa*** **33**: 165; **44**: 88; **46**: 82; ***irina*** **19**: 43, 49, 50; **46**: 82; ***luscina*** **14**: 78; **19**: 49, *234*, *235*, *236*, *237*, *238*; **20**: 126; **26**: 67; **30**: 52; **32**: 208; **41**: 51; **43**: 86; **44**: 209; **46**: 82; ***nebularis*** **33**: 165; **41**: 51; **43**: 89, 90, 93; **44**: 222; **46**: 82; ***nuda*** **3**: 61; **14**: 77; **15**: 16, 201; **18**: 13, 20, 160; **19**: 17, *233*, *234*, *235*, *236*, *237*, *238*; **25**: 203, 209; **30**: 52; **31**: 35; **32**: 223; **33**: 165; **34**: 77; **37**: 128; **40**: 55; **42**: 161, 166, 167; **43**: 86, *88*, *89*, *90*, *91*, 93, 181; **44**: 209, 216, 222, 223; **46**: 78, 82; **52**: 10; ***nuda*** **var.** ***tridentina*** **31**: 35; ***panaeola*** **14**: 104; ***personata*** **14**: 78; **26**: 67; **32**: 208; **34**: 77, 79; **46**: 78, 82; ***phyllophila*** **33**: 165; ***saeva*** **4**: 109; **20**: 229, 234; **32**: 223; **42**: 166, 167; **43**: 86, 91; **44**: 204, 207; ***sordida*** **14**: 72; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **30**: 52; **32**: 223; **43**: 86; **46**: 6, 13, 16, 78, 82; ***truncata*** **16**: 144.

LEPOLICHEN coccophorus **53**: 288, 291, 292.

LEPORINA multispora **25**: 152, 153, 158; **35**: 77.

LEPRARIA caesioalba **51**: 175.

LEPROLOMA membranaceum **50**: 232.

LEPTOCLADIA neglecta **63**: 144.

LEPTODISCUS terrestris **49**: 1, 4.

LEPTODONTIDIUM elatius **55**: 76.

LEPTODONTIUM elatius **var.** ***ovalisporum*** **38**: 107.

LEPTOGIUM corniculatum **56**: 158; ***ferax*** **56**: 158; ***phyllocarpum*** **var.** ***daedaleum*** **56**: 158; ***subfoveolatum*** **56**: 158; ***tuckermanii*** **56**: 158.

LEPTOGLOSSUM acerosum **25**: 107, 111; **31**: 115; **44**: 88; ***candidum*** **54**: 152; ***glaucum*** **7**: 8, 10, 12, 13, 184, 185; **14**: 104; **39**: 221; ***lobatum*** **7**: 89; **14**: 174, 176; **33**: 45; ***muscigenum*** **33**: 45; **39**: 221; ***muscorum*** **7**: 89; **52**: 34; ***polycephalum*** **37**: 99, 100; ***spathulatum*** **7**: 184; **14**: 104.

LEPTOGRAPHIUM lundbergii **20**: 45, 47, 50, 53; **56**: 20; ***wingfieldii*** **59**: 237.

LEPTOMELANCONIUM allescheri **35**: 97.

LEPTOMITUS lacteus **14**: 158, 160; **26**: *233*, *234*, *235*, *236*.

LEPTONIA anatina **7**: 57, 62, 175; **29**: 27; ***asprella*** **7**: 58, 173; ***atromarginata*** **7**: 56; ***calcarea*** **52**: 59; ***caliginosa*** **7**: 56; ***catalaunica*** **18**: 5; **45**: 35; ***cervicolor*** **7**: 56, 57, 174; ***chalybaea*** **4**: 149; **7**: 57, 58; ***chloropolia*** **7**: 59; ***coelestina*** **18**: 205; ***corvina*** **18**: 5; ***dysthales*** **7**: 56; ***euchlora*** **7**: 59; ***euchroa*** **5**: 123; **7**: 57; **8**: 46; **18**: 205; **21**: 55; ***ianthina*** **7**: 56; ***incana*** **7**: 59, 60; **29**: 25, 27, 32; **30**: 197; ***involuta*** **7**: 62; ***lampropus*** **7**: 58, 173, 175; **29**: 27; ***lazulina*** **1**: 92; ***lepidissima*** **18**: 204, 206; ***linkii*** **4**: 83; **7**: 61; ***mamillata*** **7**: *173*, *174*, *175*, *176*; ***murina*** **7**: 59;

papillata **7**: 174; ***pilatii*** **7**: *174*, *175*, *176*; ***placida*** **5**: 123; **7**: *60*, *61*, *62*; **23**: 205; **27**: 216; ***placida*** **f.** ***obscura*** **7**: 56, *60*, *61*; ***rhombispora*** **7**: 57; ***rickenii*** **7**: 172; ***rosea*** **18**: 5; ***sarcita*** **7**: 174; ***sarcitula*** **18**: 5; **29**: 27, 32; ***sericella*** **7**: 58, 59; **18**: 160; **44**: 88; ***serrulata*** **7**: 57, 175; **18**: 5; ***solstitialis*** **7**: 173; ***sphagnorum*** **7**: 57, 174; **8**: 180; **11**: *147*, *148*, *149*; ***tenella*** **7**: 57; ***whiteae*** **7**: 57.

LEPTOPODIA albella **22**: 217; **35**: 13; ***atra*** **22**: 217; **35**: 13, 143; ***branzeziana*** **63**: 178; ***elastica*** **14**: 72; **22**: 217; **35**: 14, 143; ***ephippium*** **14**: 78; **22**: 217; **35**: 14; ***pezizoides*** **22**: 217; **35**: 15.

LEPTOPORUS albellus **45**: 92; ***albellus*** **f.** ***raduloides*** **45**: 92; ***albidus*** **45**: 93; ***albidus*** **f.** ***osseiformis*** **45**: 93; ***albobrunneus*** **10**: 61; ***alma-atensis*** **22**: 128; **42**: 130; ***amorphus*** **44**: 230; ***asiaticus*** **19**: 72, 76; **21**: 206, 208; **42**: 131; ***borealis*** **5**: *167*, *168*; **11**: *186*, *187*, *188*, *189*; **27**: 220; ***borealis*** **var.** ***spathulatus*** **12**: 101; ***bourdotii*** **18**: 65, 66, 68, 69, 73, 74; **42**: 130; ***braunii*** **31**: 165; ***bredecelensis*** **12**: 200; **33**: 99, 100; **42**: 130; ***bulgaricus*** **42**: 131; ***caesius*** **5**: 170; **6**: 94; **8**: *88*, *89*, *90*; **13**: 219; ***caesius*** **f.** ***dealbata*** **43**: 37; ***caesius*** **var.** ***rhenanus*** **43**: 37; ***carpatorossicus*** **43**: 37; ***chioneus*** **f.** ***resupinata*** **18**: 68, 73; ***dalmaticus*** **42**: 131; ***destructor*** **subsp.** ***sericeomollis*** **21**: 206; ***dichrous*** **18**: 68, 70, 74; ***dichrous*** **f.** ***carpathicus*** **18**: 66; ***ellipsosporus*** **43**: 39; ***epileucinus*** **44**: *228*, *229*, *230*, 235; ***erubescens*** **13**: 27; ***fissilis*** **4**: 52; **12**: 156; **20**: 185, 187; **59**: 144; ***foetidus*** **19**: 73, 77; ***fragilis*** **5**: 170; ***imberbis*** **7**: 154; ***immitis*** **43**: 36; ***jacksonii*** **43**: 38; ***kmetii*** **19**: 69, *74*, *75*, *76*, *77*; ***kymatodes*** **22**: *121*, *122*, *123*, *124*, *125*, *126*, *127*, *128*; **42**: 130; ***lacteus*** **f.** ***resupinatus*** **18**: 66, 69, 74; ***lapponicus*** **19**: 9; ***litschaueri*** **11**: 216; **19**: *70*, *71*, *72*, *73*, *74*, *75*, *76*, *77*; **21**: 206; **42**: 131; ***lowei*** **43**: 38; ***micantiformis*** **43**: 38; ***minusculoides*** **12**: 128; **43**: 38; ***moeszii*** **42**: 131; ***mollis*** **10**: 63; **13**: 27; **39**: 38; **44**: 98; **63**: 230; ***ptychogaster*** **18**: 13; ***revolutus*** **43**: 38; ***rufoflavus*** **31**: 165; ***schulzeri*** **19**: 69, 76; ***semipileatus*** **7**: 140; **20**: 175, 176; ***sericeomollis*** **21**: 208; ***simanii*** **42**: 131; ***spumeus*** **4**: 75; **19**: *71*, *72*, *73*, 76, 77; ***stipticus*** **5**: 170; **6**: 94; **8**: 88, 90, 91; **11**: 186, 189; **30**: 55; ***stipticus*** **f.** ***osseiformis*** **45**: 93; ***trabeus*** **subsp.** ***fragilis*** **var.** ***resupinatus*** **10**: 61; ***undatus*** **7**: 155; ***undosus*** **5**: 18; **8**: 88, 90, 91; **18**: 207, 208, 210, 213, 214; **26**: 38; ***uralensis*** **44**: 230; ***werneri*** **7**: 157; **42**: 129, 131; ***wynnei*** **f.** ***ellipsospora*** **43**: 39; ***zameriensis*** **18**: 65, 66, 69, 74; **42**: 131; ***zilingianus*** **42**: 129, 132.

LEPTOSPHAERIA acuta **13**: 157, 158; **26**: 46, 47, 55; ***atropurpurea*** **52**: 59; ***avenae*** **57**: 315; ***bulgarica*** **52**: 59; ***carneomaculans*** **52**: 59; ***culmifraga*** **33**: 152; ***cycadis*** **34**: 177, 178; ***depressa*** **13**: 158; ***derasa*** **26**: 46, 49, 55; ***galeopsidicola*** **52**: 59; ***huthiana*** **52**: 59; ***leucomelaria*** **24**: 222; ***macrospora*** **26**: 46, 49, 55; ***malyi*** **52**: 59; ***microscopica*** **54**: 156; ***modesta*** **26**: 46, *49*, *50*, *51*, 55; ***neottizans*** **24**: 222; ***nitschkei*** **26**: 49; ***nodorum*** **54**: 156; **57**: 315; ***ogilviensis*** **35**: 240; ***oligospora*** **24**: 221, 223; ***onagrae*** **52**: 59; ***petrakii*** **52**: 60; ***pini*** **35**: 95; ***priuscheggiana*** **52**: 60; ***rivana*** **24**: 222; ***senegalensis*** **39**: 160; ***sepincola*** **27**: 86; ***tompkinsii*** **39**: 160.

LEPTOSPORA muscicola **25**: 57, 58; ***rubella*** **35**: 240; ***spermoides*** **13**: 154.

LEPTOSTROMA austriacum **35**: 97; ***pinastri*** **63**: 158; ***pinorum*** **35**: 97; ***pinorum*** **var.** ***cembrae*** **35**: 97; ***rostrupii*** **35**: 97; ***strobilicola*** **35**: 97; ***vincetoxici*** **9**: 113.

LEPTOTHYRIUM pomi **4**: 101.

LEPTOTREMA wightii **56**: 158.

LEPTOTRIMITUS semipileatus **20**: 171, 175, 176; **22**: 146; **23**: 206; **31**: 117; **35**: 109.
LEPTOTROCHILA bistortae **44**: 144; ***ranunculi*** **44**: 144.
LEPTOTUS glaucus **7**: 8, 9, 91, 160; ***lobatus*** **7**: *89*, *90*, *91*, 160; **9**: 144; ***muscigenus*** **7**: 91; ***queletii*** **7**: 12, 13; ***retirugus*** **7**: 91.
LESPIAULTINIA requienii **39**: 68.
LETENDRAEOPSIS palmarum **56**: 36.
LETHARIA columbiana **56**: 158; ***poeppigii*** **23**: 23; ***vulpina*** **23**: 23.
LETHARIELLA intricata **56**: 158.
LETROUITIA domingensis **56**: 158.
LEUCOAGARICUS americanus **58**: 237, 255; ***badhamii*** **13**: *117*, *118*, *119*; **46**: 20; **58**: 236, 255, 256; ***badhamii*** **var.** ***badhamii*** **58**: 236, 255, 256; ***badhamii*** **var.** ***erubescens*** **58**: 237, 256; ***bresadolae*** **46**: 4, 8, 9, 19, 20; ***bresadolae*** **var.** ***bresadolae*** **58**: 237, 255; ***brunnescens*** **58**: 249; ***cretaceus*** **46**: 20; ***crystallifer*** **58**: 238; ***erubescens*** **58**: 237, 256; ***excoriatus*** **13**: 148; ***holosericeus*** **58**: 237, 255; ***leucothites*** **44**: 222; **46**: 6, 8, 19, 20, 82; **58**: 237, 255, 256; ***meleagris*** **46**: 4, 19, 20; **55**: 167; **58**: 238, 255; ***meleagris*** **f.** ***minor*** **46**: 19; ***menieri*** **58**: 250, 259; ***naucinus*** **19**: *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **25**: 147; **30**: 52; **32**: 223; ***nympharum*** **58**: 238, 243, 255, 256, 257; ***olgae*** **58**: 237, 256; ***pilatianus*** **58**: 236; ***pudicus*** **14**: 78; **43**: 86, 87, 89, 91; **44**: 204, 207; **46**: 20; ***pulverulentus*** **58**: 240, 256; ***roseolanatus*** **58**: 250, 259; ***serenus*** **58**: 238, 256; ***sericeus*** **58**: 239, 256; ***sericifer*** **58**: 239, 256; ***subcretaceus*** **46**: 8, 9, 20; ***wichanskyi*** **58**: 239, 256.
LEUCOCOPRINUS badhamii **13**: *117*, *118*, *119*; **21**: 115; ***birnbaumii*** **46**: 4, 6, 8, 9, 14, 21; **58**: 245, 257; ***brebissonii*** **9**: 130; **34**: 39, 41; **46**: 21, 22; **58**: 244, 257; ***bresadolae*** **44**: 221; **46**: 6, 19, 82; ***brunnescens*** **58**: 249, 259; ***calidarium*** **46**: 19; ***cepistipes*** **2**: 78, 79, 82; **9**: 130; **44**: 221, 223; **46**: 4, 8, 9, 21, 22; **58**: 257; ***cepistipes*** **var.** ***cepistipes*** **58**: 244, 257; ***cepistipes*** **var.** ***cretacea*** **2**: 78; ***cretaceus*** **2**: 78; ***cretatus*** **46**: 4, 6, 8, 9, 21; ***denudatus*** **9**: 130; **13**: *108*, *109*, *110*, *111*, *112*, *113*, *114*, *115*, *116*; **14**: 45; **23**: 141; **44**: 204, 207; **46**: 8, 22, 82; **58**: 244, 257; ***flos-sulphuris*** **2**: *78*, *79*, *80*, *81*, 83; **9**: 126; ***flos-sulphuris*** **var.** ***incerta*** **2**: 78, 82, 83; ***flos-sulphuris*** **var.** ***nigrescens-minor*** **2**: 82; ***gueguenii*** **13**: 108, 109, 114; ***heinemannii*** **46**: 21; ***heterosporus*** **58**: 245, 257; ***ianthinus*** **58**: 250, 259; ***licmophorus*** **9**: 130; ***lilacinogranulosus*** **46**: 8, 9, 21, 22; **58**: 250, 259; ***luteus*** **2**: 78, 80; **9**: 125, 126, 127, 130, 131; **13**: 109, 110, 114; ***magnusianus*** **13**: 109; ***meleagris*** **2**: 78; ***pilatianus*** **24**: 217; ***straminellus*** **58**: 244, 257.
LEUCOCORTINARIUS bulbiger **18**: 10, 13; **19**: 16; **22**: 196; **32**: 223; **33**: 165.
LEUCOCYTOSPORA massariana **31**: 2.
LEUCOFOMES ulmarius **11**: 157; **13**: 147.
LEUCOGASTER fragrans **4**: 93; ***liosporus*** **4**: 93.
LEUCOGOMPHIDIUS glutinosus **26**: 219; ***maculatus*** **26**: 220; **29**: 27; ***nigricans*** **26**: 219; ***oregonensis*** **26**: 219; ***pseudomaculatus*** **26**: 220; ***roseus*** **26**: 219; ***smithii*** **26**: 219; ***subroseus*** **26**: 219.
LEUCOGYROPHANA mollusca **12**: 33; ***olivascens*** **58**: 154; ***pouzarii*** **47**: 92; ***pseudomollusca*** **44**: 124, 125.

LEUCOLOMA araneosum **35**: 136; *axillare* **35**: 64; *chateri* **47**: 243; *hedwigii* **35**: 64, 136; *humosum* **var.** *bicoctisporum* **35**: 64; *lividulum* **35**: 136; *pinetorum* **28**: 135; *schenckii* **35**: 136; *subumbrinum* **35**: 136; *sydowii* **26**: *214*, *215*, *216*; *tetraspora* **26**: 138; **35**: 65.

LEUCOPAXILLUS albissimus **19**: 101; **20**: 65, 67, 68; *albissimus* **var.** *barbarus* **10**: 173; *albissimus* **var.** *lentus* **10**: 173; *albissimus* **var.** *paradoxus* **10**: 173; *alboalutaceus* **10**: 173; **19**: *100*, *101*; **20**: 230, 233; **21**: 53; **22**: 105; *amarus* **10**: 173; **12**: *78*, *79*, *80*, *81*; **14**: 125, 128, 129; **19**: 43, 50, 100; **20**: 68, *229*, *230*, *231*, *232*, *233*, *234*, *235*; **23**: 141; **30**: 228; **31**: 115; *amarus* **f.** *alboalutaceus* **12**: 79; *amarus* **f.** *bicolor* **12**: 79; *amarus* **f.** *gracilis* **12**: 79; *amarus* **f.** *roseibrunneus* **12**: 79; *amarus* **f.** *roseibrunneus* **subf.** *majusculus* **12**: 79; *amarus* **f.** *roseibrunneus* **subf.** *subminutus* **12**: 79; *amarus* **f.** *typicus* **12**: 79; *amarus* **f.** *typicus* **subf.** *major* **12**: 79, 80; *amarus* **f.** *typicus* **subf.** *minor* **12**: 78, 79; *amarus* **f.** *vulpeculus* **12**: 79; **19**: 50, 101; *amarus typicus* **12**: 79; *candidus* **10**: 173; **26**: 67; **35**: 241; *cerealis* **19**: 101; **20**: 65, 67, 68; *cerealis* **var.** *barbarus* **20**: 68; *cerealis* **var.** *lentus* **20**: 68; *cerealis* **var.** *paradoxus* **20**: 68; *gentianeus* **20**: *229*, *230*, *231*, *232*, *233*, *234*, *235*; **21**: 55, 56, 59; **30**: 193, 197; *giganteus* **10**: 173; **16**: 20; **22**: 95; **26**: 67; **35**: 110; **43**: 197; *lentus* **30**: 228; *lepistoides* **10**: 173; **22**: *95*, *96*, *97*, *98*, *99*, *100*, *101*, *102*, *103*, *104*; **26**: 67; **28**: 57, 174, 176; *lepistoides* **var.** *pannonicus* **22**: *95*, *96*, *97*, *98*, *99*, *100*, *101*, *102*, *103*, *104*; *mirabilis* **10**: 174; *nauseosodulcis* **10**: 173; *paradoxus* **3**: 8; **21**: 56, 59; **36**: 186; *pseudoacerbus* **4**: 125; **32**: 219; *pseudogambosus* **20**: *66*, *67*, *68*; *pulcherrimus* **10**: 173; *rhodoleucus* **10**: 173; **20**: *30*, *31*; *spinosulus* **10**: 173; *tricolor* **10**: 172; **12**: 79, 81, 82; **19**: 101; **23**: 78; **30**: 228, 233; **32**: 219, 220; *vulpeculus* **20**: 230.

LEUCOPORUS megaloporus **38**: 141.

LEUCORHIZON nidificum **2**: 36; **4**: 99.

LEUCOSCYPHA albodiscina **31**: 70; **35**: 19, *138*, *139*, *140*; *borealis* **49**: 156; *catharinaea* **49**: 152; *erminea* **22**: 180, 182, 183; **35**: 19, 137, 141; **44**: 140, 145; *hetieri* **23**: 231, 232; **35**: 19, 138; *leucotricha* **22**: 182; **35**: 20, 142; **49**: 156, 158; *pallida* **49**: 158; *patavina* **28**: 132; *rhodoleuca* **28**: 132; **35**: 20, 142; *ricciaecola* **35**: 20, 23, 135, 138; *rutilans* **23**: 233; **35**: 20, 138; *semiimmersa* **28**: 132; **35**: 20, 137, 138, 140, 141; *subimmersa* **47**: 195; **52**: 60; *virginea* **49**: 158; *vivida* **23**: 231, 232; **35**: 20, 138, 141, 143.

LEUCOSPORIDIUM neoformans **39**: 159; *scottii* **46**: *272*, *273*, *274*, *277*, *278*, *279*, 281.

LEUCOSTOMA kunzei **13**: 155; *nivea* **13**: 156; *persoonii* **13**: 157.

LEUCOTELIUM cerasi **56**: 128.

LEVEILLULA saxifragacearum **f.** *ribis* **12**: 163, 168, 169; *solanacearum* **39**: 253; *taurica* **12**: 168; **46**: *305*, *306*, *307*, *308*, *309*, *310*, *311*; **53**: 288, 291, 292; **60**: 259.

LEWIA infectoria **49**: 123.

LIBERTELLA betulina **27**: 145; *disciformis* **27**: 144; *faginea* **13**: 217; **27**: 140, 141, 148; **61**: 87; *faginea* **f.** *minor* **27**: 142.

LICEA biforis **53**: 324, 333, 335; *castanea* **13**: 156, 214; **16**: 41; **17**: 47, 48; *kleistobolus* **53**: 324, 331, 334, 336, 340; *minima* **17**: 48; **53**: 324, 334, 337; *operculata* **53**: 325, 338, 339; *parasitica* **33**: 150; **53**: 325, 339, 340, 341; *pusilla* **22**: 307, 308; *variabilis* **17**: 48; **53**: 325.

LICHEN aurantius **60**: 277; *flavescens* **60**: 282.

LICHENOCONIUM usneae **51**: 183, 184.
LICHENOMPHALIA umbellifera **63**: 247, 258.
LICHENOMYCES lichenum **24**: 222, 225.
LICHINA confinis **56**: 158.
LICHTHEIMIA cornealis **22**: 72; **37**: 167; ***corymbifera*** **22**: *68*, *69*, *70*, *71*, *72*, *73*, *74*, *75*; **34**: 113, 115, *117*, *118*, *119*, *120*, *121*; **37**: *166*, *167*, *168*, *169*, *252*, *253*, *254*, *255*; **43**: 243; ***corymbifera*** **var.** ***ramosa*** **37**: 168; ***corymbifera*** **var.** ***regnieri*** **22**: *68*, *69*, *70*, *71*, *72*, *73*, *74*, *75*; ***italiana*** **37**: 169; ***ramosa*** **34**: 113, 115, 116, *118*, *119*, *120*, *121*; ***ramosa*** **var.** ***rastii*** **37**: 168, 169; ***ramosa*** **var.** ***zurcheri*** **37**: 169; ***regnieri*** **22**: 72; **34**: 113; **37**: 167; ***sartoryi*** **37**: 167; ***truchisii*** **37**: 168; ***ucrainica*** **22**: 72; **37**: 167.
LIGNOSUS goetzei **64**: 17.
LIMACELLA delicata **15**: 225; ***delicata*** **var.** ***delicata*** **58**: 247, 258; ***delicata*** **var.** ***glioderma*** **58**: 247, 258; ***furnacea*** **6**: *49*, *50*, *51*, 52, 53; ***glioderma*** **15**: 16; ***guttata*** **19**: 151; **21**: 53, 57; **58**: 251; ***illinita*** **15**: 16; **18**: 10; **58**: 247, 258; ***megalopoda*** **6**: 51.
LIMACIUM agathosmum **1**: 80, 81; **3**: 28, 107; **10**: 232; **23**: 177; ***arbustivum*** **14**: 112; ***aurantiorubrum*** **4**: 148; ***camarophyllum*** **3**: 27, 60, 61, 93, 96, 107, 109; ***camarophyllum*** **subsp.** ***calophyllum*** **3**: 107, 109; ***camarophyllum*** **subsp.** ***marzuolum*** **3**: 26, 29, *57*, *58*, *59*, *60*, *61*, 92, 93, *107*, *108*, *109*; **5**: 122; **14**: 75; ***caprinum*** **3**: 107; ***chrysodon*** **4**: 149; **14**: 74, 112; **21**: 57; ***cossum*** **10**: 232, 235; ***discoideum*** **14**: 77; **18**: 13; ***eburneum*** **1**: 80, 81; **10**: 232; **12**: 124; **14**: 75; ***erubescens*** **5**: 101, 102, *104*, *105*, *106*, *107*, *108*; **14**: 77; ***fuscoalbum*** **12**: 123; **14**: 77, 113; ***gliocyclum*** **10**: 29; **14**: 77; ***hedrychii*** **1**: *80*, *81*; **10**: 29, 232; **14**: 78, 83, 117; **18**: 13; **19**: 115; **34**: 232; ***hypothejum*** **13**: 41, 48; **14**: 77; ***leucophaeum*** **4**: 149; **10**: 232, 235; **14**: 74, 75; ***lucorum*** **14**: 78; ***marzuolum*** **3**: 26, 107; **5**: 75; **16**: 157; **20**: 179; ***nemoreum*** **3**: 107, 109; ***olivaceoalbum*** **1**: 97; ***penarium*** **14**: 74; ***piceae*** **12**: 124, 125; ***poetarum*** **14**: 75, 112; ***poncae*** **5**: 108; ***purpurascens*** **5**: 106; ***queletii*** **5**: 106; **14**: 78; **18**: 116; ***russula*** **5**: *101*, *102*, *103*, *104*, *105*, *106*; **8**: 190; **14**: 75, 111, 118, 120; ***subpurpurascens*** **10**: 232, 234; ***vulpinum*** **14**: 106.
LINDERIELLA columnata **9**: 54, 55.
LINDTNERIA flava **45**: 79; ***trachyspora*** **14**: 32, 33, 35, 36, 39.
LINODOCHIUM formosum **35**: 99; ***hyalinum*** **35**: 99.
LIRULA macrospora **37**: 111.
LLOYDELLA bicolor **43**: 139; ***fusca*** **43**: 139; ***spadicea*** **13**: 144; **40**: 224; ***striata*** **27**: 222; ***subpileata*** **39**: 195, *203*, *204*; ***vinosa*** **49**: 165.
LLOYDELLOPSIS areolata **13**: 12, 16; ***chailletii*** **13**: 12, *16*, *17*; **14**: 88; **27**: 220.
LOBARIA adscripta **56**: 158; ***amplissima*** **56**: 158; ***pulmonaria*** **var.** ***meridionalis*** **56**: 158; ***retigera*** **56**: 158.
LOBOA loboi **39**: 160, 161; **44**: 1, 6, 10, 13, 132.
LOCELLINA californica **52**: 60.
LODDEROMYCES elongisporus **32**: 136; **35**: 213; **39**: 158.
LOPADOSTOMA gastrinum **12**: *145*, *146*, *147*; **33**: 215; **49**: 197; ***helveticum*** **34**: 139; ***turgidum*** **26**: 48, 49; **33**: 215.

LOPHARIA cinerascens **13**: 12; **60**: 213, 216; *crassa* **60**: 215; *heterospora* **30**: 159; *lirellosa* **46**: 320; *papyrina* **60**: 215; *spadicea* **36**: 28; **40**: *223*, *224*, *225*, *226*, *227*, *228*, *229*, *230*, *231*, *232*, *233*; **42**: 205; **45**: 15, 21, 23.
LOPHIOSPHAERA fuckelii f. *rubi* **13**: 153.
LOPHIOSTOMA insidiosum **13**: 155, 157; *mangrovei* **61**: 111; *niessleanum* **18**: 187, 188; *nucula* **13**: 158; **61**: 88, 91.
LOPHIOTREMA boreale **61**: 81, 88, 90, 91, 93; *crenatum* **13**: *157*, *158*; *duplex* **12**: 146; **13**: 156; *nucula* **12**: 146; **33**: 152.
LOPHIUM mytilinum **35**: 95.
LOPHODERMELLA sulcigena **35**: 93, 96, 97.
LOPHODERMIUM arundinaceum **14**: 104; *caricinum* **44**: 140, 145; *conigenum* **35**: 93, 97; **37**: 111; *juncinum* **56**: 63; *juniperinum* **16**: 88; *melaleucum* **14**: 126; *niesslii* **18**: 187, 188; *piceae* **37**: 111; **63**: 233; *pinastri* **6**: 152; **14**: 126; **34**: 197; **35**: 93, 97; **37**: 111; **41**: 244; *pinicolum* **22**: 51, 53, 54; *seditiosum* **35**: 93, 97; *tumidum* **16**: 88.
LOPHOPHYTON gallinae **12**: 43.
LORAMYCES juncicola **53**: 312.
LOWEOMYCES fractipes **55**: 197.
LOWEPORUS inflexibilis **55**: 27; *lividus* **38**: 142.
LUCIOTRICHUS lasioboloides **47**: 271, 272, 274.
LULWORTHIA grandispora **61**: 111, 112, 113.
LUNULOSPORA curvula **23**: 136; **53**: 281; **54**: 255, 256; **60**: 67; **63**: 120, 124, 127, 128, 143; *cymbiformis* **60**: 67; **63**: 124, 127, 128.
LYCOGALA conicum **13**: 223, 225, 226; *epidendrum* **2**: 90; **6**: 156; **13**: 223, 224, 226; **14**: 96, 106; **17**: 115, 124; **18**: 164; **29**: 29; **35**: 95; **44**: 146; **53**: 325; **63**: 223, 225, 230; *flavofuscum* **6**: 156, *156*, *157*, *158*, *159*; **13**: 223; **14**: 73; **36**: 249; **53**: 325; *flavofuscum* var. *albidum* **13**: 224; *flavofuscum* var. *armeniacum* **13**: 223; *repletum* **6**: 158; *rostafinskii* **6**: 159.
LYCOPERDON acuminatum **17**: *203*, *204*; *atropurpureum* **52**: 7; *bovista* **16**: 158; *caffrorum* **46**: 320; *calcareum* **3**: 46; *candidum* **14**: 119, 120; **18**: 9, 15, 110, 112, 116; *cretaceum* **16**: 158; *cyathiforme* **7**: 160; *decipiens* **14**: 111, 118, 120, 124, 224, 227, 228; **17**: 204; **18**: 9, 15; **29**: 25, 28; *decipiens* var. *rimulatum* **17**: 204; *echinatum* **12**: 214; **14**: 74; **15**: 17; **17**: 204; **21**: 57; **26**: 238, 240; **43**: 93; **46**: 175, 179, 181; *echinulatum* **17**: 203, 204; *equinum* **10**: 143; *ericetorum* **14**: 71, 104, 224, 227, 228; **17**: 204; **18**: 9, 15, 112, 116; *ericetorum* var. *pusillum* **15**: 97; **28**: 176; *foetidum* **17**: 204; **46**: 84, 177, 182; *fragile* **17**: 203; *furfuraceum* **1**: 50, 51; **3**: 46; *gemmatum* **13**: 41, 42, 46; *giganteum* **18**: 187; *gossypinum* **10**: 144; *herculeum* **15**: 196, 197, 199; *hungaricum* **18**: 110, 112, 116; *kalchbrenneri* **49**: 166; *leprosum* **17**: 204; *lividum* **44**: 204, 207; **46**: 84; *lumbicale* **20**: 196; *mammiforme* **12**: 214; **14**: 75, 113, 226; **15**: 17; **17**: 204; **19**: 114; **20**: 126; **21**: 57; **25**: 62; **26**: 37; **29**: 28; **33**: 159, 161, 166; **36**: 189; **58**: 154; *marginatum* **46**: 320; **49**: 166; *molle* **12**: 214; **14**: 113, 126, 226; **18**: 13; **19**: 17; **25**: 188; **43**: 93; **52**: 213; *molle* var. *atropurpureum* **14**: 111; *mundula* **46**: 320; *muscorum* **7**: 192; **17**: 204; *omnium minimum* **10**: 144; *pachydermum* **64**: 66, 70; *perlatum* **4**: 109; **14**: 106, 226; **18**: 12, 13; **19**: 15, 16, 19; **29**: *153*, *154*, *155*; **30**: 56; **32**: 223; **33**: 166; **35**: 199; **38**: 220; **41**: 51;

42: 115, 158; **44**: 141, 209; **46**: 177, 182, 185, 286; **52**: 5, 213, 215; **63**: 258; ***perlatum* var. *albidum*** **14**: 113; ***perlatum* var. *nigrescens*** **17**: 204; **33**: 166; ***pilatii*** **7**: 146; ***polymorphum*** **17**: 204; ***pusillum*** **1**: 50, 51; **3**: 46, 49; **4**: 23; **8**: 144; **17**: 203; **18**: 112, 116; **32**: 223; **33**: 157; ***pyriforme*** **4**: 109; **8**: 86; **9**: 99; **14**: 88, 106, 226; **15**: 17; **18**: 163; **26**: 37; **27**: 222; **29**: 28; **35**: 110; **44**: 141; **46**: 177, 183, 184, 288, 289; **52**: 8; **56**: 276; **63**: 258; ***pyriforme* var. *acuminatum*** **17**: 204; ***pyriforme* var. *desmazierii*** **27**: 222; ***pyriforme* var. *icterinum*** **46**: 324; ***pyriforme* var. *serotinum*** **17**: 204; ***pyriforme* var. *tesselatum*** **17**: 204; ***rimulatum*** **17**: *203*, *204*; ***rufum*** **22**: 138; ***serotinum*** **17**: 204; ***spadiceum*** **1**: 50, 51; **3**: 46; **8**: 122; **13**: 155; **14**: 71, 104, 224, 227, 228; **15**: 96; **18**: 9, 15, 110, 112, 116; **32**: 208, 223; ***tabellatum*** **46**: 320; ***umbrinum*** **14**: 76, 126; **17**: 204; **25**: 188; **52**: 11; ***umbrinum* var. *hirtellum*** **14**: 76; ***velatum*** **14**: 75; **25**: 62; ***xerophilum*** **3**: 46.

LYLEA tetracoila **33**: 146; **61**: 88.

LYOPHYLLUM aggregatum **19**: 128, *233*, *234*, *235*, *236*, *237*, *238*; ***ambustum*** **14**: 104; **23**: 205; ***atratum*** **14**: 79; ***caerulescens*** **43**: 55, 56; ***carbonarium*** **23**: 205; ***connatum*** **14**: 126; **28**: 175; **29**: 81; **44**: 88, 221; ***crassifolium*** **43**: 52; ***decastes*** **28**: 175; **43**: 56; **44**: 222, 223; ***deliberatum*** **52**: 5; ***erosum*** **10**: 180, 183; **26**: 212; ***gibberosum*** **14**: 96; **23**: 205; ***immundum*** **14**: 225; **43**: 57; ***infumatum*** **14**: 73, 112, 125, 225; ***inolens*** **20**: 127; ***ionides* var. *conicosporum*** **30**: 228; ***loricatum*** **15**: 225; **36**: 186; ***ovisporum*** **43**: 56; ***ozes*** **14**: 77, 225; **21**: 53; **23**: 205; ***paelochroum*** **43**: 55, 57; **52**: 8, 13; ***palustre*** **14**: 96; **16**: 157; **18**: 223; **21**: 54; **23**: 79; **26**: 123; ***plexipes* f. *atrum*** **26**: 211; ***plexipes* f. *typicum*** **10**: 180; ***rancidum*** **5**: 120; **10**: 29, 181; **14**: 77, 225; **19**: 16; ***semitale*** **18**: 13; **31**: 33; ***sphaerosporum*** **23**: 205; ***transforme*** **52**: 8; ***ulmarium*** **14**: 73; **30**: 52; **34**: 58, 59; **36**: 186; **41**: 51; **44**: 222.

LYSURUS archeri **12**: 122; ***gardneri*** **17**: 203; **20**: 242; **28**: *181*, *182*, *183*.

MACBRIDEOLA cornea **26**: 103, 105, 109, 112.

MACENTINA abscondita **56**: 158.

MACOWANITES agaricinus **46**: 320; ***fulvescens*** **48**: 241; ***galileensis*** **48**: *240*, *241*; ***krjukowensis*** **48**: 241.

MACROCYSTIDIA cucumis **14**: 79, 104; ***cucumis* var. *leucospora*** **20**: 70, 145.

MACROLEPIOTA affinis **58**: 241, 256; ***bohemica*** **46**: 22, 23; ***excoriata*** **14**: 78, 104, 223; **43**: 93; **44**: 222, 223; **46**: 82; **52**: 213; **58**: 242, 256; ***excoriata* var. *excoriata*** **58**: 242, 256; ***excoriata* var. *rubescens*** **58**: 242, 257; ***heimii*** **58**: 249, 259; ***konradii*** **58**: 242, 256; ***mastoidea*** **52**: 10; **58**: 241, 256, 257; ***mastoidea* var. *atrobrunnea*** **44**: 113; ***mastoidea* var. *mastoidea*** **58**: 256; ***naucina*** **8**: 122; ***nympharum*** **58**: 238; ***olivieri*** **58**: 250, 259; ***procera*** **14**: 106, 226; **18**: 12, 13; **19**: 16; **22**: 196; **30**: 21; **32**: 223; **33**: 165; **38**: 220; **41**: 51; **42**: 158, 161, 163, 166; **48**: 234; **52**: 11, 213; **58**: 240, 257; ***procera* var. *procera*** **58**: 257; ***prominens*** **58**: 241, 242, 257; ***puellaris*** **44**: 221, 223; **58**: 238, 243, 255, 256, 257; ***rachodes*** **58**: 243; ***rachodes* var. *bohemica*** **58**: 243, 244, 257; ***rachodes* var. *rachodes*** **58**: 243, 257, 259; ***rhachodes*** **58**: 250, 257; ***rhacodes*** **18**: 12; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **30**: 52; **32**: 223; **33**: 165; **41**: 51; **42**: 166; **44**: 222; **46**: 23, 82; ***rhacodes* var. *hortensis*** **46**: 22; ***rickenii*** **58**: 241, 256, 257; ***venenata*** **46**: 22, 23; **48**: 98.

MACROPHOMA acuaria **37**: 111; ***malorum*** **4**: 101.

MACROPHOMINA phaseoli **35**: 48; ***phaseolina*** **55**: 262, 268; **56**: 223, 224, 225, 226.

MACROPLODIA corticale **46**: 320.
MACROPODIA bulbosa **35**: 136; *corium* **35**: 13; *fechtneri* **21**: 251; *helvelloides* **35**: 136; *hispida* **35**: 136; *macropus* **9**: 18; **14**: 88; **19**: 17; **22**: 181; **27**: 224; **35**: 15; *macropus* **f. *alba*** **35**: 15; *minor* **35**: 16; *semitosta* **62**: 3.
MACROSCYPHUS cereus **24**: 64; *coccineus* **13**: 3; *radiculatus* **11**: 92; *sowerbyi* **11**: 92.
MACROSPORIUM calendulae **49**: 120; *commune* **43**: 243; *euphorbiae* **6**: 14; *malvae-vulgaris* **52**: 60; *myrmecophilum* **14**: 148, 149; *punctatum* **46**: 320; *solani* **29**: 43.
MACROTYPHULA juncea **52**: 12.
MADURELLA grisea **39**: 161; *mycetomatis* **39**: 161; *romeroi* **39**: 161, 162.
MAGDALAENAEA monogramma **53**: 4, 7; **63**: 143, 148.
MAGNUSIA nitida **6**: 83.
MALASSEZIA furfur **25**: 219; **34**: 29; **35**: 214; **39**: 161; **45**: *164*, *165*, *166*, *167*, *168*, *169*, *170*, *171*.
MALBRANCHEA arcuata **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; *cinnamomea* **55**: 256; **61**: 149, 153, 155, 157; *gypsea* **58**: 117, 119, 120, 121, 122, 123; *pulchella* **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **53**: 152; **59**: 130, 132, 134; *pulchella* **var. *sulphurea*** **53**: 152.
MALCOLMIELLA cinereovirens **56**: 158; *cinereovirens* **var. *isidiata*** **56**: 154, 158.
MAMIANIA coryli **28**: 222; *fimbriata* **28**: 222.
MANINA schiedermayeri **7**: 118.
MARASMIELLUS albiceps **63**: 205; *albocorticis* **63**: 205; *albofuscus* **63**: 205; *albus-corticis* **63**: 204; *alneus* **63**: 205; *alvaradoi* **63**: 203, 205, 207, 210, 211; *amadelphus* **35**: 110; *bisporiger* **60**: 24; *bisporigerus* **60**: 24; *candidus* **63**: 205; *chamaecyparidis* **63**: 205; *cinereus* **63**: 205, 207; *coilobasis* **63**: 205; *columbianus* **63**: 205; *confertifolius* **63**: 205; *corsicus* **60**: 21, 22, 23, 24; *corticum* **63**: 205, 207; *dendroegrus* **63**: 205, 208; *distantifolius* **63**: 205; *dryogeton* **63**: 206; *eburneus* **63**: 206; *enodis* **63**: 206, 208; *epochnous* **63**: 204, 206, 207; *fibula* **63**: 204; *filocystis* **63**: 206; *goossensiae* **63**: 206; *gossypinulus* **63**: 206; *gracilis* **14**: 89; **27**: 215; *hondurensis* **63**: 206; *languidus* **44**: 88; *laschiopsis* **63**: 206; *maasgeesterani* **60**: 24; *maritimus* **60**: 21, 24; *mesosporus* **63**: 206; *nigripes* **63**: 206; *nivosus* **63**: 206; *oligocinsulae* **63**: 206, 208; *omphaliformis* **48**: *257*, *258*, *259*; *panamensis* **63**: 206, 208; *perforans* **56**: 277, 281, 282; *pernambucensis* **63**: 206; *petiolorum* **63**: 206; *picipes* **63**: 206; *pilosus* **63**: 206; *pseudoparaphysatus* **63**: 206; *purpureus* **63**: 203, 206, 209, 211, 212; *pusillimus* **63**: 206; *quercinus* **63**: 207; *ramealis* **20**: 21; **34**: 38, 41; **52**: 4, 6; **63**: 204, 207; *ramealis* **var. *macrosporus*** **60**: 24; *roseotinctus* **60**: 24; *salicicolus* **63**: 204, 207; *sanctae-marthae* **63**: 208; *sinensis* **63**: 208; *sprucei* **63**: 208; *stenophylloides* **63**: 208; *stenophyllus* **63**: 209; *subcoracinus* **63**: 209; *subdealbatus* **63**: 209; *subepiphyllus* **63**: 209; *subgraminis* **63**: 210; *synodicus* **63**: 210; *tenerrimus* **63**: 210; *tetrachrous* **63**: 210; *tricolor* **var. *vialis*** **63**: 210; *troyanus* **63**: 209, 210.
MARASMIUS acervatus **18**: 28; *alliaceus* **4**: 157; **7**: 140; **9**: 103; **12**: 214; **14**: 87, 110, 118, 120; **16**: 157, 186; **18**: 160, 223; **20**: 110; **21**: 236; **24**: 178; **27**: 216; **43**: 31, 32, 88, 91, 93; **44**: 213, 214; **46**: 82, 176, 182, 185, 282, 286, 290; **52**: 11; **56**: 270, 274; *alliatus* **4**: 73; *alniphilus* **45**: 34; *androsaceus* **4**: 148, 149; **14**: 96, 106, 225, 226; **19**: 17; **22**: 196; **25**: 107; **32**: 109; **35**: 91; **36**: *1*, *2*, *3*, *4*; **41**: 85; **44**: 88; **46**: 173, 175, 180; **52**: 5; **56**: 272, 281, 282; **63**: 153, 156, 158, 159;

anisocystidiatus **52**: 60; ***anomalus*** **42**: *71*, *72*, *73*, 74; ***anomalus*** **var.** ***microsporus*** **42**: 74; ***atrorubens*** **56**: 86, 87, 88, 89; ***berteroi*** **var.** ***major*** **56**: 108; ***bingaensis*** **56**: 87, 90, 91, 92; ***brassicolens*** **18**: 27; ***bresadolae*** **18**: 28; **30**: 228; ***bulliardii*** **43**: 77, 79, 80; **45**: 34; **52**: 11; **56**: 273, 282, 285; ***bulliardii*** **f.** ***acicola*** **43**: 77; ***calobates*** **46**: 320; ***camerunensis*** **56**: 92; ***capillipes*** **26**: 117, 118; ***capillipes*** **var.** ***macrosporus*** **14**: 113; ***carpathicus*** **46**: 320; ***caryophylleus*** **18**: 13; ***cauticinalis*** **38**: *205*, *206*, *207*, *208*, *209*, *210*; ***cauvetii*** **18**: 27; **30**: 228; ***chordalis*** **22**: 192, 196, 200; ***cohaerens*** **34**: 39, 41; **46**: 175, 181; **52**: 11; ***confertus*** **56**: 92, 93, 106; ***confluens*** **18**: 28, 160, 166; **20**: 21; ***coniatus*** **8**: 58; ***conigenus*** **48**: 41; ***corrugatiformis*** **56**: 94, 95, 96, 106; ***cureyi*** **45**: 34; ***dryophilus*** **18**: 28, 168; **19**: 115; ***epidryas*** **16**: 157; **23**: 79; **60**: 26; ***epiphyllus*** **14**: 225, 226; **32**: 223; **33**: 165; **34**: 39, 41; **43**: *87*, *88*, *89*, 91; **46**: 82; **52**: 6; ***epodius*** **42**: 71; ***epodius*** **var.** ***microsporus*** **42**: 72, 74; ***esculentus*** **9**: 144; ***eufoliatus*** **7**: 140; ***favrei*** **var.** ***sorbi*** **52**: 60; ***ferruginoides*** **56**: 96, 97, 98; ***filaris*** **46**: 320; ***flotowiophilus*** **36**: 3; ***foetidus*** **3**: 73, 74; **14**: 73; **16**: 157; **18**: 238; **20**: 170; **23**: 80; ***fulvobulbillosus*** **38**: 206, 212; ***fulvoferrugineus*** **46**: 210; ***fuscopurpureus*** **14**: 113; **18**: 28, 168; ***gardneri*** **56**: 96; ***gelidus*** **18**: 166, 168; ***glaucopus*** **56**: 90; ***graminum*** **14**: 78, 104; **23**: 199; **42**: 73, 74; **45**: 34; ***grandisetulosus*** **56**: 88, 98, 99; ***haediniformis*** **56**: 87, 100, 101, 102, 108; ***haematocephalus*** **56**: 103, 104, 250; ***hariolorum*** **7**: 158; ***heinemannianus*** **52**: 60; ***hybridus*** **18**: 28, 160, 168, 178; ***hypophaeus*** **46**: 211; ***impudicus*** **4**: 74; **18**: 27; ***ingratus*** **f.** ***polytrichorum*** **52**: 60; ***inodorus*** **18**: *24*, *25*, *26*, *27*, *28*; ***kallioneus*** **60**: 26; ***katangensis*** **56**: 96, 104, 105, 106; ***languidus*** **14**: 46, 106, 113; ***lignicola*** **3**: 73, 74; ***limosus*** **11**: 104; **45**: 34; ***littoralis*** **42**: *71*, *72*, *73*, *74*; ***littoralis*** **subsp.** ***agropyri*** **42**: 75; ***littoralis*** **var.** ***epodius*** **42**: 71; ***lupuletorum*** **14**: 76, 106; **18**: 13; **34**: 39, 41; **35**: 110; ***luteostipitatus*** **56**: 85, 87, 88, 106, 107, 108; ***minutissimus*** **49**: 164; ***montagneanus*** **46**: 211; **56**: 99; ***musisporus*** **56**: 251; ***nivalis*** **60**: 25; ***nummularis*** **56**: 90; ***obliquus*** **34**: 71; ***obscurus*** **18**: 28; ***oreades*** **4**: 109; **5**: 75, 128; **6**: 40; **7**: 77, 79; **9**: 191; **10**: 28; **13**: 39, 41, 42, *46*, *47*, *48*; **14**: 44, 104; **18**: 12, 233; **19**: 16, *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **20**: 19, 145; **26**: 67; **28**: *54*, *55*, *56*; **29**: 27; **30**: 27, 31, 52; **32**: 223; **37**: 122; **41**: 51; **42**: 115, 166; **43**: 87, 181; **44**: 209, 222; **45**: 35; **46**: 82; **48**: 12; ***pallidocephalus*** **36**: 5; **41**: 87; ***perforans*** **4**: 72, 73, 160; ***peronatus*** **4**: 148; **14**: 76; **18**: 28, 160, 166, 168; **20**: 21; ***pilegerodendri*** **36**: 3; ***pilopus*** **46**: 320; ***plicatulus*** **46**: 211; ***poromycenoides*** **56**: 251; ***porreus*** **48**: 309, 312; ***prasiosmus*** **14**: 112; **48**: 309, 310; ***pulcher*** **54**: 238; ***purpureostriatus*** **56**: 251; ***purpureus*** **63**: 211, 212; ***putillus*** **5**: *19*, *20*, *21*; **7**: 191; **18**: 28; ***querceus*** **48**: 310, 312; **60**: 26; ***quercophilus*** **36**: *1*, *2*, *3*, *4*, *5*, *6*; **41**: 86; **52**: 9; **60**: 25; ***ramealis*** **7**: 154; **29**: 27; **33**: 165; ***recubans*** **7**: 140; ***rhyticeps*** **46**: 320; ***rotalis*** **14**: 106; ***rotula*** **4**: 72, 73, 157, 158, 160; **14**: 106, 226; **18**: 13, 161; **22**: 196; **29**: 28; **35**: 110; **42**: 71, 74; **44**: 88; **45**: 34; **46**: 175, 181; **52**: 5; ***rotula*** **f.** ***acicola*** **43**: 77, 80; ***rufocarneus*** **18**: 24, 28; **20**: 18, 22; ***rufopallidus*** **46**: 320; ***schoenopus*** **46**: 320; ***scorodonius*** **2**: 93; **5**: 128; **19**: 18, 115, *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **20**: 59; **29**: 28; **30**: 52; **32**: 223; **35**: 110; **41**: 51; **43**: 78, 87, 91, 93; **46**: 82; ***scorodonius*** **var.** ***virgultorum*** **60**: 26; ***setosus*** **56**: 273; ***siccus*** **46**: 210; ***sierraleonis*** **46**: 210; **56**: 108, 109; ***skalae*** **46**: 210; **52**: 60; ***splachnoides*** **14**: 76, 130, 132; **18**: 168; **32**: 223; **35**: 241; **36**: 1, 4, 5; **41**: 87; ***tenerrimus*** **43**: 77, 79, 80; ***tenuisetulosus*** **46**: 211; **56**: 99; ***teplicensis*** **46**: *209*, *210*, *211*, *212*; **52**: 60; ***terginus*** **18**: 28, *166*, *167*, *168*; ***torquescens*** **52**: 8; ***urens*** **23**: 177; ***violaceoides*** **56**: 247, 249,

250, 251; ***violaceus*** **56**: 247, 249, 250, 251; ***wettsteinii*** **36**: 58; **43**: 77; **45**: 34; **56**: 273, 277; ***wynnei*** **14**: 225; **18**: 13, 161; **19**: 17; **29**: 28; **35**: 241; **44**: 88; **52**: 11.

MARCELLEINA atroviolacea **23**: 25, 233; **25**: 198; **35**: 76; ***benkertii*** **47**: 195; **52**: 60; ***brevicostatispora*** **25**: *197*, 198, *198*, *199*; **35**: 75; **52**: 60; ***donadinii*** **47**: 195; **52**: 60; ***persoonii*** **23**: 25, 234; **25**: 198, 199; **35**: 75; ***persoonii*** **var.** ***amethystina*** **25**: 198; ***planchonis*** **23**: 233; **25**: 198; **35**: 76.

MARCHANDIOMYCES corallinus **51**: 183.

MARGARINOMYCES bubakii **28**: 239; ***heteromorpha*** **33**: 172.

MARGARITISPORA aquatica **63**: 143.

MARIAELLA bovina **41**: 73, 76, 77, 78, *80*, *81*, *82*, 84; **45**: 6; **57**: 4, 9, 10, 15, 16, 21, 22, 23.

MARIANNAEA elegans **37**: 112; **43**: 243; **44**: 40, 49; **53**: 215, 217; **56**: 10.

MARSSONIA helosciadii **37**: 81.

MARSSONINA aegopodii **37**: 81; ***ershadii*** **34**: 177, *179*, *180*, 181, *181*; ***helosciadii*** **37**: 81; ***moravica*** **52**: 60; ***truncatula*** **34**: 181.

MASONIELLA grisea **43**: 243.

MASSARIA alpina **27**: 86; ***anomia*** **13**: 157, 158; ***argus*** **13**: 221; ***eburnea*** **13**: 217, 221; ***inquinans*** **49**: 200; ***inquinans*** **f.** ***pyri*** **49**: 200; ***niessleana*** **18**: 187, 188; ***pruni*** **49**: 200; ***pupula*** **12**: 185; **13**: 219, 220; ***pyri*** **49**: 200, 202, 204; ***stipitata*** **26**: 43, 48, 50, 55.

MASSARIELLA bufonia **12**: 148; ***curreyi*** **12**: 148.

MASSARINA eburnea **26**: 48, 50, 55; ***ploettneriana*** **25**: 38; ***velatispora*** **61**: 111.

MASSOSPORA staritzii **21**: 177.

MAZOSIA phyllosema **56**: 158.

MEGACLADOSPORIUM cerasi **25**: 165, 168; ***crataegi*** **25**: 165; ***depressum*** **25**: 165; ***pyrinum*** **25**: 165, 166.

MEGACOLLYBIA platyphylla **26**: 220; **27**: 216; **30**: 52; **32**: 223; **44**: 88, 222; **46**: 176, 179, 182, 185, 287, 288; **48**: 98; **52**: 11; **56**: 274, 285; **60**: 203, 204; **63**: 6, 258.

MEGALODOCHIUM elaeidis **37**: 17; ***inflatum*** **37**: 13, 16, 17.

MEGALOSPORA gompholoma **56**: 158.

MEGATRICHOPHYTON megninii **12**: 44; ***roseum*** **12**: 44.

MELACHROIA xanthomela **12**: 123.

MELAMPSORA abieti-caprearum **56**: 138; ***allii-fragilis*** **56**: 128; **62**: 92, 99; ***allii-populina*** **56**: 128; ***alpina*** **10**: 53; ***amygdalinae*** **56**: 128; **57**: 262; ***ari-salicina*** **55**: 281; **56**: 128; ***caprearum*** **53**: 99; **56**: 128; **62**: 92, 99; ***caryophyllacearum*** **62**: 99; ***epitea*** **53**: 99, 113; **62**: 92, 99; ***euonymi-caprearum*** **56**: 128; ***euphorbiae*** **53**: 99; **56**: 128; ***euphorbiae-amygdaloidis*** **56**: 128; ***euphorbiae-dulcis*** **56**: 128; ***euphorbiae-gerardianae*** **56**: 128; ***galanthi-fragilis*** **56**: 124, 128; ***helioscopiae*** **56**: 128; **57**: 262; ***hiratsukanum*** **57**: 270; ***hypericorum*** **53**: 99, 113; **56**: 128; **57**: 271; ***lapponum*** **56**: 128; ***larici-epitea*** **56**: 128; **57**: 262; ***larici-pentandrae*** **56**: 138; ***larici-populina*** **53**: 99; **56**: 128; **57**: 262; ***laricis*** **56**: 128; ***lini*** **53**: 100; **56**: 128; ***liniperda*** **56**: 128; ***magnusiana*** **56**: 128; ***minutissima*** **56**: 138; ***pinitorqua*** **11**: 184; **35**: 91; **56**: 128; **62**: 99; ***populnea*** **35**: 91; **53**: 100, 113; **62**: 92, 99; ***repentis*** **56**: 128; ***ribesii-purpureae***

56: 128; ***ribesii-viminalis*** **56**: 128; ***rostrupii*** **56**: 129; ***salicis-albae*** **56**: 129; ***vernalis*** **53**: 100; **56**: 129; **57**: 272.

MELAMPSORELLA caryophyllacearum **11**: 184; **56**: 129; ***symphyti*** **62**: 97.

MELAMPSORIDIUM alni **55**: 282; ***betulinum*** **35**: 241; **53**: 100; **55**: 282, 283; **56**: 129; **62**: 92; ***carpini*** **56**: 129; ***hiratsukanum*** **55**: 277, 281, 282, 283, 285, 286; **56**: 129; **57**: 262.

MELANCONIS alni **13**: 220; **27**: 86, *91*, *92*, *93*; **28**: 3, *6*, *7*, *8*, *15*, *16*, *17*; **31**: 1; ***alnicola*** **10**: 209; ***aucta*** **10**: 209; **12**: 146, 186; **13**: 156, 220, 222, 223; ***chrysostroma*** **13**: 154, 158; ***desmazierii*** **10**: 209; ***flavovirens*** **36**: *118*, *119*, *120*; **37**: 125; **38**: 180; **41**: 167; **45**: 53; ***glutinosae*** **10**: *208*, *209*; ***modonia*** **34**: *152*, *153*, *154*, *155*, *156*; ***perniciosa*** **34**: 152; ***spadicea*** **13**: 218; ***stilbostoma*** **13**: 156, 221; **28**: 3, 6, 7, 9, 17; **31**: 1, 2; ***thelebola*** **13**: 220.

MELANCONIUM betulinum **13**: 156, 221; ***bicolor*** **28**: 7, 9; ***dimorphum*** **27**: 92, 93; **28**: 4, 6, 7, *14*, *15*, *16*, *17*; **31**: 2; ***echinospermum*** **6**: 14; ***gelatosporum*** **52**: 60; ***juglandinum*** **11**: 125, 126; **13**: 158; ***ramulorum*** **13**: 218; ***sphaeroideum*** **13**: 220; **27**: 92; **28**: 6, 7, 9, *14*, *15*, *16*, *17*; ***stromaticum*** **13**: 158; **26**: 123.

MELANELIA infumata **56**: 159; ***loxodes*** **50**: 232; ***verrucilifera*** **51**: 175, 177.

MELANIDIUM longicaudatum **27**: 86.

MELANOCEPHALA australiensis **38**: 107, 108; ***cubensis*** **42**: 23, 25; ***triseptata*** **38**: 108; **40**: 150; **42**: 27.

MELANOCHAETA aotearoae **50**: 82; ***hemipsila*** **50**: 74, 76, 81, 82.

MELANOGASTER ambiguus **3**: 75, 76; **14**: 72, 75; **18**: 12; ***broomeianus*** **14**: 75, 112; ***broomeianus*** **var.** ***pseudorubescens*** **14**: 112; **33**: 161, 165; ***macrosporus*** **2**: 65; **14**: 75; **20**: 28; ***owanianus*** **46**: 320; ***rubescens*** **2**: 65; ***tuberiformis*** **20**: 28; ***variegatus*** **2**: 64, 65; **14**: 113.

MELANOGONE puccinioides **18**: 103, *105*, *106*, *107*; **21**: 80.

MELANOGRAPHIUM citri **40**: 150; ***selenioides*** **38**: 108; **40**: 150.

MELANOLEUCA alboflavida **4**: 68; ***bicolor*** **20**: 230; ***brevipes*** **4**: 70, 71; **18**: 116; **32**: 208, 223; **46**: 16; ***candida*** **11**: 127; ***cinerascens*** **37**: 55; **43**: 56; ***cognata*** **4**: 68; **11**: 127; **14**: 117; **19**: 17; **33**: 165; **44**: 88; ***dehiscens*** **49**: 166; ***evenosa*** **4**: 68; **18**: 224; ***exscissa*** **37**: 55; **43**: 56; ***graminicola*** **22**: 196; **37**: 55; **46**: 16; ***grammopodia*** **14**: 77, 117; **18**: 116; ***grammopodia*** **var.** ***alba*** **4**: 68; ***iris*** **15**: 225; **37**: *52*, *53*, *54*, *55*; ***kalchbrenneri*** **49**: 166; ***kavinae*** **4**: 68; ***luscina*** **32**: 223; ***melaleuca*** **14**: 104; **29**: 28; **32**: 223; ***polioleuca*** **4**: *68*, *69*, *70*, *71*; **7**: 159; **15**: 225; ***roseibrunnea*** **20**: 230; ***spegazzinii*** **43**: 55, 56; ***stepposa*** **14**: 113; ***strictipes*** **23**: 176; **32**: 223; ***stridula*** **27**: 27; **30**: 228; ***verrucipes*** **46**: 16; ***vulgaris*** **8**: 122.

MELANOMMA aterrima **50**: 161, *164*, *165*, *166*, 168; ***conica*** **50**: 161, 164, 165, 175, 176; ***fallax*** **50**: 164, 165, 175; ***fissa*** **49**: 223; ***fuscidulum*** **61**: 88, 94; ***macrosporum*** **51**: 3, 19, 21, 23, 24; ***ovoidea*** **50**: 162, 175; ***papillata*** **50**: 162, 164, 170, 174; ***pomiformis*** **50**: 162; ***pulviscula*** **50**: 170; ***pulvis-pyrius*** **13**: 218, 221; **27**: 86, 93; **61**: 85, 88; ***rhododendri*** **27**: 86, 93; ***subdispersum*** **33**: 147.

MELANOPHYLLUM canali **8**: 86; **13**: 57; ***echinatum*** **8**: *82*, *83*, *84*, *85*, *86*, *87*; **10**: 29; **12**: 199; **14**: 73, 113; **15**: 255; **16**: 158, 225; **20**: 127; **21**: 97; **23**: 205; **24**: 84; **29**: 28, 32; **44**: 124; ***eyrei*** **14**: 112; **58**: 245, 257; ***haematospermum*** **48**: *241*, *242*, *243*.

MELANOPS cruenta **52**: 60.
MELANOPSAMMA pomiformis **55**: 123.
MELANOPSAMMELLA inaequalis **61**: 88, 90, 92, 93; ***vermicularioides*** **51**: 38; **61**: 88, 92.
MELANOPSICHIUM austroamericanum **25**: 58; **58**: 100; ***aviculare*** **58**: 100; ***bistortarum*** **58**: 100; ***bosniacum*** **58**: 100; ***marginale*** **58**: 100; ***nepalense*** **25**: 58; **58**: 100; ***pennsylvanicum*** **25**: 58, 59.
MELANOSPORA caprina **12**: 50; ***chionea*** **35**: 94; ***fallax*** **12**: *47*, *48*, *49*; ***fimicola*** **45**: *85*, *86*, *87*, *88*, *89*; ***lagenaria*** **14**: 112; ***longisetosa*** **61**: 153; ***ornata*** **45**: 85; ***parasitica*** **12**: *47*, *48*, *49*; ***vitrea*** **15**: 178; ***zamiae*** **61**: 153; ***zobelii*** **39**: 69; **43**: 243.
MELANOTAENIUM ari **56**: 136; ***cingens*** **56**: 136; ***endogenum*** **56**: 136.
MELANOTUS phillipsii **59**: 185, 191, 192, 197.
MELASMIA acerina **16**: 90; **22**: 187; **34**: 182; **46**: 286; ***iranica*** **34**: 177, 180, 181; ***salicina*** **16**: 90.
MELASTIZA boudieri **47**: 255; ***carbonicola*** **26**: 74, 75, *78*, *79*, *80*; **35**: 20, 138; **47**: 248, 250; **52**: 60; ***chateri*** **14**: 112; **16**: 107; **17**: 62; **22**: 183; **25**: 197, 198; **26**: *74*, *75*, *76*, *77*, 78, *78*, *79*, *80*; **29**: 29; **35**: 20, 109, 137, 139, 141, 142; **36**: 184; **44**: 145; **47**: *237*, *238*, *239*, 241, 243, 245, 253; ***cornubiensis*** **47**: *237*, *238*, *239*, 241, 243, 245, 250; ***flavida*** **47**: 196, 251; **52**: 60; ***flavorubens*** **26**: 74, 75, 79, 80, 123; **35**: 20; **47**: 253; **63**: 171; ***greletii*** **17**: 61, 62; **25**: *197*, *198*, *199*; **26**: 74, 75, 80, 123; **35**: 20; **47**: 253; ***kumouensis*** **47**: 253; ***miniata*** **17**: 62; **25**: 198; **26**: 78; **47**: 238, *241*, *242*, *243*, *244*, *245*; ***rubicunda*** **47**: 243; ***rubra*** **26**: 74, 80; **47**: 237, 238, 241, 251, 252; ***scotica*** **47**: 255.
MELIDERMA crassum **1**: *48*, *49*, *50*; **12**: 199; **37**: 214, 231; **41**: 61.
MELINIOMYCES variabilis **59**: 215, 216, 217, 218, 219, 220, 221, 223, 224.
MELIOLA ganglifera **46**: 320; ***inermis*** **46**: 320; ***linocierae*** **52**: 60; ***polytricha*** **46**: 320.
MELODERMA desmazierii **35**: 93, 97.
MELOGRAMMA bulliardii **28**: 5; ***eucalypti*** **46**: 320; ***spiniferum*** **28**: *2*, *3*, *4*, *5*, *6*, 8, *15*, *16*, *17*; **31**: 1, 2; **46**: 287; **56**: 275.
MEMNONIELLA echinata **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **38**: 108; **43**: 243; **53**: 155; ***levispora*** **40**: 150; ***subsimplex*** **40**: 150.
MEMNONIUM palmicolum **17**: 14.
MENEGAZZIA pertransita **56**: 159.
MENISPORA caesia **33**: 146, 157; **50**: 162, 164, 170, 172, 173, 174; **61**: 85, 86; ***ciliata*** **25**: 25, 27, 28; **61**: 88; ***cylindrica*** **46**: 320; ***glauca*** **25**: 25, 27, 28; **33**: 146, 157; **50**: 163, 164, 172, 175, 176; **51**: 23; **61**: 86; ***oligosperma*** **51**: 34; ***tortuosa*** **25**: 25, 27, 28; **33**: 146; **36**: 144.
MERIMBLA ingelheimensis **48**: 227; **53**: 178, 182, 184.
MERIPILUS giganteus **20**: 98, 103; **23**: 79; **43**: 93; **46**: 84; **49**: 135, 144, 179; **63**: 251, 258.
MERISMATIUM lopadii **24**: 222, 223, 225.
MEROSTICTIS betulicola **39**: 207; ***cylindrospora*** **39**: 207.
MERULIOPORIA purpurea **38**: 139; ***taxicola*** **32**: 223.
MERULIOPSIS corium **36**: 24.
MERULIUS alveolaris **11**: *214*, *215*, *216*; ***aureus*** **14**: 97, 100; **19**: 18; **21**: 54; **24**: 105; ***carbonarius*** **7**: 190; **35**: *185*, *186*, *187*; ***corium*** **35**: 109; ***domesticus*** **10**: 78; **33**: 94; ***elegans*** **4**: 4; ***elliottii***

64: 23, 39; ***lacrymans*** **1**: 97; **3**: 7; **4**: 13, 103; **5**: 17, 168; **7**: 153; **8**: *88*, *89*, *90*; **10**: 78; **11**: 188, 241, 243, 245, 246; **17**: 200; **22**: 45, 48; **30**: 56; **46**: 143, 146; ***lobatus*** **7**: 91; ***molluscus*** **12**: *31*, *32*, *33*, *34*, *35*, *36*; **18**: 6; ***rufus*** **18**: 3; ***silvester*** **33**: 94; ***silvestris*** **10**: 78; ***tremellosus*** **3**: 7; **13**: 17; **14**: 226; **18**: 3, 70, 74; **25**: 105; **27**: 34; **32**: 223; **33**: 156; **43**: 93; **46**: 84; **48**: 41; **56**: 276.

METARHIZIUM anisopliae **6**: 84; **24**: 88; **27**: *55*, *56*, *57*, *58*; **29**: 212; **32**: 229, 231; **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*, 170, 171; **35**: 215; **43**: 243; **55**: 88, 92; **57**: 231; **61**: 153, 157; **62**: 67, 69, 71, 72, 73, 74, 75; ***glutinosum*** **3**: 8; **14**: 197.

METASPHAERIA caricis-muricatae **52**: 61; ***clypeotecta*** **52**: 61; ***conformis*** **25**: *37*, *38*, *39*; ***ebulina*** **52**: 61; ***silvularum*** **52**: 61; ***tartarina*** **24**: 224, 225; ***typhoidis*** **52**: 61.

METATRICHIA floriformis **53**: 325, 333; ***vesparium*** **53**: 325, 333.

METSCHNIKOWIA pulcherrima **32**: 139; **35**: 213; **39**: 158, 241; **42**: 116; ***reukaufii*** **42**: 116.

MICAREA austroternaria **56**: 159; ***bauschiana*** **56**: 159; ***botryoides*** **50**: 233; **56**: 159; ***confusa*** **56**: 159; ***denigrata*** **50**: 287, 290; ***lapillicola*** **56**: 159; ***leprosa*** **56**: 159; ***lithinella*** **50**: 233, 290; ***melaena*** **50**: 287; ***micrococca*** **58**: 105, 110, 111; ***poliocarpa*** **56**: 159; ***polycarpella*** **56**: 159; ***prasina*** **50**: 282, 287, 295; **58**: 110, 111; ***subviridescens*** **58**: 111; ***sylvicola*** **51**: 175; ***viridileprosa*** **58**: 111, 112.

MICRASPIS strobilina **35**: 100.

MICROASCUS cinereus **35**: 216; **43**: 243; **61**: 153; ***desmosporus*** **35**: 216; **36**: 104, 107; **55**: 88; ***manginii*** **27**: *165*, *166*, 167, *167*; **36**: 104, 107; ***trigonosporus*** **61**: 153.

MICROBERLINIA bisulcata **52**: 329.

MICROBOTRYUM anomalum **56**: 129; ***aviculare*** **56**: 138; ***bistortarum*** **56**: 129; **58**: 100; **62**: 88, 89, 99, 100; ***bosniacum*** **58**: 103; ***cordae*** **56**: 129; ***dehiscens*** **58**: 99, 101, 102; ***dianthorum*** **53**: 110, 113; **56**: 129; **57**: 262; ***duriaeanum*** **56**: 129; ***holostei*** **56**: 129; ***kuehneanum*** **56**: 138; ***lychnidis-dioicae*** **53**: 110; **56**: 129; **57**: 262; ***majus*** **56**: 129; ***marginale*** **53**: 110, 112, 113, 115; **56**: 129; **57**: 262, 271; **62**: 89, 99, 100; ***parlatorei*** **56**: 129; ***piperi*** **58**: 99, 101, 102, 103; ***pustulatum*** **53**: 110, 113, 115; **56**: 138; **57**: 262, 271; **58**: 100; ***reticulatum*** **56**: 129; **58**: 100; ***scabiosae*** **53**: 110, 113; **56**: 129; **57**: 262; ***scorzonerae*** **56**: 124, 129; ***silenes-inflatae*** **53**: 92, 110, 113; **56**: 127, 129; **57**: 262, 272; **62**: 99; ***stellariae*** **53**: 110, 113; **55**: 283; **56**: 127, 129; **57**: 262, 272; **62**: 89, 98, 99; ***stygium*** **53**: 110, 113, 116; **56**: 129; **57**: 262; ***tragopogonis-pratensis*** **56**: 129; **57**: 262; ***vinosum*** **58**: 100; ***violaceum*** **53**: 111, 113; **56**: 123, 129; **58**: 201; **62**: 98, 99.

MICROCERA curta **52**: 61.

MICRODIPLODIA cornicola **52**: 61; ***ruthenica*** **52**: 61; ***subtecta*** **13**: 154.

MICRODOCHIUM bolleyi **44**: 162; ***palmicola*** **40**: 151.

MICROGLOSSUM viride **21**: 53; **64**: 135.

MICROMPHALE bisporigerum **60**: 24; ***brassicolens*** **20**: 21; **52**: 8; ***carneopallidum*** **20**: *18*, *19*, *20*, *21*, *22*, *23*, *24*; ***cauvetii*** **20**: 21; ***foetidum*** **14**: 112; **18**: 27, 238, 239; **20**: 21; **23**: 205; **24**: 84; **44**: 125; **46**: 288, 289; **52**: 7, 213; ***impudicum*** **20**: 21; ***inodorum*** **18**: *24*, *25*, *26*, *27*, *28*; **20**: *18*, *19*, *20*, *21*, *22*, *23*, *24*; ***perforans*** **14**: 106; **18**: 161; **20**: 21; **44**: 88; **56**: 273; ***westii*** **18**: 27.

MICROMUCOR ramannianus **45**: 25, 26; **53**: 163, *164*, *165*, *166*, *167*, *168*, *169*, *170*; ***ramannianus*** **var.** ***angulisporus*** **45**: 25, 26; ***ramannianus*** **var.** ***ramannianus*** **53**: 161, 162.

MICRONECTRIELLA nivalis **39**: 160, 161.
MICROPELTOPSIS nigroannulata **var.** ***papillosa*** **55**: 229, 232, 233, 234.
MICROPEZIZA lychnidis **62**: 26.
MICROPHIALE diluta **31**: 199.
MICROPHOMA sorbicola **12**: 192.
MICROPODIA aurea **31**: 14; ***chrysostigma*** **39**: 215; **41**: 200; **44**: 145.
MICROPOLYSPORA faeni **44**: 5, 67.
MICROPORELLUS adextrinoideus **59**: 153, 158, 159, 160, 161, 162, 165; ***brasiliensis*** **54**: 19, 23, *25*, *26*, *27*, *28*, 29; **59**: 159, 164; ***brunneus*** **59**: 161, 164; ***burkillii*** **54**: 23; **59**: 164; **64**: 43, 47, 48, 49, 51; ***burkillii*** **var.** ***rufescens*** **64**: 48; ***celtis*** **54**: 29; **59**: 164, 167; ***chocolatus*** **59**: 167; ***clemensiae*** **54**: 19, 23, 25; **59**: 161; **64**: 43, 50, 51, 52; ***dealbatus*** **54**: 29; **59**: 164, 165; **64**: 49; ***ellipsosporus*** **54**: 19, *20*, *21*, *22*, *23*, 26; **59**: 162; ***fuliginosus*** **54**: 23; **59**: 164; **64**: 51; ***grandiporus*** **59**: 167; ***indicus*** **64**: 49; ***inusitatus*** **59**: 156, 167; **64**: 43, 50; ***inusitatus*** **var.** ***lateritius*** **59**: 159; ***inusitatus*** **var.** ***latiporus*** **64**: 48; ***inusitatus*** **var.** ***parvisporus*** **59**: 159; ***inusitatus*** **var.** ***roseibrunneus*** **64**: 48; ***labyrinthiformis*** **59**: 164; ***nigripes*** **64**: 48; ***pahangensis*** **59**: 156; **64**: 49; ***papuensis*** **59**: 153, 155, 156, 157, 162; **64**: 49; ***peninsularis*** **54**: 29; **59**: 164, 165, 167; ***setigerus*** **54**: 19, *28*, *29*; ***straminellus*** **59**: 161, 167; ***subincarnatus*** **54**: 19, 28; **59**: 164, 167; **64**: 48; ***terrestris*** **59**: 153, 154, 161, 162; ***violaceocinerascens*** **54**: 22, 24; **59**: 153, 154, 156, 164, 165; **64**: 49.
MICROPORUS affinis **64**: 50; ***alboater*** **64**: 14; ***incomptus*** **64**: 18; ***xanthopus*** **64**: 50.
MICROSCYPHA arenula **30**: 12; **41**: 198; ***cejpii*** **39**: 207; **46**: 152; ***grisella*** **16**: 9; **21**: 149; **30**: 12; **41**: 198; ***lonicerae*** **21**: 146, 148; ***monticola*** **30**: 8, 11, 12.
MICROSPHAERA alphitoides **12**: 168; **24**: 109; **34**: 175; **37**: 110, 111; **40**: *30*, *31*, *32*, *33*, *34*, *35*, *36*; **42**: 149, *151*, *152*, *153*, *154*, *155*, *156*, 251; **46**: 306; **49**: 115; ***astragali*** **49**: 115; ***azaleae*** **58**: 190, 193; ***baumleri*** **49**: 115; ***berberidis*** **49**: 115; ***diffusa*** **46**: 309; ***digitata*** **58**: 190; ***divaricata*** **49**: 115; ***euonymi*** **49**: 115; ***euphorbiae*** **46**: 308; ***friesii*** **53**: 288, 291, 292; ***grossulariae*** **12**: *163*, *164*, 165, *165*, 168, 169; **49**: 115; ***hypophylla*** **40**: *30*, *31*, *32*, *33*, *34*, *35*, *36*; **42**: 149, 151, 153, 155, 156; ***magnusii*** **49**: 115; ***penicillata*** **58**: 190; ***silvatica*** **40**: 30; ***tortilis*** **49**: 115; ***vanbruntiana*** **49**: 116.
MICROSPHAEROPSIS amaranthi **54**: 157, 158, 159.
MICROSPORON aureum **12**: 46; ***circuluscentrum*** **12**: 46; ***cookei*** **23**: 191; ***dispar*** **12**: 46; ***ferrugineum*** **12**: 45; ***flavescens*** **12**: 46; ***gypseum*** **13**: *103*, *104*, *105*, *106*, *107*, 185, 187; **16**: *124*, *125*, *126*; ***gypseum*** **var.** ***nanum*** **13**: *103*, *104*, *105*, *106*, *107*, 184, 185; ***japonicum*** **12**: 46; ***mentagrophytes*** **10**: 105; **12**: 43; ***orientale*** **12**: 46; ***praecox*** **13**: 184, 185; ***ramos*** **12**: 46.
MICROSPORUM amazonicum **33**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; ***audouinii*** **22**: 57; **27**: 158; **35**: 215; **39**: 161; ***canis*** **22**: 57; **27**: 158; **30**: 22; **31**: 212; **35**: 215; **37**: *94*, *95*, *96*, *97*; **39**: 161; **45**: 46; **58**: 117, 119, 120, 121, 122; **59**: 133; ***cookei*** **17**: 195; **19**: 226; **22**: 57, 58; **24**: 192, 193, 196; **28**: 119; **30**: 41; **31**: 212; **33**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **37**: *94*, *95*, *96*, *97*; **39**: 97, *101*, *102*, *103*; **44**: 35; ***distortum*** **39**: 161; ***equinum*** **39**: 161; **41**: 168; ***ferrugineum*** **27**: 158; **39**: 161, 163; ***fulvum*** **11**: 199; **22**: 58; **39**: 161; ***gallinae*** **12**: 43; **39**: 161; ***gypseum***

11: 199; **12**: 109; **15**: 141, 146, 149; **17**: 195, 198, 199; **19**: 226; **22**: 57, 58; **24**: 187, 192, 196; **25**: 55; **27**: *159*, *160*, *161*; **28**: 104, 105, 107, 119; **30**: 20; **31**: 212; **32**: 107; **33**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 215; **37**: 94; **39**: 97, 98, *101*, *102*, *103*, 161; **44**: 35; **52**: 168; **55**: 106, 110; **58**: 117, 119, 120, 121, 122, 123; **59**: 133; ***langeronii*** **39**: 161; ***nanum*** **15**: 141, 146, 149; **22**: 57, 58; **39**: 161; ***persicolor*** **33**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **37**: *42*, *43*, *44*, *45*, *46*, *47*, *48*; **39**: *97*, *98*, *99*, *100*, *101*, *102*, 104, 161; **44**: 35; ***praecox*** **28**: 119; ***quinckeanum*** **39**: 161, 163; ***racemosum*** **33**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **39**: 161; **44**: 35; ***ripariae*** **54**: 273; ***rivalieri*** **39**: 161; ***vanbreuseghemii*** **22**: 57, 58; **36**: *236*, *237*, *238*, *239*, *240*, *241*; **39**: 161.

MICROSTOMA protracta **14**: 75; **32**: 221; **35**: 21, 140, 143.

MICROSTROMA album **56**: 136; ***juglandis*** **56**: 136; **58**: 82, 88.

MICROTHECIUM retisporum **var.** ***inferior*** **45**: 86; ***zobelii*** **39**: 69.

MICROTHELIA biformis **35**: 95; ***incrustans*** **38**: 104; **49**: 198; ***vesicularia*** **17**: 156.

MICROTHELIOPSIS uleana **56**: 159.

MICROTHIA havanensis **61**: 98.

MICROTHYRIELLA rubi **52**: 61.

MICROTHYRIUM moravicum **52**: 61; ***pinophyllum*** **35**: 95.

MIDOTIOPSIS bambusicola **37**: 241, 242.

MIDOTIS irregularis **64**: 82.

MILADINA lechithina **26**: *213*, 214, *214*, *215*, *216*; **35**: 21, 137, 140, 141.

MILESINA blechni **55**: 284; **56**: 129; ***carpatica*** **56**: 138; ***carpatorum*** **56**: 138; ***dieteliana*** **56**: 129; ***feurichii*** **56**: 127, 129; ***kriegeriana*** **55**: 284; **56**: 129; ***murariae*** **56**: 129; ***vogesiaca*** **55**: 284; **56**: 129.

MIRANDINA dactylelloides **53**: 314; ***flagelliformis*** **53**: 314.

MIRIQUIRIDICA leucophaea **51**: 175.

MITROPHORA gigaspora **35**: 75; ***hybrida*** **14**: 73; **24**: 37; ***semilibera*** **24**: 37; ***semilibera*** **f.** ***acuta*** **31**: 70; **35**: 23; ***semilibera*** **f.** ***rimosipes*** **35**: 22.

MITRULA abietis **22**: 191, 192, 194, 200; ***cucullata*** **14**: 226; **16**: 105; ***gracilis*** **16**: 105; ***lateritiorosea*** **14**: 112; ***muscicola*** **16**: 105; ***paludosa*** **9**: 162; **14**: 90; **27**: 224; **35**: 240; **44**: 145; **56**: 276, 282; ***phalloides*** **1**: 98; **2**: 37; ***rehmii*** **16**: 105; ***rufa*** **12**: 184; ***sclerotiorum*** **8**: 96; **11**: *248*, *249*, *250*.

MIYOSHIELLA macrospora **51**: 23.

MNIOECIA jungermanniae **35**: 135.

MNIOPETALUM bryophilum **54**: 151; ***globisporum*** **54**: 147.

MOELLEROPSIS humida **56**: 159.

MOESZIOMYCES bullatus **56**: 136.

MOLLISIA airae **64**: 116; ***alkalireagens*** **40**: 203, 211, 213, 214; ***alpina*** **58**: 132; ***amenticola*** **32**: 108; ***amyloidea*** **46**: 149, 153, 154, 160; ***anserina*** **58**: 126, 127; ***aquosa*** **58**: 128; ***arenula*** **30**: 12; ***arundinacea*** **32**: 108; ***atrata*** **32**: 108; ***atrocinerea*** **32**: 108; ***benesuada*** **13**: 213; **44**: 145; ***betulina*** **58**: 127, 128, 137; ***biberi*** **45**: 134, 135, 137; ***caesia*** **13**: 214; ***caespiticia*** **14**: 17, 20; ***caricina*** **58**: 143; ***cinerea*** **14**: 226; **16**: 90; **25**: 109; **32**: 108, 221; **35**: 93, 109, 240; **43**: 218; **44**: 145; **56**: 275; **64**: 114, 118; ***cinerea*** **f.** ***canella*** **13**: 158, 213, 214; ***cinerea*** **f.**

macrosperma **13**: 214; ***dimorpha*** **64**: 117, 118; ***discolor*** **35**: 240; ***epitypha*** **46**: 156; ***epitypha*** **var.** ***iridina*** **45**: 135; ***epityphicola*** **46**: 149, 154; ***eriophori*** **58**: 135; ***exsiliens*** **40**: 217; ***fagicola*** **64**: 112; ***faginea*** **64**: 111, 112; ***ferrugineomelina*** **33**: 154; ***filispora*** **64**: 124; ***fusca*** **58**: 130; **64**: 112; ***gabretae*** **30**: 8, 12; ***gallincola*** **64**: 113; ***griseoalbida*** **46**: 159; ***hamulata*** **3**: 43; ***hydnicola*** **59**: 105; ***hydrophila*** **58**: 143; **64**: 120; ***lacunarum*** **32**: 158, 159; ***lacustris*** **39**: 211; ***ladae*** **58**: 125, 138; ***lentiformis*** **64**: 120; ***leucostigma*** **40**: 214, 215; ***ligni*** **32**: 108; **33**: 162; **43**: 69; **64**: 106, 108, 111; ***lothariana*** **58**: 125, 147; ***melaleuca*** **13**: 157; **32**: 108; **33**: 154; **35**: 240; **58**: 141; ***mercurialis*** **13**: 157; ***minutella*** **32**: 108; ***minutissima*** **31**: 133; ***olivaceocinerea*** **43**: 65, 67, 68; **64**: 118; ***olivascens*** **21**: 148; **43**: 69; ***pallens*** **32**: 108; ***palustris*** **46**: 156; **55**: 232, 233, 234; **58**: 126, 134, 135; ***peruni*** **58**: 125, 141; ***phalaridis*** **35**: 240; ***phragmitis*** **58**: 125, 143; **64**: 116, 123; ***pilifera*** **64**: 114, 115; ***pilosa*** **64**: 124, 126; ***polygoni*** **16**: 90; ***polytrichi*** **42**: 141; ***polytrichicola*** **42**: 137, 141, 143; ***ponticulorum*** **46**: 149, 155, 156; ***potentillae-erectae*** **42**: 137, 141, 143; ***psilopezioides*** **32**: 157, 159; ***pulla*** **64**: 124; ***rabenhorstii*** **13**: 214; **14**: 76; **16**: 9; **39**: 218; **57**: 145, 150; ***ramealis*** **32**: 108; **58**: 138; ***revincta*** **44**: 145; **46**: 46, 48; ***sericeomarginata*** **40**: 203, 211, 213; ***sesleriae*** **58**: 125, 146, 147; ***sublividula*** **39**: 213; ***uda*** **16**: 90; **25**: 109; **32**: 108; ***umbrina*** **13**: 158, 214; ***undulatodepressula*** **33**: 154; ***urnigera*** **64**: 123; ***velenovskyi*** **58**: 125, 130, 132; ***viridula*** **46**: 149, 155, 157; ***vulgaris*** **32**: 108.

MOLLISIELLA chlorinella **31**: 13; **39**: 210; ***fagiseda*** **31**: 8, 13; ***hydnicola*** **59**: 105; ***ilicincola*** **41**: 204.

MOLLISINA acerina **41**: 195.

MOLLISIOPSIS dennisii **41**: 91; ***euparaphysata*** **41**: 91; ***lachnoides*** **41**: 91; ***lanceolata*** **41**: 91; ***lobkovicensis*** **41**: 88, 89, 91; ***subantarctica*** **41**: 91; ***subcinerea*** **41**: 91.

MONADELPHUS subilludens **9**: 102.

MONASCUS purpureus **55**: 142; ***ruber*** **36**: 100, 104, 107; **40**: 70; **52**: 156; **53**: 306; **60**: 80, 82; **63**: 98, 99.

MONILIA acremonium **25**: 112; ***albicans*** **11**: 21; **32**: 130, 132; ***albicans*** **var.** ***claussenii*** **32**: 132; ***brunnea*** **35**: 217; ***candicans*** **23**: 210; ***candida*** **35**: 217; ***cinerea*** **4**: 100; **7**: 105; ***cornealis*** **33**: 113; ***ferruginosa*** **35**: 217; ***fimicola*** **8**: 173; ***fructigena*** **4**: 100; **7**: 105; **24**: *198*, *199*, *200*, *201*, *202*, *203*, *204*, *205*; **32**: 119; **33**: 60; **44**: 251; ***geophila*** **33**: 83, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **44**: 35; ***grisea*** **44**: 35; ***inexpectata*** **11**: 149; ***krusei*** **11**: 149; ***krusoides*** **11**: 149; ***laxa*** **4**: 100; **32**: 119; **44**: 251; ***ledi*** **6**: 131; ***parakrusei*** **11**: 149; ***parapsilosis*** **32**: 136; **44**: 70; ***pruinosa*** **53**: 306; ***pseudotropicalis*** **32**: 138; ***sitophila*** **22**: 45, 48; **44**: 35; ***stellatoidea*** **32**: 140; ***tropicalis*** **32**: 140; ***urediniformis*** **52**: 278; ***uredoformis*** **52**: 278.

MONILIELLA acetoabutans **36**: 100, 103.

MONILINIA fructicola **6**: 138; **14**: 248; **52**: 285; **56**: 174; ***fructigena*** **14**: *198*, *199*, *200*, *201*, *202*, *203*, *204*, *205*, *206*, *207*, 248; **15**: 34, 35; ***johnsonii*** **13**: 211, 215; ***laxa*** **6**: 138; **14**: 198, 202, 206, 248; **15**: 34, 35; **53**: 288, 291, 292; ***ledi*** **6**: 138; ***oxycoccii*** **6**: 138; ***padi*** **6**: 138; ***rhododendri*** **6**: 138; ***seaveri*** **6**: 138; ***urnula*** **6**: 136, 138.

MONILIOPSIS aderholdii **15**: 171.

MONOCILLIUM granulatum **46**: 248; ***humicola*** **44**: 35; ***humicola*** **var.** ***brunneum*** **44**: 35; ***indicum*** **36**: *101*, *102*, *103*; **44**: 35.

MONODICTYS aspera **43**: 238; ***castaneae*** **33**: 144, 147; **40**: 151; **53**: 152, 155; ***glauca*** **25**: 25, 27, 28, 30; ***laevis*** **44**: 35; ***lepraria*** **33**: 144, 147; **38**: 108; **40**: 151; ***levis*** **38**: 241; **55**: 77, 88; **56**: 39; ***paradoxa*** **33**: 144, 147; ***pelagica*** **61**: 111; ***putredinis*** **35**: 99; **55**: 77; **61**: 88; ***sessilis*** **40**: 142, 151.

MONOGRAPHELLA nivalis **60**: 80, 82; **63**: 154.

MONOGRAPHUS aspidiorum **12**: 149.

MONOMYCES malvium **36**: *7*, *8*, *9*.

MONOSPORIUM acuminatum **var.** ***terrestre*** **23**: 248; **44**: 35; ***apiospermum*** **33**: 231; **39**: 163; **44**: 136; ***tulanense*** **11**: 22.

MONOTOSPORA daleae **18**: *103*, *104*, *105*, *106*; **21**: 80; **33**: 171; ***nigra*** **21**: 82, 83; ***oryzae*** **17**: *13*, *14*, *15*, 18; ***sphaerocephala*** **18**: 103; ***toruloides*** **18**: *102*, *103*, *104*, 107.

MONOTOSPORELLA microaquatica **23**: 136; ***tuberculata*** **63**: 146.

MONTAGNEA arenaria **8**: 144; **13**: 195, 196; **14**: 116, 119, 120, 209; **15**: 95, 97; **16**: 158; **23**: 80; ***radiosa*** **8**: 144.

MONTAGNITES arenarius **35**: 52; ***candollei*** **2**: 126; **6**: *11*, *12*, *13*, *14*, *15*, *16*, *17*, *18*, *19*; **8**: 144; **16**: 158; **35**: 52; ***elliotii*** **6**: 17; ***hausknechtii*** **6**: 17; ***pallasii*** **6**: 17; ***radiosus*** **6**: 14; **8**: 144; ***spegazzinii*** **6**: 17; ***tenuis*** **6**: 17.

MORAXELLA catarrhalis **13**: 194.

MORCHELLA acuta **17**: 207; **31**: 70; **35**: 23; ***anteridiformis*** **24**: 37; **35**: 21, 141; ***apicata*** **2**: 57; ***apicata a*** **35**: 21; ***bispora*** **21**: 74; ***bohemica*** **3**: 33; **5**: 74; **21**: 74, 75, 97; **35**: 75; **36**: 200; ***caroliniana*** **26**: 2; ***conica*** **2**: 52, *56*, *57*; **5**: *35*, *36*, *37*, 75; **22**: 233; **24**: 34, 37; **35**: 2, 21, 139, 140, 141, 143; **46**: 6; **48**: 62; ***conica*** **f.** ***cylindrica*** **31**: 70; **35**: 21; ***conica*** **var.** ***apicata*** **35**: 21; ***conica*** **var.** ***ceracea*** **35**: 21; ***conica*** **var.** ***costata*** **35**: 21; ***conica*** **var.** ***deliciosa*** **35**: 21; ***conica*** **var.** ***pterigoides*** **35**: 21; ***conica*** **var.** ***rigida*** **35**: 21; ***costata*** **24**: 37; **35**: 21; **48**: 278; ***crassipes*** **2**: 56; **5**: 75; **21**: 45, 46; **24**: 37; **35**: 21, 141, 143; ***crassipes*** **var.** ***crispa*** **35**: 22; ***crispa*** **35**: 136; ***cylindrica*** **17**: 208; **31**: 70; **35**: 21; ***deliciosa*** **2**: 57; **35**: 21, 141; ***elata*** **2**: 57; **5**: 34, 37, 75; **7**: 154; **24**: 37; **35**: 22, *139*, *140*, *141*, 143; ***elata*** **var.** ***purpurascens*** **2**: 58; **35**: 22; ***esculenta*** **1**: 7; **2**: 44, *53*, *54*, *54*, *55*, *55*, *56*, *56*; **5**: 37, 75; **10**: 119; **20**: 79; **21**: 45, 46; **24**: 37; **29**: 29; **32**: 221; **35**: 2, 22, 140, 141, 144; ***esculenta*** **f.** ***alba*** **2**: 56; **35**: 22; ***esculenta*** **f.** ***albida*** **2**: 56; **35**: 22; ***esculenta*** **f.** ***atrotomentosa*** **35**: 22; ***esculenta*** **f.** ***cinerascens*** **2**: 56; **35**: 22; ***esculenta*** **f.** ***cinerea*** **2**: 56; **35**: 22; ***esculenta*** **f.** ***flava*** **2**: 56; **35**: 22; ***esculenta*** **f.** ***fulva*** **2**: 56; **35**: 22, 144; ***esculenta*** **f.** ***pusilla*** **2**: 56; **35**: 22; ***esculenta*** **f.** ***virescens*** **2**: 56; **35**: 22; ***esculenta*** **var.** ***deliciosa*** **28**: 173; ***esculenta*** **var.** ***praerosa*** **2**: 56; **14**: 79; **28**: 173; **35**: 22; ***esculenta*** **var.** ***rotunda*** **2**: 56; **35**: 22; ***esculenta*** **var.** ***vulgaris*** **2**: 56; **28**: 173; **35**: 22, 144; ***eximia*** **24**: 37; ***gigas*** **35**: 23; ***gigaspora*** **21**: 74; **35**: 75; ***hortensis*** **21**: 45, 46; **24**: 35, 37; **35**: 136; ***hybrida*** **5**: 75; **14**: 117; **35**: 22, 23, 144; ***minima*** **2**: 56; ***mirabilis*** **2**: 58; **24**: 32; **35**: 22; ***neuwirthii*** **17**: 208; **35**: 23; ***patula*** **35**: 22, 23, 144; ***praerosa*** **2**: 56; **35**: 22; ***pragensis*** **24**: *32*, *33*, *34*, *35*, *36*, *37*, *38*; **35**: 22, 141; ***pragensis*** **f.** ***mirabilis*** **24**: *32*, *33*, *34*, *35*, *36*, *37*, *38*; **35**: 22; ***pragensis*** **f.** ***pragensis*** **24**: *35*, *36*, *37*, *38*; ***pragensis*** **f.** ***turriformis*** **24**: *32*, *33*, *34*, *35*, *36*, *37*, *38*; **35**: 22; ***pubescens*** **35**: 136;

pulcherrima **24**: 34; ***rimosipes*** **35**: 22; ***rimosipes*** **f. *nana*** **35**: 22; ***rimosipes*** **f. *procera*** **35**: 22; ***semilibera*** **2**: 51; **35**: 22, 138, 140, 141, 144; ***semilibera*** **f. *acuta*** **35**: 22, 23; ***semilibera*** **f. *gigas*** **35**: 22; ***spongiola*** **35**: 23; ***sulcata*** **35**: 22; ***tatari*** **35**: 136; ***tremelloides*** **35**: 136.

MOREAUA aterrima **56**: 136.

MORTIERELLA alpina **44**: 36; **46**: 248; ***angulispora*** **43**: 99; ***bainieri*** **44**: 36; ***bisporalis*** **43**: 242; ***camargensis*** **43**: 242; ***candelabrum*** **35**: 212; **44**: 36; ***canina*** **44**: 36; ***claussenii*** **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; ***dichotoma*** **44**: 36; ***elasson*** **44**: 36; ***elongata*** **44**: 36; ***gamsii*** **44**: 36; ***globulifera*** **44**: 36; ***gracilis*** **44**: 36; ***humicola*** **44**: 36; ***humilis*** **44**: 36; ***hyalina*** **44**: 36; **46**: 248; ***hygrophila*** **44**: 36; ***isabellina*** **24**: 163; **37**: 25, 28, 29; **44**: 36; ***jenkinii*** **44**: 36; ***lignicola*** **43**: 242; ***marburgensis*** **44**: 36, 37; ***monospora*** **44**: 36; ***nana*** **53**: 164; ***nigrescens*** **44**: 36; **53**: 163; ***parvispora*** **37**: 28; **44**: 36; ***polycephala*** **32**: 61; **44**: 36; ***pusilla*** **23**: *245*, *246*, *247*, *248*, *249*; **44**: 36; ***ramanniana*** **23**: *245*, *246*, *247*, *248*, *249*; **24**: 163; **43**: 99, 101; **44**: 36, 37, 38; **46**: 109; **53**: 163, 164, 169; ***ramanniana*** **f. *angulispora*** **37**: *27*, *28*, *29*, *30*; ***ramanniana*** **var. *angulispora*** **44**: 36, 37; ***renispora*** **53**: 163; ***reticulata*** **35**: 212; ***simplex*** **44**: 36; ***spinosa*** **44**: 36; ***stylospora*** **44**: 36; ***tuberosa*** **44**: 36; ***verticillata*** **44**: 36, 37; ***vinacea*** **37**: 24, 25, *28*, *29*, *30*; **44**: 37; **51**: 74.

MUCIDULA mucida **4**: 157; **7**: 166, 167; **10**: 29; **12**: 214; **16**: 157; ***radicata*** **12**: 214.

MUCILAGO crustacea **33**: 150; **53**: 325, 347; ***spongiosa*** **12**: 218.

MUCIPORUS corticola **f. *thelephorea*** **11**: 71; ***deliquescens*** **11**: 78.

MUCOR abundans **44**: 37, 39; ***adventitius*** **23**: *245*, *246*, *247*; **44**: 37; ***alpinus*** **35**: 212; ***alternans*** **35**: 212; ***ambiguus*** **35**: 212; ***angulisporus*** **44**: 37; ***bacilliformis*** **35**: 212; ***bathogenus*** **44**: 37; ***bohemicus*** **44**: 37; ***botryoides*** **44**: 37; ***circinelloides*** **23**: 246, 248; **24**: 163; **35**: 212; **36**: 70; **40**: 22, 26, 27; **41**: 11, 168; **44**: 37, 38; **48**: 83; **50**: 102; **51**: 163; **52**: 127, 130, 131, 222; **55**: 121; ***circinelloides*** **f. *circinelloides*** **55**: 88, 92, 95, 98, 99; **59**: 128, 129, 132, 208, 209, 210; ***circinelloides*** **f. *griseocyaneus*** **44**: 37; **55**: 88, 92; ***circinelloides*** **f. *janssenii*** **44**: 37, 38; **59**: 210; ***circinelloides*** **f. *lusitanicus*** **44**: 37, 38; **59**: 208, 210; ***clathroides*** **22**: 138; ***cornealis*** **22**: 72; **37**: 167; ***corticolus*** **23**: 247; **44**: 37; ***corymbifer*** **22**: *68*, *69*, *70*, *71*, *72*, *73*, *74*, *75*; **37**: 166; **44**: 194; **45**: 25, 26; ***corymbifer*** **var. *regnieri*** **22**: *68*, *69*, *70*, *71*, *72*, *73*, *74*, *75*; ***cylindrosporus*** **44**: 37; **45**: 25; ***dimorphosporus*** **55**: 88, 92, 95, 98; ***dimorphosporus*** **f. *dimorphosporus*** **45**: 25; ***dimorphosporus*** **f. *sphaerosporus*** **45**: 25, 26; **55**: 88, 92, 95, 98, 99; ***falcatus*** **44**: 39; ***flavus*** **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **44**: 37; **45**: 26; ***fragilis*** **23**: 248; **26**: *233*, *234*, *235*, *236*; **27**: 48, 50, 51; **31**: 208, 210; **33**: *85*, *86*, *87*, *88*, *89*, *90*, *91*; **44**: 37; **46**: 102, 109; ***genevensis*** **35**: 212; **44**: 37; ***globosus*** **26**: *233*, *234*, *235*, *236*; **32**: 230; **44**: 37; **55**: 92; ***glomerula*** **44**: 37; ***griseocyanus*** **35**: 212; **44**: 37; ***griseoochraceus*** **44**: 37; ***guilliermondii*** **35**: 212; **44**: 37; ***heterogamus*** **44**: 37; ***heterosporus*** **44**: 37; ***hiemalis*** **23**: 245; **31**: 208, 210; **32**: 228, 230; **33**: 83, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 212; **36**: 68; **37**: 27, 30, 115; **40**: 22, 26, 27, 69; **43**: 101, 102; **44**: 37, 38; **46**: 102, 109, 248; **50**: 102; **51**: 162, 163; **52**: 222; **53**: 166, 215, 217; **57**: 231; **61**: 153; ***hiemalis*** **f. *corticola*** **44**: 37, 38; **55**: 88, 92, 95; ***hiemalis*** **f. *corticolus*** **59**: 210; ***hiemalis*** **f. *hiemalis*** **44**: 37, 39; **53**: 164; **55**: 88, 92; **59**: 208, 210; ***hiemalis*** **f. *luteus*** **44**: 38; **59**: 208, 210; ***hiemalis*** **f. *silvaticus*** **44**: 38; **55**: 88, 95, 96; ***indicus*** **35**: 212; ***janssenii*** **24**: 163; **35**: 212; **44**: 38; ***javanicus*** **35**: 212; **44**: 38; ***lamprosporus*** **23**: 246, 247; **44**: 38; ***lausanensis*** **44**: 38;

lichtheimii **22**: 72; **37**: 167; ***lichtheimii*** **var.** ***rastii*** **37**: 168; ***lichtheimii*** **var.** ***zurcheri*** **37**: 169; ***lusitanicus*** **44**: 38; ***luteus*** **44**: 38; ***macrocarpus*** **2**: 40; ***microsporus*** **44**: 38; **45**: 25; ***mucedo*** **4**: 100; **22**: 68; **35**: 48, 212; **44**: 37, 38; **55**: 88, 92, 96; ***nederlandicus*** **45**: 128; ***oblongisporus*** **44**: 38; ***oudemansii*** **45**: 25; ***parvisporus*** **23**: *245*, *246*, *247*; **44**: 38; ***petrinsularis*** **44**: 38; ***piriformis*** **37**: 115; **44**: 38; **45**: 26; **46**: 102; **50**: 41; **53**: 166; **55**: 88; ***plasmaticus*** **44**: 38; ***plumbeus*** **35**: 212; **36**: 68; **37**: 28, 29; **40**: 22, 26, 27; **41**: 11; **44**: 38, 39; **48**: 80, 82, 83, 85; **52**: 177; **55**: 77; **59**: 129; **60**: 80, 82, 84; ***prainii*** **35**: 212; ***pusillus*** **20**: 182; **24**: 163; **29**: 59, 60; **32**: 61; **33**: 231, 232; **35**: 212; **37**: 90, 91; **38**: 6; **39**: 150, 161, 162; **44**: 38, 196; **46**: 102, 109; **52**: 222; ***pyriformis*** **4**: 100; **22**: 138; ***racemosus*** **3**: 8; **23**: 246, 248; **24**: 163; **33**: 85; **35**: 212; **36**: *40*, *41*, *42*, *43*; **40**: 27; **41**: 11; **43**: 101, 102; **44**: 38; **45**: 25; **46**: 102; **48**: 80, 83; **50**: 102, 104; **51**: 163; **52**: 221, 222; **55**: 118; **56**: 39, 227, 228, 235; **57**: 94, 95; **61**: 149, 151, 153; ***racemosus*** **f.** ***sphaerosporus*** **44**: 37, 38, 39; ***ramannianus*** **37**: 27; **44**: 38; **45**: 25, 26; **53**: 162, 163, 169; ***ramannianus*** **var.** ***angulisporus*** **45**: 25, 26; ***ramosissimus*** **39**: 161; ***ramosus*** **30**: 115; **37**: 168; ***regnieri*** **22**: 72; **37**: 167; ***rhizopodiformis*** **44**: 6, 197; ***rouxianus*** **39**: 161; **44**: 38; ***rouxii*** **35**: 212; **39**: 161; **53**: 152; ***saccardoi*** **34**: 113, 120; **39**: 85, 86, 89; ***saturninus*** **44**: 38; ***sciurinus*** **45**: 25, 26; ***silvaticus*** **44**: 38; ***sphaerosporus*** **43**: 101, 102; **44**: 39; **45**: 26; ***spinosus*** **32**: 228, 230; **35**: 212; **44**: 39; **47**: 295; ***stolonifer*** **4**: 100; ***strictus*** **44**: 39; ***subabundans*** **44**: 39; ***subtilissimus*** **23**: 246; **35**: 212; **44**: 37, 39; **45**: 128; ***tenuis*** **35**: 212; ***troglophilus*** **57**: 231; ***truchisii*** **37**: 168; ***umbellatus*** **50**: 246; ***umbellatus*** **var.** ***asperior*** **50**: 246; ***varians*** **44**: 39; ***wosnessenskii*** **45**: 25, 26; ***zonatus*** **44**: 39.

MUCRONELLA calva **8**: 60; ***rickii*** **12**: 216, 217.

MUCRONOPORUS abietis **39**: 72; ***andersonii*** **42**: 129; ***circinatus*** **21**: 55, 56; ***tomentosus*** **22**: 193.

MUELLERELLA hospitans **17**: 152, 154.

MULTICLAVULA corynoides **60**: 204, 207; ***mucida*** **56**: 159; **59**: 61; ***vernalis*** **60**: 204, 207.

MUSCICOLA dubia **39**: 245; **43**: 65, 71, 74, 75.

MUTINUS bambusinus **9**: 58, *64*, *65*; ***boninensis*** **9**: 65; ***borneensis*** **9**: 65; ***bovinus*** **9**: 62; ***brevis*** **9**: 62; ***caninus*** **1**: 23; **3**: 89; **7**: 140; **9**: 52, *57*, 58, *58*, *59*, *60*, *61*, *62*, 65; **16**: 22; **18**: 2; **21**: 112, 115; **23**: 78; **26**: 238, 240; **31**: 114; **35**: 110; **37**: 216, 231; **40**: 95, 97; **44**: 140, 141; **50**: 67; **52**: 8; ***curtisii*** **9**: 62; ***elegans*** **9**: 58, *62*, *63*, *64*; ***fleischeri*** **9**: 65; ***inopinatus*** **9**: 62, 64; ***muelleri*** **9**: 65; ***papuasius*** **46**: 320; **47**: 196; ***ravenelii*** **9**: 58, 61, 62, 65; **21**: *112*, *113*, *114*, *115*, *116*; **23**: 78; **25**: 2; **29**: 206.

MYCELIOPHTHORA thermophila **55**: 255, 256.

MYCELOBLASTANON krusei **11**: 149; ***parakrusei*** **11**: 149.

MYCENA abramsii **32**: 223; **43**: 89, 93; **46**: 82, 176, 182, 185; **52**: 12; ***acicula*** **9**: 106; **16**: 193; **18**: 161; **19**: 16; **32**: 223; **35**: 110; **52**: 11; **56**: 273; ***adonis*** **18**: 13; **22**: 147; **63**: 8; ***adonis*** **var.** ***rubella*** **16**: 193, 194; ***aetites*** **2**: 25; **8**: 122; **9**: 107; **14**: 104; **22**: 147; ***alba*** **52**: 9; ***albidolilacea*** **2**: 25; **9**: 31; **12**: 59; **29**: 28, 33; ***alcalina*** **2**: 24, 25; **9**: 33, 34, 106; **14**: 89, 226; **16**: 188, 194; **18**: 161; **19**: 18; **27**: 216; **29**: 28; **30**: 197; **32**: 223; **35**: 32, 34, 110; **44**: 88; ***amabilissima*** **60**: 210; ***amicta*** **9**: 106; **14**: 89; **16**: 194, 195; **18**: 161; **20**: 59; **22**: 197; **27**: 216; **44**: 88; **46**: 174, 179, 180; **56**: 273; ***amicta*** **var.** ***vestita*** **16**: 194, 195; ***ammoniaca*** **14**: 106; ***annae*** **38**: 53; ***arcangeliana***

46: 177, 182, 185; **52**: 11; **63**: 258; ***atramentosa*** **9**: 21; **16**: 182; **60**: 127; ***atromarginata*** **var. *pseudoianthina*** **9**: 29; ***aurantiidisca*** **60**: 210; ***aurantiomarginata*** **16**: 195; **18**: 13; **22**: 197; **44**: 88; **56**: 273, 282; ***auricoma*** **60**: 210; ***avenacea*** **8**: 123; **9**: 31; ***avenacea*** **var. *roseofusca*** **2**: 25; ***balanina*** **14**: 113; ***belliae*** **16**: 157; **23**: 79; ***bryophila*** **14**: 113; ***bulbosa*** **11**: 104; ***calorrhiza*** **14**: 113; ***capillaripes*** **2**: 25; **9**: 31; **16**: *195*, *196*; **22**: 191, 192, 194, 197, 200; **29**: 33; ***capillaris*** **12**: 39; **14**: 87; **16**: 196; **20**: 70; **25**: 107; **27**: 216; **28**: 125; **32**: 223; **44**: 88; **46**: 175, 181; **56**: 273; **63**: 258; ***chelidonia*** **21**: 236; ***chlorantha*** **18**: 5; **31**: 117; ***chlorinella*** **9**: 106, 107; **17**: 78; ***cholea*** **17**: 39; ***cimicaria*** **5**: 118; ***cimmeria*** **21**: 238; ***cinerella*** **16**: 196; **27**: 216; **46**: 173, 174, 180; **56**: 273; **63**: 258; ***citrinomarginata*** **14**: 77, 126, 225; **16**: 197; **29**: 28; **30**: 197; **44**: 88; ***citrinomarginata*** **var. *truncigena*** **16**: 197; ***clavicularis*** **22**: 192, 197, 200; ***corticola*** **4**: *6*, *7*, *8*, *9*; **8**: 180; **9**: 104; **12**: 38; **14**: 73, 106; **17**: 35; **18**: 161; **36**: 188; ***crispula*** **17**: 35; ***crocata*** **4**: 157; **5**: 157; **7**: 140; **9**: 19, 103, 105; **10**: 29; **14**: 87, 112; **16**: 21, 157; **18**: 161; **20**: 110, 242; **21**: 97, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **23**: 201, 202; **24**: 80, 84, 178; **26**: 38; **27**: 216; **28**: 125; **31**: 115; **33**: 156; **36**: 187; **43**: 87, 88, 91, 93; **46**: 82, 176, 182, 185, 193; **48**: 309, 310; **56**: 273; **63**: 258; ***cupressina*** **52**: 61; ***cyanorhiza*** **17**: 36; ***cystidifera*** **21**: 236; ***debilis*** **44**: 88; ***delectabilis*** **17**: 37; ***demissa*** **29**: 164, 165; ***denticulata*** **4**: 153; **5**: 124; ***diosma*** **38**: *161*, *162*, *163*; **46**: 175, 181; ***echinata*** **19**: *233*, *234*, *235*, *236*, *237*, *238*; ***echinipes*** **14**: 226; ***elegans*** **9**: 106; **16**: 195; ***elegantula*** **9**: 31; **17**: 85; ***epiphloea*** **12**: 38, 39; ***epiphloea*** **var. *lateritia*** **12**: 39; ***epipterygia*** **2**: 40, 41; **7**: 43; **9**: 106; **14**: 96; **16**: 195; **17**: 37; **18**: 161; **19**: 115; **22**: 191, 197; **28**: 125; **29**: 28; **30**: 197; **32**: 223; **33**: 165; **44**: 88; **46**: 177, 183, 286; **52**: 5; **56**: 273, 282; **63**: 258; ***epipterygia*** **var. *lignicola*** **9**: 106; **14**: 88, 89; **17**: 37; **27**: 216; ***epipterygia*** **var. *truncorum*** **18**: 161; ***epipterygioides*** **17**: 37; ***erubescens*** **9**: 104, 107; **14**: 88, 89; **17**: *37*, *38*, *39*; **21**: 53, 56; **25**: 107, 111; **27**: 216; **28**: 125; **36**: 188; **52**: 11; ***excisa*** **22**: *93*, *94*; ***fagetorum*** **4**: 149; **14**: 87; **25**: 107, 111; **27**: 217; **28**: 125; **46**: 177, 183; **56**: 273; ***fellea*** **17**: 39; ***fibula*** **8**: 18; **9**: 106, 107; **10**: 161; **14**: 79, 94, 96; **16**: 188; **17**: 39, 87; **18**: 161; **19**: 16; ***fibula*** **var. *swartzii*** **9**: 106, 107; ***filopes*** **2**: 40; **9**: 103; **14**: 76, 87; **17**: 39, 87; **18**: 13, 161; **27**: 217; **28**: 125; **29**: 28; **46**: 175, 181; **52**: 8; ***flavescens*** **19**: 16; **32**: 223; **46**: 175, 181; **52**: 11; ***flavipes*** **2**: 25; **9**: *26*, *27*, *28*, 35; **14**: 88; **18**: 161; **27**: 217; **35**: 36; ***flavoalba*** **4**: 154; **9**: 107; **14**: 112; **17**: 39, 40, 42; **18**: 13; **25**: 107; **44**: 88; **46**: 16; **52**: 11; **54**: 228; **56**: 273; ***flavoalba*** **var. *tetraspora*** **14**: 77; ***flos-nivium*** **17**: 40, 41, 80; **25**: 107, 111; **27**: 217; ***fuliginaria*** **9**: *19*, *20*, *21*, *22*, *23*; **16**: *182*, *183*, *184*, 190; **21**: 57; **27**: 215; **60**: 126, 127; ***fuscescens*** **17**: 88; ***galericulata*** **2**: 22, 25; **4**: 79, 148; **5**: 157; **9**: 106; **10**: 181; **14**: 89, 173, 176, 226; **17**: 41; **18**: 144, 161; **19**: 115, *233*, *234*, *235*, *236*, *237*, *238*; **22**: 93, 197; **27**: 217; **28**: 125; **29**: 28; **32**: 223; **33**: 156, 165; **43**: 93; **44**: 88; **46**: 82, 176, 179, 182, 185; **52**: 6, 213; **56**: 274, 285; **63**: 258; ***galopus*** **2**: 40; **7**: 94; **9**: 105, 106; **11**: 148; **14**: 87, 88, 94, 96; **17**: 41; **18**: 161; **27**: 217; **32**: 223; **34**: 38, 41; **35**: 110; **37**: 128; **44**: 88; **46**: 173, 175, 179, 181; **52**: 4, 5, 213, 215; **56**: 272, 281; **63**: 153, 156, 158, 159, 259; ***georgii*** **17**: 40; ***gracilis*** **9**: 106, 107; **14**: 106; **17**: 41, 42, 79; ***gypsea*** **61**: 28; ***haematopus*** **9**: 104, 106; **14**: 88; **18**: 159, 161, 178; **19**: 115; **23**: 201; **24**: 84; **28**: 125; **43**: 87; **46**: 82, 176, 179, 182, 185; **52**: 11; **56**: 274; **63**: 259; ***haematopus*** **var. *marginata*** **9**: 103, 106; **27**: 217; ***herinkii*** **17**: 40; ***hiemalis*** **12**: 39; **14**: 77; **25**: 107, 111; ***ianthina*** **9**: 29; **14**: 226; ***inclinata*** **14**: 106; **22**: 147; **32**: 223; **36**: 189; ***integrella*** **20**: 72; ***iodiolens*** **15**: 225; **17**: 80; **21**: 53; **44**: 88; ***iodiolens*** **var. *tenella*** **19**: 115; ***jacobi*** **5**: 157; **9**: 107; ***juncicola*** **7**: 53; **14**: 241,

243; ***kauffmannii*** **4**: 154; ***kuehneriana*** **4**: 156; ***lactea*** **14**: 126; **17**: 42; **61**: 28; ***lactea*** **var.** ***pythia*** **17**: 42; ***lactescens*** **18**: 13; ***laevigata*** **5**: 157; **9**: 21; **14**: 88; **16**: 185; **17**: 77; **18**: 159, 161, 178; **21**: 55; **31**: 115; ***lasiosperma*** **14**: 112; ***latifolia*** **9**: 106, 107; ***leptocephala*** **2**: 25; **9**: 107; **17**: 78; **46**: 16, 176, 182, 184; **52**: 7; **56**: 274; ***lohwagii*** **56**: 276; ***longiseta*** **17**: 78, 79, 87; **46**: 175, 181; ***luteoalcalina*** **2**: 25; **9**: 27, 34, 35, 107; **35**: *32*, *33*, *34*, *35*, *36*, *37*, *38*, *39*, *40*, *41*, *42*, *43*; ***luteoalcalina*** **subsp.** ***altaica*** **9**: 34; ***luteolorufescens*** **9**: 27; ***maculata*** **14**: 89; **17**: 40, 41, 80; **18**: 159, 161, 178; **27**: 217; **44**: 88; **46**: 176, 182, 184, 185; **52**: 6; **56**: 274; **63**: 259; ***marginella*** **5**: 158; **8**: 170; **9**: 21, 106, 107; **16**: 184; ***marginella*** **var.** ***rugosodisca*** **9**: 107; ***megaspora*** **10**: 181, 183; **22**: *93*, *94*; **24**: 105; **44**: 88, 124, 140; ***meliigena*** **59**: 73, 76; ***melina*** **27**: 214; ***metata*** **2**: 25; **17**: 80; **18**: 161; **44**: 88; **46**: 174, 179, 180; **52**: 7; **56**: 273; ***metata*** **f.** ***sphagnicola*** **6**: 74, 75; ***militaris*** **10**: 29; ***minima*** **14**: 106; ***mirata*** **12**: *36*, *37*, *38*, *39*; **14**: 106; ***mucor*** **17**: 80; **46**: 173, 175, 181; ***myriadophylla*** **7**: 81; **9**: 104, 107; ***niveipes*** **11**: 204; **14**: 112; **23**: 205; **32**: 223; **35**: 110; **36**: 189; **46**: 178, 183; ***occidentalis*** **17**: 40; ***olida*** **14**: 113; **46**: 178, 183; ***olivaceobrunnea*** **16**: 197; ***olivaceomarginata*** **9**: 31; ***olivascens*** **14**: 88; ***oortiana*** **56**: 274; ***oregonensis*** **10**: 161; ***pachyderma*** **2**: 25; ***palustris*** **4**: 81; ***parabolica*** **17**: 80; **27**: 217; ***pearsoniana*** **17**: *80*, *81*; **25**: 107, 111; **27**: 217; **28**: 125; ***pelianthina*** **4**: *152*, *153*, *154*, *155*, *156*, *157*, *158*; **5**: 124; **8**: 45; **9**: 21, 103, 106; **10**: 29; **12**: 59, 214; **14**: 87, 110, 118, 120, 130; **16**: 157; **18**: 5, 159, 161, 178; **21**: 56, 97, 236; **23**: 199; **24**: 107; **27**: 217; **28**: 125; **36**: 187; **39**: 61; **44**: 124; **52**: 5, 213; ***pelianthina*** **f.** ***amethystina*** **4**: 157, 158; ***permixta*** **10**: 181; **22**: 93, 94; ***phyllogena*** **25**: 107; **29**: 28; **30**: 197; ***picta*** **46**: 177, 183, 184; **56**: 274; ***pithya*** **14**: 77; ***plicosa*** **var.** ***marginata*** **16**: 196; ***polyadelpha*** **25**: 107; **46**: 175, 181; **52**: 4, 11; ***polygramma*** **4**: 148; **9**: 104; **14**: 226; **18**: 161; **19**: 114, *233*, *234*, *235*, *236*, *237*, *238*; **22**: 93; **29**: 28; **30**: 52, 197; **32**: 223; **33**: 165; **41**: 51; **46**: 176, 182, 185; **52**: 5; ***praecox*** **14**: 75; **17**: 82; **32**: 223; ***praelonga*** **2**: 40; ***pseudocorticola*** **4**: *6*, *7*, *8*, *9*; **17**: 35; ***pseudocrispula*** **17**: 42, 82; **36**: 184; **54**: 230; ***pseudogracilis*** **17**: 42; ***pseudolactea*** **17**: 42; ***pseudopelianthina*** **4**: 155; ***pseudopicta*** **32**: 208; **43**: 89, 93; **46**: 82; ***pseudopura*** **4**: 156; **9**: 104, 107; **14**: 87, 113, 130; **17**: 80; **27**: 217; ***pterigena*** **7**: 140; **9**: 161; **14**: 229, 230; **17**: *82*, *83*; **44**: 88; **56**: 276; ***pura*** **4**: 155, 157; **7**: 88; **9**: 106, 107; **12**: 214; **13**: 40, 48; **14**: 106; **16**: 188; **17**: *83*, *84*; **18**: 13, 161; **19**: 16, 114, *233*, *234*, *235*, *236*, *237*, *238*; **22**: 191, 197; **28**: 125; **29**: 28; **30**: 52, 197; **32**: 167, 168, 223; **33**: 165; **35**: 110; **38**: 161, 162; **39**: 61; **42**: 161; **43**: 93; **44**: 88, 222; **46**: 83, 173, 174, 179, 180; **48**: 14; **52**: 4, 5, 213, 215; **56**: 273, 281; **63**: 259; ***pura*** **f.** ***alba*** **9**: 106; **17**: 84; **52**: 10; ***pura*** **f.** ***coerulea*** **17**: 84; ***pura*** **f.** ***multicolor*** **9**: 106; ***pura*** **var.** ***lutea*** **28**: 174; ***purpureofusca*** **9**: *29*, *30*, *31*, 35, 106, 107; **14**: 88, 226; **17**: 84; **25**: 107, 111; **27**: 217; **32**: 223; **44**: 88; **46**: 177, 182, 185; ***quercus-ilicis*** **48**: *262*, *263*; ***quisquiliaris*** **11**: 102; ***radicifera*** **54**: *161*, *162*, *163*, *164*, *165*, *166*, *167*, *168*, *169*, *170*, *171*, *172*, *173*, *174*, *175*; ***radicifera*** **var.** ***apogama*** **54**: 164, 168, 171; ***radicifera*** **var.** ***radicifera*** **54**: 163, 171; ***renati*** **8**: 170; **9**: 26; **27**: 217; **28**: 125; **35**: *32*, *33*, *34*, *35*, *36*, *37*, *38*, *39*, *40*, *41*, *42*, *43*; **46**: 176, 179, 182, 185; **52**: 213; **56**: 274; ***rhaeborrhiza*** **21**: 236; ***rickenii*** **17**: 42; ***rorida*** **17**: 84; **23**: 198; **44**: 88; **46**: 173, 175, 181; **52**: 12; **56**: 273; ***rosea*** **30**: 197; **32**: 167, 168; **33**: 165; **39**: 61; **41**: 51; **44**: 88, 222; **52**: 6, 213; ***roseipallens*** **14**: 78; **20**: 127; **23**: 205; **25**: 62; **35**: 110; ***rosella*** **12**: 39; **14**: 77, 89, 126; **17**: 84; **22**: 191, 197; **27**: 217; **44**: 89; **56**: 282, 285; ***rotula*** **33**: 165; ***rubromarginata*** **2**: 25; **9**: 31; **14**: 88, 89; **17**: *84*, *85*; **18**: 161; **22**: 192, 197, 200; **27**: 217; **30**: 197; **44**: 89; **46**: 176, 182, 184, 185; **56**: 274; **63**: 259;

rubromarginata* var. *xanthopoda **9**: 27; ***rugosa*** **9**: 104, 106; ***rugulosiceps*** **9**: 104, 106; **14**: 88; **18**: 159, 161, 178; **27**: 217; **28**: 125; ***rutilantiformis*** **4**: 155, 156; ***salicina*** **12**: 39; **17**: 85; ***sanguinolenta*** **9**: 106; **14**: 87; **17**: 86; **18**: 161; **27**: 217; **28**: 125; **44**: 89; **46**: 173, 175, 181; **48**: 205; **52**: 5; **56**: 273; **63**: 259; ***sepia*** **52**: 8; ***seynii*** **9**: 27; ***silvae-nigrae*** **46**: 177, 183, 184; **56**: 274; ***simia*** **46**: 178, 183, 184; ***speirea*** **9**: 106, 107; **14**: 88; **17**: 86; **27**: 217; **34**: 38, 41; **44**: 89; **63**: 259; **64**: 198; ***speirea* f. *camptophylla*** **17**: 86; ***speirea* f. *candida*** **64**: 198; ***stipata*** **46**: 177, 182, 184, 185; **56**: 274; ***strobilicola*** **2**: *22*, *23*, *24*, *25*; **5**: 46; **7**: 138; **8**: 14, 15; **14**: 89; **17**: 86; **27**: 217; **39**: 179, 180; ***stylobates*** **3**: 24; **6**: 170; **9**: 106; **14**: 76, 112; **17**: 87; **25**: 108; **29**: 28; **35**: 110; **44**: 89; **46**: 173, 175, 181; **52**: 7; **56**: 273, 285; ***subalpina*** **8**: 170; **17**: 108; **23**: 199; ***succosa*** **9**: 21; **16**: 182; ***supina*** **4**: 7, 9; ***supinoides*** **12**: *36*, *37*, *38*; ***swartzii*** **17**: 87; ***tintinabulum*** **20**: 242; **28**: 125; ***truncosalicicola*** **48**: 261; ***tubarioides*** **7**: 53, 54, 56; ***typhae*** **7**: *44*, *45*, *46*, *47*, *48*, *53*, *54*, *55*, *56*; **14**: 98; ***urania*** **17**: 87; ***venustula*** **4**: 7, 9; ***vernalis*** **2**: *22*, *23*; ***viridimarginata*** **2**: 25; **9**: *31*, *32*, *33*, *34*, *35*, 107; **14**: 89; **18**: 161; **20**: 167; **35**: *32*, *33*, *34*, *35*, 36, *36*, *37*, *38*, *39*, *40*, *41*, *42*, *43*; **44**: 89, 124; **46**: 176, 182, 184, 185; **56**: 274, 281; **63**: 259; ***viridimarginata* var. *luteoalcalina*** **9**: 33, 34, 35, 106; **17**: 88; **27**: 217; **35**: *32*, *33*, *34*, *35*, *36*, *37*, *38*, *39*, *40*, *41*, *42*, *43*; ***viscosa*** **14**: 88, 89; **16**: 188; **17**: 88; **18**: 161; **22**: 191, 197; **27**: 218; **31**: 115; **44**: 89; **46**: 176, 182, 184, 185; ***vitilis*** **12**: 39; **17**: 39; **46**: 173, 175, 180; **52**: 5, 213; **56**: 273; ***vitrea*** **17**: 80; **18**: 13; **27**: 218; **33**: 165; ***vulgaris*** **14**: 126; **17**: 88; **19**: 17; **26**: 83; **56**: 273; ***xantholeuca*** **21**: 56; **27**: 218; **28**: 125; **52**: 5; ***xanthopoda*** **9**: 27; ***zephirus*** **4**: 148; **14**: 77, 87, 88, 126; **17**: 88; **18**: 161; **19**: 17; **27**: 218; **43**: 93; **46**: 173, 174, 180; **56**: 273; **63**: 259.

MYCENASTRUM corium **2**: *85*, *86*, *87*, *88*, 96, 126, 128; **3**: 22; **4**: 23, 54, 98; **6**: *163*, *164*, *165*; **9**: 189, 190, 192; **13**: 203, 210; **15**: 77, 81; **16**: 158; **17**: 53, 205; **18**: 110, *113*, *114*, *115*, *116*; **20**: 243; **23**: 80, 201; **26**: 122; **28**: 176; ***fragile*** **64**: 66, 69, 70; ***suberosum*** **4**: 54.

MYCENELLA radicata **14**: 225; ***salicina*** **58**: 154; ***salicina* var. *bispora*** **54**: 171.

MYCENOPSIS globispora **20**: 74.

MYCETINIS alliaceus **63**: 259; ***epidryas*** **60**: 26; ***kallioneus*** **60**: 26; ***querceus*** **60**: 26; ***scorodonius* var. *virgultorum*** **60**: 26.

MYCOACIA fuscoatra **7**: 120; **33**: 156; **56**: 276; ***himantia*** **25**: 133; ***nothofagi*** **59**: 74; ***setosa*** **7**: 118; ***stenodon*** **18**: 175; **29**: 28; ***uda*** **7**: 120, 137; **23**: 201; **33**: 156.

MYCOARCTIUM ciliatum **47**: 274.

MYCOBLASTUS fucatus **56**: 159.

MYCOCALIA arundinacea **17**: 113, 115, 117, 119, 124; ***denudata*** **17**: *113*, *114*, 115, *115*, *116*, *117*, *118*, *119*, *124*, *125*, *126*; **18**: 2; **21**: 54, 59; ***duriaeana*** **17**: 113, 114, 116, 117, 119, 120, 124, 126; ***fusispora*** **17**: 113, 117, 124; ***minutissima*** **17**: 113, 114, *116*, *117*, *118*, *120*, *121*, *122*, *124*, *125*, *126*; ***reticulata*** **17**: 113, 114, 116, 117, 120, 122, *124*, *125*, *126*; ***sphagneti*** **17**: 113, 114, 116, 117, *122*, *123*, *124*, *125*, *126*.

MYCOCALICIUM americanum **56**: 159.

MYCOCANDIDA inexpectata **11**: 149.

MYCOCENTROSPORA acerina **39**: 161; **49**: 7, 14; **63**: 143; ***angulata*** **49**: 14, 15; ***aquatica*** **49**: 14, 15; **63**: 143; ***clavata*** **49**: 14, 15, 16, 19; ***filiformis*** **49**: 14, 17; **63**: 143; ***varians*** **49**: 14, 17, 18, 19.

MYCOCLADUS altaini **37**: 156, 157; ***blakesleeanus*** **45**: 25, 26; ***corymbifer*** **45**: 25, 26; **55**: 88, 92, 96; **61**: 153; ***ramannianus*** **45**: 26; ***ramosus*** **45**: 25, 26; **59**: 129; ***verticulatus*** **34**: 113, 120.
MYCODERMA bordetii **11**: 149; ***chevalieri*** **11**: 149; ***issavi*** **12**: 161; ***kieta*** **12**: 161; ***lactis-butyri*** **12**: 160; ***lambica*** **32**: 134; ***lambicum*** **11**: 149; ***malti-juniperini*** **12**: 158, 160; ***matalense*** **12**: 161; ***mnyaga*** **12**: 161; ***monosum*** **11**: 149; ***nyabisi*** **12**: 161; ***valida*** **32**: 142; ***vini-lafarii*** **32**: 142.
MYCOENTEROLOBIUM platysporum **38**: 109; **40**: 151.
MYCOFALCELLA calcarata **54**: 255; **63**: 120, 124, 127, 128, 143.
MYCOGLOEA nipponica **58**: 95.
MYCOGONE nigra **18**: 103, 105, 107; **21**: 83; ***perniciosa*** **32**: 67; **38**: 4, 195; **46**: 14; ***puccinioides*** **12**: 153; **18**: 102, 103, *105*, *106*, *107*; ***rosea*** **12**: 151, 152, 155; **14**: 24, 25; **46**: 14.
MYCOLACHNEA hemisphaerica **15**: 62; **16**: 107; **17**: 62; **29**: 29; **32**: 221; **35**: 23, 140, 141, 144.
MYCOLEPTODISCUS brasiliensis **49**: 1, 2, 4; ***disciformis*** **49**: 1, 2, 4; ***indicus*** **49**: 1, 2; ***lateralis*** **49**: 1, 2; ***lunatus*** **49**: 1, 2, 4; ***minimus*** **49**: 1, 2; ***sphaericus*** **49**: 1, 2, 4; ***stellatosporus*** **49**: 1, 2, 3, 4; ***taiwanensis*** **49**: 1, 2; ***terrestris*** **49**: 1, 2; ***unilateralis*** **49**: 1, 2.
MYCOLEPTODON fimbriatum **14**: 117; ***laeticolor*** **36**: 24; ***ochraceum*** **13**: 155.
MYCOPANDORA abietina **40**: 213, 215; **41**: 204.
MYCOPORUM eucline **24**: 220, *226*, *227*, *228*, *229*.
MYCOSPHAERELLA alni **27**: 93; ***apocynica*** **52**: 61; ***applanata*** **24**: 130; ***baudysiana*** **52**: 61; ***caulicola*** **26**: *48*, *49*, 50, *50*, *51*, 55, 56; ***conglomerata*** **24**: 130; **27**: 93; ***cytisi-sagittalis*** **24**: 130; ***graminicola*** **57**: 315; ***hranicensis*** **52**: 61; ***incomperta*** **24**: *129*, *130*, *130*, *131*, *131*; **27**: 86, 93; ***jutlandica*** **26**: 43, 48, 51, 53, 55; ***lignicola*** **24**: 130; **27**: 93; ***lindiana*** **26**: 51; ***maculiformis*** **27**: 93; **28**: 96, 116; ***omphalosporoides*** **52**: 61; ***perexigua*** **var. *minima*** **55**: 230, 232, 233; **56**: 63, 73, 77, 82, 217, 218, 219; ***pinodes*** **21**: 91; **42**: 251; ***sarothamni*** **52**: 61; ***subsequens*** **12**: 192; ***tassiana*** **35**: 217; **51**: 162, 163; **53**: 156; ***variabilis*** **19**: 62, 63; ***zeae-maydis*** **55**: 262, 268.
MYCOSPHAERELLOPSIS moravica **52**: 61.
MYCOTORULA lactosa **32**: 133; ***lipolytica*** **var. *lipolytica*** **33**: 113.
MYCOTORULOIDES krusei **11**: 149.
MYCOTYPHA africana **35**: 212; ***microspora*** **35**: 212; **40**: 22, 26; **41**: 232, 233.
MYCOVELLOSIELLA brideliae **60**: 246; ***malloti*** **60**: 246; ***malloti-repandi*** **60**: 246; ***subhyalina*** **60**: 246.
MYRIOCOCCUM thermophilum **61**: 149, 153, 155, 157.
MYRIODONTIUM keratinophilum **59**: 130, 132, 134.
MYRIOSCLEROTINIA caricis-ampullaceae **48**: *265*, *266*, *267*, *268*, *269*, *270*; ***curreyana*** **29**: 131; **55**: 225, 228, 232, 233, 234.
MYRIOSTOMA coliforme **6**: 68, 69; **15**: 17, *77*, *78*, *79*, *80*, 156; **16**: 158; **17**: 205; **23**: 80; **24**: 108; **25**: *161*, *162*, *163*, *164*; **26**: 122; **28**: 57, 174, 177; **30**: 233; **35**: 241; ***coliforme*** **var. *capillatospora*** **11**: 181; ***coliforme*** **var. *capillisporum*** **15**: 80.
MYRIOTREMA minutulum **56**: 159; ***wightii*** **56**: 159.

MYROTHECIUM cinctum **44**: 39; ***gramineum*** **44**: 39; ***inundatum*** **3**: 8; **33**: 157; ***roridum*** **3**: 8; **14**: 196, 197; **44**: 39; **46**: 87, 90, 91; **55**: 88, 92, 98, 99; **61**: 153; ***striatisporum*** **44**: 39; ***verrucaria*** **3**: 8; **14**: 193, 194, 196, 197; **23**: 248; **32**: 229, 231; **33**: 83, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 197; **44**: 39; **46**: 89, 255; **50**: 103; **51**: 158, 160, *162*, *163*, *165*, *166*, *167*, *168*; **52**: 220, 221, 222; **56**: 228, 229; **61**: 151, 153.

MYSTROSPORIUM polytrichum **46**: 326; ***stemphylium*** **15**: 178; ***velutinum*** **46**: 320.

MYTILIDION gemmigenum **35**: 95, 99; ***mytilinellum*** **35**: 95.

MYTILINIDION aggregatum **49**: 219; ***gemmigenum*** **49**: 219; ***karstenii*** **49**: 217; ***mytilinellum*** **49**: 219; ***rhenanum*** **49**: 212, 217, 218, 219; ***scolecosporium*** **49**: 219.

MYXACIUM collinitum **13**: *168*, *169*, *170*, *171*; **19**: 17; **25**: 107; ***mucifluum*** **18**: 11; ***mucosum*** **4**: 149; **14**: 96; ***triviale*** **18**: 13; **19**: 115.

MYXARIUM crystallinum **39**: 53; ***grilletii*** **39**: *52*, *53*, *54*, *55*.

MYXOFUSICOCCUM coryli **13**: 221; ***tiliae*** **13**: 221.

MYXOMPHALIA maura **30**: 52; **31**: 114; **35**: 238; **41**: 51; **43**: 87, 89; **63**: 8.

MYXOSPORIUM album **13**: 221; ***carneum*** **26**: 123; ***corticolum*** **28**: 154; ***deplanatum*** **13**: 218; ***mali*** **28**: 151, 153, 154; ***spaethianum*** **28**: 10, 11; ***sulphureum*** **13**: 221; ***tulasnei*** **28**: 10, 11.

MYXOTRICHUM brunneum **35**: 214; ***deflexum*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; **36**: 104, 107; **53**: 288, 291, 292; **55**: 123; ***resinae*** **38**: 240.

MYZOCYTIUM vermicolum **1**: 29.

NADSONIA slovaca **13**: 37, 44, 45, *47*, *48*, *49*.

NAEMACYCLUS minor **35**: 93; ***niveus*** **14**: 77, 226; **35**: 93; **37**: 111.

NAEMATELIA encephala **18**: 163; ***morchellaeformis*** **46**: 320; ***rubiformis*** **11**: 89.

NAEMATOLOMA capnoides **11**: 15, 20; **19**: 18, *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **30**: 52; ***dispersum*** **14**: 88, 125; ***elongatum*** **14**: 96; ***epixanthum*** **14**: 88, 125; ***fasciculare*** **10**: 186; **13**: 40, 45; **18**: 233; **19**: 18, 231; **20**: 60; **30**: 52; **33**: 165; ***hornemannii*** **11**: 13; ***squamosum*** **11**: 18; ***sublateritium*** **13**: 40, 41, 45, 46; **19**: 18, 231; **20**: 60; **30**: 52; ***udum*** **14**: 96, 100.

NAEMOSPORA castaneae **52**: 61; ***crocea*** **27**: 140, 142.

NAEVIA lapponica **9**: 113; ***minutissima*** **30**: 11.

NAEVIELLA paradoxa **56**: 63, 64, 74, 75, 81, 82, 218, 219.

NAEVIOPSIS arctica **31**: 133; ***caricis-brizoidis*** **36**: 147; ***carneola*** **55**: 223, 224, 225, 226, 227, 228, 231, 233, 234, 235, 236, 237.

NAGANISHIA globosus **32**: 144.

NAIADELLA fluitans **63**: 143.

NANNFELDTIELLA aggregata **30**: 7; ***guldeniae*** **35**: 23, 140, 142.

NANNIZZIA cajetana **22**: 58, 60, 62, 64; **24**: 193; **31**: 91; **33**: *86*, *87*, *88*, *89*, *90*, *91*; **44**: 39; ***fulva*** **22**: 57, 58, 62, 64; **39**: 161; **44**: 39; **58**: 119; ***grubyia*** **22**: 58, 62, 64; **36**: 237; **39**: 161; ***gypsea*** **22**: 57, 58, *62*, *63*, *64*; **31**: 91; **35**: 215; **39**: 102, 161; **44**: 39; **58**: 119; ***incurvata*** **16**: 125; **22**: 57, 58, 60, *62*, *63*, *64*; **35**: 215; **39**: 161; **44**: 39; ***obtusa*** **22**: 58, 62, 64; **39**: 161; ***otae*** **35**: 215; **39**: 161; ***persicolor*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; **37**: 119; **39**: 101, 161; **44**: 39; ***racemosa*** **39**: 161; ***vanbreuseghemii*** **39**: 161.

NAOHIDEA sebacea **54**: 11.

NAOHIDEMYCES vaccinii **56**: 129; *vacciniorum* **62**: 99.
NAPICLADIUM arundinaceum **38**: 39; *laxum* **38**: 39.
NAUCORIA alnetorum **16**: 161, 162; **20**: 142; *arvalis* **52**: 32; *badiolateritia* **62**: 34; *bohemica* **62**: 33, 34, 35, 37, 38, 39, 40; *celluloderma* **16**: 162; **20**: 141; *centuncula* **14**: 73; *cerodes* **19**: 47; *dasypus* **58**: 277; *effugiens* **20**: 71; *erinacea* **7**: 191; *escharoides* **16**: 163; **44**: 221; *ferruginea* **16**: 169; *furfuracea* **16**: 140; *haustellaris* **14**: 172; **20**: 71; *langei* **62**: 34; *lugubris* **19**: *233*, *234*, *235*, *236*, *237*, *238*; *macrospora* **62**: 34; *macrospora* var. *borealis* **62**: 35; *myosotis* **44**: 89, 140; *myosotis* f. *sterilis* **39**: 26, 27; *oligophylla* **52**: 23; *pygmaea* **60**: 151; *rubi* **20**: 71; *rubriceps* **62**: 34; *saliceti* **62**: 34; *salicis* **62**: 34; *sclerotina* **2**: 36; *scorpioides* **62**: 33, 35; *segestria* var. *microspora* **36**: 58; *setipes* **52**: 61; *siparia* **16**: 169; *sobria* **16**: 163; *spadicea* **62**: 34; *straminea* **52**: 23; *submelinoides* **20**: 142; **56**: 272; *submelinoides* var. *alnetorum* **16**: 161, 162; *subsphaerospora* **53**: 134, 137; *typhicola* **6**: 169, 170, *173*, *174*, *175*.
NAVISPORUS floccosus **59**: 166, 167; *terrestris* **59**: 154, 161.
NECTRIA albertini **14**: 30; *applanata* **27**: 86; *aureofulva* **53**: 288, 291, 292; *carneorosea* **13**: 125; *cinnabarina* **11**: 185; **22**: 51, 53, 54; **26**: 44, 45; **35**: 100; **49**: 202; **56**: 275; **63**: 259; *coccinea* **10**: 89; **61**: 88; *coryli* **10**: 90; *cosmariospora* **8**: 92; **25**: 110; *cucurbitula* **10**: 89, 90; *ditissima* **10**: 89; **11**: 184; **56**: 276; *ditissima* var. *major* **10**: 89; *episphaeria* **14**: 117; **27**: 95; **61**: 88; *episphaeria* var. *coronata* **27**: 86; *eximia* **46**: 320; *fimicola* **13**: 92, 93, 99; *fuckeliana* **61**: 88, 91; *furfuracea* **46**: 320; *galligena* **11**: 184; **31**: 61; *galligena* var. *major* **10**: 89; *haematococca* **39**: 160; **44**: 75; **51**: 157, 158, *160*, *161*, *162*, *163*, *164*, *165*, *166*, *167*, *168*; **52**: 222; **56**: 223; *heterosperma* **46**: 320; *indigens* **24**: 224, 225; *lecanodes* **17**: 155, 157; *leocarpoides* **46**: 320; *leptosphaeriae* **12**: 93; *major* **10**: 89, 91; *martialis* **46**: 320; *petasitidis* **44**: 140, 146; *peziza* **32**: 221; **59**: 73, 76; **61**: 88, 93; *pinea* **10**: *89*, *90*, *91*; *sanguinea* **27**: 95; *torminosa* **14**: 26; *viburnicola* **50**: 80.
NECTRIELLA coccinea **24**: 224, 225; *kalchbrenneri* **49**: 166; *sanguinea* **8**: 93.
NECTRIOPSIS aureonitens **14**: 26, 29; *violacea* **18**: 159, 164, 177, 178; **44**: 146.
NEMANIA aenea **39**: *129*, *130*, *131*, *132*, *133*; *albocincta* **39**: 23, 132; *atropurpurea* **39**: *19*, *20*, *21*, *22*; **59**: 74, 75, 76; **61**: 88, 94; *bipapillata* **39**: 18, 23, 24, 132, 133; *carbonacea* **39**: 22, 23, 132; **54**: 80; **59**: 74, 75, 76; *chestersii* **39**: 18, 24, 132, 133; **61**: 88, 94; *conostoma* **39**: 19, 24, 132; *effusa* **39**: 24, 132; *gwyneddii* **39**: 24, 132; *illita* **39**: 19, 24, 132, 133; *pouzarii* **54**: *79*, *80*, *81*; *serpens* **39**: *15*, *16*, *17*, *18*, *19*, 21, 23, *131*, *132*, 133, *133*, *134*; **59**: 74, 75, 76; **61**: 88; *serpens* var. *macrospora* **39**: *132*, *133*, *134*; *serpens* var. *serpens* **39**: *132*, *133*, *134*; *ustulata* **39**: 16.
NEMATOGONUM parasiticum **47**: 156.
NEMATOLOMA caerulescens **7**: 140; *dispersum* **27**: 215; *fasciculare* **4**: 148; **9**: 24; **14**: 226; *subochraceum* **50**: 46; *udum* **7**: 43.
NEMATOSPORANGIUM aphanidermatum **18**: 36.
NEMECOMYCES genezareticus **48**: 284, 293; *mongolicus* **48**: 283, 284, 285, *286*, *287*, *288*, *289*, *290*, *291*, *292*, 293.
NEOBULGARIA pura **7**: 92, 93; **14**: 87; **16**: 102; **25**: 109, 111; **27**: 224; **31**: 115; **56**: 276; **63**: 251, 259.

***NEOCOSMOSPORA africana* 57**: 243; **61**: 153, 155; ***vasinfecta* f. *conidiifera* 57**: 243; ***vasinfecta* var. *africana* 57**: 239, 240, 243, 245, 247; ***vasinfecta* var. *vasinfecta* 57**: 245.
***NEODASYSCYPHA cerina* 57**: 139, 141, 164, 168, 170; ***subciboria* 57**: 139, 168.
***NEOERYSIPHE chelones* 60**: 251, 258; ***cumminsiana* 60**: 251, 258; ***galeopsidis* 60**: 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263; ***galii* 60**: 251; ***geranii* 60**: 251, 258; ***rubiae* 60**: 252.
***NEOFABRAEA corticola* 28**: 154.
***NEOGYROMITRA caroliniana* 26**: 1; **28**: 91; ***fastigiata* 35**: 10; ***gigas* 14**: 126, 225; **20**: *178*, *179*, *180*, *181*; **23**: 171, 173; **25**: 109; **26**: 3; **28**: *84*, *85*, *86*, *87*, *88*, *89*; **35**: 10, 11.
***NEOHENNINGSIA suffulta* 40**: 216.
***NEOLAMYA xanthoparmaliae* 51**: 183.
***NEOLENTINUS adhaerens* 53**: 31, 32, 34, 35, 46, 47, *51*, *52*, *53*, *54*; ***degener* 53**: *30*, *31*, *32*, 45, 47, 51, *54*, *55*, *56*, 66, 81; ***kauffmannii* 53**: 51; ***lepideus* 53**: 56; ***lepideus* var. *tubaeformis* 53**: 58.
***NEOLENTIPORUS squamosellus* 57**: 326.
***NEOPECKIA coulteri* 63**: 154.
***NEOPHYLLIS melacarpa* 56**: 159.
***NEOSARTORYA aurata* 48**: 73; ***aureola* 48**: 73; ***fennelliae* 48**: 73; ***fischeri* 44**: 39; **46**: 263; **47**: *303*, *304*, *305*, 307, 308; **48**: 73, 74, 75; **53**: 175, 178; **61**: 153, 156, 158; ***fischeri* var. *glabra* 48**: 73; ***fischeri* var. *spinosa* 48**: 73; ***hiratsukae* 48**: 73; ***primulina* 48**: 73; ***pseudofischeri* 48**: 73; ***quadricincta* 48**: 73; ***spinosa* 61**: 149, 151, 153, 155, 156, 158; ***straminea* 48**: 73.
***NEOTESTUDINA rosatii* 39**: 161.
***NEOTRICHOPHYTON flavum* 12**: 45; ***plicatile* 12**: 45.
***NEOTTIELLA aphanodictyon* 49**: 154; ***callichroa* 23**: 87, 90; ***catharinaea* 49**: 152, 153, 154, 159; ***cornubiensis* 47**: 243, 244; ***hetieri* 15**: 62, 63, 76; **17**: 69; **23**: 231, 232; **35**: 19; **47**: 240; ***leucotricha* 7**: 191; **14**: 98; ***patavina* 28**: 132; ***phlyctispora* 47**: 263; ***regalis* 35**: 81; ***rutilans* 22**: 183; **23**: 26, 27; **47**: 240; ***vivida* 16**: 115; **22**: 183; **23**: 27, 141, 231; **35**: 20, 143; **44**: 145.
***NEOTTIOPEZIS callichroa* 23**: 87.
***NEOZYGITES fresenii* 48**: *92*, *93*.
***NEPHROMA australe* 56**: 159; ***tangeriense* 56**: 159.
***NEPHROMOPSIS komarovii* 56**: 159.
***NEPHROSPORA manginii* 27**: *165*, *166*, *167*.
***NEUROPHYLLUM clavatum* 16**: 13.
***NEUROPODON ciliatus* 56**: 159.
***NEUROSPORA crassa* 40**: 54; **49**: 92; **60**: 84.
***NEVROPHYLLUM clavatum* 14**: 125.
***NIDULARIA arundinacea* 12**: *132*, *133*, *134*, 135, *135*, *136*; **17**: 113, 115, 117, 119, 124; ***castanea* 12**: 134; **17**: 116, 119; ***confluens* 12**: 133; **17**: 116; ***corrugata* 17**: 115, 124; ***denudata* 12**: *132*, *133*, *134*, 135, *135*, *136*; **17**: *113*, *114*, *115*, *116*, *117*, *118*, *119*, *124*, *125*, *126*; ***duriaeana* 12**: *132*, *133*, *134*, 135, *135*; **17**: 113, 114, 119, 120, 124; ***farcta* 12**: 133, 135; **15**: 2; **17**: 113, 115, 116, 119, 124, 125; **36**: 186; **44**: 141; ***fusispora* 12**: *133*, *134*, 135, *135*; **17**: 113, 117, 124; ***globosa* 12**: 132, 133; ***granulifera* 17**: 115, 124; ***minutissima* 12**: *133*, *134*, 135, *135*; **17**: 113, 114, *120*, *121*, *122*,

124, *125*, *126*; ***pisiformis*** **2**: 37; **12**: 133, 134; ***pulvinata*** **17**: 113, 115, 116, 124, 125; ***reticulata*** **12**: 133, 134, 135; **17**: 113, 114, 120, 122, *124*, *125*, *126*; ***rudis*** **17**: 115.

NIEBLA isidiaescens **56**: 159.

NIESSLIA exilis **35**: 94; ***pusilla*** **33**: 152.

NIGROFOMES melanoporus **55**: 27.

NIGROSPORA arundinacea **17**: 13, 19; ***canescens*** **17**: 13, *15*, *16*, *17*, *18*; ***gallarum*** **17**: 12, 13, 15; ***gossypii*** **17**: 13, 15, 16; ***javanica*** **17**: 13, 15; ***maydis*** **17**: *14*, *15*, *16*, *17*, *18*, *19*; **44**: 39; ***musae*** **17**: 13, *15*, *16*, *17*, *18*, *19*; ***oryzae*** **17**: *13*, *14*, *15*, 18; **55**: 245; **61**: 110; ***panici*** **17**: 12, 13, 19; ***sacchari*** **17**: 13, 15; ***sphaerica*** **17**: 13, 14, 16, 18; **28**: 157; **52**: 222; **55**: 123; **61**: 153; ***vietnamensis*** **17**: *12*, *13*, *14*, *15*, *16*, *17*, 18, *18*, *19*.

NIMBOMOLLISIA punctum **44**: 140, 145.

NIMBOSPORA effusa **61**: 111, 112.

NIMISIA fuegiae **56**: 155, 159.

NIPTERA eriophori **55**: 228, 229, 230, 232, 233, 234; **56**: 75, 82, 203, 206, 219; ***exsiliens*** **40**: 217; ***filispora*** **43**: 226; ***leucostigma*** **40**: 214; ***phaea*** **55**: 233; ***pilosa*** **40**: 209; ***teucrii*** **31**: 13; ***umbrinella*** **40**: 205.

NITSCHKIA acanthostroma **40**: 142, 163; ***brevispina*** **49**: 202; ***collapsa*** **49**: 202; ***confertula*** **49**: 202; ***cupularis*** **49**: 201, 202; **61**: 88, 90; ***exilis*** **49**: 202; ***grevillei*** **49**: 202; ***moravica*** **52**: 62; ***parasitans*** **49**: 202; **61**: 88, 92, 93.

NIVEOSTOMA leucostoma **42**: 144, 146.

NOCARDIA asteroides **44**: 5, 66; ***brasiliensis*** **44**: 5, 66.

NODULOSPHAERIA robusta **35**: 240; ***succisae*** **12**: 192.

NOLANEA babingtonii **7**: 137; **30**: 232; ***cetrata*** **18**: 161; **44**: 89; ***coelestina*** **18**: 204, 205; ***crassipes*** **10**: 2; ***cucullata*** **26**: 221; ***erophila*** **5**: 44; **10**: 2; **26**: 220, 221; ***erophila*** **var.** ***microspora*** **10**: 2; ***fumosella*** **7**: 137; ***hirtipes*** **10**: 2; **35**: 110; ***icterina*** **11**: 128; ***icterina*** **f.** ***gracillima*** **20**: 69; ***pascua*** **9**: 5; **10**: 2, 9; **26**: 220; ***pascua*** **var.** ***lobatoconica*** **10**: 2, 8; ***proletaria*** **10**: 8; ***pyramidata*** **var.** ***lobatoconica*** **10**: 2; ***staurospora*** **10**: 9; **29**: 28; **34**: 38, 41; **44**: 89; ***tristis*** **10**: 2; **14**: 106; ***undulata*** **10**: 2; ***variegata*** **10**: 8; ***verna*** **26**: 221; **32**: 223; **33**: 245, 247, 248, 251, 252; **43**: 182; ***versatilis*** **9**: 5, 6, 8.

NOTHOJAFNEA cryptotricha **62**: 10.

NOTHOPANUS eugrammus **34**: 71; ***eugrammus*** **f.** ***veraecrucis*** **34**: 72; ***hygrophanus*** **34**: 71; ***veraecrucis*** **34**: 71, 72.

NOWAKOWSKIELLA profusa **28**: 230.

NOZEMIA syringae **15**: 250.

NUMMULARIA anthracina **40**: 3; ***artocreas*** **33**: 217; ***atropunctata*** **33**: 216; ***baileyi*** **33**: 216; ***bulliardii*** **7**: 137; **33**: 207, 216; **40**: 3; ***dennisii*** **33**: 216; **40**: 6; ***diatrypeoides*** **33**: 217; ***discincola*** **33**: 216; **40**: 3; ***discreta*** **13**: 218; **33**: *207*, *208*, *209*, *210*, 212, 216; **34**: 135; **40**: 3, 4; ***dryophila*** **33**: 217; **40**: 1, 6, 7; ***guaranitica*** **33**: 217; ***kalchbrenneri*** **33**: 217; ***lataniaecola*** **33**: 217; ***lucidula*** **33**: 217; ***lutea*** **34**: 131; ***nummularia*** **40**: 3; ***pezizaeformis*** **33**: 217; **40**: 3, 4; ***pezizoides*** **33**: 216, 217; **40**: 2; ***pusilla*** **33**: 217; ***reparida*** **13**: 155; **14**: 72; **33**: 207, 216, 217;

40: 2; ***repandoides*** **40**: 3; ***tubulina*** **34**: 132, 135; ***ustulinoides*** **34**: 128; ***venezuelensis*** **33**: 217.

NUMMULARIELLA marginata **33**: 216; **34**: 135; **40**: 3; ***repanda*** **40**: 2.

NUMULARIOLA atropunctata **33**: 209; ***cinereolilacina*** **40**: 3; ***cylindrophora*** **34**: 127; ***discreta*** **33**: 209; ***hypoxyloides*** **34**: 127; ***microspora*** **34**: 139; ***nummularia*** **33**: 209; **40**: 3; ***petersii*** **34**: *144*, *145*, *146*, *147*, *148*, *149*; ***polysperma*** **34**: 126; ***repanda*** **33**: *209*, *210*, *211*, *212*, *213*; ***tubulina*** **34**: 132.

NYCTALIS asterophora **29**: 105; **46**: 175, 179, 181; ***lycoperdoides*** **2**: 5; **4**: 159; **22**: 147; **32**: 223; **33**: 165; ***parasitica*** **2**: 4; **20**: 127; **21**: 54; **27**: 218; **29**: 105; **31**: 115.

NYSSOPSORA echinata **53**: 92, 93, 100, 113; **56**: 129; **57**: 263.

OBOLARINA dryophila **40**: 1, 2, 7, 9.

OCELLARIA ocellata **35**: 240.

OCELLULARIA perforata **56**: 159.

OCHROCONIS gallopavum **44**: 6, 7, 132.

OCHROLECHIA lactea **51**: 175; ***microstictoides*** **56**: 159.

OCHROMITRA gabretae **8**: 171; **27**: 224; **35**: 74; **59**: 52, 55; ***sphaerospora*** **8**: 171.

OCHROPORUS braunii **31**: 165; ***croceus*** **20**: 90; ***ferrugineofuscus*** **19**: 22; ***igniarius*** **var. *tremulae*** **22**: 279; ***pseudoigniarius*** **27**: 69.

OCHROPSORA ariae **56**: 129.

OCTAVIANIA asterosperma **2**: *61*, *62*; **14**: 112; ***asterosperma*** **f. *mutabilis*** **2**: 62, 69; ***laevis*** **14**: 75; ***lutea*** **4**: 92; ***monospora*** **14**: 75; ***moravica*** **1**: 23; **3**: 20; **4**: 91, 92; **17**: 208; ***stephensii*** **14**: 112, 124.

OCTOJUGA chionea **7**: 137.

OCTOSPORA albocincta **49**: 152, 154, 156, 157; ***aliena*** **17**: 134, *137*, *138*, *139*; **35**: 136; ***antarctica*** **26**: 75; ***aphanodictyon*** **49**: 154, 159; ***aurantiaca*** **28**: 133; ***axillaris*** **35**: 64, 138; **49**: 157; ***borealis*** **49**: 156; ***calospora*** **26**: 40; ***carneoviolacea*** **31**: 70; **35**: 64, 141; ***catharinaea*** **49**: 152, 154; ***coccinea*** **35**: 64; ***coccinea*** **var. *muralis*** **35**: 64; ***congrex*** **17**: 61, 65; ***deformis*** **23**: 87; ***fusispora*** **23**: 87; ***gigantea*** **34**: 220, 221; **52**: 62; ***grimmiae*** **49**: 157; ***gyalectoides*** **17**: 61, 66, 67; **35**: 64, 141; **39**: 180; ***hetieri*** **49**: 157; ***humosa*** **22**: 183; **35**: 64, 139, 141, 142; **49**: 157; ***hygrohypnophila*** **41**: 235, 236; ***insignispora*** **34**: 221; ***kilimanjarensis*** **49**: *149*, *150*, *151*, *152*, *153*, *154*, *155*, *156*, *157*; **52**: 62; ***leucoloma*** **17**: 66; **22**: *212*, *213*, 214, *214*; **23**: 83, 85, 94, 226; **28**: 123; **35**: 64, 138, 141, 142; **49**: 157; ***libussae*** **17**: 61, 65, 66; **18**: 244; **23**: 225, 226; **35**: 65, 141, 142; **39**: 180; **49**: 157; ***lilacina*** **17**: 65; **35**: 65, 142; ***melina*** **35**: 65, 141, 142; **41**: 235, 236; **49**: 157; ***meslinii*** **17**: 67; **22**: 183; **35**: 65, 142; **49**: 157; ***moravecii*** **35**: 65, 142; **41**: 235, 236; **47**: 196; ***musci-muralis*** **35**: 65, 138, 141; ***nivea*** **57**: 160; ***phagospora*** **28**: 129, 134; **35**: 65, 135, 142; **49**: 157; ***pleurozii*** **26**: 77; **34**: 218; ***porphyrospora*** **11**: 108; ***rubens*** **23**: 225, 226; **35**: 65, 142; ***rubricosa*** **22**: 212, 213; **23**: 226; **35**: 65; ***rustica*** **23**: 226; **35**: 65, 138; **49**: 157; ***rutilans*** **49**: 152, 154, 157, 158; ***sublutea*** **31**: 70; **35**: 65, 142; ***sydowii*** **26**: 214; ***tetraspora*** **23**: 225, 227; **35**: 65, 138, 141, 142; **49**: 157; ***tetraspora*** **var. *aegyptiaca*** **26**: *138*, *139*, *140*; ***tetraspora*** **var. *tetraspora*** **26**: *138*, *139*, *140*; ***varia*** **24**: 65, 72; ***vivida*** **49**: 152, 154, 159; ***wrightii*** **23**: 222, 225, 227, 228; **35**: 18, 65; **41**: 234.

ODONTIA bicolor **7**: 138, 139; **18**: 163; **27**: 223; *brinkmannii* **22**: 250; *conspersa* **22**: 251; *himantia* **25**: *129*, *130*, *131*, *132*, *133*, *134*; *hydnoides* **22**: 251; *pallida* **64**: 28; *papillosa* **14**: 97; *pruni* **27**: 204; *rudis* **64**: 38, 39; *stipata* **64**: 29, 36; *sudans* **27**: 221.

ODONTICIUM depauperatum **64**: 23, 34; *flavicans* **64**: 35; *romellii* **64**: 35.

OEDEMIUM didymum **61**: 88.

OEDOCEPHALUM fimetarium **14**: 219; *glomerulosum* **36**: 43; **53**: 215, 217.

OIDIODENDRON cereale **39**: 161; **44**: 39; **59**: 130, 132; *citrinum* **44**: 39; *flavum* **20**: 51; **44**: 40; *griseum* **44**: 40; *kalrai* **35**: 214; *maius* **38**: 241; **44**: 40; **55**: 98; *tenuissimum* **35**: 99; **44**: 40; **53**: 288, 291, 292; **63**: 154; *truncatum* **46**: 249.

OIDIUM acanthospermi **46**: 304; *albicans* **44**: 70; *album* **23**: 217, 218; **30**: 3; *armeniacum* **23**: 221; *aureofulvum* **23**: *97*, *98*, *99*, *100*, *101*, 221; *aureum* **21**: 54, 72, 73; **23**: 209, 214, 217, 218, 221; **25**: 110; *biforme* **23**: *97*, *98*, *99*, *100*, *101*, 221; *bixae* **46**: 307; *bloxamii* **23**: 210, 221; *camemberti* **12**: 161; *candicans* **21**: 69, 73; **30**: 3; *capitatum* **23**: 209, 210, 221; **30**: 3; *caribense* **23**: 209, *218*, *219*, *220*, *221*; **30**: 3; *caricae-papayae* **46**: 307; *cassiae-hirsutae* **46**: 309; *cassiae-siamenae* **46**: 309; *chilense* **30**: 3; *chrysanthemi* **49**: 117; *conspersum* **21**: 73; **23**: 209, 210, 214; **25**: 110; *curtisii* **21**: 72, 73; **23**: 221; *curtisii* **var.** *ovalisporium* **30**: 4; *cutaneum* **32**: 240; *dermatitidis* **11**: 22; *effusum* **23**: 221; *ellipsosporum* **23**: 210; **27**: 225; **30**: 4; *elongatum* **30**: 4; *ericinum* **58**: 190; *gracile* **30**: 4; *heliotropi-indici* **46**: 307; *hesperidicum* **23**: 221; *lactis* **11**: 21, 96; **12**: *157*, *158*, *159*, *160*, *161*; **21**: 69; **32**: 147; *lactis* **var.** *luxurians* **12**: 160; *laevisporum* **23**: 221; *lanosum* **23**: 221; *linderi* **30**: 4; *lycopersici* **52**: *148*, *149*; *magniferae* **46**: 306; *magnisporum* **23**: 214; **30**: 4; *matalense* **12**: 161; *medium* **23**: *209*, 210, *210*, *211*, *212*, *213*, *214*, *215*, *216*, *217*, *218*, *219*, *220*, *221*; **30**: 4; *murrilliae* **23**: 221; *neolycopersici* **57**: 313, 314; *nubilum* **12**: 161; *obtusum* **12**: 160; *ovalisporium* **30**: 4; *pulveraceum* **23**: 221; *quercinum* **2**: 4; *ramosum* **23**: 221; *rubiginosum* **21**: *69*, *70*, *71*, *72*, *73*; **23**: 210, 220; *schoenleinii* **12**: 45; *simile* **23**: 97, *99*, *100*, *101*, 210, 214; **30**: 4; *sphaerosporum* **23**: 214; **30**: 4; *stachytaerphetas* **46**: 311; *suaveolens* **12**: 161; *tamarindi* **46**: 310; *tomentosum* **21**: 72, 73; *tonsurans* **12**: 44; *tropicale* **32**: 140; **44**: 70; *urenae* **46**: 310; *verbenae* **46**: 311; *vesiculosum* **30**: 4.

OLIGOPORUS alni **57**: 325; **59**: 74; **63**: 259; *balsameus* **47**: 61; **59**: 149; **61**: 192; *caesius* **57**: 325; **63**: 259; *cerifluus* **47**: 59; **61**: 194; *folliculocystidiatus* **47**: 59, *61*, *62*, *63*; *fragilis* **61**: 190, 191; **63**: 259; *guttulatus* **63**: 259; *hibernicus* **42**: 131; *immitis* **59**: 149; *lacteus* **63**: 259; *leucomallellus* **47**: 61; **60**: 109; **61**: 190; **63**: 259; *lowei* **47**: 61; *minusculoides* **47**: 61; *obductus* **58**: 154; *ptychogaster* **47**: 61; *rennyi* **38**: 203; *septentrionalis* **45**: *144*, *145*, *146*, *147*, *148*, *149*; *sericeomollis* **38**: 203; **42**: 131; *simanii* **45**: 148, 149; *stipticus* **63**: 259; *subcaesius* **52**: 11; **57**: 325; *tephroleucus* **63**: 259; *undosus* **63**: 248, 251, 259.

OLLA costata **40**: 216; *millepunctata* **40**: 216; **64**: 123; *scrupulosa* **40**: 216; *tyrolensis* **16**: 12; *ulmariae* **40**: 216; **41**: 204; **44**: 140, 145; *xylita* **13**: 212.

OLPIDIUM brassicae **7**: 50; **32**: *88*, *89*, *90*, *91*, *92*; **36**: 68; *nematodae* **33**: 170, 171; **44**: 40; *salicorniae* **7**: 50.

OMBROPHILA albescens **14**: 14, 20; *atrovirens* **59**: 105; *aurea* **20**: 10; *bataillei* **43**: 67; *carnosa* **9**: *161*, *162*, 163, *163*, *164*, *165*; **25**: 109, 111; **43**: 65, 67; *ciliifera* **5**: 46; *clavus* **var.** *grandis*

43: 67; ***faginea*** **16**: 113; ***ianthina*** **5**: 45; **25**: 109; ***lilacina*** **16**: 102; **30**: 130; ***limosella*** **5**: 45; ***linteosa*** **35**: 69; ***pura*** **7**: 92, 93; ***strobilina*** **5**: 11; **11**: *235*, *236*, *237*, *238*, 240; ***subvillosula*** **5**: 45, 46; ***turficola*** **11**: *35*, *36*, *37*, *38*, 40; ***violacea*** **5**: 45; **11**: 237; **35**: 109.

OMPHALIA amara **12**: 78; ***amara*** **var.** ***gentianea*** **12**: 78; **20**: 230; ***asterospora*** **3**: 24; ***atropuncta*** **14**: 112; ***belliae*** **16**: 157; ***brevibasidiata*** **10**: 161; ***campanella*** **27**: 220; **38**: 213; ***chrysophylla*** **6**: 41; **16**: 180, 185; **27**: 218; ***cincta*** **10**: *159*, *160*, *161*; ***citrina*** **54**: 210, 228, 229; ***cornui*** **38**: 213; ***cuspidata*** **54**: 213; ***cuspidata*** **var.** ***stenospora*** **20**: 146, 147; ***demissa*** **14**: 113; **29**: 164, 165; ***discorosea*** **29**: 157; ***epichysium*** **19**: 114; ***ericetorum*** **f.** ***brunneopapillata*** **9**: 144; ***fuscipes*** **52**: 23; ***gracillima*** **54**: 218; ***graveolens*** **48**: 199, 200; ***hydrogramma*** **14**: 112; **16**: 165; **18**: 164; ***integrella*** **20**: 72; ***kalchbrenneri*** **48**: 200, 202; **49**: 166; ***leucomyosotis*** **4**: 81, 82; **7**: 192; ***lundellii*** **9**: 144; ***luteovitellina*** **9**: 144; ***mairei*** **14**: 113; ***maura*** **3**: 7, 87; **30**: 52; ***nitrosa*** **17**: 37; ***pruinosa*** **7**: 13; ***pyxidata*** **14**: 223; ***quisquiliaris*** **11**: 102; ***rosarum*** **52**: 32; ***setipes*** **9**: 107; ***stellata*** **54**: 209; ***struthiopteridis*** **54**: 210, 228; ***tenuispora*** **17**: 42; ***tricolor*** **1**: 92; ***tubarioides*** **7**: 53; ***typhae*** **7**: 44; ***umbellifera*** **4**: 149; ***umbilicata*** **14**: 112; ***viridimammata*** **9**: 144.

OMPHALIASTER asterosporus **63**: 251, 259.

OMPHALINA abiegna **18**: 3, 171; ***campanella*** **38**: 213; **60**: 210; ***chrysophylla*** **16**: 21, 173, 180, 181, 185, 186, 191; **18**: 161, 171; **20**: 135, 136; **27**: 218; ***cyanophylla*** **59**: 61; ***demissa*** **29**: 164, 165; ***discorosea*** **29**: *157*, *158*, *159*, *160*, *161*, *162*, *163*, *163*, *164*, *164*, *165*, *165*; **45**: 36; ***epichysium*** **14**: 88; **18**: 164; **20**: 136; **25**: 108, 111; **27**: 218; **31**: 115; **46**: 178, 183, 184; **60**: 210; ***ericetorum*** **18**: 171; **20**: 136; **25**: 108; **44**: 89; ***fibula*** **17**: 39; **20**: 136; ***fusca*** **52**: 23; ***grisella*** **14**: 223; ***griseopallida*** **14**: 104; ***grossula*** **25**: 195; ***hudsoniana*** **50**: 234, 278, 280, *282*, *283*, *284*, 296; ***lilaceorosea*** **25**: *193*, *194*, *195*, *195*; **29**: *157*, *158*, *159*, *160*, *161*, *162*, *163*, *164*, *165*; **39**: 180; ***luteolilacina*** **18**: 4, 6; ***luteovitellina*** **18**: 4, 6; ***oniscus*** **37**: 99; **48**: 265; ***philonotis*** **14**: 94, 96, 100; ***postii*** **20**: 136; **46**: 122; ***pythia*** **52**: 23; ***pyxidata*** **30**: 193, 197, 198; **32**: 223; **35**: 238; **60**: 204, 207; ***rivulicola*** **60**: 204, 207; ***rustica*** **25**: 108; ***serotina*** **52**: 62; ***sphagnicola*** **14**: 94, 96, 100; **20**: 136; **48**: 265; ***swartzii*** **20**: 136; ***umbellifera*** **14**: 94, 96, 223; **18**: 171; **20**: 136; **27**: 34; **50**: 234; ***velutina*** **18**: 171; ***wynniae*** **18**: 159, 161, 171, 178; ***xanthophylla*** **20**: 136.

OMPHALOMYCES fuscus **28**: 58.

OMPHALOPHALLUS muellerianus **46**: 320; **48**: 274; ***retusus*** **46**: 320; **49**: 164.

OMPHALOPSIS campanella **38**: 213.

OMPHALOTUS illudens **48**: 98; ***olearius*** **16**: 21, 157; **17**: 108; **20**: 165, 170; **21**: 97; **23**: 177, 179; **24**: 106; **30**: 53, 228; **33**: 252; **36**: *154*, *155*, *156*, *157*, *158*, 189; **41**: 163; **44**: 222; **47**: 312; **48**: 40, 98; **52**: 10.

ONCOSPORA bullata **46**: 320; ***viridans*** **46**: 320.

ONNIA circinata **26**: 123; **28**: 116; **36**: 186; ***tomentosa*** **28**: 116; **32**: 223; **44**: 125; ***triquetra*** **28**: 116; **33**: 162; **36**: 186.

ONYCHOCOLA canadensis **63**: 83, 84, 87, 88, 89, 90; ***sclerotica*** **63**: 84.

ONYGENA apus **10**: 147; ***arietina*** **10**: 146; ***bommerae*** **10**: 147; ***caespitosa*** **10**: 144; ***caprina*** **10**: 146; ***corvina*** **7**: 191; **10**: *145*, *146*, *147*; ***decorticata*** **10**: 92; ***equina*** **10**: *141*, *142*, 143, *143*,

144, *145*, 146, 147; **13**: 104; **58**: 153, 154; ***faginea*** **10**: 92; ***hypsipus*** **10**: 145; ***mutata*** **10**: 147; ***piligena*** **10**: *141*, *142*, *143*, *144*, 145, *145*, *146*, *147*; ***ungulina*** **10**: 147.

OOMYCES carneoalbus **13**: 124.

OOSPORA camemberti **12**: 161; **32**: 147; ***fragrans*** **12**: 161; ***glabra*** **25**: 112; ***klebahnii*** **12**: 161; ***lactis*** **12**: *157*, *158*, *159*, *160*; **32**: 147; ***matalensis*** **12**: 161; ***moniliformis*** **32**: 240; ***nubila*** **12**: 161; ***vinosella*** **7**: 19, 20.

OPEGRAPHA centrifuga **24**: 224, 227; ***filicina*** **56**: 159; ***parasitica*** **24**: 220, 224, 226, 227; ***rinodinae*** **23**: *104*, *105*, *106*, *107*; ***semicincta*** **24**: 221, 224, 227; ***trifurcata*** **56**: 159; ***vegae*** **56**: 159.

OPHIOBOLUS acuminatus **26**: 51; **35**: 240; ***cirsii*** **26**: 48, 51, 55; ***dracocephali-altaijensis*** **52**: 62; ***graminis*** **19**: 108; **28**: 118; **29**: 101; **31**: 170, 171; ***kavinae*** **26**: 48, 51; ***niesslii*** **18**: 187, 188; ***penicillus*** **26**: 48, 51; ***ponticus*** **52**: 62; ***rubellus*** **14**: 104.

OPHIONECTRIA cerea **18**: 159, 164, 177, 178.

OPHIOSTOMA albidum **56**: 22; ***bicolor*** **56**: 20; **57**: 92, 93, 94; **59**: 235; ***brunneociliatum*** **59**: 227, 228, 230, 231, 232, 233, 234, 235, 236, 237; ***canum*** **4**: 102; **56**: 20; ***coerulescens*** **4**: 102; ***coeruleum*** **4**: 102; ***cuculatum*** **56**: 20; ***epigloeum*** **56**: 25, 26; ***europhioides*** **57**: 93, 94; ***fusiforme*** **59**: 235; ***gossypinum*** **56**: 22; ***grandicarpum*** **56**: 19, 21, 23, 26, 27, 28, 29, 30; ***introcitrinum*** **56**: 26; ***ips*** **59**: 227, 232, 233, 234, 236; ***japonicum*** **57**: 94; ***laricis*** **59**: 235; ***lunatum*** **59**: 235; ***megalobrunneum*** **56**: 26; ***minus*** **56**: 20; ***minutum*** **20**: 52; **56**: 20; **57**: 93, 94; ***multiannulatum*** **35**: 216; **56**: 30; ***nothofagi*** **56**: 30; ***novae-zelandiae*** **56**: 30; ***novo-ulmi*** **56**: 2, 15; **59**: 228; ***penicillatum*** **56**: 20; **57**: 93, 94; ***piceae*** **4**: 102; **53**: 215, 217, 220; **55**: 73, 75, 77, 78; **56**: 8, 20, 21; **57**: 93, 94; **59**: 230, 231, 232, 233, 234, 235, 236, 237; ***piceaperdum*** **56**: 20; **57**: 93, 94; ***piliferum*** **53**: 288, 291, 292; **56**: 20; ***pini*** **4**: 102; ***pluriannulatum*** **4**: 102; ***querci*** **53**: 220; ***roboris*** **35**: 171; ***serpens*** **56**: 20; **57**: 93; ***stenoceras*** **53**: 220; **56**: 19, 21, 22, 23, 24, 25, 26, 29; ***tetropii*** **20**: 52; **56**: 20; ***ulmi*** **8**: 138; **10**: 140; **56**: 19.

OPHIOVALSA betulae **28**: 3, 6, 9, 10, *15*, *16*, *17*; **31**: 2; ***suffusa*** **27**: 95; **28**: 14; ***suffusa*** **var. *valsoidea*** **27**: 86, 95.

ORBILIA alnea **44**: 145; ***aranea*** **46**: 33, 38, 39; ***auricolor*** **16**: 92; **33**: 154; **35**: 109; **39**: 52; **40**: 215; ***berberidis*** **13**: 156, 214; ***botulispora*** **13**: 154, 212; **14**: 77; **16**: 92; **18**: 163; **32**: 158; **43**: 218; **44**: 145; ***botulosporina*** **33**: 154; ***coccinea*** **var. *versicolor*** **35**: 109; ***coccinella*** **41**: 93; ***crenatomarginata*** **9**: 114; **14**: 73; ***cryptocarpa*** **40**: 203, 213, 215; ***curvatispora*** **13**: 214; **14**: 78; ***curvatispora*** **var. *robiniae*** **46**: 39; ***ebuli*** **41**: 16, 21, 22; ***epipora*** **16**: 92; **35**: 240; ***euphorbiae*** **28**: 134; ***flavideroseola*** **9**: 112, 113; ***inflatula*** **4**: 84; **14**: 73; **16**: 92; **33**: 154; **40**: 215; ***leucostigma*** **40**: 214, 215; ***luteorubella*** **14**: 16, 20; **16**: 92; **29**: 29; **35**: 109; **41**: 23; ***occulta*** **14**: 16, 17, 20; ***paradoxa*** **16**: 92; **33**: 154; ***roseofuscella*** **41**: 88, 91; ***sarraziniana*** **33**: 154; ***vinosa*** **13**: 154; **14**: 224.

ORNITHASCUS corvinus **35**: 78; ***corvinus*** **var. *avium*** **35**: 136.

ORPHANOMYCES hungaricus **52**: 62; ***vankyi*** **47**: 196.

OSMOPORUS odoratus **10**: 60; **11**: 162, 170, 188, 230; **14**: 126; **17**: 182; **25**: 105; **27**: 222; **28**: 31; **30**: 55; **35**: 109; **36**: 32; **41**: 51, 53; **42**: 1, 5, *7*, 8, *8*, *9*, *10*; **44**: 142, 234; **49**: 135; **50**: 295, 297; **57**: 310; ***protractus*** **44**: 234; ***protractus*** **subsp. *piceae-schrenkianae*** **44**: 234.

OSSICAULIS lignatilis **53**: 71; **59**: 73, 74, 77, 78.
OSTEINA obducta **24**: 108; **31**: 164; **43**: 37.
OTIDEA abietina **23**: 125; **35**: 136; **52**: 213; ***alba*** **35**: 66; ***alutacea*** **18**: 159, 163, *176*, *177*, *178*; **23**: 205; **35**: 66, 140, 141; **52**: 12, 213; ***auricula*** **4**: *44*, *45*; **10**: 237; **17**: 45; **35**: 88; ***bufonia*** **35**: 66, 142; ***caligata*** **35**: 66, 141; ***cantharella*** **35**: 67; ***cinerascens*** **14**: 112; **35**: 66, 142; ***cochleata*** **18**: 9; **35**: 66, 67, 141; **52**: 10; ***concinna*** **32**: 221; **35**: 66, 141; ***darjeelensis*** **42**: 199; ***doratophora*** **64**: 82; ***felina*** **35**: 66, 136; ***grandis*** **14**: 113; **32**: 221; **35**: 66, 136, 141; ***indivisa*** **23**: 125; **35**: 67; **47**: 268; ***integra*** **47**: 268; ***leporina*** **6**: 181; **10**: 186, 236; **18**: 13; **23**: 26; **35**: 66, 141; **47**: 268; ***leporina*** **f. *minor*** **35**: 66; ***leporina*** **var. *rubescens*** **10**: 237; **35**: 67; ***micropus*** **24**: 62, 67, *68*, *69*, *70*, *71*, *72*, *73*, *74*, *75*; ***onotica*** **10**: 236; **22**: 146, 192; **30**: 194; **32**: 221; **33**: 162; **35**: 67, 141; **47**: 268; ***pedunculata*** **35**: 66; ***phlebophora*** **35**: 67, 141; ***pleurota*** **35**: 136; ***propinquata*** **35**: 67, 141; ***radiculata*** **9**: 16, 17; **35**: 84; ***radiculata*** **var. *percevalii*** **9**: 16; ***reisneri*** **35**: 84; ***umbrina*** **32**: 221; **35**: 66, 136; **36**: 189; ***unicisa*** **47**: 266.
OTIDELLA fulgens **35**: 143; ***nigrella*** **35**: 74.
OTIDEOPSIS kaushalii **42**: 193, 194, 198; ***yunnanensis*** **42**: 193, 198; **47**: 196.
OUDEMANSIELLA longipes **14**: 76; **30**: 54; ***mucida*** **7**: 139; **14**: 88, 110, 118, 120; **16**: 21, 157, 188; **18**: 161; **19**: *232*, *233*, *234*, *235*, *236*, *237*, *238*; **20**: 110, 242; **23**: 80; **24**: *44*, *45*, *46*, *47*, *48*, *49*, *50*, *51*, *52*, 178, 231; **27**: 218; **28**: 109; **30**: 50, 53; **32**: 100, 106; **35**: 199, 201, 202; **36**: 45, 163, 164; **37**: 123, 124; **40**: 55, 115; **41**: 51, 167; **42**: 234; **43**: 85, 87, 88, 91, 93; **44**: 204, 207, 209, 218, 222; **46**: 83, 179, 182, 185; **47**: 320; **57**: 311; ***nigra*** **27**: *27*, *28*, *29*, *30*, *31*, *32*; ***radicata*** **14**: 76, 225; **18**: 13; **19**: *234*, *235*, *236*, *237*, *238*; **25**: 108; **27**: 28, 30, 31; **30**: 53; **32**: 223; **33**: 165; **35**: 110, 202; **40**: 70; **41**: 51, 167; **42**: 161; **43**: 93; **44**: 222; **46**: 83; **56**: 274, 285; ***stridula*** **27**: 27, 31.
OVULARIA aplospora **53**: 94; ***cortusae*** **52**: 62; ***haplospora*** **14**: 104; **35**: 241; ***syringae*** **15**: 250; ***vogeliana*** **52**: 62.
OXYDONTIA himantia **25**: *129*, *130*, *131*, *132*, *133*, *134*; ***setosa*** **7**: 118, 120; **9**: 24.
OXYPORUS corticola **36**: 26, 34; **44**: 231, 232; **45**: 150, 151; **46**: 234; **50**: 134; ***cuneatus*** **45**: 150; ***latemarginatus*** **46**: 228; **50**: 135; **55**: 27; ***obducens*** **11**: 159, 169; **21**: 54; **23**: 200; **44**: 142; **46**: *228*, *229*, *230*, *231*, *232*, *233*; **57**: 326; ***phellodendri*** **46**: 234, *236*, *237*; ***philadelphi*** **45**: *150*, *151*, *152*, *153*, *154*; **46**: 228; ***populinus*** **4**: 75; **11**: 159, 169; **13**: 147, 148, 151; **14**: 226; **16**: 156; **23**: 79; **25**: 105; **30**: 55; **46**: 228, 237; **49**: 180; ***populinus*** **var. *obducens*** **4**: 75; ***pseudoobducens*** **33**: *19*, *20*, *21*, 25, 33; ***ravidus*** **11**: 159, 169; **17**: 182; **21**: 57; **25**: 105, 111; **44**: 231; **45**: 150, 151; **46**: 228, 234, 238; ***similis*** **46**: *228*, *229*, *230*, *231*.
OZONIUM plica **46**: 320; ***stuposum*** **31**: 165.
PACHYCLADINA mutabilis **63**: 143.
PACHYDISCA ascophanoides **20**: 9; ***fulvidula*** **f. *microspora*** **20**: 9; ***nobilis*** **20**: 9, 10; **41**: 24; ***pilatii*** **20**: *8*, *9*, *10*, 15, 16; ***subturbinata*** **20**: 9; ***umbilicata*** **20**: 9; **41**: 24.
PACHYELLA atroviolacea **23**: 26; ***barlaeana*** **43**: 51; ***clypeata*** **43**: 51; ***depressa*** **31**: 167; ***violaceonigra*** **43**: 51, 53.
PACHYKYTOSPORA alabamae **33**: 132; **38**: 142; **55**: 8, 27; ***papyracea*** **33**: 132, 133; **64**: 17; ***subtrametea*** **33**: *129*, *130*, *131*, *132*, *133*; **37**: 201; **38**: 142; **42**: 133, 134; ***tuberculosa*** **17**: *28*,

29, *30*, *31*, *32*, *33*, *34*; **20**: 81; **23**: 201; **33**: 129, 130, 132, 133; **36**: 186; **42**: 134; **49**: 135, 143; **50**: 305, 308, 310; ***tuberculosa* f. *subtrametea*** **33**: 130.

PACHYLEPYRIUM funariophilum **35**: 237, 238.

PACHYPHIALE fagicola **56**: 159.

PACHYPHLOEUS citrinus **3**: 120; **8**: 185; ***conglomeratus*** **3**: 3, 76, *119*, *120*, *121*; ***ligericus*** **3**: 3, 120; **39**: 68; ***luteus*** **3**: 120; ***melanoxanthus*** **3**: *1*, *2*, *3*, 76, 120; **14**: 112; ***saccardoi*** **3**: 120.

PACHYSTERIGMA fugax **11**: 71; ***rutilans*** **11**: 74; ***violaceum*** **11**: 74.

PAECILOMYCES baarnense **21**: *156*, *157*, *158*; ***carneus*** **32**: 229, 231; **44**: 40, 49; **46**: 255; **53**: 178, 182, 184; ***elegans*** **21**: 158; **44**: 40, 49; ***farinosus*** **21**: 157, 158; **23**: 246; **27**: 56, 57, 59; **29**: 212; **33**: 83, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 217; **37**: 24, 29, 30, 115; **40**: 22, *26*, *27*, *28*; **44**: 40, 49; **46**: 126, 246, 248, 255; **53**: 166, 178, 183; **55**: 77, 96; **57**: 221, 226, 227, 229, 231, 233, 235, 2288; **59**: 231, 232, 233, 234, 235, 238; ***fulvus*** **53**: 166; ***fumosoroseus*** **27**: 59; **29**: 212; **30**: *110*, *111*, *112*, *113*, *114*; **35**: 217; **41**: 11; **44**: 40; **46**: 255; **48**: 83; **57**: 227, 231; ***heliothis*** **27**: *56*, *57*, *58*; **35**: 217; ***lilacinus*** **32**: 229, 231; **33**: *86*, *87*, *88*, *89*, *90*, *91*; **35**: 218; **37**: 115; **39**: 161, 162; **40**: 22, 26, 27; **43**: 100, 101, 107; **44**: 6, 8, 40, 43, 133; **45**: 113; **46**: 87, 90, 91, 249; **50**: 103; **55**: 77, 92; **56**: 223, 224, 226, 228, 230, 232, 233, 234, 236; ***longipes*** **21**: 157, 158; ***marneffei*** **39**: 162; ***marquandii*** **23**: *246*, *247*, *248*; **31**: 207, 209, 210; **33**: *86*, *87*, *88*, *89*, *90*, *91*; **35**: 218; **37**: 28; **44**: 40, 49; **46**: 248; **53**: 179, 182, 184; ***niveus*** **44**: 40; ***puntoni*** **55**: 245; ***roseolus*** **21**: 158; ***smilanensis*** **21**: 157, 158; ***stratisporus*** **38**: 241; ***variotii*** **10**: 79; **27**: *56*, *57*, *58*; **33**: 83, *86*, *87*, *88*, *89*, *90*, *91*; **39**: 161; **40**: 27; **41**: 168; **44**: 6, 40, 49, 133; **50**: 103, 104, 253; **52**: 222; **53**: 166; **55**: 92, 256; **59**: 130, 132; **60**: 80, 82, 84; **61**: 153; **63**: 97; ***victoriae*** **35**: 218; ***viridis*** **35**: 218; **39**: 161.

PANAEOLINA foenisecii **14**: 78; **15**: 205; **48**: 13.

PANAEOLUS acuminatus **56**: 273; ***ater*** **32**: 208; **39**: 61; ***atratus*** **14**: 104; ***campanulatus*** **14**: 104; **21**: 17; **27**: *43*, *44*, *45*, *46*; **30**: 53; **48**: 13; ***cyanescens*** **31**: 36; **48**: 13; ***emarginatus*** **39**: 61; ***fimicola*** **39**: 61; **48**: 13; ***foenisecii*** **27**: 42; **44**: 221, 223; ***guttulatus*** **20**: 127; ***papilionaceus*** **14**: 104; **19**: 128; **32**: 223; **39**: 59; **60**: 188; ***pulcher*** **14**: 104; ***retirugis*** **14**: 79, 104; **32**: 223; ***separatus*** **7**: 156; **16**: 158; ***sphinctrinus*** **32**: 223; **39**: 59; ***subbalteatus*** **19**: *233*, *234*, *235*, *236*, *237*, *238*; **39**: 59; **44**: 222, 223; **46**: 4, 6, 8, 9, 11, 25; **48**: *12*, *13*, 15, 103.

PANELLUS cystidiatus **19**: 2; ***longinquus*** **19**: 3; ***mitis*** **14**: 97, 126; **18**: 161; **19**: 3; **53**: 53; **56**: 274; **63**: 230, 259; ***nubigenus*** **19**: 2; ***ringens*** **8**: 129; **19**: 3; ***rupicola*** **19**: 3; ***serotinus*** **18**: 161; **27**: 218; **30**: 53; **31**: 33, 115; **53**: 64, 67; **56**: 274; ***stipticus*** **14**: 106; **16**: 188; **19**: 2, 3, 231; **25**: 108; **30**: 53; **32**: 223; **33**: 165; **35**: 110; **43**: 93; **44**: 222; **46**: 177, 182, 286; **52**: 10; **53**: 43; ***violaceofulvus*** **8**: 129; **19**: 3; **27**: 218; **59**: 74, 75, 185, 193, 194, 197.

PANNARIA ignobilis **56**: 159; ***mediterranea*** **56**: 159; ***tavaresii*** **56**: 159.

PANUS angustatus **34**: 66; ***carpaticus*** **46**: 320; ***conchatus*** **18**: 5; **21**: 27; **46**: 287; **53**: 31, 45, 48, *59*, *60*, *61*, 71, 80; ***delastrei*** **8**: 129; ***lecomtei*** **53**: 48, 59, *61*, *62*, *63*, 84; ***mollis*** **19**: 4; ***patellaris*** **7**: 154; ***rudis*** **53**: 61; ***schultzii*** **46**: 321; ***stipticus*** **6**: 93; **8**: 88, 90, 91; **9**: 99; **19**: 2, 3; **30**: 53; ***strigosus*** **53**: *31*, *32*, *33*, 35, 61; ***suavissimus*** **8**: 180; **11**: 232; **17**: 108; **18**: 76; **21**: 129; **26**: 38; **28**: 121; ***tigrinus*** **21**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*, *10*; **24**: 84; **32**: 223; ***torulosus*** **21**: 27, 28; ***urnula*** **53**: 54; ***wrightii*** **34**: 71.

PAPULASPORA byssina **8**: 1; **58**: 164; *citrinum* **58**: 164; *immersa* **51**: 163; *sepedonioides* **44**: 40; *sphaerale* **58**: 164; *viridis* **40**: 79.
PARAARTHROCLADIUM amazonense **53**: 314.
PARACOCCIDIOIDES brasiliensis **35**: 215, 219; **39**: 161; **44**: 6, 10, 11, 12, 134; **48**: *27*, *28*; **57**: 323; *loboi* **39**: 160, 161.
PARADIACHEOPSIS fimbriata **53**: 325, 331, 334, 339, 340, 347; *solitaria* **53**: 325, 340, 342.
PARADISCHLORIDIUM ychaffrei **42**: 200, 204.
PARADISCINA accumbens **28**: 92; *geogenia* **28**: 92; *melaleuca* **28**: 92.
PARAPARMELIA sargentii **56**: 159.
PARAPERONOSPORA leptosperma **56**: 123; **60**: 96; *sulphurea* **56**: 137; **60**: 103; *tanaceti* **56**: 123; **60**: 96.
PARAPORPIDIA glauca **56**: 159.
PARASCUTELLINIA carneosanguinea **39**: 137; *fuckelii* **39**: 135, 137; *iuliana* **35**: 67, 88, 142; *violacea* **29**: *129*, *130*, *131*; **33**: 13; **35**: 67, 137, 141; **39**: 137.
PARASOLA miser **62**: 45.
PARASYMPODIELLA clarkii **35**: 99.
PARMASTOMYCES kravtzevianus **18**: 68, 69, 73; **20**: 171; **21**: 57; **38**: 203, 204; *mollissimus* **38**: 203, 204; *transmutans* **38**: 203; **61**: 187, 188, 190, 191.
PARMELIA acetabulum **50**: 234; *arizonica* **23**: *17*, *18*, *19*, *20*, *21*, *22*, *23*; *congruens* **56**: 159; *conspersa* **23**: 23; *endosulphurea* **56**: 159; *furfuracea* **23**: 23; *glabra* **50**: 234, 235; *hottentotta* **23**: *17*, *18*, *19*, *20*, *21*, *22*, *23*; *incurva* **56**: 159; *laevigata* **56**: 159; *mellissii* **56**: 159; *murorum* **60**: 286; *norcrambidiocarpa* **56**: 159; *panniformis* **56**: 159; *pseudotinctorum* **56**: 159; *revoluta* **50**: 235; *submontana* **50**: 235; *subrudecta* **50**: 235; *sulcata* **50**: 235, 290; *taylorensis* **56**: 159; *testacea* **56**: 159; *tiliacea* **50**: 235.
PARMELIELLA atlantica **56**: 159; *pannosa* **56**: 159.
PARMELIOPSIS ambigua **48**: 218; **50**: 230; **63**: 230; *diffusa* **23**: 23.
PARMOTREMA reticulatum **56**: 159.
PARORBILIOPSIS luzulae-sylvaticae **46**: 149, 155, 157; *minuta* **43**: 219; *salicis* **45**: 134, 135, 137; **46**: 152; *samarae* **45**: 134, 138.
PASSALORA acalyphae **60**: 246; *gliricidiae* **60**: 247; *macarangae* **60**: 243, 244, 245, 246, 247; *passalorioides* **60**: 247; *peltophori* **60**: 243, 244, 247, 248; *puerariae* **60**: 247.
PATELLA cubensis **37**: 246; *fimetaria* **22**: 40; *hetieri* **15**: 62; *michiganensis* **22**: 35; *raripila* **22**: 37; **54**: 117; *stercorea* **47**: *8*, *9*, 13.
PATELLARIA atrata **7**: 137; **13**: 155; **14**: 71, 72; **23**: *256*, *257*, *258*, 259, *259*, *260*; *densa* **13**: 213; *deplanata* **56**: 155; *proxima* **13**: 213.
PATELLINA caesia **35**: 97.
PATINELLA hyalophaea **31**: 135; *moravica* **52**: 62; *polytrichina* **42**: 141; *stenotheca* **31**: 135; *tenebricosa* **31**: 132, 135, 137.
PAULLICORTICIUM curiosum **23**: *73*, *74*, *75*, *76*, *77*; *niveocremeum* **23**: 77.
PAXILLOPSIS popinalis **f. *senilis* 14**: 77.

PAXILLUS acheruntius **7**: 152; **18**: 116; ***albidulus*** **45**: *129*, *130*, *131*, *132*, *133*; **46**: 53; ***atraetopus*** **46**: 321; ***atrotomentosus*** **5**: 19, 130; **6**: 40; **8**: 88; **10**: 186; **12**: 198; **18**: 13; **19**: 18, 114; **29**: 77; **32**: 223; **33**: 165; **35**: 110; **38**: 220; **42**: 161, 163; **44**: 89, 222; ***fechtneri*** **21**: 251; ***filamentosus*** **14**: *176*, *177*, *178*, *179*, *180*, *181*, *182*, *183*, *184*; **16**: 20; **17**: 108; **23**: 176; **46**: 53; ***involutus*** **3**: 64; **4**: 148; **6**: 56; **7**: 141; **9**: 182; **10**: 186; **11**: 148; **12**: 6, 58; **14**: 96, 181, 183, 184; **15**: 225; **18**: 6, 115; **20**: 75; **23**: 176, 179; **25**: 108, 145, 183; **26**: 203, 204; **32**: 223; **33**: 56, 165; **34**: 39, 41; **35**: 116; **37**: 121, 128; **38**: 221; **43**: 185; **44**: 89, 222; **45**: 40, 49, 129, 133; **46**: *51*, *52*, 53, *53*, 55, 68, 69, 71, 72; **48**: *31*, *32*, *33*, *34*, *35*, *36*, *37*, 122; **54**: 200; **56**: 271; **63**: 259; ***involutus*** **f. *eburneus*** **64**: 198; ***involutus*** **var. *leptopus*** **14**: 177, 183; ***ionipes*** **46**: 55; ***ionipus*** **9**: 180, 183, 184; ***lamellirugus*** **9**: 180; ***leptopus*** **14**: *176*, *177*, *178*, *179*, *180*, *181*, *182*, *183*, *184*; ***panuoides*** **3**: 63; **5**: 170; **9**: 180, 183, 184; **14**: 125; **16**: 188; **25**: 108; **32**: 223; **35**: 197, 199; **53**: 64; ***panuoides*** **f. *ionipus*** **9**: *181*, *182*, *183*, *184*; ***panuoides*** **var. *rubrosquamulosus*** **18**: 157, 159, 161, 173, 178; **39**: 180; ***pelletieri*** **1**: 19, 22; **16**: 157; ***rhodoxanthus*** **1**: 19; ***rubicundulus*** **46**: 53; ***scambus*** **10**: 179; ***velenovskyi*** **7**: 152; **10**: 149.

PAXINA acetabulum **35**: 13, 143; ***leucomelas*** **35**: 143; ***semitosta*** **62**: 3.

PECKIELLA atra **10**: 88; **14**: 28; ***lateritia*** **14**: 26; ***luteovirens*** **10**: 87; ***polyporina*** **14**: 30; ***thiryana*** **14**: 26; ***torminosa*** **14**: 26; ***viridis*** **10**: 88; ***vuilleminiana*** **14**: 26.

PELLICULARIA asperula **12**: 31; ***chordulata*** **12**: 31; ***cystidiata*** **12**: 31, 35; ***flavescens*** **53**: 124; ***koleroga*** **12**: 31; **24**: 8.

PELLOPORUS corrugis **11**: 158; ***scabrosus*** **20**: 175; ***scaurus*** **20**: 175; ***triqueter*** **11**: 158, 168; ***trogii*** **11**: 158, 168.

PELTIDIUM oocardii **35**: 75; **46**: 321; **47**: 196.

PELTIGERA aphthosa **50**: 272, 285; ***didactyla*** **50**: 226; ***hymenina*** **56**: 159; ***laciniata*** **48**: 5; ***leucophlebia*** **50**: 272; ***membranacea*** **56**: 159; ***nana*** **56**: 159; ***neopolydactyla*** **56**: 159.

PELTULA euploca **50**: 232.

PENICILLIOPSIS clavariaeformis **9**: 10; **35**: 215.

PENICILLIUM adametzii **24**: 164; **44**: 24; **48**: 227; ***albicans*** **23**: 246; **44**: 40; ***albidum*** **19**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; **23**: *245*, *246*, *247*, *248*, *249*; **24**: 164; **32**: 227, 229, 231; **37**: 19, *26*, *27*, *28*, *29*, *30*; **41**: 11; **44**: 40; **46**: 102, 109; **48**: 226; ***albocinerascens*** **44**: 40; ***angustiporcatum*** **53**: 162; ***anisopliae*** **9**: 135; ***arenarium*** **9**: 135, 136; ***arenicola*** **44**: 40; **48**: 227; **53**: 179, 182, 184, 215, 217; **55**: 77, 123; ***asperum*** **48**: 227; **53**: 177; ***asturianum*** **51**: 79, 80, 84; ***atramentosum*** **44**: 40; **53**: 179, 182, 184; **55**: 92; ***atrosanguineum*** **27**: 174, 175; **48**: 227; ***aurantiocandidum*** **23**: 245; **44**: 40; ***aurantiogriseum*** **40**: 47; **42**: 15; **46**: 245, 246, 248; **48**: 79, 80, 81, 82, 83, 84, 85, 226, 227, 228; **50**: 103; **51**: 163; **52**: 221, 222; **53**: 215, 217; **55**: 89, 92, 96, 98, 118; **59**: 130, 132, 241, 242, 247, 248; **60**: 80, 81; **63**: 100; ***aurantiovirens*** **42**: 15; **44**: 41; ***avellaneum*** **44**: 41; **48**: 229; **53**: 178; ***baarnense*** **48**: 229; ***bacillisporum*** **48**: 229; ***biforme*** **44**: 41; ***bilaiae*** **48**: 227; ***brasilianum*** **48**: 226, 227; **51**: 78, 80; **53**: 179, 182, 184; ***brevicompactum*** **12**: 47, *48*, *49*; **24**: 164; **31**: 207, 209, 210; **33**: 83, *86*, *87*, *88*, *89*, *90*, *91*; **37**: 28; **40**: 22, 26; **41**: 11; **44**: 41; **46**: 102, 109, 110, 246, 248; **48**: 80, 81, 82, 83, 226, 227; **52**: 222; **55**: 89, 121; **61**: 153, 157; ***briardii*** **9**: 135; ***brunneum*** **48**: 227; ***camemberti*** **23**: 245, 246; **40**: 22, 26, 66; **41**: 11; **43**: 99, 101; **44**: 41; **45**: 47; **48**: 58, 226; **55**: 141, 142; **59**: 130; **60**: 80, 81; ***candidum***

11: 96; ***canescens*** **32**: 229, 231; **41**: 11; **42**: 14, 19; **44**: 24, 41; **46**: 109, 110, 245, 248; **48**: 226; **53**: 215, 217; **55**: 89, 96; ***capsulatum*** **44**: 41; **48**: 227; ***casei*** **44**: 41; ***caseicola*** **23**: 245; **40**: 66; **41**: 11; **44**: 41; **48**: 83; **55**: 141; ***caseolicum*** **11**: 96; ***charlesii*** **24**: 211; **33**: 172; **40**: 22, 26; **44**: 41; **53**: 180; ***charlesii*** **var.** ***rapidum*** **44**: 41; ***chermesinum*** **24**: 164; **32**: 229, 231; **41**: 11; **44**: 41; **46**: 102, 109; **48**: 82, 83; ***chrysogenum*** **1**: 106; **10**: 27, 79; **23**: 247; **24**: 164, 165; **27**: 48, 51, 52; **33**: 83, *86*, *87*, *88*, *89*, *90*, *91*; **34**: 2; **37**: 19, 24, *27*, *28*, *29*, *30*, 115; **39**: 161; **40**: 22, 26, 69, 71; **41**: 8, 9, 11, 13; **42**: 14, 19; **43**: 100, 101; **44**: *41*, *42*, *43*, *44*; **46**: 87, 90, 91, 246, 248; **48**: 80, 81, 83, 84, 85, 225, 226, 227; **50**: 103, 104; **51**: 74, 78, 163; **52**: 127, 128, *130*, *131*, *132*, *133*, 158; **53**: 152, 164, 169, 215, 217; **55**: 89, 92, 96, 121; **56**: 228, 229; **59**: 128, 130, 132, 249; **61**: 153, 157; **63**: 100, 103; ***chrzaszczii*** **42**: 93; ***cinerascens*** **42**: 95; ***citreonigrum*** **46**: 248; **52**: 222; ***citreoroseum*** **3**: 9; ***citreosulphuratum*** **44**: 41; ***citreoviride*** **24**: 164; **42**: 14, 18; **44**: 41; **48**: 229; ***citrinum*** **1**: 108; **8**: 88; **33**: 86, 91; **35**: 48; **39**: 162; **40**: 22, 26, 27, 70; **41**: 11; **42**: 14, 19; **44**: 41; **46**: 102; **48**: 80, 82, 226, 227; **50**: 103, 104; **52**: 156, 222; **55**: 89, 93, 96; **59**: 130, 132; **60**: 81, 84; **61**: 110, 113, 149, 151, 153, 157; ***claviformе*** **1**: 105, 108; **7**: *129*, *130*, *130*, *131*, *131*, *132*, *132*; **30**: 21; **42**: 15, 21; **44**: 41; ***clavigerum*** **37**: 25, 30; **44**: 41; **53**: 179, 183, 184; ***commune*** **23**: 246; **39**: 162; **41**: 11; **42**: 14, 20; **44**: 41, 42; **48**: 81, 83, 226; **51**: 78, 81; **53**: 215, 217; **55**: 89, 93, 96, 125; ***coprobium*** **53**: 179, 182, 184; ***coprophilum*** **48**: 227; **53**: 179; ***coralligerum*** **44**: 41; ***corylophilum*** **37**: 25, 28, 30; **41**: 11; **42**: 14, 19; **44**: 41; **48**: 80, 82, 83; **50**: 103; **52**: 222; **55**: 93, 96; **56**: 228; **60**: 81, 84; ***corymbiferum*** **23**: 246; **41**: 11; **44**: 41; ***crustaceum*** **4**: 100; ***crustosum*** **42**: 15; **44**: 42; **46**: 248; **53**: 152; **55**: 121; ***cyaneofulvum*** **23**: 247; **44**: 42; ***cyaneum*** **23**: 245; **44**: 42; **48**: 227; **53**: 179, 182, 184; ***cyclopium*** **1**: 109; **23**: 247, 248; **24**: 164; **27**: 48, 51, 52; **28**: 119; **31**: 207, 208, 210; **32**: 229, 231; **33**: *86*, *87*, *88*, *89*, *90*, *91*; **37**: 29, 30; **38**: *235*, *236*, *237*, *238*, *239*; **40**: 22, 26, 27, 47; **41**: 8, 11, 13; **42**: 15; **43**: 99, 105, 107; **44**: 42; **50**: 253; **53**: 179, 183, 184; **59**: 132; ***daleae*** **44**: 42; **48**: 226; **51**: 78; **53**: 215, 216, 217, 218, 220; **55**: 78, 80, 96; ***dangeardii*** **44**: 46; ***decumbens*** **24**: 164; **32**: 229, 231; **33**: *86*, *87*, *88*, *89*, *90*, *91*, 171, 172; **40**: 27; **41**: 11; **44**: 42; **46**: 102, 109; **48**: 228; **55**: 89, 93; ***dierckxii*** **42**: 95; ***digitatum*** **19**: 108, 110; **26**: 162; **35**: 48, 49; **37**: 115; **40**: 22; **46**: 109; **48**: 227; **55**: 93; **59**: 130; **61**: 153; ***divaricatum*** **39**: 161, 162; ***divergens*** **7**: 130; ***diversum*** **23**: 245, 246, 248; **24**: 164; **31**: 207, 209; **32**: 229, 231; **37**: 30; **44**: 42; **46**: 102, 109; ***diversum*** **var.** ***aureum*** **44**: 42; ***duclauxii*** **50**: 103, 104; **52**: 130; ***dupontii*** **48**: 227; **55**: 256; ***egyptiacum*** **44**: 42; ***expansum*** **1**: 108, 109; **9**: 46; **16**: 198; **23**: 246, 248; **28**: 119; **32**: 229, 231; **33**: *86*, *87*, *88*, *89*, *90*, *91*; **35**: 216; **37**: 115; **39**: 162; **40**: 22, *26*, *27*, *28*; **41**: 11; **42**: 15, 20; **44**: 42; **45**: 53; **46**: 102, 109, 110, 248; **48**: 81, 83, 226, 227; **50**: 41; **52**: 158, 221, 222; **53**: 166, 215, 217; **55**: 89, 93, 96, 98, 99, 142, 143; **59**: 241, 242, 247, 248; **61**: 153; **63**: 80; ***fellutanum*** **37**: 26, 29; **40**: 22; **42**: 90, 95; **43**: 101, 104; **44**: 42; **48**: 228; **53**: 180, 183, 184; **55**: 89, 93; **63**: 100, 101; ***fellutanum*** **var.** ***nigrocastaneum*** **42**: 95; ***fieberi*** **48**: 227; ***flavovirens*** **44**: 42; **53**: 180, 182, 184; ***frequentans*** **24**: 164, 207, 209; **33**: *86*, *87*, *88*, *89*, *90*, *91*; **37**: 27, 28; **40**: 28; **41**: 11; **42**: 14, 18; **43**: 102; **44**: 42; **46**: 102, 109, 246; **48**: 226; **50**: 39; **61**: 110, 157; ***funiculosum*** **31**: 62; **33**: *86*, *87*, *88*, *89*, *90*, *91*; **41**: 11; **44**: *42*, *43*, *44*, *45*; **46**: 102, 109; **51**: 78, *80*, *81*, *82*, 84, 164; **52**: 130; **53**: 215, 217; **55**: 93; **56**: 228, 229; **61**: 153, 157; ***fuscoglaucum*** **44**: 42; ***fuscum*** **44**: 24, 42; **46**: 102, 109; ***geophilum*** **44**: 42; **53**: 180, 182, 184; ***glabrum*** **46**: 246; **48**: 80, 81, 82, 83, 226, 227; **52**: 158; **53**: 215, 216, 217, 218, 219; **55**: 77, 78, 80, 89, 98; **61**: 153, 157; ***glandicola*** **53**: 213, 215,

216, 217, 218, 219; **55**: 73, 75, 77, 78, 80, 93; ***glaucum*** **9**: 10, 24, 136; **11**: 96; **16**: 198; **19**: 108; **35**: 216; **42**: 15; **44**: 42; **53**: 177; ***godlewskii*** **44**: 42; ***granulatum*** **7**: *129*, *130*, *130*, *131*, *131*, *132*, *132*; **23**: 246; **37**: 27, 30; **42**: 15, 20; **44**: 42; **46**: 109, 110; ***griseofulvum*** **32**: 227; **40**: 71; **41**: 11; **42**: 15, 20; **44**: 43, 46; **48**: 80, 81, 82, 83, 85; **52**: 220, 222; **53**: 180, 182, 184, 215, 218; **55**: 89, 93, 96, 98; ***griseoroseum*** **44**: 43; **46**: 249; **48**: 226; ***griseum*** **44**: 43; ***herquei*** **38**: 241; **44**: 43; **53**: 180, 182, 184; ***hirsutum*** **57**: 310; **59**: 130; ***hordei*** **44**: 43; **48**: 227; **53**: 215, 218; ***implicatum*** **24**: 164; **44**: 43; **46**: 246, 249; **53**: 180, 182, 184, 215, 218; ***indonesiae*** **53**: 177; ***inflatum*** **37**: 26, 30; **44**: 43; **48**: 227; **55**: 89; ***islandicum*** **42**: 15, 18; **48**: 227; **55**: 89, 93, 96, 98; **60**: 84; **63**: 97, 98; ***italicum*** **10**: 79; **37**: 115; **43**: 99; **44**: 43; **48**: 227; **53**: 166; **55**: 93; **59**: 130; ***janczewskii*** **19**: 104; **44**: 24, 43; **46**: 248; **48**: 226; **53**: 215, 218; **55**: 98; ***janthinellum*** **23**: 248; **24**: 164; **32**: 229, 231; **33**: 83, *86*, *87*, *88*, *89*, *90*, *91*, 171, 172; **37**: 28, 30, 115; **40**: 22, 26, 27; **42**: 14, 19; **44**: 43; **46**: 86, 90, 91, 102, 254; **48**: 82, 226, 227; **53**: 215, 218; **55**: 89, 93, 96; **61**: 110; ***javanicum*** **53**: 177; ***jensenii*** **24**: 164; **42**: 90, 93, 95; **43**: 102, 104; **44**: 43; **63**: 100, 101; ***kananaskense*** **53**: 162; ***kapuscinskii*** **19**: 104, 110; **44**: 43; ***kloeckeri*** **44**: 46; ***kursanovii*** **44**: 43; ***lanosocoeruleum*** **23**: 246; **41**: 11; **44**: 43; ***lanosogriseum*** **44**: 43; ***lanosoviride*** **10**: 79; **44**: 43; ***lanosum*** **23**: 246, 248; **24**: 164; **31**: 207, 209, 210; **32**: 229, 231; **37**: 28; **41**: 12; **42**: 20; **44**: 43; **48**: 82, 83; **53**: 180, 182, 184; **55**: 93; ***lapidosum*** **48**: 227; ***lehmanii*** **44**: 45; ***lilacinum*** **31**: 209, 211, 212; **35**: 218; **39**: 162; **44**: 43, 133; **46**: 102; ***lilacinus*** **39**: 161; ***lividum*** **44**: 43; **46**: 102; **55**: 89; ***luteoviride*** **44**: 43; ***luteum*** **26**: 115; **32**: 229, 231; **33**: *86*, *87*, *88*, *89*, *90*, *91*; **41**: 12; **44**: 43; **48**: 81; **53**: 180, 183, 184; ***manginii*** **48**: 226, 227; **53**: 215, 218; ***marneffei*** **35**: 210, 216; **39**: 162; **44**: 6, 11, 134, 139; **48**: 228, 229; ***martensii*** **23**: 245, 247, 248; **24**: 164; **37**: 28, 30; **40**: 22, 26, 27; **42**: 15; **44**: 43; **46**: 255; ***megaspermum*** **19**: 104, 109, 110; ***megasporum*** **44**: 24, 43; **48**: 227; **53**: 180, 182, 184; ***meleagrinum*** **23**: 245, *246*, *247*, *248*; **24**: 164; **32**: 229, 231; **33**: *170*, *171*, *172*, *173*; **40**: 22, 26; **41**: 12; **42**: 14; **44**: 44; ***melinii*** **19**: 104; **42**: 93; **44**: 44; **48**: 227; **51**: 78; **53**: 180, 183, 184; ***miczynskii*** **23**: *245*, *246*, *247*, *248*; **24**: 164; **44**: 44, 46; **48**: 226; ***minioluteum*** **48**: 226, 227; **53**: 215, 216, 218, 219, 220; **55**: 77, 78, 79, 80, 93; ***montanense*** **48**: 226; **52**: 222; **53**: 180, 182, 184; ***multicolor*** **44**: 44; ***nalgiovense*** **28**: 239; **42**: 93, 95; **44**: 44; **48**: 227; **53**: 180, 183, 184; **55**: 142; ***nepalense*** **53**: 162; ***nigricans*** **19**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; **33**: *86*, *87*, *88*, *89*, *90*, *91*; **37**: 27; **43**: 99; **44**: 24, 43, 44; **46**: 110; **48**: 226; **53**: 163; ***nilense*** **44**: 42; ***nordicum*** **59**: 241, 242, 248, 249; ***notatum*** **1**: 106; **3**: 6, 8, 9, 128; **7**: 19; **8**: 88, 95; **23**: 247; **24**: 164, 165; **30**: 33, 34; **31**: 207, 209, 211; **32**: 229, 231; **33**: *86*, *87*, *88*, *89*, *90*, *91*; **40**: 22, 26; **42**: 14; **44**: 44; **46**: 102, 109; **48**: 59; **50**: 39; ***ochraceum*** **44**: 44; ***ochrochloron*** **23**: 247; **37**: 30; **43**: 102; **44**: 44; **51**: 74, 78; ***ochrosalmoneum*** **48**: 227; ***olivinoviride*** **44**: 44; ***olsonii*** **44**: 44; **48**: 227; **55**: 93; ***oxalicum*** **31**: 62; **33**: 83, *86*, *87*, *88*, *89*, *90*, *91*; **38**: 241; **42**: 14, 20; **44**: 44; **50**: 103, 104; **51**: 74, *78*, *79*, *80*, 82, 84, 85, 158, 160, *164*, *165*, *166*, *167*; **60**: 75, 78, 81, 86; **63**: 97, 98, 100; ***palitans*** **42**: 15; **44**: 44; ***pallidum*** **56**: 3, 11; ***patulum*** **1**: 108; **8**: 88; **35**: 216; **42**: 15; ***paxilli*** **44**: 44; ***pedemontanum*** **44**: 44; ***phaeojanthinellum*** **42**: 95; ***phialosporum*** **24**: 207, 209, 210, 211; ***piceum*** **24**: 164; **38**: 241; **44**: 44; **55**: 89, 93, 96; **59**: 130, 132; ***pinetorum*** **38**: 241; **44**: 44, 45; ***pinophilum*** **44**: 44; **55**: 89, 98; **63**: 93, 97, 98, 99, 100, 103; ***piscarium*** **23**: 245, 246, 248; **24**: 164; **44**: 44; **48**: 227; ***pitii*** **51**: 78; ***polonicum*** **59**: 130; ***proteolyticum*** **44**: 44; ***puberulum*** **1**: 109; **23**: 248; **24**: 164; **42**: 15; **44**: 44; **51**: 164; ***pulvillorum*** **23**: 245, 246; **44**: 44;

purpurascens **37**: 26, 30; **44**: 45; **48**: 226; **55**: 89; ***purpurogenum*** **31**: 62; **33**: *86*, *87*, *88*, *89*, *90*, *91*; **37**: *28*, *29*, *30*; **40**: 22, 26; **42**: 15, 18; **43**: 101; **44**: 44, 45; **46**: 102, 103, 109; **48**: 226, 227; **51**: 164; **53**: 181, 182, 184; **55**: 89, 93, 96; ***purpurogenum*** **var.** ***rubrisclerotium*** **44**: 45; **51**: 78, *80*, *81*, *82*, 84; **53**: 181; **55**: 73, 75, 77, 78, 80; ***pusillum*** **23**: 245; **44**: 45; ***putterillii*** **56**: 3, 10, 11; ***raciborskii*** **19**: 104; ***radulatum*** **19**: 104; **42**: 90, 91, 93; **43**: 99, 103; **44**: 45; ***raistrickii*** **37**: 28, 29; **44**: 45; ***raperi*** **27**: 175; ***resedanum*** **48**: 227; ***restrictum*** **22**: 51; **23**: *245*, *246*, *247*; **44**: 24, 45; **46**: 109; **48**: 226; **61**: 153; ***rolfsii*** **23**: 245; **32**: 229, 231; **44**: 45; ***roqueforti*** **11**: 96; **24**: 164; **31**: 207, 209, 211; **40**: 66; **41**: 12; **42**: 13, 14, 19; **44**: 45; **48**: 80, 81, 83; **53**: 215, 218; **55**: 89, 93, 96, 98, 142; ***roseopurpureum*** **23**: 245, 248; **33**: 171, 172; **40**: 22, 26; **41**: 12; **44**: 45; **46**: 102, 109; **48**: 83; ***roseum*** **11**: 185; ***rubefaciens*** **48**: 227; ***rubrum*** **37**: 27, 30; **41**: 12; **42**: 15, 18; **44**: 45; **46**: 102, 103, 109; ***rugosum*** **43**: 102; ***rugulosum*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; **44**: 45; **46**: 109; **48**: 226; **55**: 89, 93, 104; ***sacculum*** **44**: 20, 24; **53**: 181, 182, 184; **61**: 153; ***scabrosum*** **48**: 227; **55**: 93; ***sclerotiorum*** **44**: 45; ***siewieckii*** **19**: 109; ***silvaticum*** **7**: 129; **38**: 241; **44**: 45; ***simplex*** **7**: *18*, *19*, *20*; ***simplicissimum*** **23**: 248; **24**: 164; **40**: 22, 26, 27; **41**: 12; **44**: 45, 49; **46**: 255; **48**: 54, 226; **53**: 215, 216, 218, 219; **55**: 73, 75, 77, 78, 80, 93, 112; ***smithii*** **53**: 181, 182, 184; ***solitum*** **44**: 45; **48**: 226; **53**: 215, 218; **55**: 89, 93, 96; ***soppii*** **44**: 45; **48**: 226, 227; ***spiculisporum*** **44**: 45; **46**: 109; ***spinulosum*** **23**: 245, 246, 248; **24**: 164; **32**: 229, 231; **37**: 19, 24, *27*, *28*, *29*, *30*; **39**: 162; **44**: 45; **46**: 102, 103, 109; **48**: 226; **51**: 78, 80; **53**: 164, 215, 216, 218; **55**: 78, 80; **59**: 241, 242, 247, 248, 249; ***steckii*** **42**: 14, 19; **44**: 45; ***stipitatum*** **26**: 115; ***stoloniferum*** **38**: 195; **44**: 45; ***striatum*** **44**: 45; ***sublateritium*** **44**: 45; **48**: 227; ***sulphureum*** **44**: 46; **53**: 181, 183, 184; ***tardum*** **19**: 108; **23**: 246, 247; **24**: 164; **26**: 162; **32**: 229, 231; **44**: 46; ***terlikowskii*** **1**: 107; **44**: 46; ***terrestre*** **33**: 83, *86*, *87*, *88*, *89*, *90*, *91*; **40**: 24, 26; **44**: 46; ***thomii*** **31**: 207, 209; **32**: 229, 231; **40**: 24, 26; **44**: 46; **46**: 102, 109, 110; **53**: 215, 218; ***trzebinskii*** **10**: 79; ***turbatum*** **44**: 46; ***urticae*** **24**: 164; **32**: 231; **35**: 216; **40**: 24, 26; **42**: 15; **44**: 46; ***variabile*** **31**: 209, 211; **33**: 171, 172; **37**: 27, 30; **40**: 24, *25*, *26*, *27*; **41**: 12; **42**: 15, 18; **44**: 46; **46**: 102, 109; **48**: 81, 82, 83, 226, 227; **50**: 103, 104; **55**: 98; **63**: 97, 98; ***varians*** **44**: 46; ***variotii*** **47**: 217, 218; ***velutinum*** **44**: 46; ***vermiculatum*** **26**: *114*, *115*; **33**: 172; **44**: 46; **46**: 89; **48**: 229; **52**: 220; ***verrucosum*** **43**: 99, 101, 105, 107; **48**: 226; **55**: 89; **59**: 130, 241, 242, 248, 249; ***verrucosum*** **var.** ***corymbiferum*** **44**: 41; ***verrucosum*** **var.** ***cyclopium*** **40**: 47; **42**: 15, 20; **44**: 40, 41, 42, 43, 44, 45, 46; **46**: 255; **53**: 179; ***verrucosum*** **var.** ***melanochlorum*** **44**: 44; ***verrucosum*** **var.** ***ochraceum*** **44**: 44; ***verrucosum*** **var.** ***verrucosum*** **40**: 47; **42**: 15, 20; **44**: 43, 46; ***verruculosum*** **24**: 164; **44**: 46; **53**: 181, 183, 184; ***vinaceum*** **23**: 246; **44**: 46; **51**: 74, 78, 81, 82; ***viridicatum*** **28**: 119; **41**: 12; **42**: 15; **44**: 46; **46**: 109, 110, 246, 248; **48**: 81, 227; **55**: 77; **59**: 130; **60**: 81, 84; **63**: 100; ***vitalae*** **21**: 202; ***waksmanii*** **24**: 164; **31**: 207, 209, 211; **41**: 12; **44**: 46; **46**: 102, 109; **52**: 222; **60**: 84; ***westlingii*** **1**: 105, 106; **48**: 227; ***wortmannii*** **24**: 207, 208; **26**: 115; **44**: 46; **51**: 81.

PENIOPHORA accedens **4**: 84, 85; ***aegerita*** **2**: *25*, *26*, *27*, *28*, *29*; **7**: 158; **25**: 105; ***affinis*** **8**: 130, 131; **18**: 159, 163, 178; ***albobadia*** **30**: 159; **60**: 214; ***aurantiaca*** **13**: *141*, *142*, *143*, 150; **23**: 76; **32**: 223; **35**: 240; ***byssoides*** **27**: 222; ***byssoides*** **f.** ***tomentella*** **14**: 73; ***caesia*** **7**: 137, 138, 179; ***candida*** **25**: 105; **33**: 139, 156; ***cinerea*** **7**: 179, 180, 182; **13**: 156, 218, 219, 221; **14**: 246, 247; **35**: 109; **36**: 24, 25; ***coccinea*** **27**: 222; ***cornea*** **27**: 203; ***crassa*** **18**: 3; ***cremea*** **18**: 163, 178; ***dryina*** **21**: 56, 59; ***erikssonii*** **13**: 143; **44**: 142; ***flavoferruginea*** **21**: 59; ***fraxinea*** **7**: 181, 182;

26: 135; ***gigantea*** **14**: 106, 226; **27**: 203; **34**: 183; ***hastata*** **21**: 57, 59; ***heterospora*** **30**: 159; ***hydnoides*** **22**: 251; **27**: 203; ***incarnata*** **13**: 143, *218*, *219*, *220*; **22**: 251; **29**: 28; **32**: 223; **44**: 142; **56**: 276; **57**: 136; ***incarnata*** **var.** ***hydnoidea*** **14**: 226; ***junipericola*** **7**: 182; ***laevigata*** **7**: 138; **18**: 2; **22**: 254; ***laevis*** **8**: 130; ***laurentii*** **12**: 28; ***lilacina*** **60**: 219; ***limitata*** **26**: 135; ***lindtneri*** **20**: 119; ***livescens*** **12**: 144; ***longispora*** **4**: 97; **25**: 105; ***lycii*** **7**: 177, *179*, *180*, *181*; **13**: 157; **14**: 72, 82; ***malenconii*** **30**: 159; ***miniata*** **17**: 160; ***mollis*** **7**: 139; **12**: 33, 36; **13**: 11, 12; **18**: 6; ***mutata*** **7**: 137; **8**: 130, 131; **14**: 73; ***nuda*** **7**: 182; **56**: 276; ***obscura*** **7**: 180, 182; ***piceae*** **7**: 138, 139, 182; **14**: 88; **27**: 222; **36**: 24, 25; ***pilatiana*** **7**: 177, 178, *180*, *181*, *182*, *183*; ***pithya*** **7**: 182; **13**: 155; ***pubera*** **27**: 201, 203; ***quercina*** **7**: 182; **33**: 162; ***reticulata*** **27**: 203; ***roumegueri*** **27**: 203; ***rufomarginata*** **7**: 182; ***sanguinea*** **11**: 188; **17**: 160, 161; **19**: 18; **26**: 37; **27**: 26, 222; ***setigera*** **13**: 155; **14**: 97; ***subincarnata*** **13**: 11; ***suboryanella*** **54**: 40; ***subsulphurea*** **13**: 11; ***subulata*** **7**: 138; ***thermophila*** **7**: 137, 180; ***vinosa*** **49**: 165.

PENIOPHORELLA odontiaeformis **64**: 39; ***rudis*** **64**: 23, 38, 40; ***tessulata*** **64**: 23, 38, 39, 40.

PERENNIPORIA ahmadii **59**: 167; ***amylohypha*** **38**: 204; ***celtis*** **59**: 167; ***cystidiata*** **59**: 153, 154, 162, 164, 167; ***elongata*** **38**: 203, 204; **42**: 135; ***fraxinea*** **49**: 136; **50**: 136; ***hexagonoides*** **59**: 167; ***inflexibilis*** **64**: 18; ***latissima*** **59**: 166, 167; ***martius*** **55**: 28; ***medulla-panis*** **30**: 166; **38**: 143; **49**: 136; **59**: 167, 168; ***meridionalis*** **57**: 326; ***narymica*** **38**: 203, 204; **42**: 135; **49**: 136; ***ochroleuca*** **30**: 165; ***rosmarini*** **57**: 326; ***stipitata*** **54**: 28; **59**: 164, 167; ***straminella*** **59**: 167; ***subacida*** **42**: 134; **44**: 232; **46**: 229; **59**: 61; ***tenuis*** **30**: 166; **47**: 199, 202; **49**: 136; **50**: 136; **55**: 28; ***tephropora*** **38**: 142, 143; **55**: 8, 28; **64**: 15.

PERICHAENA chrysosperma **53**: 325, 342; ***cornuvioides*** **20**: 190, 191; ***corticalis*** **17**: 48; **33**: 151; **53**: 325, 334, 342, 343; ***depressa*** **53**: 325, 342; ***minor*** **26**: 103, 108, 109, 112.

PERICONIA atra **56**: 81, 82, 219; ***byssoides*** **25**: *25*, *26*, *27*, *28*, 30; **38**: 109; ***circinata*** **45**: 155, 158, 159; ***cookei*** **33**: 147, 157; ***digitata*** **40**: 153; ***macrospina*** **28**: 118; ***macrospinosa*** **44**: 46; **61**: 154; ***minutissima*** **33**: 157; ***prolifica*** **61**: 111.

PERICONIELLA geonomae **38**: 109.

PERIDERMIUM yamabense **38**: 171.

PERIDOXYLON goossensii **34**: 148; ***petersii*** **34**: *144*, *145*, *146*, *147*, *148*, *149*.

PERIOLA hirsuta **2**: 79, 83.

PERISPORIOPSIS lophirae **56**: 200, 201.

PEROFASCIA lepidii **56**: 123; **60**: 96.

PERONEUTYPA heteracantha **49**: 202.

PERONOPLASMOPARA cubensis **46**: 5; ***humuli*** **15**: 28, 29; **16**: *56*, *57*, *58*, *59*, *60*, *61*, *62*; **20**: *105*, *106*, *107*, *108*, *109*; **21**: *242*, *243*, *244*, *245*, *246*; **27**: *112*, *113*, *114*, *115*, *116*; **41**: 166.

PERONOSPORA acetosa **53**: 113; ***aestivalis*** **16**: 119; **28**: 118; **56**: 123; **60**: 96; **62**: 91, 99; ***affinis*** **56**: 123; **60**: 96; ***agrestis*** **53**: 94, 113; **56**: 123; **57**: 259; **60**: 96; ***agrimoniae*** **56**: 137; **60**: 103; ***agrostemmatis*** **56**: 123; **60**: 96; ***alchemillae*** **43**: 25; **53**: 94, 113; **56**: 123; **57**: 259; **60**: 96; ***alpicola*** **53**: 92, 94, 112, 114, 115; **56**: 123; **57**: 259; **60**: 96; **62**: 89, 99; ***alsinearum*** **56**: 123; **57**: 258, 259; **60**: 96; ***alta*** **43**: 14; **53**: 94; **56**: 123; **60**: 96; **62**: 91; ***alyssi-arduini*** **7**: 135, 136; ***amaranthi*** **56**: 137; **60**: 103; ***androsaces*** **56**: 123; **60**: 96; ***anthemidis*** **60**: 96; ***antirrhini*** **56**: 123; **60**: 96; ***aparines*** **56**: 123; **57**: 259; **60**: 96; ***aquatica*** **56**: 123; **60**: 96; ***arabidis-glabrae***

53: 94; ***arabidopsidis*** **53**: 95; **60**: 94; ***arborescens*** **43**: 19; **56**: 123; **60**: 96; ***arenariae*** **56**: 123; **60**: 96; ***arthurii*** **55**: 277, 278; **56**: 124; **60**: 96; ***arvensis*** **53**: 95; **56**: 124; **60**: 96; ***asperuginis*** **56**: 124; **60**: 96; ***astragali*** **37**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*, *10*, *11*; ***astragalina*** **37**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*, *10*, *11*; **56**: 124; **60**: 97; ***astragali-purpurei*** **37**: 2; ***barbareae*** **53**: 95; **57**: 259; **60**: 94; ***berteroae*** **60**: 94; ***boni-henrici*** **56**: 124; **57**: 259, 272; **60**: 97; ***brassicae*** **60**: 94; ***bulbocapni*** **18**: *85*, *86*, *87*, *88*, *89*, *90*; **43**: 14; **56**: 124; **60**: 97; ***calaminthae*** **56**: 137; **60**: 103; ***calotheca*** **53**: 95; **56**: 124; **57**: 259; **60**: 97; **62**: 91, 99; ***camelinae*** **7**: 133; **60**: 94; ***campestris*** **56**: 124; **60**: 97; ***candida*** **56**: 124; **60**: 97; ***cardaminopsidis*** **60**: 94; ***cheiranthi*** **60**: 95; ***chelidonii*** **56**: 137; **60**: 103; ***chenopodii*** **56**: 124; **57**: 258, 259; **60**: 97; ***chenopodii-glauci*** **56**: 124; **60**: 97; ***chenopodii-polyspermi*** **55**: 279; **56**: 124; **60**: 97; ***chenopodii-rubri*** **56**: 137; **60**: 103; ***chrysosplenii*** **53**: 95, 113, 116; **56**: 124; **60**: 97; ***conferta*** **60**: 101; ***conglomerata*** **43**: 20; **53**: 95; **56**: 124; **57**: 259; **60**: 97; ***consolidae*** **56**: 124; **60**: 97; ***constantineanui*** **55**: 280; ***corollae*** **43**: 13, 23; ***coronillae*** **56**: 124; **60**: 97; ***corydalis*** **18**: 86; **56**: 124; **60**: 97; ***corydalis-intermediae*** **56**: 124; **60**: 97; ***crispula*** **60**: 95; ***crucianellae*** **20**: 119; ***cynoglossi*** **56**: 137; **60**: 103; ***cyparissiae*** **56**: 124; **60**: 97; ***cytisi*** **56**: 137; **60**: 103; ***debaryi*** **53**: 95; **56**: 124; **60**: 97; **62**: 99; ***dentariae*** **53**: 95, 112, 113; **57**: 260, 272; ***destructor*** **43**: 13, 20; **56**: 124; **60**: 97; ***digitalidis*** **53**: 95; **56**: 124; **57**: 260; **60**: 97; ***dipeltae*** **37**: 2; ***dipsaci*** **43**: 14; **55**: 279; **56**: 124; **60**: 97; ***drabae-majusculae*** **20**: 119; ***echinospermi*** **56**: 124; **60**: 97; ***effusa*** **56**: 124; **60**: 97; **62**: 99; ***erodii*** **53**: 95; **56**: 124; **60**: 97; ***erophilae*** **60**: 95; ***ervi*** **56**: 124; **57**: 260, 272; **60**: 97; ***erythraeae*** **56**: 124; **60**: 98; ***esulae*** **53**: 95; ***euphorbiae*** **53**: 95; **56**: 124; **60**: 98; ***fagopyri*** **43**: 14; ***farinosa*** **62**: 99; ***ficariae*** **18**: 85; **53**: 95; **56**: 124; **57**: 260; **60**: 98; ***flava*** **56**: 124; **60**: 98; ***fragariae*** **56**: 137; **60**: 103; ***fulva*** **56**: 124; **60**: 98; ***galii*** **56**: 124; **57**: 260; **60**: 98; ***galligena*** **7**: *133*, *134*, *135*, *136*; **18**: 85; **34**: 174; **60**: 95; ***gei*** **56**: 124; **60**: 98; ***gigantea*** **56**: 137; **60**: 103; ***glechomae*** **56**: 124; **60**: 98; ***grisea*** **18**: *85*, *86*; **43**: 14; **53**: 95; **56**: 124; **57**: 260; **60**: 98; **62**: 91, 99; ***herniariae*** **56**: 124; **60**: 98; ***hesperidis*** **53**: 96; **57**: 260; **60**: 95; ***hiemalis*** **56**: 124; **57**: 260; **60**: 98; ***holostei*** **56**: 124; **60**: 98; ***hyoscyami*** **56**: 124; **60**: 98; ***isatidis*** **60**: 95; ***knautiae*** **43**: 14; **56**: 124; **60**: 98; ***kochiae-scopariae*** **56**: 124; **60**: 98; ***lagerheimii*** **56**: 137; **60**: 103; ***lamii*** **51**: 186; **56**: 124; **57**: 260; **60**: 98; ***lathyri-palustris*** **43**: 14; ***lathyri-verni*** **56**: 124; **60**: 98; ***lentis*** **56**: 124; **60**: 98; ***lepidii-perfoliati*** **7**: 135; ***lepigoni*** **56**: 124; **60**: 98; ***leptosperma*** **60**: 96; ***limonii*** **55**: 280; ***linariae*** **56**: 124; **60**: 99; ***linariae-genistifoliae*** **56**: 124; **60**: 99; ***lini*** **56**: 124; **60**: 99; ***lithospermi*** **56**: 124; **60**: 99; ***lotorum*** **56**: 124; **57**: 260, 272; **60**: 99; ***lunariae*** **57**: 260; **60**: 95; ***lychnitis*** **55**: 279; **56**: 124; **60**: 99; ***malyi*** **12**: 127; **20**: 118; ***manshurica*** **16**: *119*, *120*, *121*, *122*; **18**: *42*, *43*, *44*, *45*, *46*, *47*; **56**: 124; **60**: 99; ***mayorii*** **56**: 124; **60**: 99; ***melampyri*** **56**: 124; **60**: 99; ***melandrii*** **56**: 124; **60**: 99; ***meliloti*** **56**: 124; **57**: 260; **60**: 99; ***minor*** **56**: 124; **60**: 99; ***myosotidis*** **18**: 85; **53**: 96, 113; **56**: 124; **60**: 99; ***niessleana*** **53**: 96; **60**: 95; ***nivea*** **var. *hacquetiae*** **8**: 177; ***obovata*** **53**: 96; **56**: 124; **60**: 99; ***oerteliana*** **56**: 124; **60**: 99; ***omphalodis*** **56**: 124; **60**: 99; ***ononidis*** **56**: 137; **60**: 103; ***parasitica*** **7**: 134; **18**: 85; **43**: 14, *18*, *19*, *20*, 25; **53**: 96; **60**: 95; ***parva*** **56**: 124; **60**: 99; ***paula*** **56**: 124; **60**: 99; ***phacae*** **37**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*, *10*, *11*; **56**: 124; **60**: 99; ***phyteumatis*** **53**: 96, 113; **56**: 124; **57**: 260; **60**: 99; **62**: 99; ***pisi*** **56**: 124; **60**: 99; ***plantaginis*** **56**: 124; **60**: 99; ***polygoni*** **56**: 124; **57**: 260; **60**: 99; ***polygoni-convolvuli*** **56**: 124; **60**: 99; ***potentillae*** **56**: 124; **60**: 99; **62**: 89, 91; ***potentillae-anserinae*** **56**: 137; **60**: 103; ***potentillae-reptantis*** **56**: 127; **60**: 100;

pulveracea **56**: 127; **60**: 100; ***pygmaea*** **8**: 178; ***radii*** **43**: 13, 15, 19, 20, 25, 26; **56**: 127; **60**: 100; ***ranunculi*** **18**: 85; **53**: 96; **55**: 277; **56**: 127; **60**: 100; ***romanica*** **56**: 127; **60**: 100; ***rubi*** **43**: 14; **56**: 127; **60**: 100; ***ruegeriae*** **55**: 279; **56**: 127; **60**: 100; ***rumicis*** **18**: 85; **43**: 14; **53**: 96; **56**: 127; **57**: 260; **60**: 100; **62**: 99; ***sanguisorbae*** **53**: 96, 113; **56**: 127; **60**: 100; ***saxifragae*** **56**: 127; **60**: 100; ***schachtii*** **56**: 127; **60**: 100; ***scleranthi*** **56**: 127; **60**: 100; ***senneniana*** **56**: 127; **60**: 100; ***sepium*** **56**: 127; **60**: 100; ***sherardiae*** **56**: 127; **60**: 100; ***silenes*** **56**: 127; **60**: 100; **62**: 99; ***sojae*** **16**: 119; ***sordida*** **43**: 14; **56**: 127; **60**: 100; ***sparsa*** **43**: 14; **56**: 127; **60**: 100, 122; ***spinaciae*** **60**: 97; ***stachydis*** **56**: 127; **60**: 100; ***statices*** **55**: 277, 279, 280; **56**: 127; **60**: 100; ***stigmaticola*** **43**: 13, 25, 26; **56**: 137; **60**: 103; ***sulphurea*** **56**: 137; ***swinglei*** **51**: *185*, *186*; **56**: 127; **60**: 100; ***symphyti*** **56**: 127; **60**: 100; ***tabacina*** **15**: 22; **16**: 119; **17**: 50; **18**: 85; **29**: 43; **31**: 61; **56**: 127; **60**: 100; ***tanaceti*** **60**: 96; ***tetragonolobi*** **56**: 137; **60**: 103; ***thlaspeos-alpestris*** **53**: 97, 113, 116; **57**: 260; ***thlaspeos-arvensis*** **57**: 260; **60**: 95; ***thlaspeos-perfoliati*** **60**: 96; ***tomentosa*** **56**: 127; **60**: 100; ***tranzscheliana*** **43**: 13; ***trifolii-arvensis*** **56**: 127; **60**: 101; ***trifolii-hybridi*** **56**: 127; **60**: 101; ***trifoliorum*** **53**: 97, 113; **56**: 127; **57**: 260; **60**: 101; ***trifoliorum*** **var.** ***manshurica*** **16**: 119; ***trivialis*** **53**: 97; **56**: 127; **60**: 101; ***valerianellae*** **56**: 127; **60**: 101; ***verbasci*** **53**: 97; **56**: 127; **57**: 260; **60**: 101; ***viciae*** **18**: 85; **56**: 127; **60**: 101; ***violacea*** **43**: *13*, *14*, *15*, *16*, *17*, *18*, *19*, *20*, *21*, *22*, *23*, *24*, *25*, *26*, *27*, *28*; **56**: 127; **60**: 101; ***violae*** **53**: 97; **56**: 127; **57**: 260; **60**: 101; ***viticola*** **16**: 143; ***vulgaris*** **43**: 13.

PERROTIA cerina **16**: 96; **57**: 168; ***flammea*** **41**: 198; **57**: 168, 170; ***sharmae*** **30**: 8, 13, 15.

PERTUSARIA albescens **var.** ***corallina*** **56**: 159; ***constricta*** **56**: 159; ***corallina*** **56**: 159; ***ophthalmiza*** **56**: 159.

PESTALOZIA truncata **44**: 46.

PESTALOZZIA annulata **24**: 194.

PETALOIDES fractipes **30**: 181.

PETRAKIA cochinensis **42**: 201.

PETRIELLA boulangeri **27**: 98, 99, 104, 105; ***guttulata*** **27**: 98; **44**: 46; ***lindforsii*** **27**: 98, 105; ***musispora*** **27**: 98; ***setifera*** **27**: 98; **55**: 89; ***sordida*** **27**: 98.

PETRIELLIDIUM boydii **39**: 162, 163; ***ellipsoideum*** **33**: 231.

PETROMYCES alliaceus **44**: 47.

PEYRONELIA arbuscula **35**: 99.

PEZICULA carpinea **35**: 240; ***cinnamomea*** **13**: 154, 156; **55**: 57, 58, 69; ***crataegicola*** **13**: 216; ***eucrita*** **55**: 57, 58, 63, 66, 67, 68, 69, 70; **59**: 232, 233, 234, 238; ***livida*** **35**: 93, 96; **55**: 57, 58, 64; ***malicorticis*** **63**: 80; ***olivascens*** **13**: 216; ***sporulosa*** **55**: 58.

PEZIZA abietina **23**: 125; **35**: 136; ***abietis*** **var.** **α** ***strobilina*** **11**: 235, 240; ***abietis*** **var.** ***strobilina*** **11**: 238; ***abietis*** **var.** **α** ***truncigena*** **11**: 238; ***acetabulum*** **35**: 13, 143; ***acroornata*** **63**: 55, 56, 57, 58, 59, 60, 61, 62; ***acutipila*** **41**: 202; ***acuum*** **13**: 211; **16**: 12; **33**: 199; **41**: 202; ***adae*** **30**: 129, 131; **35**: 67, 141; ***adae*** **f.** ***latispora*** **35**: 67; ***adae*** **var.** ***pilatii*** **30**: 129; ***aggregata*** **23**: 86, 87, 94, 95, 224, 225; ***alba*** **35**: 66; ***alpestris*** **22**: 181; ***alphitoides*** **35**: 136; ***alpina*** **47**: 13; ***alutacea*** **24**: 71; **35**: 136; ***amethystina*** **23**: 91, 93, 96; ***ammophila*** **8**: 144; **17**: 71, *73*, *74*, *75*; **26**: 32, 34, 35; **34**: 214; **35**: 67, 138, 141; ***ampelina*** **35**: 67, 138; ***ampliata*** **24**: 57, *59*, *60*, *61*, *62*, *63*, *64*; **30**: 136; **32**: 77; **35**: 67, 137, 139, 140, 142; ***ancilis*** **35**: 143; ***antarctica*** **26**: 75; ***anthracina***

35: 73; **52**: 263; ***apiculata*** **28**: 225, 226; **30**: 136; **35**: 144; **38**: 121, 122; ***apiculata*** **var. *flavobrunnea*** **52**: 62; ***aranea*** **41**: 205; ***arenula*** **30**: 12; **41**: 198; ***arvernensis*** **16**: 111; **24**: 57, 59, 73, 75; **35**: 68, 140, 141; ***aspidii*** **41**: 204; ***aspidiicola*** **41**: 200; ***assimilata*** **15**: 74; ***atrofusca*** **17**: 45, 46; ***atrospora*** **30**: 140, 141; **35**: 68, 142; ***atroviolacea*** **23**: 233; ***atrovirens*** **59**: 105; ***aurantia*** **16**: 107; **17**: 64; **24**: 59; **35**: 3; **47**: 241; ***auricolor*** **16**: 92; ***auricula*** **4**: 44; **17**: 45; ***austrogaster*** **26**: 34, 35; ***avellanae*** **37**: 68, 69; ***babingtonii*** **31**: 164, 167; ***baccarum*** **3**: 38; ***badia*** **30**: 132, 133, 135, 138, 142; **35**: 68, 139, 141, 142; **44**: 145; ***badia*** **var. *brunnea*** **30**: 135, 138; ***badia*** **var. *montana*** **30**: 135; ***badia*** **var. *olivacea*** **30**: 134, 138; ***badia*** **var. *subviolacea*** **30**: 134; ***badioberbis*** **32**: *70*, *71*, *72*, *73*; ***badioconfusa*** **17**: 68; **33**: 154; **35**: 68, 142; ***badiofusca*** **30**: 132; **35**: 68; ***bauerana*** **42**: 197; ***berkeleyi*** **16**: 12; ***bicolor*** **57**: 150, 151, 152, 153; ***boltonii*** **35**: 68, 140, 141; ***bongardii*** **62**: 26; ***bovina*** **43**: 65, 71, 75; ***brunnea*** **15**: 65; **35**: 84; ***brunneoatra*** **28**: 226; **30**: 139; **35**: 68, 137; ***brunneola*** **57**: 145, 148; ***bubaci*** **30**: 135, 136; **35**: 69, 142; **38**: 122; ***bulgarioides*** **11**: 237, 238, 240; **46**: 321; ***bullii*** **16**: 96; ***cacaliae*** **33**: 196; ***caesia*** **41**: 205; ***caespiticia*** **14**: 17; ***calyculiformis*** **57**: 143; ***campanuliformis*** **43**: 224; ***cantharella*** **35**: 136; ***capitata*** **39**: 214; ***carbonaria*** **35**: 12, 143; ***carbonigena*** **23**: 86, 87, 94, 95, 225; ***catinus*** **16**: 107; ***caulicolum*** **33**: 196; ***cerea*** **14**: *219*, *220*, *221*; **17**: 68, 69; **24**: 57, 59, 64; **28**: 19, 20; **35**: 69, 136, 138, 140, 141, 142; ***cerina*** **57**: 140, 163, 164, 167, 168; ***cerinea*** **16**: 96; ***chateri*** **47**: 237, 238, *241*, *242*, *243*, *244*, *245*, 253; ***chionea*** **37**: 69; ***chlorinella*** **31**: 13; ***chlorophaea*** **35**: 69, 137, 141; ***chrysocoma*** **11**: 88; ***chrysostigma*** **41**: 200; ***ciliata*** **47**: *8*, *9*, *10*, *11*, 13; **50**: 199; ***clandestina*** **57**: 142; ***clypeata*** **35**: 140; ***coccinea*** **13**: 3; **26**: 152; **35**: 79, 136; ***cochleata*** **35**: 66; ***cohaerens*** **35**: 70; ***colensoi*** **50**: 32; ***columbina*** **46**: 321; ***complicata*** **33**: 197; ***confinis*** **33**: 197; ***conformata*** **36**: 152; ***congrex*** **35**: 23; ***coprinaria*** **22**: 32, 34, 35, 36, 40; ***coprogena*** **54**: 124, 128; ***cordovensis*** **50**: 28, 31; ***corium*** **35**: 143; ***cornubiensis*** **47**: 237, 238, 241, *243*, *244*, *245*; ***cornucopioides*** **29**: 199; ***coronaria*** **26**: *32*, *33*, *34*, *35*, *36*; ***coronata*** **26**: 35; ***costata*** **35**: 136; **46**: 321; ***crassa*** **26**: *32*, *33*, *34*, *35*, *36*; ***crassipes*** **24**: 57, 59, 60, 62, 63, 64; **35**: 72; ***crassipes*** **var. *kilimanjarensis*** **32**: 77; **47**: 196; **52**: 62; ***craterium*** **35**: 87; ***crispula*** **16**: 96; **41**: 204; ***crossota*** **30**: 9; ***crucipila*** **22**: 35, 39; **38**: 146, 147, 149, 150; ***crystallina*** **57**: 158; ***cupularis*** **15**: 76; **35**: 85, 88, 136; ***cyathoidea*** **33**: 196; ***dalmeniensis*** **22**: 38; **50**: 191; ***dargelasii*** **26**: *32*, *33*, *34*, *35*, *36*; ***deformis*** **15**: 68; **23**: *85*, *86*, *87*, *88*, *89*, *90*, 94, 95; **43**: 213, 214; ***dematiicola*** **31**: 193, 194; **41**: 195; **52**: 289; ***dentata*** **31**: 199; **33**: 199; **41**: 202; ***deparcula*** **41**: 195; ***depressa*** **28**: 226; **30**: 131, 138, 140; **35**: 69, 137, 141; ***diluta*** **28**: 130; ***dilutelloides*** **37**: 69; ***diminuta*** **56**: 205; ***diplocarpa*** **41**: 195; ***discolor*** **30**: 131, 132; ***domiciliana*** **24**: 65; **30**: 129; ***doratophora*** **64**: 82; ***dryophila*** **57**: 145, 148; ***dudleyi*** **13**: 3; ***echinophila*** **47**: 106; ***echinospora*** **15**: 74; **30**: 130, 132; **35**: 44, 69, 138; **53**: 288, 291, 292; **57**: 253; ***effugiens*** **37**: 69; ***elachroa*** **38**: 122; ***emileia*** **30**: 133, 141; **35**: 69, 142; ***endocarpoides*** **52**: 263; ***epispartia*** **37**: *237*, *238*, *239*, *240*; ***eriophori*** **56**: 75; ***fibrillosa*** **35**: 136; ***filicum*** **43**: 222; ***filispora*** **43**: 226; ***fimbriata*** **28**: 20; ***fimeti*** **35**: 69, 139; **56**: 276; ***flammea*** **41**: 198; ***flavida*** **37**: 239; ***flavofuliginea*** **42**: 77; ***flavotingens*** **37**: 237, 239; ***foliacea*** **7**: 10; ***fugiens*** **16**: 11; **41**: 202; ***fulgens*** **35**: 8; ***fulvescens*** **47**: 7, 13, 18, 21; ***furfuripes*** **37**: 242; ***fuscescens*** **57**: 143; ***fusicarpa*** **62**: 1; ***fusispora*** **23**: 86, 87, 94, 224, 225; ***fusispora*** **var. *permunda*** **23**: 225; ***fusispora*** **var. *scotica*** **23**: 225; ***geneospora*** **50**: 86, 87; ***gerardii*** **21**: 31; **30**: 134; **35**: 69, 138, 142; ***gilva***

52: 268; ***glumarum*** **28**: 130; ***grandis*** **35**: 66; ***granularis*** **61**: 180; ***granulata*** **35**: 143; ***granulosa*** **32**: 77; ***granulosella*** **37**: 69; ***grevillei*** **16**: 12; ***haematochlora*** **var. *microspora*** **28**: 131; ***hainesii*** **62**: 3; ***halici*** **30**: 135, 136; **35**: 69, 138, 141; ***helvelloides*** **35**: 14, 136; ***hemisphaerica*** **35**: 23, 144; ***hepatica*** **22**: 212, 213, 215, 216; ***hirta*** **35**: 136; ***hortensis*** **24**: 65; **46**: 23; ***howsei*** **30**: 141; ***humosa*** **35**: 64, 136; ***hyalina*** **39**: 205, 209, 210, 212, *214*, *215*, *216*, *217*, *218*; ***hyalina*** **var. *laricina*** **39**: 210; ***hyalina*** **var. *setosa*** **39**: 210; ***hyalochaeta*** **54**: 118; ***hymeniophylla*** **41**: 202; ***ilicincola*** **41**: 204; ***imperialis*** **13**: 3; **42**: *193*, *194*, *195*, *197*, *198*, *199*; ***ionella*** **21**: 31, 32; **22**: *217*, *218*, *219*; **30**: 134; ***irregularis*** **64**: 80, 82; ***jacata*** **36**: 112; ***julacea*** **2**: 41, 42; ***kabyliensis*** **47**: 196; ***kauffmanniana*** **6**: 82; ***kerguelensis*** **28**: 22; **32**: 75, 76; ***labessiana*** **30**: 131; **31**: 70; **35**: 69; ***lachnobrachya*** **41**: 196; ***languida*** **18**: 176; ***lateritioalba*** **41**: 201; ***lechithina*** **26**: *213*, *214*, *215*, *216*; ***leiocarpa*** **52**: 263; ***lenticularis*** **47**: 9; ***leporina*** **4**: 44; **35**: 66; ***leucoloma*** **35**: 64; ***leucoloma*** **var. *ricciaecola*** **35**: 20, 23; ***leucolomoides*** **35**: 136; ***leucomelas*** **13**: 21; ***leucostigma*** **40**: 215; ***leucotricha*** **23**: 233; ***lignyota*** **43**: 205; ***lilacina*** **30**: 129, 130; ***limnaea*** **35**: 70, 137; ***limosa*** **30**: 142; **35**: 70; ***lobulata*** **30**: *129*, *130*, *131*, *132*, *133*; **35**: 70, 138; ***luteoloflavida*** **30**: 135, 137; **35**: 70; ***luteonitens*** **34**: 218, 219; ***macrocalyx*** **35**: 79; ***macropus*** **35**: 15, 143; ***marchantiae*** **45**: 140, 141, 142; ***maximovicii*** **30**: 135, 137; **35**: 70, 138; ***melaena*** **35**: 74; ***melaloma*** **35**: 142; ***merulina*** **11**: 91; ***messerschmidii*** **31**: 13; ***micacea*** **37**: 69; ***michelii*** **30**: 140, 142; **35**: 70, 137, 142; ***micropus*** **16**: 111; **24**: 57, 59, 62, 67, *68*, *69*, *70*, *71*, *72*, *73*, *74*, *75*; **25**: 109; **27**: 224; **32**: 221; **35**: 70, 138, 140, 141; **36**: 187; ***microspora*** **37**: 237; ***millepunctata*** **40**: 216; ***minutispora*** **30**: 135, 137, 138; **35**: 70, 138, 142; ***minutispora*** **var. *pallescens*** **30**: 138; ***mirabilis*** **35**: 21; ***misturae*** **28**: 135; ***modesta*** **32**: 76; ***moravecii*** **35**: 70, 139, 140, 142; ***mougeotii*** **23**: 87, 95; ***muralis*** **13**: 182; **24**: 62, 63, 65; ***nidulus*** **41**: 200; ***nigrella*** **35**: 74; ***nivea*** **57**: 160; ***obtusapiculata*** **38**: 121, 122; ***oligotricha*** **50**: 191; ***omphalodes*** **35**: 77; ***ovilla*** **49**: 158; ***papyracea*** **57**: 200; ***patavina*** **28**: 132; ***perdicina*** **30**: 135, 139; **35**: 71, 139; ***petersii*** **23**: 200; **30**: 130, 132; **31**: 71; ***phaeoloma*** **35**: 143; ***phillipsii*** **23**: 91, 93, 205; **35**: 83; ***phlyctispora*** **47**: 261, 263, 265, 266; ***pinetorum*** **28**: 135; ***planchonis*** **23**: 233; ***polaripapulata*** **35**: 71, 142; ***polarispinosa*** **47**: 196; ***polytrichina*** **35**: 136; ***praetervisa*** **30**: 130; **31**: 71; **35**: 71; ***praetervisa*** **var. *minor*** **35**: 71; ***prasinula*** **59**: 106; ***prosthetica*** **38**: 121, 122; ***proteana*** **36**: *109*, *110*, *111*, *112*, *113*; **57**: 249, 253; ***proteana*** **f. *campbellii*** **36**: 112; ***proteana*** **f. *sparassoides*** **36**: *109*, *110*, *111*, *112*, *113*; **57**: 249, 250, 253; ***proteana*** **var. *slavkoviensis*** **36**: *109*, *110*, *111*, *112*, *113*; ***proteana*** **var. *sparassoides*** **35**: 71, 138; **36**: 111; ***pseudosterigmatizans*** **37**: 237, 248, 249; **52**: 62; ***puberula*** **41**: 201; ***pulveracea*** **41**: 196, 205; ***punctiformis*** **41**: 201; ***pustulata*** **24**: 68; **35**: 136; ***pygmaea*** **57**: 205; ***radicata*** **15**: 138; ***radiculata*** **9**: 17; **11**: 92; **42**: *193*, *194*, *195*, *196*, *197*; ***radiculata*** **var. *percevalii*** **42**: 199; ***radiculosa*** **37**: 237; ***radula*** **52**: 260, 261; ***rapula*** **15**: *137*, *138*, *139*; ***recedens*** **30**: 139; **35**: 71, 137, 142; ***repanda*** **24**: 68, 71; **35**: 136; ***reticulata*** **35**: 11; ***retincola*** **30**: 135; **32**: 160; ***roumegueri*** **23**: 86, 94, 225; ***rubiginosa*** **35**: 136; ***rufofusca*** **5**: 11; ***rutilans*** **16**: 115; **35**: 20; ***salicina*** **30**: 141; ***saliciphila*** **30**: 135; **35**: 71, 140; ***saniosa*** **30**: 134; **32**: 221; **35**: 71, *140*, *141*, *142*; ***sarrazinii*** **30**: 130; ***saxonica*** **37**: 69; ***scabrosa*** **52**: 262; ***scrupulosa*** **40**: 216; ***scubalonta*** **22**: 34; **47**: 13, 17; ***scutellata*** **35**: 82; ***semiimmersa*** **28**: 132, 133; ***semitosta*** **62**: 3; ***sepiatra*** **30**: 137; **35**: 71, 138; ***setosa*** **35**: 136; ***shearii*** **36**: 112; ***sordida***

37: 68; ***sowerbyi*** **9**: 17; **11**: 92; ***sparassiformis*** **36**: 112; ***sphaerioides*** **62**: 26; ***sphaerioides*** **var.** ***lychnidis*** **62**: 19, 20, 21, 25, 26; ***splendens*** **39**: 167; **42**: 195, 198; ***splendens*** **var.** ***reguisii*** **42**: 198; ***stercorea*** **35**: 8; **38**: 146, *148*, *149*, *150*; **47**: *9*, *10*, *11*, *12*; **50**: 199; ***stercorea*** **var.** ***aurantiacoflava*** **47**: 7; ***stereicola*** **41**: 202; ***sterigmatizans*** **37**: 250; ***strigosa*** **56**: 76; ***strobilina*** **11**: 237, 238, 240; ***subcarnea*** **41**: 89; ***subfusca*** **25**: 150; ***subgilva*** **46**: 321; ***sublicoides*** **37**: 69; ***sublilacina*** **30**: 129, 130; ***subretincola*** **32**: 160; **35**: 71, 137, 139; ***subtilis*** **37**: 68; ***subumbrina*** **30**: 136, 137; **35**: 71, 137, 140, 142; ***subviolacea*** **30**: 129, 130; **31**: 69, 71; **35**: 71, 138; ***succosa*** **29**: 29; **30**: 133, 138, 141; **35**: 70, 72, 141, 142; ***succosa*** **var.** ***obscuroolivacea*** **35**: 72; ***succosella*** **30**: 133; **44**: 145; ***sylvestris*** **14**: 220; **24**: 72, 75; ***tectoria*** **17**: 68; **24**: 67; ***theleboloides*** **22**: 35, 37, 38, 40; **35**: 9; ***thozetii*** **28**: 223, 225, 226; **30**: 136; **38**: 122; ***trachycarpa*** **52**: 264; ***trachycarpa*** **var.** ***muricata*** **52**: 263; ***trechispora*** **15**: 65; ***trichodea*** **41**: 205; ***tuberosa*** **11**: 237; ***tuberosa*** **var. β** ***strobilina*** **11**: 235; ***tuberosa*** **var.** ***strobilina*** **11**: 237, 238, 240; ***udicola*** **35**: 72, 137, 140, 142; ***ulmariae*** **41**: 195; ***umbrata*** **17**: 63; ***umbrinella*** **40**: 205; ***umbrosa*** **28**: 23; **35**: 136; ***unicisa*** **47**: 261, 266, 268; ***unicolor*** **23**: *123*, *124*, *125*, *126*; ***urticae*** **33**: 197; ***vacini*** **31**: 70; **35**: 72, 138; ***vagneri*** **28**: *223*, *224*, *225*, *226*; **30**: 136; **35**: 72, 142; **38**: 122; **52**: 62; ***varia*** **24**: 57, 59, 65, *71*, *72*, *72*, *73*, *74*; **35**: 72, 138, 141; ***varia*** **f.** ***lignicola*** **24**: 68; ***varia*** **f.** ***terrestris*** **24**: 72; ***velata*** **31**: 70; **35**: 88; ***venosa*** **35**: 11, 143; **42**: 197; ***versiformis*** **16**: 98; ***versiformis*** **var. β** ***livida*** **11**: 240; ***versiformis*** **var. δ** ***nigrescenti-olivacea*** **11**: 240; ***vesiculosa*** **24**: 59; **30**: 131; **32**: 221; **35**: 69, 72, 138, 140, 142; **43**: 75; **46**: 4, 6, 8, 9, 11, 21, 24; ***violacea*** **15**: 74; **30**: 129, 130; **31**: 71; **32**: 221; **35**: 71, 136; ***virginea*** **41**: 204; **57**: 212; ***vitellina*** **22**: 38, 40; **50**: 191; ***vitellina * sabulosa*** **50**: 191; ***vitreola*** **39**: 209; **41**: 201; ***vivida*** **16**: 115; ***vladimirii*** **35**: 72, 88, 140; ***vulgaris*** **37**: 68, 69; ***willkommii*** **18**: 158; ***wrightii*** **23**: 225, 227, 228; **41**: 234.

PEZIZELLA acerina **41**: 195; ***albidolutea*** **16**: 11; **33**: 197; ***alniella*** **33**: 154; ***amenti*** **35**: 240; ***amyloideoexcipulata*** **36**: 148, 149, 151; ***aphanes*** **13**: 156, 212; **16**: 12; ***aspidiicola*** **25**: 109; **31**: 137; ***avellanae*** **37**: 68; ***callorioides*** **13**: 124; ***caudata*** **37**: 70; ***chamaeleontina*** **12**: 224, 226, 230; **46**: 150; ***chionea*** **16**: 101; **35**: 93, 95, 98; **37**: 69; ***chrysostigma*** **31**: 137; ***chrysostigma*** **var.** ***gyrosa*** **41**: 200; ***citrinescens*** **46**: 35; ***conorum*** **13**: 156, 157; **37**: 68, 69; ***conorum*** **var.** ***venceslai*** **37**: 68, 70, 71; ***cruentata*** **46**: 150; ***culmigena*** **52**: 62; ***deparcula*** **41**: 195; ***dilutella*** **37**: 68; ***discreta*** **35**: 240; **42**: 140; ***dura*** **43**: 225; ***eburnea*** **46**: 150; ***effugiens*** **16**: 12; ***hamulata*** **3**: 43, 44; **41**: 204; ***hungarica*** **16**: 12; **39**: 209; ***indeprehensa*** **12**: *224*, *225*, *226*, *227*, 230; ***jaapii*** **36**: 147; ***juncina*** **37**: 68; ***languida*** **18**: 157, 159, 163, 176, 178; ***ligniseda*** **36**: 152; ***micacea*** **16**: 12; ***microspis*** **16**: 11; ***nigrostipitata*** **36**: 150, 151; **46**: 151; ***nobilis*** **20**: 9, 10; **41**: 24; ***parile*** **18**: 176; ***pulchella*** **37**: 68, 69; ***radiostriata*** **16**: 10; **41**: 199; ***rubella*** **37**: 68; ***rudolphi*** **43**: 72; ***samarae*** **37**: 67; **45**: 138; ***sordida*** **13**: 214; **37**: 68; ***subtilis*** **37**: 68; ***sulphurea*** **41**: 200; ***tetraspora*** **36**: 147; ***tremulae*** **14**: 15, 18; ***tumidula*** **14**: 226; ***tyrolensis*** **3**: 42; **16**: 12; ***venceslai*** **37**: *68*, *69*, *70*, *71*; ***verbasci*** **31**: 13; ***vulgaris*** **13**: 156, 211, 214; **33**: 154; **37**: 68.

PEZIZELLASTER ochraceus **45**: 134, 138; ***radiostriatus*** **41**: 199; ***transiens*** **41**: 199.

PEZIZULA crustacea **var.** ***fallax*** **22**: 305.

PHACIDIELLA discolor **4**: 100.

PHACIDIOPYCNIS pseudotsugae **38**: 249.
PHACIDIUM lacerum **35**: 93, 96; **63**: 157.
PHAEDROPEZIA epispartia **37**: *237*, *238*, *239*, *240*; ***flavida*** **37**: 239; ***flavotingens*** **37**: 237, 239.
PHAEOBULGARIA inquinans **19**: 176.
PHAEOCALICIUM compressulum **50**: 235, 236.
PHAEOCOLLYBIA arduennensis **56**: 273; ***cidaris*** **14**: 125, 128, 129; ***lugubris*** **14**: 125, 128, 129.
PHAEOCORIOLELLUS trabeus **11**: 162, 170; **15**: 183; **21**: 54.
PHAEOGRAPHIS planiuscula **56**: 159.
PHAEOHELOTIUM flavum **33**: 227; ***geogenum*** **33**: *225*, *226*, *227*; ***imberbe*** **43**: 219; **44**: 145; ***melleoflavum*** **46**: 149, 155, 158; ***monticola*** **33**: 227; ***nobile*** **41**: 24; ***pallidolilacinum*** **46**: 149, 155, 158; ***rubropurpurascens*** **30**: 8, 13; ***samaricolum*** **37**: 67; ***subcarneum*** **41**: 89; ***terrestre*** **41**: 16, 21, 23, 24; ***umbilicatum*** **41**: 24.
PHAEOISARIA clematidis **33**: 144, 147; **40**: 153; ***triseptata*** **42**: 23, 25, 27.
PHAEOLEPIOTA aurea **10**: 13; **16**: 158; **23**: 80; **26**: 61; **31**: 114; **43**: 58.
PHAEOLUS alboluteus **17**: 184; **28**: *27*, *28*, *29*, *30*, 32, 34; ***croceus*** **20**: 90, 122; ***fibrillosus*** **17**: 51, *174*, *175*, *176*, *177*, *178*, *179*, 184, 185; **18**: 91; **30**: 169; ***rutilans*** **5**: 172; **11**: 189; **17**: 175; **25**: 105; ***rutilans*** **f. *resupinata*** **45**: 93; ***schweinitzii*** **4**: 104; **5**: 170; **7**: 154; **10**: 59, 78, 83; **11**: 156, 164, 184, 186, 189, 190; **14**: 226; **15**: 181, 189; **17**: 175, 184; **20**: 101; **22**: 51, 53, 54, 193, 200; **25**: 135; **27**: 75; **30**: 21, 55, 169; **32**: *55*, *56*, *57*, *58*, *59*, *60*, 223; **36**: 29, 186; **40**: 199; **41**: 51; **43**: 87, 89; **45**: 40; **49**: 136, 141; **50**: 305, 308, 310; **57**: 71; **63**: 259.
PHAEOMARASMIUS aridus **14**: 75, 226; **35**: 110; ***confragosus*** **8**: 180; **18**: 3; **27**: 218; ***erinaceus*** **24**: 84; **36**: 186; **52**: 12; **56**: 273; ***horizontalis*** **30**: 228; ***muricatus*** **24**: 109.
PHAEOPEZIA radula **52**: 261; ***scabrosa*** **52**: 262.
PHAEOPHLEBIA strigosozonata **13**: 13.
PHAEOPHYSCIA confusa **56**: 159; ***hispidula*** **56**: 159; ***opuntiella*** **50**: 232; **56**: 159; ***orbicularis*** **50**: 232; **58**: 112.
PHAEOSCOPULARIOPSIS atrogrisea **57**: 240.
PHAEOSCYPHA cladii **41**: 201.
PHAEOSPERMA foedans **49**: 205; ***helvetica*** **34**: 139, 140; ***microspora*** **34**: 139, 140.
PHAEOSPHAERELLA scirpicola **52**: 62.
PHAEOSPHAERIA herpotrichoides **33**: 152; ***juncicola*** **56**: 63; ***vagans*** **56**: 203, 206, 207, 219.
PHAEOSPORA helvetica **34**: 140; ***parasitica*** **17**: 155; ***vesicularia*** **17**: 155, 156.
PHAEOSTALAGMUS cyclosporus **35**: 99; **61**: 88; ***peregrinus*** **35**: 99.
PHAEOSTILBELLA atra **33**: 158.
PHAEOTHECA dematioides **59**: 118.
PHALANGISPORA constricta **60**: 67.
PHALLOGASTER globosus **21**: 107; ***saccatus*** **21**: *98*, *99*, *100*, *101*, *102*, *103*, *104*, *105*, *106*, *107*, *108*, *109*; **47**: 312; **50**: 67, 68; ***whitei*** **21**: 107.
PHALLUS amurensis **48**: 281; ***arenarius*** **9**: 122; **48**: 279; ***aurantiacus*** **48**: 274, 276; ***aurantiacus*** **var. *discolor*** **46**: 324; ***bambusinus*** **9**: 64; ***brasiliensis*** **48**: 279; ***caliendricus*** **48**: 277; ***callichrous*** **48**: 278; ***canariensis*** **48**: 276; ***caninus*** **9**: 58, 59; ***celebicus*** **48**: 276;

cinnabarinus **48**: 278; ***clusianus*** **9**: 122; ***corallinus*** **48**: 276; ***coralloides*** **48**: 276; ***costatus*** **48**: 278; ***daemon*** **48**: 278; ***duplicatus*** **43**: 108, 109; **48**: 279, 280; ***echinovolvatus*** **48**: 274, 277; ***favosus*** **48**: 281; ***flavocostatus*** **48**: 278; ***foetidus*** **48**: 280; ***formosanus*** **48**: 276, 278; ***fragrans*** **48**: 281; ***galericulatus*** **48**: 275; ***glutinolens*** **48**: 275; ***gracilis*** **48**: 276; ***hadriani*** **8**: 144; **9**: 53, *120*, *121*, *122*, *123*, *124*; **12**: 123; **14**: 116, 119, 120; **15**: 16, 77, 81; **16**: 158; **17**: 164; **18**: 111, 191; **20**: 110; **21**: 97; **24**: 178; **28**: 116, 176; **32**: 223; **36**: 189; **48**: 274, 279, 281; ***imperialis*** **9**: 120, *122*, *123*, *124*; **10**: 49; **16**: 158; **48**: 279; ***impudicus*** **5**: 87, 128; **7**: 155; **9**: 52, 54, 55, 120, *122*, *123*, *124*; **16**: 158; **18**: 111, 115; **20**: 110, 242; **21**: 97, 106; **24**: 178; **25**: 242; **29**: 26, 29; **30**: 57; **32**: 223; **33**: 166; **35**: 110; **36**: *211*, *212*, *213*, *214*, *215*, *216*, *217*, *218*, *219*, *220*, *221*; **40**: *95*, *96*, *97*; **41**: 51; **42**: 161; **44**: 141, 216; **46**: 174, 180, 188, *328*, *329*, *330*; **48**: 274, 279, 280; **50**: *64*, *65*, *66*, *67*, *68*; **56**: 273; **57**: 311; **63**: 259; ***impudicus*** **f.** ***reticulatus*** **48**: 280; ***impudicus*** **f.** ***subindusiatus*** **48**: 280; ***impudicus*** **var.** ***americanus*** **9**: 122; **48**: 279; ***impudicus*** **var.** ***imperialis*** **9**: 122; ***impudicus*** **var.** ***iosmos*** **9**: 122; ***impudicus*** **var.** ***obliteratus*** **48**: 274, 280; ***impudicus*** **var.** ***pseudoduplicatus*** **48**: 274, 280; ***impudicus*** **var.** ***togatus*** **48**: 279, 280; ***indusiatus*** **48**: 274, 279, 280, 281; ***indusiatus*** **var.** ***roseus*** **48**: 279; ***inodorus*** **9**: 59; ***iosmos*** **9**: 120, 122, 123; **48**: 279; ***irpicinus*** **48**: 277; ***lauterbachii*** **48**: 274, 277; ***macrosporus*** **48**: 279; ***mauritianus*** **48**: 279; ***merulinus*** **48**: 274, 277; ***moelleri*** **48**: 281; ***multicolor*** **48**: 278; ***nanchangensis*** **48**: 276; ***novae-hollandiae*** **48**: 276; ***purpuratus*** **48**: 279; ***quadricolor*** **48**: 278; ***ravenelii*** **48**: 277; ***roseus*** **48**: 275; ***rubicundus*** **9**: 53; **48**: 276; ***rubrovolvatus*** **48**: 280; ***rugulosus*** **48**: 274, 276; ***sanguineus*** **48**: 276; ***subtilis*** **48**: 275; ***sulphureus*** **48**: 278; ***tahitensis*** **48**: 278; ***taibeiensis*** **48**: 276; ***tenuis*** **48**: 278; ***togatus*** **48**: 279; ***volvatus*** **48**: 280; ***vulgaris*** **48**: 280; ***yunnanensis*** **48**: 276, 277.

PHANEROASCUS quercinus **52**: 62.

PHANEROCHAETE affinis **56**: 275; ***chrysorhiza*** **64**: 23; ***chrysosporium*** **35**: 200; **45**: 49, 51, 53; **50**: 307; **52**: 156; **55**: 108, 109, 115, 116; **56**: 165, 167, 169, 171; ***furfuraceovelutinus*** **64**: 36; ***gigantea*** **32**: 223; ***magnoliae*** **52**: 157; **55**: 155; ***sanguinea*** **27**: 26, 222; ***sordida*** **36**: 24, 25.

PHARCIDIA dispersa **17**: 152, 153; ***microspila*** **var.** ***pertusariae*** **24**: 228.

PHELLINIDIUM ferrugineofuscum **54**: 55.

PHELLINUS abietis **25**: 105; **28**: 108; **32**: *55*, *56*, *57*, *58*, *59*, *60*; **39**: 77; **54**: 49; ***alni*** **50**: 305, 307, 308, 310; **54**: 46, *47*, *48*, *49*, 77; ***badius*** **55**: 30, 33; ***baumii*** **30**: 18; **34**: 212; **37**: 201; **42**: 132; ***calcitratus*** **55**: 28; ***cavicola*** **48**: *155*, *156*, *157*, *158*, *159*; **49**: *189*, *190*, *191*; **54**: 4, 6; ***chinensis*** **34**: *208*, *209*, *210*, *211*, *212*, *213*; **37**: 201; **42**: 130; ***chrysoloma*** **27**: 222; **30**: 56; **35**: 199; **36**: 45; **39**: 71, 77; **40**: 114; **41**: 50, 52, 53, 167; **43**: 245; **45**: 40; **54**: 46, *49*, *50*, *51*; ***cinereus*** **54**: 46, *51*, *52*, *53*, 77; ***coffeatoporus*** **34**: 211; ***conchatus*** **15**: 182, 190; **17**: 182; **24**: 151; **36**: 29; **54**: 46, 53, 54, 77; ***contiguiformis*** **42**: 132; ***contiguus*** **15**: 183, 190; **18**: 6; **22**: 30; **23**: 202; **32**: 223; **49**: 136, 141, 180; **50**: 305, 308; **54**: 46, 53, 77; **59**: 92; ***coronadensis*** **59**: 92; ***detonsus*** **64**: 17; ***dryadeus*** **27**: 69; ***erectus*** **50**: 136; ***everhartii*** **17**: 50; **20**: 122; **22**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*, *10*, *11*, *12*, 174; ***ferreus*** **15**: 184, 190; **23**: 198, 199, 201, 202; ***ferrugineofuscus*** **19**: *21*, *22*, *23*, *24*, *25*, *26*, *27*, *28*, *29*; **21**: 57; **22**: 24, 27, 30, 31; **24**: 147, 148; **27**: 222; **44**: 125, 230; **54**: 46, 55, 77; **59**: 61; ***ferrugineofuscus*** **var.** ***narymicus*** **19**: *21*, *22*, *23*, *24*, *25*, *26*, *27*, *28*, *29*; **44**: 125, 230; ***ferruginosus*** **15**: 183, 190; **17**: 182; **25**: 105, 111; **35**: 240; **36**: 29; **47**: 202; **49**: 136, 141; **54**: 46,

55, *56*, *57*; **59**: 92; **64**: 20; ***friesianus*** **54**: 67; ***fulvus*** **29**: 7; **30**: 161; ***gilvus*** **12**: 27; **29**: 6; **55**: 26, 29; **64**: 15, 18, 56; ***hartigii*** **13**: 145; **17**: 182; **18**: 91; **22**: 193; **25**: 105; **30**: 198; **36**: 29; **50**: 305, 307, 308, 310; **54**: 46, 57, 58, 77; **56**: 276; **63**: 259; ***hyppophaeicola*** **36**: 20, 29, 36; ***igniarius*** **4**: 102; **5**: 19, 171, 172; **6**: 94; **8**: 88; **10**: 78; **11**: 186, 189, 190, 241, *243*, *244*, *245*, *246*; **12**: *201*, *202*, *203*, *204*; **13**: 144; **14**: 106; **22**: 9, 30, 45, *286*, *287*, *288*, 290, 292, 293; **23**: 200; **25**: 105; **30**: 160, 161; **31**: 120; **32**: 223; **34**: 211; **35**: 109, 201; **36**: 29, 45; **41**: 52; **44**: 95; **49**: 136, 141, 181; **50**: 305, 307, 308, 310; **54**: 46, 47, 57, 59, 60, 77; ***igniarius*** **f. *tremulae*** **22**: 279, 293; ***igniarius*** **subsp. *fulvus*** **20**: 186; ***igniarius*** **subsp. *pomaceus*** **1**: 12; **4**: 58; **5**: 18; **8**: 88; **13**: 144; **20**: 186, 187; **29**: 7; **30**: 161; **47**: 203; ***igniarius*** **subsp. *pomaceus*** **f. *prunastri*** **1**: 11; ***igniarius*** **subsp. *trivialis*** **22**: 284; ***igniarius*** **var. *alni*** **36**: 29; **54**: 47; ***igniarius*** **var. *cinereus*** **54**: 51; ***igniarius*** **var. *pomaceus*** **20**: 186, 187; ***igniarius*** **var. *tremulae*** **22**: 280, 288; ***inermis*** **34**: *211*, *212*, *213*; **48**: 155, 158, 159; ***isabellinus*** **11**: 214, 220, 221, 223; **13**: 142, 145, 150; **14**: 89; **19**: *23*, *24*, *25*; **21**: 57; **24**: 105; **25**: 105, 111; **26**: 94; **27**: 222; **29**: 11; **36**: 31; **42**: 132; **44**: 236; **54**: 71; ***laevigatus*** **15**: 183, 190; **21**: 55; **22**: 30; **36**: 30; **54**: 46, 59, 62, 77; ***laricinus*** **45**: 40; ***laricis*** **39**: 71, 72, 74; **45**: 40; ***licnoides*** **55**: 29; ***linteus*** **34**: 212; **64**: 58, 61, 62; ***lividus*** **38**: 142; ***lundellii*** **36**: 30; **54**: 46, 61, 63, 64, 77; ***merillii*** **55**: 30; ***nigricans*** **22**: *283*, *284*, 287, 288, 292, 293; **36**: 30; **43**: 245; **50**: 305, 307, 308, 310; ***nigrolimitatus*** **5**: 154; **11**: 220; **14**: 76; **17**: 51; **19**: 24, 25; **21**: 55, 57; **24**: 105, 106, 149; **25**: 105, 111; **26**: *91*, *92*, *93*, *94*, *95*, *96*, *97*, *98*, *99*, *100*, *101*; **27**: 222; **29**: 6, 7, 11; **30**: 56; **37**: 108; **41**: 52; **42**: 132, 135; **54**: 46, 63, 66, 77; **61**: 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25; **63**: 245; ***nigrolimitatus*** **f. *longitubulatus*** **26**: 93; ***nigrolimitatus*** **f. *resupinatus*** **26**: 93; ***nigrolimitatus*** **f. *spongiosus*** **26**: 93; **42**: 135; ***nigrolimitatus*** **f. *suberosomollis*** **42**: 135; ***ossatus*** **54**: 47; ***pilatii*** **22**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*, *10*, *11*, *12*, *174*, *175*, *176*, *177*, *178*, *179*; **26**: 123; **32**: 223; **43**: 245; **50**: 305, 308, 310; **54**: 46; ***pini*** **1**: 11; **4**: 103, 104; **5**: 168; **10**: 78, 83; **11**: 186, 190; **12**: 201, 202; **14**: 89, 97, 226; **15**: 184, 187, 190; **18**: 5; **20**: 185, 187; **22**: 30, 45, 51, 53, 54; **23**: 200; **24**: 105; **29**: 214; **39**: 71, 77; **41**: 52, 162; **43**: 245; **45**: 40; **47**: 202; **49**: 181; **50**: 305, 308, 310; **54**: 46, 65, 68, 77; **59**: 92; ***pini*** **f. *cedrina*** **39**: 72; ***pini*** **f. *hispida*** **39**: 72; ***pini*** **f. *laricis*** **39**: 72; ***pini*** **f. *micropora*** **39**: 72; ***pini*** **f. *murashkinskyi*** **39**: 72; ***pini*** **var. *abietis*** **13**: 145; **15**: 187; **22**: 27, 28; **27**: 222; **30**: 56; **39**: 77; ***pini*** **var. *laricis*** **39**: 72; ***pomaceus*** **5**: 18; **13**: 144; **18**: 232; **20**: *184*, *185*, *186*, *187*; **22**: 287, 293; **29**: 7, 29; **30**: 161; **47**: 203; **50**: 305, 308, 310; **54**: 71; ***populicola*** **54**: 46; ***pouzarii*** **22**: *24*, *25*, *26*, *27*, *28*, *29*, *30*, *31*; **24**: 148; **27**: 222; **47**: 92; **54**: 46, 65, 77; **59**: 61; ***pseudopunctatus*** **47**: 203; **50**: 136, 137, 306, 307, 308, 310; **54**: 46; ***punctatus*** **15**: 183, 190; **23**: 200; **36**: 30, 186; **47**: 202; **49**: 137, 181; **50**: 306, 308, 310; **54**: 46, 67, 70, 77; **55**: 30; ***resinaceus*** **34**: 211; ***rhamni*** **50**: 138; **54**: 46; ***ribis*** **22**: 30; **34**: 212; **49**: 137, 141, 190, 191; **54**: 46; ***rimosus*** **22**: 30; **30**: 162; **55**: 30; **59**: 92; **64**: 19, 20, 58, 61, 62; ***robiniae*** **22**: 30; **34**: 211; **55**: 28, 30, 31; ***robustus*** **4**: 102; **5**: 171; **11**: 186, 189; **18**: 6; **20**: 81; **23**: 200, 202; **29**: 6; **30**: 18; **35**: 240; **36**: 30; **40**: 194; **49**: 137, 182; **50**: 136, 306, 309; **54**: 46; **59**: 92; ***robustus*** **f. *hartigi*** **5**: 18; **8**: 88; ***robustus*** **f. *hartigii*** **5**: 168; **10**: 183; **11**: 189; **13**: 145, 219; ***robustus*** **f. *hippophae*** **36**: 29; ***rubriporus*** **29**: 5; ***rufitinctus*** **55**: 33; ***senex*** **59**: 91, 92, 94, 97, 98; ***sulphurascens*** **24**: *146*, *147*, *148*, 150, 151; ***torulosus*** **14**: 72, 75, 82, 226; **22**: 30; **26**: 92; **27**: 72; **29**: *5*, *6*, *7*, *8*, *9*, *10*, *11*, *12*, *13*, *14*, *15*, *16*, *17*, *18*, *19*, *20*, *21*, *22*, *23*, *24*; **30**: *17*, *18*, *19*, 161, 162; **36**: 186; **37**: 108; **40**: 6; **49**: 137, 141, 183, 191; **52**: 6; **54**: 46; **59**: 91, 92; **64**: 56; ***torulosus*** **var.**

laricicolus **26**: 91, 92, 93, 100; **29**: 6; **42**: 132; ***tremulae*** **11**: 193; **21**: 33, 38, 55, 57; **22**: 9, 279, 280, 281, *283*, *284*, *285*, *286*, *287*, *288*, *289*, *290*, *291*, *292*, *293*; **24**: 84; **30**: 161; **32**: 21, 199; **36**: 30; **43**: 245; **50**: 306, 307, 309, 310; **54**: 46, 69, 72, 77; **64**: 58, 61, 62; ***tricolor*** **22**: *174*, *175*, *176*, *177*, *178*, *179*; ***trivialis*** **18**: 5; **22**: 284, 292; ***tuberculosus*** **47**: 203; **49**: 137, 141, 143, 183; **54**: 46, 71, 74, 77; ***umbrinellus*** **48**: 155, 158; **49**: 189; ***undulatus*** **55**: 33; ***viticola*** **26**: 94; **27**: 222; **29**: 11; **35**: 240; **36**: 26, 30, 31; **37**: 108; **40**: 219; **42**: 132; **44**: 140, 142, 236; **45**: 38; **54**: 46, 71, 73, 75; **56**: 276, 281; **59**: 92; **63**: 230; ***vorax*** **39**: 71, 72, *74*, *75*, *76*, *77*, *78*, *79*, *80*, *81*, *82*, *83*; **43**: 245; **44**: 117; **45**: 40; ***wahlbergii*** **55**: 33; ***weirianus*** **55**: 28; ***weirii*** **55**: 155; ***xeranticus*** **42**: 130; ***zealandicus*** **55**: 33.

PHELLODON amicus **10**: 74, 75; **22**: 147; ***confluens*** **10**: *74*, *75*, *76*; **14**: 130, 132; **15**: 16; **22**: 147; **49**: 36, 37; **51**: 100, 106, 111, 113, 115, 117, 118; **52**: 12; **57**: 60, 73, 75, 76, 281, 289, 290, 292, 293, 294, 295; ***connatus*** **57**: 60, 61, 75, 282, 290, 292, 293, 294; ***melaleucus*** **10**: 73, 74; **15**: 132; **51**: 100, 106, 111, *113*, *114*, *115*; **57**: 60; ***niger*** **10**: 69, 74; **14**: 112; **15**: 131, 132; **35**: 240; **49**: 36, 37; **51**: 106, *111*, *112*, *113*, 115; **52**: 6; **57**: 59, 60, 61, 68, 73, 75, 281, 290, 292, 294; ***putidus*** **10**: 75; ***tomentosus*** **10**: 68, 74; **12**: 123; **15**: 132; **51**: 105, 111, 113, 115, 116, 132; **57**: 61, 75, 282, 290, 292, 294; ***vellereus*** **10**: 74.

PHELLOPILUS nigrolimitatus **61**: 14.

PHELLORINIA delestrei **7**: 155; **11**: 180; **15**: 195, 197, 199, 200; ***erythrospora*** **46**: 321; ***herculeana*** **15**: *195*, *196*, *197*, *198*; **17**: 206; **20**: 243; ***inquinans*** **15**: 195, 197, 199, 200; **17**: 206; **20**: 243; ***squamosa*** **46**: 321; ***strobilina*** **15**: 197, 199, 200.

PHIALEA acuum **13**: 211; **37**: 68; ***airae*** **16**: 102; ***amenti*** **14**: 173, 176; ***brunneofibrillosa*** **13**: 211, 214, 215; **33**: 154; ***cacaliae*** **13**: 215; **33**: 196; ***cyathoidea*** **13**: 215; **14**: 87, 226; **16**: 103; **18**: 163; **27**: 225; **29**: 29; **33**: 196; **43**: 225; ***dearnessii*** **64**: 128; ***egenula*** **33**: 197; **43**: 225; ***epispartia*** **37**: *237*, *238*, *239*, *240*; ***fumosella*** **35**: 93, 97; ***furfuripes*** **37**: 242; ***granigena*** **33**: 200; ***lugubris*** **46**: 321; ***luzulina*** **12**: 224, 230; ***pteridicola*** **33**: 197; ***rapulum*** **15**: *137*, *138*, *139*; ***rhodoleuca*** **13**: 124; ***spicarium*** **16**: 103; ***stipae*** **16**: 103; ***strobilina*** **11**: 238, 240; ***subcarnea*** **13**: 124; **25**: 111; ***subciboria*** **57**: 163, 164, 168; ***subhyalina*** **33**: 197; ***subpallida*** **33**: 195; ***urticae*** **14**: 224.

PHIALINA lachnobrachya **36**: 147; **39**: 213; **41**: 196; ***puberula*** **39**: 214; **41**: 201; ***separabilis*** **63**: 217, 237; ***ulmariae*** **41**: 195.

PHIALOCEPHALA bactrospora **45**: 155, 158, 160; ***dimorphospora*** **44**: 47; ***fortinii*** **44**: 47; **59**: 121.

PHIALOPHORA clavispora **59**: 234, 238; ***compacta*** **35**: 218; **39**: 159, 162; **44**: 6, 135; ***dermatitidis*** **35**: 218; **39**: 159, 162, 164; ***fastigiata*** **38**: 109; **43**: *96*, *97*, *98*, *99*, *100*, *101*, *102*, *103*, *104*, *105*, *106*, *107*; **44**: 47; **55**: 80; ***gougerotii*** **35**: 218; **39**: 159; ***heteromorpha*** **35**: 217; **59**: 130; ***hoffmanii*** **39**: 162; ***jeanselmei*** **34**: 199; **35**: 218; **39**: 159, 162; ***malorum*** **33**: 171; **43**: 107; **44**: 47; ***mutabilis*** **39**: 162; ***parasitica*** **39**: 162; ***pedrosoi*** **35**: 218; **39**: 160, 162; **44**: 6, 135; ***phaeophora*** **50**: 163; ***radicicola*** **31**: 170, 171; ***radicicola*** **var.** ***graminicola*** **31**: 170, 171; ***repens*** **39**: 162; ***richardsiae*** **35**: 218; **39**: 162; ***spinifera*** **35**: 218; **39**: 159, 162; **44**: 74; ***verrucosa*** **30**: 21; **35**: 162, 218, 221; **39**: 162; **44**: 6, 135; ***werneckii*** **39**: 158, 159.

PHIALOSCYPHA lachnobrachya **41**: 196.

PHILLIPSIA carnicolor **50**: 27, 29; ***costaricensis*** **50**: *25*, *26*, *27*, 29, 30; ***crenulata*** **50**: 26, 27; ***dochmia*** **50**: 31; ***domingensis*** **50**: *25*, *26*, *27*, 29, 31, 32; ***expansa B*** **50**: 32; ***hartmannii*** **50**: 27; ***kermesina*** **46**: 321; ***polyporoides*** **50**: 28, 31, 32; ***ranomafanensis*** **50**: 21, *23*, *24*, *25*, *26*, *27*, 29, 30; **52**: 62; ***subpurpurea*** **50**: 29, 31; ***tetraspora*** **50**: 29; ***umbilicata*** **50**: 27.

PHLEBIA albida **12**: 28; ***amylostratosa*** **27**: *201*, *202*, *203*; ***aurantiaca*** **13**: 217; **16**: 156; **18**: 163; ***centrifuga*** **12**: 28; **14**: 89; **18**: 159, 163, 175, 176, 178; **21**: 56; **27**: 222; ***donkii*** **27**: 122; ***fascicularis*** **64**: 23, 24, 25; ***livida*** **18**: 163; **35**: 240; ***macra*** **12**: 28; **18**: 175; ***mellea*** **12**: 28; ***merismoides*** **44**: 142; ***nothofagi*** **59**: 74, 77; **64**: 25; ***pubera*** **27**: 201, 203; ***radiata*** **16**: 156; **18**: 163, 222; **23**: 79; **32**: 223; **55**: 155; **63**: 259; ***rufa*** **36**: 27; **55**: 155; ***ryvardenii*** **55**: 187, 192, 198; ***subochracea*** **63**: 259; ***uda*** **64**: 28.

PHLEBIOPSIS gigantea **40**: 96; **44**: 117; **45**: 40; **63**: 217, 223, 225.

PHLEBOPUS lignicola **18**: 3; **19**: 181; **25**: 136.

PHLEGMACIUM aromaticum **10**: 28; ***arquatus*** **15**: 213; ***balteatum*** **10**: 29; **18**: 11; ***blatense*** **14**: 98; ***caerulescens*** **14**: 225; **18**: 10, 13, 20; ***caerulescens*** **var.** ***caesiocyaneum*** **14**: 225; ***cephalixum*** **10**: 29; **12**: 123; ***claricolor*** **14**: 225; **21**: 224; ***corruscans*** **21**: 223, 224; ***crocolitum*** **11**: 170; **12**: 123; ***cyanopus*** **14**: 225; ***elegantior*** **14**: 225; **18**: 13; ***fulgens*** **14**: 225; ***glaucopus*** **16**: 129; ***infractum*** **14**: 225, 226; ***malachium*** **19**: 17; ***multiforme*** **18**: 13; **21**: 224; ***percome*** **10**: 28; **14**: 226; **18**: 13; ***pholideum*** **18**: *77*, *78*, *79*, *80*, *81*; ***prasinum*** **10**: 29; **12**: 123; ***rapaceum*** **12**: 123; **14**: 226; ***rufoolivaceum*** **12**: 123; **14**: 226; ***sebaceum*** **21**: 223, 224; ***subarquatum*** **15**: *211*, *212*, *213*; ***subhygrophanicum*** **15**: 211, 213; ***sulphurinum*** **4**: 149; ***triumphans*** **2**: 101; **10**: 29; ***turmale*** **13**: 52; ***varium*** **8**: 114; **18**: 13; **20**: 78.

PHLEOGENA decorticata **10**: 92; ***faginea*** **8**: 78, 79; **10**: *91*, *92*, *93*, *94*; **24**: 84.

PHLOEOPHTHORA syringae **15**: 250.

PHLYCTIS agelaea **56**: 159; ***megalospora*** **56**: 156, 159.

PHLYCTOSPORA fusca **5**: 158.

PHOLIOTA adiposa **4**: 36; **14**: 88; **18**: 161; **19**: *234*, *235*, *236*, *237*, *238*; **27**: 218; **30**: 21, 53; **32**: *82*, *83*, *84*, *85*, 223; **36**: 45; **41**: 52; **46**: 78, 83; **50**: 201, 202, 204, 205, 208, 209, 211, 212, *214*, *215*, *216*, *217*, *218*, *219*; **52**: 24, 35; **63**: 259; ***aegerita*** **1**: 101; **4**: 62; **11**: 138; **23**: 264, 265; ***albocrenulata*** **7**: 156; **21**: *35*, *36*, *37*, *38*; **47**: 312; **52**: 24, 25; ***alnicola*** **43**: 87; **44**: 89; **46**: 83; **52**: 29; ***alternata*** **23**: 264; ***astragalina*** **14**: 89; **16**: 173, 186, 187, 191; **21**: 57; **25**: 108, 111; **27**: 218; **44**: 89, 124, 125; **46**: 178, 183, 184; ***aurea*** **6**: 35; **7**: 152; **16**: 158; ***aurivella*** **4**: 52; **6**: 159; **12**: 127; **14**: 181; **16**: 21, 88; **19**: 114; **25**: 108; **28**: 108; **32**: *82*, *83*, *84*, *85*, 223; **36**: 45; **50**: 201, 202, *204*, *205*, *206*, *207*, *208*, *209*, *210*, *211*, *212*, *213*, *214*, *217*, *218*, *219*; **52**: 24; ***aurivelloides*** **50**: 211; ***blattaria*** **52**: 23; ***brigantii*** **23**: 264; ***caperata*** **2**: 36; **16**: 21, 158; ***capistrata*** **23**: 264; ***carbonaria*** **14**: 79; **29**: 28; **32**: *82*, *83*, *84*, *85*, 223; **35**: 44; **44**: 89; **46**: 83; ***cerifera*** **46**: 78, 83, 178, 183; **50**: 207, 208, 213, 218; ***comosa*** **48**: 290, 291; ***confragosa*** **5**: 155; **7**: 156; **8**: 180; **9**: 45; **14**: 89; ***cookei*** **9**: 160; ***crassivela*** **23**: 264; ***cylindracea*** **23**: 264; ***decurrens*** **52**: *18*, *19*, *20*, *21*, 22; ***decussata*** **44**: 125; ***destruens*** **4**: 52; **20**: 129; **21**: 37, 38; **28**: 110; **32**: *82*, *83*, *84*, *85*, 223; **46**: 83; **48**: 284, 285, 290; ***dissimulans*** **48**: 290; ***elegans*** **50**: 45, *50*, *51*, *52*, *53*, *54*; ***erebia*** **6**: 52; **16**: 158; **24**: 84; ***fallax*** **52**: *20*, *21*, *21*, *22*, *22*, *23*, *23*; ***filaris*** **58**: 280; ***filia*** **52**: 249; ***flammans*** **12**: 127; **16**: 21, 188; **25**: 108; **32**: 223; **36**: 184; **43**: 87; **44**: 89; **46**: 83, 178, 183; **52**: 27, 28, 29, 33; **56**: 274; **63**: 259;

flammuloides **46**: 178, 184; ***flavida*** **32**: *82*, *83*, *84*, *85*; **33**: 165; **46**: 83; ***fulvella*** **7**: 156; ***fusa*** **52**: 249; ***fusca*** **21**: 35; ***fusus*** **52**: *243*, *244*, *245*, *246*, *247*, *248*, *249*, *250*; ***grandis*** **7**: 157; ***gummosa*** **32**: *82*, *83*, *84*, *85*; **35**: 200; **46**: 4, 13, 30, 78, 83, 174, 180; **52**: 25, 27; ***henningsii*** **21**: 54, 59; ***heteroclita*** **2**: 37; **48**: 290; **50**: 213; ***highlandensis*** **47**: 180; ***impudica*** **23**: 264; ***jahnii*** **46**: 78, 83; **50**: 214, 215, 217, 218; ***kubickae*** **39**: 180; ***lenta*** **19**: 16; **32**: *82*, *83*, *84*, *85*; **43**: 87, 89, 91; **44**: 221; **46**: 6, 30, 83, 176, 179, 182, 185; **50**: 54; **56**: 273; **63**: 259; ***leochroma*** **23**: 264; ***limonella*** **50**: 204, 208, 211, 217; ***lubrica*** **18**: 161; **50**: 54; **52**: 248, 249; **63**: 259; ***lucifera*** **46**: 30, 83; **52**: 24, 330; ***luxurians*** **23**: 264; ***mamillata*** **52**: 20, *22*, 23, *23*, *24*; ***marginata*** **18**: 3; ***maximovici*** **52**: *24*, *25*, *26*; ***mixta*** **52**: 249; **63**: 259; ***mucosa*** **52**: 20, 22, 25, 27; ***muricata*** **52**: 32; ***mutabilis*** **2**: 93; **4**: 36, *59*, *60*, *61*, *62*; **5**: 75, 127; **7**: 63, 65, 77, 79; **9**: 144; **10**: 28, 78; **13**: 39, 40, 45, 46, 48; **16**: 21, 158, 188; **20**: 216; **25**: 66, 69, 70, 73, 74; **27**: 1; **30**: 21, 52; **32**: 67, 223; ***mycenoides*** **37**: 228, 232; ***nameko*** **4**: 36; ***nematolomoides*** **50**: *46*, *47*, *48*, *49*, *50*; ***nigrosetosa*** **52**: 27, 28; ***phylicigena*** **23**: 264; ***pinicola*** **52**: 249; ***populnea*** **48**: *286*, *287*, *288*, *289*, 290, *290*, *291*, *292*; ***praecox*** **2**: 87; **3**: 84; **4**: 109; **9**: 144; ***praecox*** **var. *paludosa*** **7**: 191; ***pseudohypholoma*** **52**: 20, 28, 29; ***pudica*** **23**: 264; ***rigelliae*** **52**: 20, 30; ***rostrata*** **52**: 20, 26, 31; ***salicina*** **52**: 32; ***scamba*** **10**: 179; **14**: 97; **25**: 108, 111; **27**: 218; **31**: 115; **44**: 89; **63**: 259; ***spectabilis*** **10**: 29; **19**: 114, 128; ***spumosa*** **14**: 106; **19**: 17; **32**: 223; **44**: 89, 209; **46**: 78, 83; **50**: 54; **63**: 260; ***squamosa*** **19**: 114; ***squarrosa*** **4**: 52; **5**: 75; **14**: 88; **16**: 21; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **25**: 108; **27**: 34; **30**: 53; **32**: *82*, *83*, *84*, *85*, 223; **34**: 98, 100; **41**: 52; **42**: 161; **44**: 89, 213, 214, 222; **46**: 84, 178, 183, 184; **52**: 27, 28, 29, 33; **63**: 260; ***squarrosoadiposa*** **32**: *82*, *83*, *84*, *85*; **44**: 221; **50**: 212; ***squarrosoides*** **59**: 74, 77, 79; ***subochracea*** **50**: *45*, *46*, *47*, *48*, *49*, *50*; **56**: 274, 281; **63**: 248, 250, 251, 260; ***subsquarrosa*** **32**: *82*, *83*, *84*, *85*; ***sulphurea*** **52**: 20, 30, 33, 34; ***terrestris*** **47**: 180; ***terrigena*** **7**: 153; **9**: 157, 160; ***togularis*** **f. *latispora*** **9**: 144; ***togularis*** **f. *teneroides*** **9**: 144; ***togularis*** **f. *typica*** **9**: 144; ***tuberculosa*** **6**: 162; **17**: 108; **52**: 330; ***unicolor*** **14**: 77.

PHOLIOTINA aberrans **51**: 61; **52**: *299*, *300*, *301*, *302*, *303*, *304*, *305*, *306*; **58**: 273, 274, 275, 276, 282, 283, 284; ***appendiculata*** **15**: 225; **51**: 66; ***arrhenii*** **39**: 61; **51**: 65; **58**: 273; ***blattaria*** **15**: 225; **32**: 223; ***brunnea*** **58**: 273; ***coprophila*** **58**: 274; ***cyanopoda*** **58**: 276; ***cyanopus*** **48**: 103; **58**: 273, 276, 277, 283, 284; ***dasypus*** **58**: 273, 277, 278, 279, 284; ***dentatomarginata*** **52**: 305; ***filaris*** **58**: 273, 280, 281, 283, 284; ***friesii*** **52**: 36; ***funariophila*** **35**: 238; ***mairei*** **51**: 45; **58**: 273, 276, 280, 281, 282, 283, 284; ***parvula*** **58**: 276, 282; ***percincta*** **46**: 29; ***pygmaeoaffinis*** **14**: 112; **37**: 220; **52**: 36; **58**: 274; ***rimosa*** **51**: 42, 61; **52**: 302, 303; **58**: 274; ***striaepes*** **37**: 219, 220, 232; **52**: 36; ***subnuda*** **58**: 277; ***subverrucispora*** **58**: 277; ***sulcatipes*** **51**: 61; **52**: *299*, *300*, *301*, *302*, *303*, *304*, *305*, *306*; ***teneroides*** **46**: 29; **58**: 273; ***togularis*** **24**: 84; ***togularis*** **f. *teneroides*** **9**: 144; ***togularis*** **f. *typica*** **9**: 144; ***tuberculosa*** **52**: 36, 38; ***utriformis*** **58**: 277; ***velata*** **51**: 42, 66; **58**: 274, 283; ***vestita*** **15**: 225; **58**: 273, 282, 283, 284; ***vexans*** **58**: 273.

PHOMA americana **54**: 156; ***artemisiae*** **46**: 321; ***aucupariae*** **13**: 222; ***betae*** **44**: 47; ***chrysanthemicola*** **39**: 253; **46**: 248; ***deusta*** **44**: 146; ***djakovensis*** **52**: 62; ***epicoccina*** **54**: 156, 157, 159; ***eupyrena*** **44**: 47; **46**: 248; **55**: 89; ***exigua*** **33**: 171; **44**: 47; **55**: 98; ***exigua*** **var. *exigua*** **37**: 77, 78, 82; ***fimeti*** **46**: 255; ***fuckelii*** **49**: 203; ***glomerata*** **44**: 47; **50**: 103, 104; **51**: 164; **54**: 156, 157, 159, 160; **61**: 154, 155, 157; ***herbarum*** **13**: 158; **44**: 47; **54**: 157, 159; **61**: 154, 155,

157; ***herbarum* var. *medicaginis*** **28**: 118; ***hibernica*** **39**: 162; ***letendrei*** **19**: 217; ***leveillei*** **44**: 47; **55**: 89, 93; **61**: 154, 155, 157; ***lingam*** **44**: 47; **55**: 89, 98; ***lupinella*** **52**: 62; ***macrocapsa*** **13**: 157; ***macrostoma*** **54**: 156; **63**: 158; ***medicaginis*** **32**: 112; **54**: 157, 159; ***medicaginis* var. *pinodella*** **44**: 47; ***melanea*** **44**: 47; ***muscicola*** **25**: 244; ***muscorum*** **25**: 244; ***oblonga*** **13**: 222; ***oleracea* f. *arabidis*** **52**: 62; ***origani*** **52**: 56; ***paradoxa*** **35**: 241; ***physocaulis*** **52**: 63; ***pinodella*** **55**: 89; ***platanoides*** **13**: 219; ***pomigena*** **4**: 101; ***pustulata*** **28**: 13; ***putaminum*** **61**: 154, 155, 157; ***radicis-callunae*** **35**: 217; ***rorippae*** **52**: 63; ***serratulae*** **14**: 104; ***sherardiae*** **52**: 63; ***splachni*** **25**: 244; ***stapeliae*** **46**: 321; ***subcurvata*** **52**: 63; ***tabulae*** **46**: 321; ***tuberosa*** **33**: 171; ***urticae*** **35**: 241; ***vincetoxici*** **9**: 113.

PHOMATOSPORA berkeleyi **13**: 157; **44**: 146; ***insignis*** **52**: 63.

PHOMOPSIS carposchiza **55**: 132; **57**: 313; ***conorum*** **35**: 97; ***fabae*** **45**: *65*, *66*, *67*; ***juglandina*** **11**: 125; ***leptostromiformis*** **45**: 65; ***mali*** **63**: 79; ***occulta*** **35**: 97; ***platanoidis*** **26**: 52; ***pustulata*** **28**: 12, 17; ***putator*** **35**: 172; ***quercella*** **55**: 78; ***revellens*** **13**: 221; ***sojae*** **45**: 65; ***thuyae*** **52**: 63; ***tulasnei*** **28**: 10; ***velata*** **13**: 221.

PHORCYS bufonia **12**: *146*, *147*, 148, *148*; ***tiliae*** **12**: *146*, *147*, 148, *148*.

PHRAGMIDIUM acuminatum **56**: 138; ***bulbosum*** **56**: 129; ***candicantium*** **56**: 129; ***fragariae*** **56**: 129; ***fragariastri*** **14**: 103; ***fusiforme*** **56**: 129; **62**: 92; ***mucronatum*** **53**: 100; **56**: 129; **62**: 92, 99; ***potentillae*** **14**: 103; **33**: 155; **56**: 129; **62**: 92; ***rosae-alpinae*** **14**: 103; ***rosae-pimpinellifoliae*** **56**: 127, 129; ***rubi*** **14**: 103; ***rubi-idaei*** **56**: 129; **57**: 263; **62**: 92; ***rubi-saxatilis*** **56**: 138; ***sanguisorbae*** **56**: 129; ***tuberculatum*** **56**: 129; **57**: 263; **62**: 92, 99; ***violaceum*** **56**: 129.

PHRAGMOPORTHE conformis **25**: *37*, *38*, *39*; ***ploettneriana*** **25**: 38.

PHRAGMOSPATHULA brachyspathula **38**: 109.

PHRAGMOTRICHUM acerinum **13**: 154.

PHYCOMYCES blakesleeanus **40**: 69.

PHYLACTERIA atrocitrina **10**: 103; ***caryophyllea*** **7**: 187; ***terrestris*** **3**: 84.

PHYLLACHORA atromaculans **52**: 63; ***baphispora*** **52**: 63; ***graminis*** **33**: 152; ***junci*** **12**: 145; ***therophila*** **55**: 230, 232, 233.

PHYLLACTINIA antarctica **12**: 167, 168; ***clavariaeformis*** **12**: *167*, *168*, *169*; ***corni*** **58**: 189; ***corylea*** **12**: 168; ***dalbergiae*** **46**: 310; ***desmodii*** **46**: 309; ***fraxini*** **49**: 116; ***guttata*** **12**: 163, *165*, *166*, *167*, *168*, *169*; **46**: 309; **49**: 116; **53**: 288, 291, 292; ***guttata* f. sp. *coryli*** **12**: 165; ***roboris*** **12**: 166, 168; **34**: 175; **40**: 30; ***suffulta*** **12**: 168.

PHYLLOBAEIS erythrella **56**: 159.

PHYLLOBATHELIUM epiphyllum **56**: 159; ***firmum*** **56**: 159.

PHYLLOPHIALE alba **56**: 159.

PHYLLOPORIA ribis **49**: 190.

PHYLLOPORIS platypoda **56**: 159.

PHYLLOPORUS pelletieri **32**: 223; **57**: 6, 11, 13, 14, 26, 32, 43; **60**: 30, 31, 32, 34, 39, 43; ***rhodoxanthus*** **10**: 29; **14**: 177; **15**: 14; **16**: 157; **20**: 4; **58**: 154; ***rhodoxanthus* subsp. *europaeus*** **57**: 43.

PHYLLOPSORA malcolmii **56**: 154, 159; ***pocsii*** **56**: 154, 159.

PHYLLOSTICTA aegopodii **19**: 217; ***ajugae*** **23**: 102; ***ajugaecola*** **23**: 102; ***allii*** **52**: 63; ***aloes*** **46**: 321; ***anthyllidis*** **52**: 63; ***auriculata*** **19**: 216, 217; **46**: 321; ***balcanica*** **52**: 63; ***bignoniae*** **20**: 206; ***bubakiana*** **52**: 63; ***buddleiae*** **19**: 217; ***buddleicola*** **19**: 219; ***carissae*** **46**: 321; ***carpinea*** **19**: 219; ***carpini*** **19**: 219; ***catalpae*** **20**: 205, 212; ***cruenta*** **14**: 71; ***dahliicola*** **15**: 169, 175, 176; ***datiscae*** **19**: 216, 220; ***decidua*** **20**: 210; **21**: 217; ***digitalis*** **19**: *61*, *62*, *63*; ***evonymi*** **19**: 219; ***gerbericola*** **20**: 206, 212; ***hranicensis*** **52**: 63; ***jahniana*** **52**: 63; ***kalmiicola*** **20**: 209; ***labruscae*** **20**: 212; ***latifolia*** **20**: 205, 206, 209, 212; ***letendrei*** **19**: 216, 217; ***liatridis*** **20**: 205, 207, 209, 212; ***liriodendri*** **20**: 209, 212; ***liriodendricola*** **20**: 210; ***lysimachiae*** **19**: 216; ***lythri*** **19**: 216, 218, 219; ***melissophylli*** **19**: 217; ***monardae*** **20**: 210; ***monardicola*** **20**: 205, 207, 210, 212; ***montellica*** **19**: 216; ***nerii*** **20**: 209, 211, 212; ***neriicola*** **20**: 211; ***paulowniae*** **14**: 246, 247; ***periplocae*** **19**: 216, 222; ***petrakii*** **20**: 205, 206, 207; ***podagrariae*** **19**: 216, 217; ***pseudocapsici*** **19**: 222; ***pterocaryae*** **20**: 210, 211, 212; ***ranunculicola*** **52**: 63; ***rhois*** **20**: 211, 212; ***rhuina*** **46**: 321; ***scutellariae*** **19**: 216, 219, 220; ***selini*** **23**: 102; ***senecionis-nemorensis*** **52**: 63; ***similis*** **19**: *216*, *217*, *218*; ***sphaeropsoidea*** **55**: 132; **57**: 312; ***spiraeina*** **f. *spiraeae-bumaldae*** **23**: 103; ***spiraeina*** **var. *spiraeae-bumaldae*** **23**: 103; ***succisaecola*** **23**: 103; ***tellimae*** **20**: 211, 212; ***tetraplodontis*** **25**: 244; ***vaga*** **20**: 206; ***viticola*** **20**: 212; ***weigeliae*** **20**: 212, 213; ***wistariae*** **20**: 212, 214; ***zinniae*** **20**: 212, 214.

PHYLLOTOPSIS nidulans **10**: 29; **25**: 108, 111; **30**: 53; **46**: 177, 183; **53**: 31, 33, 34, 46, 49, *63*, *64*, *64*, *65*, *65*; **63**: 251, 260.

PHYMATOTRICHUM baccarum **4**: 100.

PHYSALOSPORA cydoniae **4**: 101; ***euganeoides*** **52**: 63.

PHYSARUM affine **18**: 57; ***aurantium*** **18**: 59; ***bivalve*** **16**: 36; **53**: 325, 347; ***cinereum*** **33**: 151; **53**: 325, 347; ***compressum*** **18**: 56, 57; ***connatum*** **16**: 34; ***contextum*** **16**: 35; ***decipiens*** **53**: 325, 343; ***digitatum*** **16**: 35; ***gyrosum*** **16**: 35; ***kalchbrenneri*** **49**: 166; ***leucophaeum*** **18**: 164; **53**: 325; ***leucopus*** **16**: 36; **53**: 325; ***nutans*** **18**: 56; **35**: 108; **53**: 325, 334, 340, 344; ***psittacinum*** **16**: 35; ***rubiginosum*** **16**: 36; **20**: 61; **53**: 325; ***sinuosum*** **16**: 35, 36; ***sphaeroidale*** **12**: 218; ***stromateum*** **12**: 218; ***vernum*** **18**: 56; ***virescens*** **16**: 35; **53**: 325, 347; ***viride*** **18**: 59, 164; **26**: 108, 110; **53**: 325; ***viride*** **var. *aurantiacum*** **53**: 325, 347.

PHYSCIA aipolia **23**: 23; ***aurantia*** **60**: 280; ***biziana*** **var. *phyllidiata*** **56**: 154, 159; ***caesia*** **50**: 226; ***dubia*** **23**: 108; ***heppiana*** **60**: 283; ***opuntiella*** **56**: 155; ***scopulorum*** **56**: 159; ***semipinnata*** **56**: 159; ***tenella*** **58**: 112.

PHYSCIDIA australasica **56**: 155, 159.

PHYSCONIA distorta **50**: 235; ***enteroxantha*** **50**: 235.

PHYSISPORINUS confusus **46**: 236; ***incarnatus*** **17**: 28; ***rivulosus*** **48**: 322; ***sanguinolentus*** **4**: 50; **18**: 163; **44**: 142; **46**: 59; **49**: 183; **55**: 33; **56**: 276; **63**: 260; ***variaecolor*** **21**: 211; ***vitreus*** **15**: 183; **17**: 182.

PHYSISPORUS obducens **46**: 229.

PHYSODERMA bohemicum **52**: 63; ***gerhardtii*** **18**: 54.

PHYSOMITRA infula **var. *fastigiata*** **26**: 2.

PHYTOPHTHORA alni **60**: 272, 293; ***cactorum*** **15**: 169, 171; **19**: 108; **32**: *169*, *170*, *171*, *172*; **37**: 117; **41**: 244; **50**: 19, 41; **60**: 266, 268, 272; ***cactorum*** **subvar. *syrigae*** **15**: 250; ***cactorum***

var. *applanata* **16**: 200, 201; ***cambivora*** **34**: 152; **55**: 291, 292, 294, 295; **60**: 265, 266, 267, 268, 269, 270, 271, 272; ***capsici*** **50**: 14; ***cinnamomi*** **16**: 201; **60**: 266, 268, 271; ***citricola*** **16**: *200*, *201*; **55**: 295; **60**: 266, 268, 272; ***citrophthora*** **16**: *198*, *199*, *200*, *201*; **50**: 14, 19; ***cryptogea*** **32**: 172; **60**: 266, 268, 271; ***drechsleri*** **16**: 201; ***erythroseptica*** **3**: 8; ***fragariae*** **15**: *246*, *247*, *248*; **32**: 116, *169*, *170*, *171*, *172*; **50**: 38; **55**: 291, 294, 295; ***gonapodyides*** **55**: 295; **60**: 266, 268, 271; ***hibernalis*** **15**: 250; ***infestans*** **2**: 73; **10**: 137; **16**: *31*, *32*, *33*, 214, 216, 217; **28**: 115; **32**: 110; **60**: 293; ***megasperma*** **36**: 70; ***nicotianae*** **50**: *14*, *15*, *16*, *17*, *18*, *19*; ***omnivora*** **4**: 101; **15**: 171; ***palmivora*** **16**: 201; ***parasitica*** **16**: 201; **50**: 14; ***pseudosyringae*** **60**: 293; ***quercina*** **60**: 293; ***ramorum*** **58**: 152; **60**: 293; ***sojae*** **50**: 19; ***syringae*** **15**: 246, *250*; **16**: 201; **55**: 295.

PICEOMPHALE bulgarioides **11**: *235*, *236*, *237*, *238*, *239*, *240*; **14**: 89; **16**: 98; **27**: 225; **30**: 194; **32**: 109; **35**: 240.

PICHIA acaciae **42**: 171, 174; ***anomala*** **57**: 323; ***dubia*** **32**: 143; ***etchellsii*** **42**: 116; ***farinosa*** **35**: 229; ***fermentans*** **13**: 227, 228, 231, 232; **32**: 134; **39**: 162, 240; ***guilliermondii*** **39**: 158, 162, 236, 242; ***indica*** **32**: 142; ***kluyveri*** **36**: 53; ***kudriavzevii*** **32**: 133; **39**: 162; ***lambica*** **39**: *107*, *108*, *109*, 111, 114, 240; ***membranaefaciens*** **13**: 227, *229*, *230*, *231*; **14**: 52, 54, 57; **32**: 142; **39**: 240; **42**: 116; ***orientalis*** **32**: 134; ***saccharophila*** **32**: 142; ***silvestris*** **32**: 142.

PIEDRAIA hortae **35**: 217; **39**: 162.

PILA fragilis **64**: 66.

PILACRE decorticata **10**: 92; ***faginea*** **10**: 92; ***friesii*** **10**: 92; ***petersii*** **10**: 92.

PILAIRA anomala **44**: 47.

PILATIA crispula **16**: 96; ***foliorum*** **2**: 119; ***lupini*** **3**: 42; ***minima*** **2**: 119; ***spirotricha*** **16**: 94, 96.

PILATOPORUS epileucinus **44**: 230; ***ibericus*** **49**: *85*, *86*, *87*, *88*, *89*, *90*; **50**: 306, 307, 309, 310; **59**: 143; ***maroccanus*** **49**: 90; ***palustris*** **44**: 230; **49**: 89; **55**: 32, 34; ***spraguei*** **49**: 90.

PILIDIUM concavum **55**: 77.

PILIGENA lycoperdoides **10**: 145; ***murina*** **10**: 145; ***ovina*** **10**: 145.

PILOPORIA albomarginata **64**: 19.

PINDARA terrestris **1**: *45*, *46*, *47*; **22**: 180, 183, 184; **24**: 105; **35**: 72, 138, 141.

PINUZZA flava **36**: 78.

PIPTOCEPHALIS brijmohani **23**: 65; ***cylindrospora*** **23**: 65; ***fresseniana*** **44**: 47; ***tieghemiana*** **23**: 65.

PIPTOPORUS betulinus **5**: 17, 168, 171; **8**: 88; **10**: 78; **11**: 132, 188, 189; **13**: 221; **14**: 31, 97; **16**: 156; **17**: 162; **18**: 2, 6, 222; **20**: *81*, *82*, *83*, 88, 172; **22**: 45, 48; **23**: 79, 201; **30**: 55; **32**: 223; **35**: 109; **36**: 34, 45; **38**: 221; **40**: 195; **41**: 52; **43**: *31*, *32*, *33*, 87, 89; **44**: 142, 204, *207*, *208*, *209*, 213, 214; **49**: 138, 143; **56**: 276, 277; **63**: 260; ***portentosus*** **64**: 17; ***pseudobetulinus*** **20**: 83, 88; ***quercinus*** **11**: 203; ***soloniensis*** **13**: 29; **20**: 83, 88; **44**: 98.

PIRICAUDA caribensis **38**: 111; ***cochinensis*** **38**: 111; **40**: 153; **42**: 201; ***cubensis*** **38**: *111*, *111*, *112*, *112*; ***paraguayensis*** **38**: 111, 112; **42**: 201; ***pseudoarthriae*** **38**: 111; ***uleana*** **42**: 201.

PIRICAUDILIUM lobatum **42**: *200*, *201*, *202*, *203*.

PIROTTAEA adenostylidis **62**: 30, 31; ***exilispora*** **62**: 30; ***gallica*** **62**: 19, 30, 31; ***glaucoviridis*** **4**: *42*, *43*, *44*, 77; **32**: 14, 15; ***lychnidis*** **62**: 19, 21, 22, 23, 25, 26, 27, 28, 29, 30, 31; ***malvae*** **62**: 30;

***pilosissima* 62**: 19, 29, 30; ***saxonica* 62**: 30; ***senecionis* 62**: 30, 31; ***symphyti* 62**: 30; ***veneta* 62**: 30, 31; ***venturioides* 41**: 199.

***PISOLITHUS arenarius* 16**: 158; ***arhizus* 17**: 205; **18**: 191; **34**: *192*, *193*, *194*; ***crassipes* 1**: *81*, *82*, *83*; ***tinctorius* 15**: 196; **16**: 158; **17**: 205; **18**: 191.

***PISTILLARIA aculeata* 12**: 217; ***micans* 14**: 224; **29**: 29; ***pisiformis* 26**: 116, 117; ***setipes* 14**: 112; ***todei* 26**: 116, 117; ***typhuloides* 43**: 51.

***PITHOASCUS schumacheri* 55**: 89.

***PITHOMYCES chartarum* 59**: 208, 210, 211; ***cinnamomeus* 38**: 101, 112; **40**: 153; ***prolatus* 40**: 74, 81; ***pulvinatus* 38**: 112; **40**: 153; ***sacchari* 38**: 113; ***sumiderensis* 40**: 142, 154.

***PITHYA suecica* 41**: 202; ***vulgaris* 35**: 73, 140.

***PITYROSPORUM furfur* 34**: 29; **35**: 214; **39**: 161; ***orbiculare* 25**: *219*, *220*, *221*, *222*, *223*, *224*, *225*, *226*, *227*, *228*, *229*; **34**: *29*, *30*, *31*, *32*, *33*, *34*; **35**: 214; **39**: 161; ***ovale* 25**: 219; **34**: *29*, *30*, *31*, *32*, *33*, *34*; **35**: 214; **39**: 161; ***pachydermatis* 25**: 219.

***PLACIDIUM chilense* 56**: 159.

***PLACODERMA quercinum* 20**: 84.

***PLACODES dryadeus* 27**: 69.

***PLACODIUM aurantium* 60**: 282.

***PLACOPSIS argillacea* 56**: 159; ***subparellina* 56**: 159.

***PLACYNTHIELLA icmalea* 50**: 276, 282, 287, 288, 290, 292, 295, 297; **51**: 175; ***uliginosa* 50**: 287.

***PLACYNTHIUM nigrum* 61**: 78.

***PLAGIOSTOMA euphorbiae* 28**: 222.

***PLASMODIOPHORA brassicae* 6**: 82; **7**: 104; **32**: 93; **45**: 37, 43.

***PLASMOPARA aegopodii* 8**: 176; **60**: 102; ***angelicae* 53**: 97, 112; **56**: 127; **60**: 92, 101; ***angustiterminalis* 55**: 277, 280; **56**: 127; **60**: 101; ***baudysii* 8**: 177, 178; **60**: 101; ***caucalis* 56**: 127; **60**: 101; ***chaerophylli* 53**: 97, 112; **56**: 127; **60**: 101; **62**: 91, 99; ***conii* 56**: 127; **60**: 101; ***curta* 8**: 177, 178; **18**: 85; ***dauci* 56**: 127; **60**: 101; ***densa* 18**: 85, 86; **43**: 14; **53**: 97, 113; **56**: 127; **57**: 261, 272; **60**: 101; ***epilobii* 53**: 97, 113, 114; **56**: 127; **60**: 102; ***geranii-sylvatici* 56**: 127; **60**: 102; **62**: 91, 96, 99; ***halstedii* 8**: 177; **10**: 137; **16**: 119; **56**: 124, 127; **60**: 102; ***hepaticae* 18**: 85; ***isopyri* 52**: 63; **60**: 102; ***isopyri-thalictroidis* 56**: 127; **60**: 102; ***laserpitii* 8**: 176; ***leptosperma* 43**: 14, 25; ***mei-foeniculi* 53**: 97, 113; **57**: 261; ***nivea* 8**: 177, 178; **60**: 92, 102; **62**: 91; ***obducens* 56**: 127; **60**: 102; ***pastinacae* 56**: 127; **60**: 92, 101; ***petroselini* 56**: 127; **60**: 102; ***peucedani* 8**: 177; ***pimpinellae* 60**: 92, 101; ***pimpinellae* var. *maioris* 56**: 127; ***pimpinellae* var. *pimpinellae* 53**: 97; **56**: 127; ***podagrariae* 8**: 176; ***pusilla* 18**: 85; **35**: 240; **43**: 14; **53**: 97, 112, 113; **56**: 127; **57**: 261; **60**: 102; ***pygmaea* 43**: 25; **53**: 98, 112; **55**: 277; **56**: 127; **57**: 261; **60**: 102; ***ribicola* 56**: 127; **60**: 102; ***selini* 56**: 127; **60**: 102; ***silai* 56**: 127; **60**: 102; ***umbelliferarum* 8**: 176; **18**: 85; **34**: 174; **43**: 14; **53**: 98, 113; **56**: 123, 127; **60**: 92, 102; ***umbelliferarum* var. *hacquetiae* 8**: 177, 178; **56**: 127; **60**: 92, 102; ***umbelliferarum* var. *umbelliferarum* 8**: 176, 177; **56**: 127; ***viticola* 11**: 197, 198; **18**: 85; **27**: 112; **56**: 127; **60**: 102.

***PLASMOVERNA anemones-ranunculoidis* 60**: 102; ***isopyri-thalictroidis* 60**: 102; ***pygmaea* 60**: 102.

***PLATISMATIA glauca* 50**: 230; **63**: 225, 230.

PLATYGLOEA bispora **54**: 38; *miedzyrzecensis* **54**: 11, 12, 14; *peniophorae* **4**: 84; **12**: 191; **54**: 38; *sebacea* **54**: 11; *tiliae* **12**: 148.
PLATYSTOMUM compressum **12**: 145; **13**: 157.
PLECTANIA chudei **37**: 244; **50**: 29; *coccinea* **13**: *1*, *2*, *3*, 155, 159; **14**: 73; **16**: 156; **18**: 221; **35**: 79; *hiemalis* **13**: 1; **35**: 21; *melastoma* **35**: 73, 74, 140; **37**: 245; *pseudoaurantia* **35**: 136; *subfloccosa* **35**: 136.
PLENODOMUS acutus **13**: 158.
PLEOMASSARIA carpini **12**: *146*, *147*, 148, *148*; **13**: 154, 157, 158; *siparia* **13**: 155, 220.
PLEOPHRAGMIA leporum **49**: 203, 204; *ontariensis* **49**: 203; *pleospora* **49**: 203.
PLEOSPHAERIA chlorospora **49**: 213.
PLEOSPORA alnicola **24**: 129, 131, 132; *bulgarica* **52**: 63; *fuckeliana* **12**: *146*, *147*, 148, *148*; *henningsiana* **24**: 132; *herbarum* **6**: 81; **9**: 113; **26**: 52; **28**: 118; **40**: 26; **44**: 50; **53**: 156; *hrubyana* **52**: 63; *infectoria* **43**: 172; **49**: 123; *kurdistanica* var. *stachydina* **52**: 63; *laricina* var. *nitida* **28**: 180; *media* **14**: 104; *nabeleki* **52**: 63; *papaveracea* **16**: 143; *penicillus* **26**: 48, 51, 56; *petiolorum* **13**: 153; *phaeocomoides* **26**: 52; *rubi* **28**: 180; *rubicola* **28**: 179, 180; *rubicunda* **24**: 132; *scirpicola* **49**: 126; *scrophulariae* **26**: 52; *vagans* **56**: 206; *valesiaca* **49**: 126; *xerophylli* **52**: 64.
PLEURAGE curvula **13**: 93, 99, 154; *decipiens* **13**: 93, 99; *minuta* **13**: 95; *minuta* f. *tetraspora* **13**: 93; *setosa* **44**: 47; *tetraspora* **13**: 93, 100, 154; **17**: 189; *verruculosa* **45**: 155.
PLEUROCOCCUS beigelii **32**: 240.
PLEUROCOLLA tiliae **52**: 64.
PLEUROCYBELLA lignatilis **14**: 88; **16**: 21, 176; **21**: 56; **31**: 115; *porrigens* **34**: 57, 71, 72; **53**: 81; **56**: 274, 281; **63**: 251, 252, 260.
PLEURODON auriscalpium **14**: 77, 106, 226.
PLEUROPEDIUM tricladioides **54**: 255.
PLEUROPHOMA cava **63**: 79; *salicina* **52**: 64.
PLEUROPHRAGMIUM bicolor **26**: 223; *parvisporum* **26**: *223*, *224*, *225*; **33**: 147; *simplex* **26**: *223*, *224*, *225*.
PLEUROPUS cognatus **49**: 164.
PLEUROSTOMA minimum **61**: 88, 90.
PLEUROSTROMELLA ligustrina **52**: 64.
PLEUROTELLUS chioneus **14**: 226; *craterellus* **54**: 93; *hypnophilus* **54**: 96; *mutilus* **14**: 78; *patelloides* **54**: 94.
PLEUROTHECIUM recurvatum **38**: 113; **61**: 88.
PLEUROTUS acerosus **7**: 10; **31**: 115; *algidus* **31**: 33; *almeni* **19**: 2, 4; *applicatus* **4**: 79; *aquifolii* **28**: 58; *atrocaeruleus* **14**: 117; *auriscalpium* **34**: 62, 65, 66; *calyptratus* **10**: 125; **19**: *53*, *54*, *55*; **24**: 84; **30**: 53; **32**: 223; **41**: 52; **53**: 31, 33, 49, *66*, *67*, *67*, *68*, *68*, *69*, *69*; *campanulatus* **2**: 75; *citrinopileatus* **53**: 72, 74; *columbinus* **31**: *142*, *143*, *144*, *145*, *146*, *147*, *148*, *149*, *150*, *151*, *152*, *153*, *154*; **32**: 223; **53**: 72, 78, 80; *conchatus* **14**: 117; **21**: 27, 28; **53**: 61, 63; *coriipellis* **10**: 14; *cornucopiae* **24**: 84; **25**: 193; **26**: 123; **30**: 53; **31**: *142*, *143*, *144*, *145*, *146*, *147*, *148*, *149*, *150*, *151*, *152*, *153*, *154*; **41**: 52, 53; **53**: 31, 33, 36, 45, 49, 66, 67, *71*, *72*, *72*, *73*, *73*,

74, *74*, 80, 81, 84; ***corticatus*** **30**: 53; ***craterellus*** **54**: 93; ***cyphelliformis*** **2**: *74*, *75*, *76*, *77*; **3**: 23; **7**: 158, 159; **20**: 73; ***cystidiosus*** **30**: 53; **41**: 52; **50**: 187, 188; ***decorus*** **5**: 156; **16**: 179, 180; ***diffractus*** **7**: 157; ***dryinus*** **4**: 52, 76, 78; **16**: 21; **19**: 55, *235*, *236*, *237*, *238*; **30**: 53; **41**: 52; **43**: 93; **44**: 222; **46**: 83; **50**: 187, 188; **53**: 31, 33, 34, 49, 66, 67, *69*, *70*, *71*, 80, 81, 84; **63**: 222, 224, 225, 230, 260; ***eous*** **50**: 187; ***eryngii*** **3**: 96; **6**: 85, 86; **14**: 116, 119, 120; **15**: 31, 32, 34; **28**: 57, 58, 174; **30**: 53, 228; **31**: 152; **41**: 52; **43**: *31*, *32*, *33*, *34*, 88, 89, 91, 93; **44**: 204, *207*, *208*, *209*, 213, 214; **46**: 83; **50**: 187; **53**: 31, 49, 66, 72, 75, 78, 84; ***eryngii*** **var.** ***eryngii*** **53**: 75; ***eryngii*** **var.** ***ferulae*** **28**: 58; **30**: 53; **53**: 75; ***eryngii*** **var.** ***nebrodensis*** **53**: 75; ***eugrammus*** **34**: 71; ***eugrammus*** **f.** ***verraecrucis*** **34**: 72; ***euosmus*** **50**: 187; ***flabellatus*** **50**: 187, 188; ***florida*** **53**: 81; ***fuscus*** **6**: 85; **28**: 58; ***fuscus*** **var.** ***eryngii*** **6**: 85; ***fuscus*** **var.** ***ferulae*** **6**: 85; **30**: 53; ***geogenius*** **7**: 190; **14**: 75, 112; **34**: 57, 67; **46**: 16; ***griseus*** **3**: 7; **8**: 88; ***hygrophanus*** **34**: 71; ***inversus*** **2**: 75; ***japonicus*** **19**: 128; **30**: 52; ***komarnitzkyi*** **15**: *31*, *32*, *33*, *34*; ***kotlabae*** **8**: 180; **14**: 98; **41**: 174; ***lampas*** **30**: 53; ***lignatilis*** **16**: 175, 176; **18**: 159, 161, 178; **19**: 114; **27**: 218; ***millerii*** **50**: 187; ***mollis*** **53**: 69; ***mutilus*** **5**: 18; **8**: *88*, *89*, *90*, *91*; **11**: 241, 243, 245, 246; **30**: 53; ***myxotrichus*** **14**: 112; ***nauseosodulcis*** **10**: 173; ***nebrodensis*** **28**: 58; **53**: 75; ***nidulans*** **30**: 53; ***olearius*** **1**: *19*, *20*, *21*, *22*, *23*; **4**: 46; **6**: 20, 21, 23, 40, *54*, *55*, *56*, *57*; **7**: 159; **8**: 190, 192; **9**: 39, 40; **14**: 117, 118, 119, 120, 121, 124, 127, 128; **15**: 14, 81; **16**: 157; **30**: 53, 228; ***ostreatus*** **1**: 38; **4**: 51, 52, 76; **5**: 73, 134, 161; **6**: 56, 94; **7**: 63, 65; **8**: 88, 90, 91; **9**: 23, 99, 102; **10**: 78; **11**: 41, 186; **14**: 88, 226; **15**: 34; **16**: 179, 188; **18**: 161, 233; **19**: 55, 231, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **22**: 45, 48, 188; **23**: 264, 268, 269; **24**: 231; **27**: 218; **28**: 113, 114; **29**: *140*, *141*, *142*, *143*, *144*, *145*, *146*, *147*, *148*, *149*, *150*, *151*; **30**: 21, 53; **31**: 115, *142*, *143*, *144*, *145*, *146*, *147*, *148*, *149*, *150*, *151*, *152*, *153*, *154*; **32**: *65*, *66*, *67*, 105, 120, 121, 122, 223; **33**: 56; **34**: 176; **35**: 110, 153, 159, 200, 201; **36**: 45, 46, *228*, *229*, *230*, *232*, *233*, *234*, *235*; **37**: 116, 125, 128, 198; **38**: 6; **40**: 55, 199; **41**: 52, 163, 167; **44**: 121, 209, 216; **46**: 23, 83, 178, 183; **48**: 57, 58, 62; **50**: 187, 306, 307, 309, 310; **52**: 155, 156; **53**: 31, 33, 34, 49, 66, 68, 72, 74, *78*, *79*, *80*, *81*, 83; **55**: 104; **56**: 7, 12, 163, 165, 167, 168, 171; ***ostreatus*** **f.** ***columbinus*** **4**: 76; **53**: 78; ***ostreatus*** **f.** ***pulmonarius*** **25**: 108; ***ostreatus*** **f.** ***salignus*** **53**: 78; ***ostreatus*** **var.** ***columbinus*** **30**: 21, 53; ***ostreatus*** **var.** ***floridanus*** **50**: 187; ***ostreatus*** **var.** ***pulmonarius*** **30**: 21, 53; **53**: 83; ***ostreatus*** **var.** ***salignus*** **14**: 106; **28**: 174; ***palmatus*** **30**: 54; ***passeckerianus*** **30**: 51; ***petaloides*** **7**: 190; **14**: 117; **15**: 33; **16**: 176; **30**: 52; **34**: 57, *63*, *64*, *65*, *66*; ***petaloides*** **f.** ***americana*** **34**: 66; **47**: 41; ***porrigens*** **6**: 182; **10**: 60; **16**: 176; **18**: 2, 6; **27**: 218; ***pulmonarius*** **19**: 4; **25**: 108; **30**: 53; **31**: *142*, *143*, *144*, *145*, *146*, *147*, *148*, *149*, *150*, *151*, *152*, *153*, *154*; **35**: 199; **41**: 52; **43**: 87; **46**: 178, 183, 184; **50**: 187, 188; **53**: 31, 49, 50, 54, 66, 67, 71, 72, 74, *80*, 81, *81*, *82*, *83*, *84*; **63**: 260; ***pulmonarius*** **var.** ***juglandis*** **19**: 4; ***resupinatus*** **14**: 226; ***rutilans*** **4**: 67; **10**: 168; **16**: 179; **18**: 233; **20**: 59; ***sajor-caju*** **50**: 187; **53**: 72; ***salignus*** **31**: 152; **32**: 223; **53**: 78, 80; ***sapidus*** **19**: 4; **53**: 72; ***sauteri*** **19**: 2; ***serotinus*** **19**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, 114; **23**: 141; **30**: 53; **31**: 33, 115; **46**: 178, 183; ***shivapurense*** **50**: 187; ***silvanus*** **2**: 77; ***stipticus*** **13**: 217; ***sulphureoides*** **30**: 53; ***tessulatus*** **34**: 59; ***torulosus*** **21**: 27; ***tremulus*** **7**: 10; ***tuber-regium*** **52**: 156; ***ulmarius*** **3**: *61*, *62*, *63*; **4**: 52, 75, 76; **7**: 153; **10**: 172; **14**: 246; **18**: 159, 161, 178; **30**: 52; **34**: 60; ***unguicularis*** **9**: 144; ***velutipes*** **var.** ***lactea*** **32**: 212; ***veraecrucis*** **34**: 71, 72; ***violaceofulvus*** **7**: 138; ***violaceofulvus*** **f.** ***delastrei*** **8**: 129.

PLICARIA adae **12**: 223, 229; **17**: 68; **35**: 67, 136; ***adae*** **var. *pilatii*** **30**: 129; **35**: 67; ***adusta*** **30**: *129*, *130*, *131*, *132*, *133*; **35**: 70; ***alnicola*** **12**: 214; **14**: 110; **16**: 111; **19**: 115; **24**: 60, 62, 63, 68, 71, 76; **35**: 68, 70, 72; ***amethystina*** **14**: 166, 175, 217; **17**: 64; **26**: 39; **35**: 75; ***ampelina*** **4**: 11; **14**: 113; ***anthracina*** **52**: 263; ***aquatica*** **24**: 60, 62; **35**: 68; ***atrofusca*** **30**: 135; ***badia*** **1**: 97; **15**: 74; **30**: 132, 133, 135, 138, 142; **35**: 68; ***badia*** **var. *brunnea*** **30**: 135, 138; **35**: 68; ***badia*** **var. *montana*** **30**: 135; **35**: 68; ***badia*** **var. *olivacea*** **30**: 134, 138; ***badia*** **var. *subviolacea*** **30**: 134; ***brunneoatra*** **35**: 68, 136; ***bubaci*** **30**: 135, 136; ***carbonaria*** **35**: 73, 138; **52**: 263, 264; ***catinoides*** **35**: 136; ***cerea*** **24**: 64; ***chlorophaea*** **14**: 164, 165, 175; **23**: 34; **35**: 69; ***chrysopela*** **35**: 136; ***cohaerens*** **14**: 112; **30**: 130; **31**: 70; ***columnifera*** **35**: 190; ***combustorum*** **17**: 69; **30**: 131; **35**: 72; ***coronaria*** **12**: 58; ***crenulata*** **35**: 69; ***disciformis*** **28**: 226; **30**: 131, 138; **35**: 69; ***discolor*** **30**: 131, 132; **35**: 68; ***echinospora*** **3**: 87; **15**: 74; ***echinospora*** **var. *autumnalis*** **30**: 132; **35**: 69, 70; ***echinospora*** **var. *carpathica*** **30**: 132; ***endocarpoides*** **35**: 73, 138; **52**: *263*, *264*; ***epixyla*** **14**: 88; **24**: 60, 62; **27**: 224; **35**: 68, 70; ***fechtneri*** **14**: 75; **21**: 251; **30**: 132, 133; **35**: 72; ***fimeti*** **15**: 74; **35**: 69; ***fuckelii*** **35**: 68, 136; ***furfuracea*** **14**: 112; **35**: 136; ***gossypina*** **30**: 136; **35**: 68; ***graminis*** **30**: 136, 137; **35**: 71; ***halici*** **30**: 136; **35**: 69; ***hyalinoalba*** **4**: *11*, *12*; **14**: 112; **35**: 136; ***incurvata*** **24**: 62; ***lactosa*** **30**: 133; **35**: 69; ***lacustris*** **30**: 136, 137; **35**: 71; ***lappae*** **24**: 60, 62; ***leiocarpa*** **35**: 73; **52**: 263; ***lilacea*** **35**: 137; ***lobulata*** **30**: *129*, *130*, *131*, *132*, 133, *133*; **35**: 70; ***luteola*** **30**: 135, 137; **35**: 70; ***maximovicii*** **30**: 137; **35**: 70; ***minutispora*** **30**: 137, 138; **35**: 70; ***minutispora*** **var. *pallescens*** **30**: 138; **35**: 72; ***muralis*** **18**: 12; **24**: 62, 65; **35**: 69, 137; ***muralis*** **var. *integra*** **14**: 112; **35**: 137; ***nigra*** **30**: 133; **35**: 71; ***nympharum*** **24**: 60, 62; ***obscura*** **30**: 131, 138; **35**: 69; ***obtecta*** **35**: 68; ***olgae*** **30**: 142; ***olivacea*** **30**: 138; **35**: 68; ***paludicola*** **17**: 70; **35**: 68, 137; ***paludicola*** **var. *clavata*** **24**: 63; **30**: 138, 139; **35**: 71; ***paludicola*** **var. *marginata*** **30**: 139; **35**: 68; ***pedicellata*** **14**: 112; **30**: 134; **35**: 69; ***perdicina*** **30**: 139; **35**: 71; ***persoonii*** **15**: 62, 67, 75, 76; **17**: 64, 65; ***pilatii*** **30**: 129; ***planchonis*** **23**: 233; ***plebeia*** **35**: 70; ***populorum*** **24**: 60, 62; ***praetervisa*** **30**: 130; ***pustulata*** **24**: 68; **35**: 72, 136, 137; ***radula*** **52**: 260, 261; ***reniformis*** **30**: 139; **35**: 71, 137; ***repanda*** **1**: 98; **16**: 111; **24**: 68, 71; **35**: 70, 136, 137; ***repandoides*** **24**: 60, *62*, *63*, *64*; **35**: 68, 72; ***retincola*** **30**: 140; **32**: 160; **35**: 71; ***riparia*** **35**: 70, 137; ***roblinensis*** **30**: 140, 141; **35**: 68; ***rosea*** **14**: 225; **30**: 140; **35**: 70, 137; ***salicina*** **30**: 135, 141; **35**: 71; ***saniosa*** **14**: 112; **35**: 71; ***sepiatra*** **35**: 71, 137; ***straminea*** **24**: 60, *62*, *63*, *64*; ***straminea*** **var. *pallida*** **24**: 67; ***subglobosa*** **30**: 141; **35**: 68; ***succosa*** **35**: 70, 72; ***succosa*** **var. *obscuroolivacea*** **35**: 72; ***trachycarpa*** **14**: 79; **15**: 75; **17**: 69; **35**: 73, 138; **52**: 263, 264; ***trachycarpa*** **f. *muricata*** **15**: 75; ***trachycarpa*** **var. *muricata*** **35**: 73; ***verrucosa*** **30**: 141; **35**: 137; ***vesiculosa*** **35**: 137; ***violacea*** **3**: 85, 87; **15**: 74; **30**: 130; **31**: 71; **35**: 71, 136; ***viridaria*** **30**: 141, 142; **35**: 137; ***viridaria*** **var. *annae*** **30**: 141, 142; **35**: 70; ***viridaria*** **var. *olgae*** **30**: 141, 142; **35**: 70; ***vladimirii*** **14**: 112; **35**: 72, 88.

PLICARIELLA fulgens **35**: 8; ***leiocarpa*** **35**: 73; ***persoonii*** **35**: 137; ***radula*** **52**: *260*, *261*, *262*; ***scabrosa*** **52**: 262; ***trachycarpa*** **15**: 75; **35**: 73; ***trachycarpa*** **var. *major*** **35**: 73; ***vacini*** **14**: 112; **31**: 70; **35**: 72.

PLICATURA crispa **18**: 159, 163, 178; **63**: 260; ***faginea*** **7**: 139; **18**: 3; **20**: 167.

PLICATUROPSIS crispa **36**: 23.

PLOETTNERA coeruleoviridis **45**: 143; ***exigua*** **45**: 134, 137, 143.

PLUTEOLUS aleuriatus **12**: 214; **14**: 110, 118, 120; **25**: 108; ***aleuriatus* var. *reticulatus*** **18**: 161.
PLUTEUS atricapillus **19**: *233*, *234*, *235*, *236*, *237*, *238*; **27**: 218; **30**: 54; **33**: 156, 165; **44**: 222; **46**: 172, 176, 179, 185; ***atromarginatus*** **14**: 77, 226; **16**: 188; **18**: 173, 241; **19**: 18, *233*, *234*, *235*, *236*, *237*, *238*; **22**: 198; **25**: 108; **32**: 223; **35**: 110; **46**: 178, 183; ***aurantiorugosus*** **23**: 113; **55**: 187, 193, 194; ***boudieri*** **63**: 260; ***bresadolae*** **6**: 123, 129; ***caloceps*** **11**: 47; ***carpini*** **14**: 106; ***cervinus*** **2**: 77; **4**: 53, 109, 148; **6**: 123, 124; **7**: 64; **10**: 118; **11**: 47; **12**: 214; **14**: 88; **16**: 188; **18**: 161, 173; **19**: 114; **21**: 114; **27**: 218, 219; **30**: 54; **32**: 223; **35**: 110; **38**: 221; **41**: 52; **44**: 89; **52**: 12, 213; **56**: 274; **63**: 260; ***chrysophaeus*** **10**: 186; **14**: 76, 88; **27**: 219; **28**: 176; ***cinereofuscus*** **14**: 72, 112; ***cinereus*** **16**: 170; ***cinereus* var. *venosus*** **14**: 112; **16**: 170; ***coccineus*** **11**: *46*, *47*, *48*; **12**: 7; **14**: 151, 152; ***curtisii*** **25**: 108; ***depauperatus*** **22**: 172; **46**: 6, 17; ***dianae*** **22**: *171*, *172*, *173*; ***emarginatus*** **36**: 184; ***ephebeus*** **12**: 214; **14**: 112; ***excentricus*** **52**: 34; ***exiguus*** **26**: 123; ***fenzlii*** **60**: 123, 124; ***galeroides*** **18**: 159, 161, 171, 172, 178; **23**: 113, 114; ***glaucus*** **48**: 13; ***granulatus*** **14**: 112; **43**: 55, 58; **46**: 17; ***hispidulus*** **14**: 112; **18**: 159, 161, 172, 178; ***hispidulus* f. *terrestris*** **18**: 159, 161, 172, 178; ***hispidulus* f. *typicus*** **18**: 159, 161, 172, 178; ***inflatus*** **26**: 123; ***leoninus*** **11**: 47; **14**: 76, 113; **22**: 147; **23**: 113; **31**: 114; **32**: 223; **44**: 124; ***leoninus* var. *coccineus*** **11**: 47; ***luctuosus*** **59**: 74, 76; ***luteovirens*** **23**: *110*, *111*, *112*, *113*, *114*; **25**: 108, 111; **32**: 223; ***lutescens*** **12**: 214; **14**: 113; **18**: 161, 171; **20**: 127; **29**: 28; ***marginatus*** **6**: 131; ***melanodon*** **6**: 131; ***minutissimus*** **25**: 108, 111; **44**: 89, 140; ***murinus*** **12**: 214; **14**: 110, 118, 120; ***nanus*** **6**: 123, 129, 130, 131; **11**: 47; **14**: 76, 113; **18**: 161; **19**: 114, 116; **63**: 251, 260; ***nanus* var. *brunneomarginatus*** **6**: 123, 131; ***nigrofloccosus*** **6**: 123, 125, 128, 129; **7**: 64; **18**: 173, 241; ***nigroviridis*** **48**: 13; ***patricius*** **6**: *125*, *126*; **21**: 115; **28**: 176; ***pellitus*** **14**: 113, 226; **21**: 114, 115; **22**: 171, 172; **24**: 84; **25**: 108; **32**: 223; **43**: 93; ***petasatus*** **6**: 123, *125*, 126, *126*, *127*, *128*; **14**: 76; **22**: 172; **32**: 223; **35**: 110; **39**: 61; **46**: 4, 6, 13, 17; ***petasatus* f. *patricius*** **6**: 126; **14**: 76; ***petasatus* var. *rigens*** **6**: 126; ***petasatus* var. *vacekii*** **6**: 127; ***phlebophorus*** **12**: 214; **14**: 113; **18**: 159, 178; **24**: 84; **46**: 178, 183; **63**: 251, 260; ***pilatii*** **16**: 170; ***plautus*** **6**: 123, 129; **14**: 112; **16**: 144; **25**: 108; **27**: 219; **43**: 58; **46**: 17; **52**: 12; ***poliocnemis*** **25**: 108, 111; ***pouzarianus*** **46**: 176, 182, 184, 185; **47**: 92; **56**: 274; **63**: 260; ***praestabilis*** **34**: 232; ***pseudorobertii*** **25**: 108, 111; ***punctipes*** **46**: 17, 177, 183; ***reisneri*** **16**: 170; ***rigens*** **6**: *125*, *126*, *127*; ***robertii*** **4**: 78; ***romellii*** **44**: 204, 207, 213, 214, 217; **46**: 83; **52**: 9; ***roseipes*** **46**: 178, 183, 184; ***roseoalbus*** **14**: 76, 113; ***salicinus*** **12**: 214; **14**: 113; **24**: 84; **46**: 175, 181; **48**: 13, 103; ***semibulbosus*** **14**: 76; **19**: 114, 115; **21**: 53; **32**: 224; **46**: 17; ***sororiatus*** **14**: 112; ***splendidus*** **23**: 113, 114; ***stylobates*** **14**: 112, 130; **35**: 110; ***thomsonii*** **16**: 164, 170; ***tricuspidatus*** **44**: 222; ***umbrosus*** **6**: 123, 129, 130; **14**: 73, 106; **18**: 159, 161, 172, 173, 178, 241, 242; **19**: 114; **21**: 56; **28**: 121, 176; **59**: 74, 77, 78; **63**: 251, 260; ***villosus*** **17**: 108.
PNEUMOCYSTIS carinii **44**: 130.
POCHONIA chlamydosporia **61**: 142, 143, 144; ***chlamydosporia* var. *chlamydosporia*** **61**: 140.
POCULUM americanum **47**: 104; ***juncorum*** **15**: 40.
PODAXIS axata **13**: 197; ***emerici*** **13**: 197; ***farlowii*** **13**: 197; ***pistillaris*** **13**: *195*, *196*, *197*, 199; ***senegalensis*** **13**: 197.
PODAXON acaule **4**: 53; ***aegypticus*** **13**: 197; ***algericus*** **13**: 197; ***anomalum*** **13**: 197; ***arabicus*** **13**: 197; ***calyptratus*** **13**: 197; ***carcinomalis*** **13**: 197; ***deflersii*** **13**: 197; ***elatus*** **13**: 197;

ghattasensis **13**: 197; ***glaziovii*** **13**: 197; ***gollanii*** **13**: 197; ***indicus*** **13**: 197; ***loandensis*** **13**: 197; ***macrosporus*** **13**: 197; ***mexicanum*** **13**: 197; ***mossamadensis*** **13**: 197; ***muelleri*** **13**: 197; ***perraldieri*** **13**: 197; ***pistillaris*** **13**: 197; ***schweinfurthii*** **13**: 197; ***squamosus*** **13**: 197; ***termitophilus*** **13**: 197.

PODOFOMES corrugis **20**: 175; ***trogii*** **25**: 19.

PODOSCYPHA multizonata **43**: 51, 52; ***undulata*** **7**: 187.

PODOSPHAERA clandestina **49**: 110; ***clandestina*** **var.** ***aucupariae*** **49**: 110; ***leucotricha*** **10**: 137; **14**: *187*, *188*, *189*, *190*, *191*, *192*; **21**: 42; **25**: *211*, *212*, *213*, *214*, *215*, *216*, *217*, *218*; **32**: 115; **49**: 110; ***macularis*** **60**: 259, 260; ***myrtillina*** **49**: 110; ***pannosa*** **60**: 122; ***tridactyla*** **49**: 110; ***xanthii*** **57**: 317.

PODOSPORA anserina **24**: 194; **48**: 7; ***curvula*** **22**: 302, 308; ***decipiens*** **22**: 302, 308; ***fimbriata*** **17**: 136, 139; ***minuta*** **22**: 302, 308; ***pauciseta*** **33**: 152; **48**: 7; ***setosa*** **44**: 47; ***tetraspora*** **27**: 165, 166, 167.

PODOSPORIUM nilgirense **40**: 161.

PODOTARA pilophoriformis **56**: 155, 159.

POGONOMYCES hydnoides **55**: 32, 34.

POLISTOPHTHORA antillarum **10**: 35.

POLLACCIA elegans **27**: 239; **38**: 46; ***radicosa*** **38**: 46; ***radiosa*** **27**: *236*, *237*, *238*, *239*, *240*; ***saliciperda*** **27**: 236; **38**: 46; ***spiraeae*** **38**: 46, 47.

POLONIODISCUS fischeri **21**: *151*, *152*, *153*, *154*, *155*; **39**: 180; **64**: 82, 87.

POLYBLASTIA gothica **50**: 272.

POLYCEPHALUM aurantiacum **46**: 321.

POLYCLADIUM equiseti **63**: 143.

POLYCOCCUM bryonthae **23**: 109; **51**: 174; ***cladoniae*** **51**: 173, 174; ***crassum*** **24**: 220, 226, 227; ***dannenbergii*** **23**: 109; ***epicrassum*** **23**: 108; ***evae*** **51**: 174; ***galligenum*** **23**: 104, 106, *107*, *108*, *109*; ***innatum*** **51**: 173, 174; ***jamesii*** **51**: 174; ***kerneri*** **51**: 174; ***marmoratum*** **51**: 174; ***microsticticum*** **23**: 109; **51**: 174; ***minutulum*** **51**: *171*, *172*, *173*, *174*, *175*, *176*, *177*; ***montis-wilhelmii*** **51**: 174; ***opulentum*** **23**: 109; ***peltigerae*** **23**: 108, 109; **51**: 174; ***pulvinatum*** **51**: 174; ***rugulosarium*** **51**: 174, 175; ***sauteri*** **23**: 108; ***serusiauxii*** **51**: 174; ***slaptoniense*** **51**: 174; ***sporastatiae*** **23**: 109; **24**: 227; **51**: 174; ***squamarioides*** **23**: 108; ***superficiale*** **51**: 174; ***trypethelioides*** **23**: 108, 109; **51**: 173, 174; ***umbilicariae*** **51**: 174, 175; ***vermicularium*** **51**: 174.

POLYDESMIA herbicola **21**: 146, 148, 149; **41**: 198; ***pruinosa*** **7**: 137; **16**: 103; **18**: 163; **33**: 155; **41**: 198; **44**: 145; **56**: 276.

POLYMYCES tomentosus rufus **19**: 145.

POLYMYXA betae **55**: 128; **61**: 186; ***graminis*** **32**: 93.

POLYPAECILUM pisci **63**: 97, 98, 99.

POLYPHAGUS euglenae **1**: 27.

POLYPILUS fractipes **30**: 181; ***frondosus*** **9**: 171; ***giganteus*** **9**: 171; ***umbellatus*** **9**: *171*, *172*, *173*, *174*, *175*, *176*.

POLYPORELLUS alveolarius **11**: 203, 214; ***arcularius*** **f.** ***grisea*** **43**: 40; ***arcularius*** **f.** ***infundibuliformis*** **3**: *24*, *25*; **43**: 40; ***arcularius*** **f.** ***olivascens*** **43**: 41; ***arcularius*** **f.** ***umbilicatus*** **43**: 41; ***arcularius*** **var.** ***minutipora*** **43**: 40; ***elegans*** **f.** ***squamigerus*** **43**: 41; ***elegans*** **subf.** ***circumpurpurascens*** **43**: 41; ***elegans*** **subf.** ***undulatus*** **43**: 41; ***melanopus*** **f.** ***brumaliformis*** **43**: 41; ***melanopus*** **f.** ***costatus*** **43**: 42; ***melanopus*** **f.** ***laevis*** **43**: 42; ***melanopus*** **f.** ***squamulatus*** **43**: 42; ***picipes*** **f.** ***carpaticus*** **43**: 42; ***rhizophilus*** **1**: 92; **4**: 53; **6**: 12; **7**: 157, 161; **11**: 203; ***squamosus*** **4**: 52; **5**: 18; **7**: 156; **9**: 99, *101*, *102*, *103*; **11**: 241, 243, 245, 246; **22**: 45; ***squamosus*** **f.** ***clusiana*** **3**: *87*, *88*; ***squamosus*** **subsp.** ***granulisquamosus*** **43**: 42; ***tuberaster*** **5**: 134; ***varius*** **f.** ***melanopodiformis*** **43**: 42; ***varius*** **var.** ***nummularius*** **7**: 139.

POLYPOROLETUS sublividus **26**: 199.

POLYPORUS abietinus **11**: 160, 169; ***acanthoides*** **20**: 97; ***adspersus*** **25**: 88; ***adustus*** **5**: 19; **8**: 77; **11**: 168; ***alabamae*** **38**: 142; ***albidus*** **6**: 94; ***albobrunneus*** **10**: 61, 63; ***albocarneogilvidus*** **17**: 28, *30*, *31*, *32*; **33**: 130; **42**: 133; ***albolutescens*** **20**: 172; ***alboluteus*** **11**: 168; ***alveolaris*** **11**: 216, 222; **26**: 85; ***alveolarius*** **11**: 214, 216; **26**: 84; ***amorphus*** **12**: 95, 103, 104; **42**: 1, 9; ***anceps*** **11**: 156; **38**: 141; ***aneirinus*** **43**: 38; **44**: 233; ***anisoporus*** **26**: 82, *84*, *85*, *86*, 123; **32**: 224; **33**: 162; ***annosus*** **5**: 18; **10**: 78; **11**: 157, 168; ***apalus*** **22**: 127, 128; ***applanatus*** **5**: 19; **11**: 163, 170, 209; ***aquosus*** **64**: 14; ***arcularius*** **11**: 214, 216; **14**: 224; **19**: 186; **26**: 84, 86; **43**: 40; **44**: 125; **46**: 288, 289; **47**: 203; **49**: 130, 138; **64**: 17; ***arcularius*** **var.** ***mongolicus*** **43**: 40; ***arcularius*** **var.** ***strigosus*** **15**: 97; ***armitii*** **46**: 321; **49**: 164; ***assimilis*** **29**: 5; ***atrofuscus*** **29**: 5; ***aurantiacus*** **19**: 74; **21**: 205, 206; ***aureomarginatus*** **64**: 15; ***badius*** **26**: 82, *87*, *88*, *89*, 123; **28**: 173; **32**: 224; **37**: 201; **43**: 42; **44**: 142; **49**: 138; **50**: 138; **63**: 260; ***bambusicola*** **64**: 15; ***baumannii*** **64**: 15; ***baurii*** **46**: 321; ***benzoinus*** **25**: 15; **44**: 94, 98; ***betulinus*** **1**: 96; **3**: 7; **5**: 17; **11**: 168; **16**: 156; **20**: *81*, *82*, *83*, 88, 172; ***birretum*** **49**: 164; ***borealis*** **10**: 54, 63; **12**: 95, 96, 100, 101, 103; **19**: 72; **27**: 220; ***borealis*** **var.** ***montanus*** **12**: 96, 101; ***borealis*** **var.** ***spathulatus*** **12**: 96, 101; ***brachyporus*** **38**: 141; ***braunii*** **31**: 165; ***brenningii*** **64**: 15; ***brownii*** **31**: 164; ***brumalis*** **14**: 72, 224; **18**: 163; **26**: *82*, 83, *83*, *84*, *85*, 89; **30**: 55; **36**: 20; **41**: 52, 53; **43**: 40, 41; **46**: 177, 183; **47**: 295; **49**: 184; ***brumalis*** **var.** ***megalopora*** **43**: 41; ***brumalis*** **var.** ***nanus*** **36**: 34; ***buettneri*** **64**: 15; ***bufonius*** **36**: 249; ***bulliardii*** **20**: 84; ***burkilliae*** **64**: 43, 44, 45, 46, 51, 52; ***burkillii*** **64**: 43, 44, 50, 51; ***cachoeirasensis*** **64**: 15; ***cadaverinus*** **20**: 84; ***caesius*** **6**: 94; ***canaliculatus*** **26**: 199; ***carnosus*** **37**: 50; ***caryae*** **10**: 64; ***castaneae*** **11**: 156; ***castanophilus*** **20**: 90; ***cerifluus*** **47**: 59; ***cervinus*** **11**: 161; ***chioneus*** **11**: 168; **43**: 38; ***chozeniae*** **43**: 42; ***chrysoleucus*** **46**: 321; ***chrysoloma*** **39**: 77; ***ciliatus*** **14**: 72; **24**: 84; **25**: 105; **26**: 82, 84, 85; **29**: 29; **32**: 224; **36**: 34, 164; **43**: 40, 41; **55**: 167; ***ciliatus*** **f.** ***lepideus*** **43**: 41; ***ciliatus*** **var.** ***minor*** **36**: 34; ***cinnabarinus*** **8**: 88; **11**: 169; ***cinnamomeosquamulosus*** **64**: 16; ***circinatus*** **8**: 58; **26**: 123; ***coffeaceus*** **23**: 163, 169; ***cognatus*** **49**: 164; ***collabens*** **21**: 205, 211; ***collybioides*** **46**: 321; ***conchatus*** **29**: 5, 6; ***confluens*** **5**: 74; **8**: 166; **11**: 154; ***contiguus*** **21**: 211; ***coronatus*** **26**: 82, 86; **32**: 224; **33**: 168; ***corrugis*** **20**: 171, 174; ***corruscans*** **23**: 163, 168, 169; **24**: 151; **27**: 75; **32**: 47, 52; ***corticola*** **46**: 228, *234*, *235*, *236*, *237*, *238*, *239*; ***corylinus*** **57**: 326; ***cristatus*** **11**: 154; ***croceus*** **11**: 156; **20**: 81, *90*, *91*, *92*, *93*, *94*, *95*, *96*, 97, *97*, 99, 101, 102; ***cucullatus*** **64**: 15; ***cupreonitens*** **49**: 164; ***cyphelloides*** **46**: 321; ***delectans*** **33**: *99*, *100*, *101*, *102*, *103*, *104*, *105*; ***dentifer*** **35**: 26; ***dependens*** **38**: 139; ***destructor*** **6**: 36; ***dictyopus*** **54**: 28;

dielsii **64**: 16; ***dispansus*** **26**: 198; ***dispar*** **46**: 321; **49**: 164; ***dryadeus*** **27**: *69*, *70*, *71*, *72*, *73*, *74*, *75*, *76*, *77*, *78*, *79*, *80*, *81*, *82*; ***dryophilus*** **27**: 75; ***durescens*** **44**: 229; ***eichelbaumii*** **64**: 17; ***elegans*** **43**: 41; ***ellipsospora*** **43**: 39; ***endophaeus*** **55**: 27; ***engelii*** **31**: 165; ***eucalypti*** **46**: 321; **49**: 165; ***evonymi*** **2**: 36; **46**: 321; ***favoloides*** **64**: 17; ***fechtneri*** **21**: 251; ***ferroaurantius*** **19**: 74; ***ferrugineofuscus*** **19**: 22; ***ferruginosus*** **54**: 55; ***fibrillosus*** **11**: 168; **19**: 74; ***fimbriatus*** **12**: 27; ***flabellatolobatus*** **64**: 17; ***flabellatus*** **20**: 84; ***flettii*** **26**: 198; ***floccipes*** **26**: 86; ***floccosus*** **17**: 32; ***focalis*** **46**: 321; ***fodinarum*** **20**: 184; ***foetidus*** **2**: 36; **12**: 96; **19**: 73, 77; **20**: 184; ***fomentarius*** **3**: 15; **5**: 18; **7**: 51, 155; **11**: 158, 169, 209; **13**: 32; ***forquignonii*** **23**: 198; **26**: 86; **28**: 121; **31**: 117; **33**: 168; **36**: 34; ***fractipes*** **30**: 181, 184, 187, 188, 191; ***fragilis*** **43**: 38; ***frondosus*** **4**: 37; **5**: 74; **11**: 155, 167; ***fuligineus*** **11**: 167; ***fuliginosus*** **25**: 19; ***fuscopellis*** **20**: 84; ***fuscopurpureus*** **29**: 5; ***fuscus*** **25**: 17, 19; ***gausapatus*** **46**: 321; ***giganteus*** **5**: 18; **7**: 153; **11**: 155, 167; ***gilvoides*** **64**: 17; ***glabratus*** **46**: 321; ***glaziovii*** **64**: 17; ***glirinus*** **46**: 321; ***goetzei*** **64**: 17; ***gogolensis*** **64**: 17; ***grammocephalus*** **64**: 15, 18; ***guaitecasensis*** **64**: 17; ***guianensis*** **55**: 35; ***guttatus*** **44**: 94; ***hartigii*** **5**: 18; ***hausmanii*** **47**: 196; ***heteroclitus*** **20**: 90; ***hibernicus*** **45**: 148, 149; ***hirsutus*** **var.** ***puberulus*** **43**: 37; ***hirtus*** **26**: 200; **61**: 192; ***hispidus*** **9**: 24; **17**: 2; **23**: 164, 200; ***hodgkinsoniae*** **46**: 321; ***hololeucus*** **46**: 321; **49**: 165; ***humilis*** **30**: 181, 188; ***humphreyi*** **64**: 18; ***hybridus*** **17**: 200; ***hygrophanus*** **18**: 207, 210, 217; ***hypococcinus*** **20**: 90; ***hypopolius*** **46**: 321; **47**: 196; ***hypothejus*** **46**: 321; ***igniarius*** **1**: 96; **5**: 19; **6**: 94; ***igniarius*** **f.** ***resupinatus*** **35**: 25; ***igniarius*** **subsp.** ***pomaceus*** **1**: 96, 105; ***illicicola*** **64**: 18; ***illotus*** **46**: 321; ***illudens*** **26**: 198; ***imberbis*** **59**: 84; ***immitis*** **45**: 93; ***inconstans*** **46**: 321; ***inhalatus*** **46**: 229; ***inusitatus*** **64**: 50; ***irpex*** **19**: 71, 72, 76; ***janseanus*** **64**: 18; ***kalchbrenneri*** **49**: 166; ***kmetii*** **19**: 69, *74*, *75*, *76*, *77*; **47**: 196; ***labyrinthicus*** **55**: 43; ***laccatus*** **46**: 321; ***laciniatus*** **45**: 92; ***lapponicus*** **11**: 157, 168; ***latemarginatus*** **42**: 129; ***lentus*** **23**: 198, 199, 201; **26**: 86; **31**: 117, 119; **33**: 159, 161, 162, 167, 168; **36**: 34; **49**: 138, 141; ***leonotis*** **46**: 321; ***lepideus*** **36**: 34; **43**: 41; ***leprieuri*** **55**: 36; ***leucomelas*** **11**: 164, 170; **22**: 254; ***licnoides*** **29**: 6; ***linhartii*** **25**: 88, 94, 99; **46**: 321; ***lirutum*** **46**: 321; ***lividus*** **38**: 142; **46**: 321; ***lorenzianus*** **46**: 321; ***lowei*** **18**: 208, 210, 213, 214; ***lucens*** **31**: 165; ***lucidus*** **1**: 81; **11**: 162, 170, 209; **13**: 148; ***lucidus*** **var.** ***exquisitus*** **46**: 324; ***lugubris*** **46**: 321; ***macowani*** **46**: 321; ***marginatus*** **5**: 17; **11**: 229; **27**: 221; ***marginellus*** **19**: 22; ***marmellosensis*** **64**: 18; ***megaloporus*** **38**: 141; ***melanoporus*** **55**: 27; ***melanopus*** **26**: 82, *86*, *87*, 88, *88*, *89*; **36**: 35; **43**: 42; **44**: 125; **46**: 288; ***melleofuscus*** **36**: 249; ***metamorphosus*** **48**: 318; ***micans*** **17**: 28, 29, 31, 32; ***mirus*** **46**: 321; ***mollis*** **10**: 63; **13**: 27; ***montanus*** **19**: 102; ***mori*** **11**: *214*, *215*, *216*, 222; **24**: 84; **26**: 82, 83, 85, 89; ***morosus*** **46**: 321; ***mucidus*** **33**: 27; ***muelleri*** **46**: 321; ***multilobus*** **46**: 321; ***murinus*** **46**: 321, 326; ***myclodes*** **46**: 321; ***nidulans*** **11**: 168; **20**: *101*, *102*, *103*; ***nigrolimitatus*** **26**: 91; ***nitidus*** **21**: 205, 209; ***novo-guineensis*** **64**: 18; ***obducens*** **46**: 228, 229; ***oblectabilis*** **38**: 140; ***obscurus*** **46**: 321; ***obtusus*** **11**: 216, 217, 223; **19**: 70, 73, *75*, *76*, *77*; **35**: 201; ***ochrocroceus*** **64**: 18; ***ochroleucus*** **11**: 168; **13**: 32, 33, 36; **30**: 165; ***odoratus*** **5**: 18; ***officinalis*** **7**: 153; **11**: 158, 168; ***orbicularis*** **22**: 124, 128; ***ornatus*** **11**: 161; ***ornithorhynchi*** **46**: 321; ***osseus*** **10**: 49; **11**: 154; **14**: 32, 33, 34, 38, 39, 177, 184; **16**: 22; **46**: 322; ***ovinus*** **5**: 74; **11**: 154; ***palustris*** **44**: 229, 230; ***pannocinctus*** **18**: 65; **42**: 131; ***pentzkei*** **46**: 322; ***perdurans*** **46**: 322; ***perennis*** **20**: 175; ***pergamenus*** **11**: 159; ***philippinensis*** **64**: 20; ***piceinus*** **39**: *71*, *72*, 73, *73*, *74*; **45**: 40; ***picipes***

24: 84; **26**: 87; **43**: 42; ***pilotae*** **20**: 90, 101, 103; ***pini*** **39**: 74; ***pinicola*** **1**: 96; **5**: 17; **11**: 157, 168, 228; **44**: 96, 98; ***pisiformis*** **46**: 322; ***placodes*** **46**: 322; ***polymorphus*** **35**: *25*, *26*, *27*; ***pomaceus*** **5**: 18; ***ponderosus*** **46**: 322; ***populinus*** **11**: 158, 169; ***proteus*** **46**: 322; ***pseudoigniarius*** **27**: 69; ***puberulus*** **43**: 37; ***pubescens*** **11**: 209; ***puellaris*** **46**: 322; ***punicus*** **46**: 322; ***purpurascens*** **26**: 33; ***purpureus*** **38**: 139; ***puttemansii*** **64**: 19; ***quercicola*** **20**: 84, 86; ***quercinus*** **20**: 82, 172; ***radiatus*** **11**: 168; ***radiculosus*** **46**: 224; ***radula*** **21**: 211; ***raduloides*** **64**: 19; ***ramentaceus*** **18**: 5; ***ravidus*** **46**: 237; ***rennyi*** **19**: 72, 76; **21**: 205, 208; ***resinascens*** **43**: 38; ***resinosus*** **11**: 168; **25**: 15, 18, 19; ***rheades*** **23**: *163*, *164*, *165*, *166*, *167*, *168*, *169*; **24**: *146*, *147*, *148*, 150, 151; **30**: 167; **32**: 47, 50, 51; ***rheades*** **f. *corruscans*** **32**: 52; ***rheades*** **var. *coffeaceus*** **23**: *163*, *164*, *165*, *166*, *167*, *168*, *169*; ***rheades*** **var. *corruscans*** **32**: 52; ***rhizophilus*** **15**: 31, 32, 34; **16**: *14*, *15*, *16*, *17*, *18*; **20**: 20, 24; **22**: 101; **26**: 82, 83, 88; **29**: 167, 169; **35**: 241; **36**: 27, 35; **37**: 108; **43**: *31*, *32*, *33*, 89, 91, 93; **44**: 204, 207, 209, 213, 215; **46**: 78, 84; ***rixosus*** **21**: 211; ***roseus*** **44**: 235; ***rostafinskii*** **46**: 236; ***rubescens*** **20**: 84, 86; ***rubriporus*** **29**: *5*, *6*, *7*, *8*, *9*, *10*, *11*, *12*, *13*, *14*, *15*, *16*, *17*, *18*, *19*, *20*, *21*, *22*, *23*, *24*; ***rufoflavus*** **31**: 165; ***rufolateritius*** **46**: 322; ***saharanpurensis*** **64**: 20; ***salebrosus*** **35**: 26; ***salicinus*** **29**: 5; ***scaurus*** **20**: 175; ***schulzeri*** **19**: 69, 76; ***schweinfurthianus*** **64**: 20; ***sciurinus*** **46**: 322; ***scutiger*** **46**: 322; **49**: 166; ***sembilanii*** **64**: 50, 51; ***semibilanti*** **64**: 50; ***semipileatus*** **20**: 171, 175, 176; **43**: 36; ***semisupinus*** **45**: 13, 81, 83; ***semisupinus*** **f. *piceae*** **45**: 13; ***separabilis*** **18**: 207; ***seriatus*** **46**: 322; ***sericeohirsutus*** **55**: 46; ***sericeomollis*** **18**: 213, 217; **19**: 72, 76; **21**: *205*, *206*, *207*, *208*; **38**: 203; ***silaceus*** **31**: 165; ***sistotrema*** **7**: 152; ***sorbi*** **20**: *184*, *185*, *186*, *187*; ***spadiceus*** **46**: 322; ***spumeus*** **11**: 167; ***squamosus*** **1**: 96; **5**: 18; **8**: 88; **9**: 23; **14**: 88; **18**: 163; **26**: 82, 83, 85, 86, 89; **32**: 224; **33**: 167, 168; **36**: 35; **37**: 199; **42**: 1; **43**: 42, 93; **46**: 84, 178, 183; **49**: 138, 184; ***squamulosus*** **64**: 20; ***stevenii*** **25**: 88, 89; ***stipticus*** **6**: 94; ***suaveolens*** **11**: 159, 169; **13**: 147; ***subarcularius*** **18**: 163; **26**: 83; ***subcartilagineus*** **20**: 171, 176; **21**: 57; **38**: 203; **61**: 191; ***subelegans*** **55**: 36; ***suberosus*** **20**: 84; ***subhispidus*** **32**: 50, 51; ***subsericeomollis*** **18**: 210, 213, 216, 217; ***subsquamosus*** **11**: 164; ***sulphureus*** **1**: 13, 96, 105; **7**: 153; ***sulphureus*** **var. *cochlearius*** **46**: 324; ***tamaricis*** **24**: 151; **32**: 47; ***tamaricis*** **f. *corneus*** **32**: 50; ***tegumentosus*** **2**: 36; **11**: 218; ***tenuiculus*** **55**: 16, 36; **64**: 21; ***tenuis*** **55**: 44; ***tephropora*** **38**: 142, 143; ***tomohoniensis*** **64**: 20; ***torulosus*** **29**: 5; ***transmutans*** **38**: 203; **61**: 191; ***tricholoma*** **26**: 82, 85; **55**: 16, 36, 41; **64**: 18; ***trogii*** **11**: 158; **20**: 175; **25**: 15, 19; ***tuberaster*** **11**: 154, 167; **33**: 168; ***tuberculosus*** **17**: *27*, *28*, *29*, *30*, *31*, *32*, *33*, *34*; ***ulmarius*** **11**: 157, 168; ***umbellatus*** **5**: 74; **9**: 171; **23**: 79; **26**: 82, 88; **32**: 224; **45**: 34; **57**: 326; **63**: 39, 40, 41, 43, 45, 46, 47, 48, 49, 50, 51; **64**: 171; ***unitus*** **13**: 31, 32, 36; ***ursinus*** **17**: 179; **19**: 10; ***vaporarius*** **8**: 77; **10**: 78; **64**: 20; ***varius*** **14**: 87; **18**: 91, 163; **24**: 117; **26**: 82, 84, 86, *87*, *88*, *89*; **27**: 31; **36**: 35, 45, 46; **43**: 41; **46**: 176, 182, 184, 185, 287; **47**: 203; **49**: 138, 141, 184; **56**: 276; **57**: 326; **63**: 260; ***varius*** **var. *montanus*** **27**: 222; ***varius*** **var. *nummularius*** **17**: 182; **32**: 224; ***vegetus*** **29**: 5; ***venetus*** **20**: 84; ***versicolor*** **5**: 17; ***vibecinoides*** **64**: 20; ***vibecinus*** **var. *antilopum*** **46**: 324; ***violaceomaculatus*** **26**: 200; ***virgatus*** **64**: 19; ***vossii*** **46**: 322; ***vulpinus*** **23**: 163, 166, 169; **24**: 151; ***weinmannii*** **13**: 29; ***weinzettlii*** **17**: 28, 31; ***wrightii*** **55**: 35; ***wynnei*** **7**: 156; **43**: 39; ***wynnei*** **f. *ellipsospora*** **43**: 39; ***xanthosporus*** **17**: 1, 2; ***xerampelinus*** **46**: 322; ***xeranticus*** **42**: 130; ***yasudai*** **26**: 199; ***zonalis*** **55**: 38; ***zonatus*** **45**: 86.

POLYSACCUM herculeum **17**: 205.

POLYSCYTALUM fecundissimum **33**: 147; **55**: 123.
POLYSPHONDYLIUM pallidum **37**: 127; **44**: 47; ***violaceum*** **44**: 47.
POLYSPORINA ferruginea **56**: 159.
POLYSPORINOPSIS sinopica **56**: 159.
POLYSTICTUS alboater **64**: 14; ***alutaceovillosus*** **64**: 14; ***celebicus*** **64**: 15; ***circinatus*** **35**: 201; ***cryptomeriae*** **64**: 16; ***dahlianus*** **64**: 16; ***dependens*** **38**: 139; ***ekunduensis*** **64**: 17; ***fischeri*** **64**: 17; ***fuscopellis*** **20**: 84; ***gollanii*** **64**: 17; ***hirsutus*** **8**: 77; ***holstii*** **64**: 18; ***ikenoi*** **64**: 18; ***jamaicensis*** **64**: 18; ***munsae*** **64**: 18; ***nebularis*** **55**: 48; ***perennis*** **4**: 133, 135; **18**: 163; ***piceinus*** **39**: *71*, *72*, *73*, *74*; ***radiatoscruposus*** **64**: 19; ***ravidus*** **46**: 237; ***revolutus*** **47**: 59, 61; ***rufocinerascens*** **64**: 19; ***sanguineus*** **30**: 55; ***subbulbipes*** **64**: 20; ***subflamellum*** **64**: 20; ***subpictilis*** **64**: 20; ***subporiformis*** **64**: 20; ***tomentosus*** **8**: 58; ***turbo*** **64**: 20; ***versicolor*** **8**: 77, 88; **10**: 77; **30**: 55, 164; ***zenkeri*** **64**: 21.
POLYSTIGMA rubrum **9**: *108*, *109*, *110*, *111*; **11**: 197.
PORIA aestivale **49**: 25; **63**: 195; ***alabamae*** **38**: 142; ***alachuana*** **38**: 138; ***albidofusca*** **46**: 114; ***albobrunnea*** **10**: 61; ***albolutescens*** **42**: 133; ***albostygia*** **55**: 36; ***alutacea*** **45**: 45; ***amaniensis*** **64**: 14; ***ambigua*** **5**: 17; **8**: 89; **42**: 129, 132, 134; **47**: 196; **55**: 27; ***ambigua*** **f.** ***zilingiana*** **42**: 132; ***andersonii*** **17**: *1*, *2*, *3*, *4*, *5*, *6*, *7*; **42**: 135; ***aneirina*** **44**: 233; ***argillacea*** **10**: 64; ***atrorubens*** **46**: 59, 60; ***aurantiaca*** **4**: 50; **17**: 176; **18**: 5; **21**: 205; ***aurantiocarnescens*** **64**: 15; ***aurea*** **7**: 156; **39**: 37; ***aurulenta*** **39**: *36*, *37*, *38*; ***avellanea*** **20**: 173; ***bombycina*** **20**: *171*, *172*, *173*; ***borbonica*** **55**: 39; ***boubinensis*** **46**: 214; ***bourdotii*** **18**: 65, 66, 68, 69, 73, 74; **42**: 130; ***byssina*** **36**: 35; ***calcea*** **f.** ***bullosa*** **subf.** ***stratosa*** **44**: 231; ***calcea*** **subf.** ***stratosa*** **44**: 231; ***calcea*** **var.** ***krawtzewii*** **45**: 93; ***callosa*** **44**: 142; ***candidissima*** **17**: 182; **18**: 3, 162; ***canescens*** **10**: 64; **18**: 235; **21**: 57; **22**: 251, 256; **23**: 201; **25**: 105; ***carbonica*** **46**: 216; **55**: 9; ***carneola*** **55**: 37; ***carneolutea*** **33**: *19*, *20*, *21*, *22*, *23*, *24*, *25*, *26*, *27*, *28*, *29*, *30*, *31*, *32*, *33*, *34*, *35*; ***carneopallens*** **55**: 39; ***chakasskensis*** **45**: 93; ***cinerascens*** **14**: 95, 97, 100; **18**: 3, 6; **24**: 105; **25**: 106, 111; **31**: 117; **45**: 144, 147, 148; **55**: 10; ***cinereoumbrina*** **64**: 15; ***collabens*** **21**: 205, 211; ***consobrinoides*** **42**: 129, 132; ***conwayana*** **44**: 231; ***corcontica*** **44**: 140, 142; ***corticola*** **36**: 26, 34; **44**: 124, 231; **45**: 154; **46**: 229, 236; ***corydalina*** **10**: 64; ***crassa*** **24**: 105; **35**: 240; **46**: 214, 216, 217; ***crustulina*** **44**: 231, 233; ***cubitispora*** **38**: 138; ***daedaleiformis*** **64**: 16; ***delicatula*** **64**: 16; ***dichroa*** **10**: 61, 63; ***diospyri*** **38**: 138; ***dusenii*** **64**: 17; ***eichelbaumii*** **64**: 17; ***elongata*** **38**: 203, 204; ***endoxantha*** **64**: 7; ***eupora*** **21**: *208*, *209*, *210*, *211*; ***eupora*** **var.** ***subfimbriata*** **21**: 210; ***ferrugineofusca*** **3**: 7; **19**: 22; ***ferrugineovelutina*** **64**: 17; ***fissiliformis*** **42**: 132, 134; **59**: 141, 142, 143, 144, 149; ***flavicans*** **45**: 147; ***flavida*** **46**: 224; ***fulvescens*** **47**: 196; ***gelatinosotubulosa*** **42**: 133; ***gilvella*** **42**: 133; ***gilvescens*** **var.** ***carneobrunnea*** **44**: 231; ***griseoalba*** **43**: 43; ***hypolateritia*** **23**: 198, 200; **33**: 22; ***inermis*** **34**: *211*, *212*, *213*; **48**: 159; ***johnstonii*** **45**: 144, 147, 148; ***kazakstanica*** **42**: 133; ***krawtzewii*** **45**: 93; ***labyrinthica*** **19**: 22, 24; ***lamellosa*** **64**: 18; ***leei*** **17**: 2; ***lenis*** **25**: 106; **43**: 43; **45**: 94; ***lenis*** **f.** ***krawtzewii*** **45**: 93; ***lenis*** **f.** ***lunulispora*** **43**: 43; ***lenta*** **20**: 171, 173; **38**: 143; ***lindbladii*** **31**: 117; ***litschaueri*** **44**: 231; **46**: 237; ***lunulisporia*** **43**: 42; ***luteoalba*** **21**: 211; **45**: 95, 147; ***luteofimbriata*** **46**: 224; ***luteopora*** **16**: 149, 153; **36**: 75; ***marginella*** **19**: 22; ***medulla-panis*** **13**: *31*, *32*, *33*, 36; **30**: 166; **33**: 129; ***medulla-panis*** **f.** ***prunicola*** **33**: 130; ***medulla-panis*** **var.**

multistratosa **13**: 33; **44**: 232; ***medulla-panis*** **var.** ***prunicola*** **33**: 129; **42**: 133, 134; ***medulla-panis*** **var.** ***pulchella*** **36**: 35; ***medullaris*** **13**: 27, *31*, *32*, *33*, 36, 37; ***mentschulensis*** **42**: 132, 133; **59**: 143, 146, 148; ***metamorphosa*** **48**: *319*, *320*; ***micans*** **17**: 28, 29, 31, 32; ***mollusca*** **25**: 106; **46**: 117; ***mucida*** **46**: 117; ***myceliosa*** **20**: 172, 173; ***nathorst-windahlii*** **43**: 43; ***nigrescens*** **17**: 182; **25**: 106, 111; **47**: 196; **64**: 7; ***notata*** **18**: 208; **46**: 116; ***obducens*** **46**: 229; ***obliqua*** **42**: 130; ***ochroleuca*** **13**: 32, 33; **30**: 165; ***ohiensis*** **13**: 33; ***oleagina*** **46**: 214, 215, 217, 220, 222; **47**: 190; ***oleracea*** **38**: 138; **47**: 189; ***overholtsii*** **43**: 43; ***pannocincta*** **42**: *130*, *131*, *132*; ***papyracea*** **38**: 142; ***pearsonii*** **7**: 156; **35**: 240; **44**: 232; ***phellinoides*** **33**: *19*, *20*, *21*, 33; ***phlebiaeformis*** **55**: 37; ***pilatii*** **10**: 64; ***placenta*** **17**: 176, 182; **21**: 55; ***polycistidiata*** **45**: 94; ***pseudogilvescens*** **44**: 232; ***pseudoobducens*** **24**: 109; **33**: *19*, *20*, *21*, 25, 33; ***pseudosinuosa*** **64**: 19; ***pulchella*** **36**: 27, 33, 35, 36; ***pulvinascens*** **44**: 233; ***purpurea*** **33**: 156; ***quercuum*** **46**: 116; ***radiculosa*** **46**: 224; ***radula*** **21**: 210, 211; **45**: 154; ***resinascens*** **43**: 38; **44**: 232; ***resinascens*** **var.** ***pseudogilvescens*** **45**: 95; ***reticulata*** **25**: 106; **44**: 142; **45**: 93; ***reticulatomarginata*** **42**: 129, 134; ***rhodella*** **43**: 43; **45**: 93; ***rivulosa*** **48**: 322; ***rixosa*** **17**: 51; ***romellii*** **36**: 27, 33, 35; **44**: 239; **45**: 13; **47**: 187, 188; ***rostafinskii*** **46**: 236; ***salmonicolor*** **21**: 205; ***salviae*** **46**: 236; ***sanguinolenta*** **36**: 36; ***saxonica*** **46**: 213, *223*, *224*; ***separans*** **46**: 236; ***setulosa*** **64**: 20; ***simanii*** **42**: 131; ***similis*** **46**: 229, 230; ***sinuascens*** **45**: 95; ***sinuosa*** **5**: 168; **10**: 78; **11**: 187, 189, 190; **25**: 106; ***sitchensis*** **46**: 213, 214, 217, 220, 222; ***spissa*** **21**: 205; ***stellae*** **17**: 182; **18**: 70; **19**: 178; **25**: 106, 111; **27**: 222; **37**: 201; ***subacida*** **42**: 134; **44**: 232; ***subincarnata*** **45**: 93, 94; ***subobliqua*** **64**: 20; ***subpudorina*** **45**: 95; ***subradiculosa*** **46**: 224; ***subrufa*** **38**: 203, 204; **46**: 57, 59, 60; ***subtrametea*** **33**: *129*, *130*, *131*, *132*, *133*; **42**: 133, 134; ***subvermispora*** **43**: 43; **44**: 124, 233; **46**: 116, 117; ***tacamahacae*** **18**: 69; ***tasmanica*** **38**: 139; ***taxicola*** **12**: 139; **14**: 97, 226; **18**: 70; ***tenuis*** **30**: 166; ***trametopora*** **42**: 134; ***tricolor*** **22**: *174*, *175*, *176*, *177*, *178*, *179*; ***tschulymica*** **25**: 106, 111; **42**: 133, 134; ***turkestanica*** **43**: 43; ***umbrinella*** **48**: 158; ***unita*** **13**: 32, 36; **19**: 22; ***usambarensis*** **64**: 20; ***vaillantii*** **3**: 7; **4**: 13, 14; **5**: 17; **8**: 89, 91; **22**: 45; **32**: *55*, *56*, *57*, *58*, *59*, *60*; ***vaporaria*** **4**: 13; **5**: 17; **10**: 78; **25**: 111; ***versipora*** **14**: 226; **16**: 34; **21**: 207, 211; **25**: 106; **33**: 19; **45**: 92, 95; ***versipora*** **var.** ***hypolateritia*** **23**: 198; ***vesiculosis*** **46**: 236; ***viridans*** **4**: 78; **25**: 106, 111; **43**: 43; ***viridiuscula*** **18**: 69; ***viscina*** **46**: 237; ***voeltzkowii*** **64**: 21; ***wasjuganica*** **44**: 233; ***weirii*** **24**: *146*, *147*, *148*, *149*, *150*; **35**: 201; ***xantha*** **3**: 7; **19**: 176; **46**: 217; ***xantha*** **f.** ***pachymeres*** **44**: 231; ***xylostromatoides*** **55**: 10; ***zameriensis*** **18**: 65, 66, 69, 74.

PORINA aenea **56**: 160; ***atropunctata*** **56**: 160; ***byssophila*** **56**: 160; ***corruscans*** **56**: 160; ***diffluens*** **56**: 155, 160; ***isidiata*** **56**: 160; ***laticarpa*** **56**: 160; ***minutissima*** **56**: 160; ***oxneri*** **56**: 160; ***palmicola*** **56**: 155, 160; ***perminuta*** **56**: 160; ***rubentior*** **56**: 160; ***silvatica*** **56**: 160; ***subapplanata*** **56**: 155, 160; ***tetramera*** **56**: 160.

POROCLADIUM aquaticum **63**: 134, 144.

PORODAEDALEA chrysoloma **54**: 49; ***conchata*** **54**: 53; ***pini*** **39**: 72; **54**: 65.

POROGRAMME duportii **55**: 23; ***fuligo*** **64**: 15.

PORONIA kurziana **27**: 172; ***punctata*** **13**: 142; **16**: 156; **17**: 108; **23**: 79; **36**: 249; **45**: 34; **53**: 299.

POROSTEREUM crassum **60**: 215; ***lilacinum*** **60**: 213, 219; ***papyrinum*** **60**: 215.

POROTHELEUM fimbriatum **12**: 26, 27; **47**: 199, 203, 204; **60**: 210.

PORPHYRELLUS porphyrosporus **4**: 111; **20**: 129; **44**: 222; **46**: 169, 170; **57**: 11, 14, 27, 35, 36, 37; ***pseudoscaber*** **10**: 29; **14**: 87, 125; **15**: 13; **16**: 20, 157, 188; **18**: 161, 222, 225; **20**: *164*, *165*, *166*, *167*, *168*, *169*, *170*; **21**: 97; **24**: 106, 117; **27**: 219; **36**: 187; **56**: 272; **57**: 37.
PORPIDIA crustulata **50**: 298; **51**: 175; ***soredizodes*** **51**: 175, 177; ***tuberculosa*** **48**: 218; **51**: 175.
PORPOMYCES mucidus **46**: 117.
POSTIA alni **59**: 74, 149; ***balsamea*** **50**: 138; ***caesia*** **46**: 288; **56**: 275; **59**: 74; ***ceriflua*** **43**: 38; ***fragilis*** **56**: 276; ***lactea*** **59**: 149; ***stiptica*** **44**: 228; **49**: 184; **56**: 275; ***subcaesia*** **50**: 138; ***tephroleuca*** **59**: 149.
POUZAROMYCES fumosellus **9**: 8.
POUZAROPORIA subrufa **46**: *57*, *58*, *59*, *60*; **59**: 143.
PRAGMOPORA pithya **34**: 200.
PRAGMOPYCNIS **34**: 200.
PRATELLA bernardii **26**: 65; ***bitorquis*** **6**: 101; ***cernua*** **60**: 145; ***spadicea*** **60**: 141.
PREUSSIA funiculata **61**: 154, 155, 158; ***minima*** **33**: 152.
PROABSIDIA saccardoi **34**: 113, 120; **39**: 85, 86, 89.
PROLIFERODISCUS inspersus **41**: 196.
PROPOLIS faginea **14**: 224; ***versicolor*** **13**: 156, 158; **18**: 163.
PROPOLOMYCES farinosus **35**: 93.
PROSTHECIUM innesii **13**: 154; **26**: 48, 52, 56; ***platanoidis*** **61**: 89, 93.
PROTENDOMYCOPSIS domschii **24**: 159; **32**: 241.
PROTOABSIDIA blakesleeana **34**: 114, 115, 118, 120.
PROTOBLASTENIA cyclospora **56**: 160; ***rupestris*** **51**: 182.
PROTOCREA delicatula **29**: 61; ***farinosa*** **29**: 61; ***stipata*** **29**: 61.
PROTODONTIA piceicola **12**: *187*, *188*, *189*; **14**: 32, 33, 37, 40; **30**: 38.
PROTOHYDNUM gelatinosum **16**: 156; ***hyalinogriseum*** **12**: 188; ***lividum*** **4**: 40; ***lividum*** **var. *piceicola*** **12**: 188; ***piceicolum*** **12**: 188.
PROTOMYCES macrosporus **8**: 176; **10**: 241; **35**: 214; ***physalidis*** **46**: 322.
PROTOPARMELIA oleagina **56**: 160; ***phaeonesos*** **56**: 155, 160; ***picea*** **56**: 160.
PROTOPHALLUS jamaicensis **21**: 107.
PROTOSTEGIA eucleae **46**: 322.
PROTOTHELENELLA sphinctrinoidella **56**: 160.
PROTOTREMELLA calospora **11**: 78; ***tulasnei*** **11**: 71, 77.
PROTOUNGUICULARIA barbata **41**: 199; ***brevicapitata*** **41**: 199; ***vandae*** **45**: 134, 139, 141.
PRUNULUS miratus **12**: 38; ***papyraceus*** **60**: 145; ***purpureofuscus*** **9**: 29.
PSALLIOTA arenicola **23**: 41; ***arvensis*** **3**: 79; **4**: 160; **5**: 75, 128; **7**: 77, 79; ***arvensis*** **var. *leucospora*** **4**: 160; ***augusta*** **2**: 125; **5**: 75; ***benesii*** **6**: 100; **7**: 152; **8**: 31; ***bernardii*** **6**: 100, 101, 106, 107; **7**: 152; **26**: *65*, *66*, *67*, *68*; ***bispora*** **2**: 125; **9**: 69, 70; ***bivelata*** **2**: 36, 124, 125; ***bohemica*** **2**: 124, 125; **34**: 232; ***campestris*** **2**: 87, 97, 125; **5**: 75; **6**: 17; **7**: 77, 79; **8**: 26, 38; ***campestris*** **f. *alba*** **5**: 18; **8**: 89; ***campestris*** **var. *alba*** **6**: 14, 101; ***campestris*** **var. *bispora*** **5**: 75; ***campestris*** **var. *edulis*** **6**: 101; ***campestris*** **var. *hortensis*** **5**: 75; ***campestris*** **var. *umbrina*** **9**: 69; ***echinata*** **2**: 124, 125; **8**: 86; ***edulis*** **1**: 96; **6**: 101; ***exserta*** **8**: 31, 36; ***grisea*** **22**: 84; ***hortensis***

9: 69, 70, 99; ***hortensis* var. *bispora* 9**: 69; ***hortensis* var. *subfloccosa* 9**: 69; ***lanipes* 2**: 125; **6**: 116; **19**: 114; ***macrospora* 6**: 100; ***nigricans* 22**: *81*, *82*, *83*, *84*, *85*, *86*; ***peronata* 6**: 101; ***perrara* 2**: 125; **30**: 50; ***praenitens* 2**: 124, 125; ***pratensis* 5**: 75; ***rodmanii* 6**: 101; ***setigera* 2**: 124; ***silvatica* 2**: 125; **5**: 75; ***squamulifera* 8**: 31, 35, 36, 39; **10**: 55; **23**: 40; ***stricta* 40**: 38; ***subfloccosa* 9**: 69, 70; ***subperonata* 2**: 124; ***urinascens* 6**: 100; ***vaporaria* 2**: *122*, *123*, *124*, *125*; **5**: 75; ***villatica* 2**: 124; ***xanthoderma* 1**: 55, 110; **4**: 115, 121; **16**: 157; **22**: 84.

***PSAMMOMYCES plantaginiformis* 13**: 200, *203*, *204*, *205*, *206*, *207*.

***PSATHYRA carbonaria* 58**: 2; ***cernua* 60**: 145; ***consimilis* 14**: 113; **16**: 172; **60**: 151, 154; ***echinata* 8**: 86; ***fasciculata* 58**: 2; ***fragilissima* 14**: 113; ***fusca* 7**: 137; ***gossypina* 18**: 12; ***graminicola* 58**: 2; ***heterospora* 58**: 2; ***laricina* 52**: 23; **58**: 2; ***major* 58**: 2; ***microspora* 58**: 2; ***multipedata* 58**: 24; ***obtusata* 20**: 60; ***obtusata* var. *vernalis* 58**: 21; ***panaeoloides* 58**: 19; ***pennata* 3**: 87; **14**: 113; ***pseudomycena* 58**: 2; ***punctata* 58**: 2; ***pygmaea* 60**: 151; ***solitaria* 58**: 2; ***spadicea* 60**: 141; ***stipatissima* 20**: 60; ***subcernua* 60**: 168; ***typhae* 6**: *169*, *170*, *171*, *172*, *173*; ***typhae* var. *iridis* 6**: 169, 170, *173*, *174*, *175*; ***urticicola* 21**: *136*, *137*, *138*, *139*, *140*; ***vacini* 58**: 2.

***PSATHYRELLA albidula* 43**: 87; **46**: 25; ***almerensis* 54**: 86; ***ammophila* 16**: 158; **17**: *71*, *72*, *74*, *75*; **18**: 5, 6; **23**: 80; **32**: 224; **44**: 124; **58**: 8; ***appendiculata* var. *piluliformis* 18**: 157, 159, 161, 173, 178; ***artemisiae* 58**: 22; **60**: 140, 159; ***artemisiae* var. *microspora* 60**: 139, 159; ***atomata* 46**: 13, 25; ***atrolaminata* 58**: 6, 24; ***avellaneifolia* 60**: 139, 159; ***baileyi* 54**: 85, 86, 88; ***berolinensis* 58**: 13, 18, 24; ***bifrons* 14**: 78; **58**: 7, 14; ***bipellis* 58**: 9, 24; ***bivelata* 54**: 90; ***candolleana* 14**: 78; **25**: 108; **28**: 175; **32**: 224; **34**: 38, 41; **43**: 58, 87; **44**: 222; **46**: 83; **52**: 213; **58**: 12, 15; **60**: 150, 153; ***canoceps* 58**: 7, 11; ***caput-medusae* 56**: 274; **58**: 9; ***casca* 58**: 20, 24; ***cernua* 14**: 226; **18**: 159, 161, 178; **27**: 219; **58**: 15; **60**: 137, 138, 140, 145, 148, 150, 151, 167; ***chondroderma* 58**: 17, 24; ***cloverae* 60**: 156; ***conissans* 60**: 144; ***conopilus* 58**: 8; ***consimilis* 16**: 171; ***corrugis* f. *gracilis* 58**: 4, 7; ***cotonea* 16**: 170, 171, 188; **23**: 263, 264; **32**: 224; **58**: 10; ***dicrani* 58**: 14, 23, 24; ***fagetophila* 58**: 24; ***fatua* 58**: 22; ***filopes* 58**: 2; ***fragrans* 46**: 178, 183; ***friburgensis* 54**: 90; ***friesii* 46**: 173, 174, 180; **58**: 11, 13, 22, 23, 24; ***frustulenta* 58**: 17; ***fulvescens* 18**: 161, 173; **46**: 183, 184; **58**: 23, 24; ***fulvescens* var. *brevicystis* 46**: 178; ***fulvescens* var. *dicrani* 58**: 23; ***fusca* 58**: 20, 24; ***globosivelata* 54**: 90; **59**: 74, 76; ***gossypina* 25**: 108; **35**: 44, 238; **58**: 22, 23; ***gracilis* 14**: 78, 104, 226; **58**: 4, 7; ***gyroflexa* 18**: 161, 174; ***hirta* 58**: 8; ***hydrophila* 6**: 173; **10**: 186; **14**: 88; **18**: 173; **25**: 108; **27**: 219; **32**: 224; **33**: 165; **44**: 224; **56**: 274; ***hydrophiloides* 58**: 16, 24; ***imleriana* 60**: 137, 139, 166, 167; ***impexa* 46**: 173, 174, 180; **58**: 23, 24; ***indecorosa* 60**: 139, 159; ***infida* 58**: 7; ***ivoeënsis* 60**: 145; ***kauffmanii* 60**: 139, 140; ***lateritia* 58**: 2; ***leucotephra* 28**: 175; **43**: 51, 55, 58; **58**: 12; ***litennii* 60**: 144; ***lutensis* 58**: 18; ***lutulenta* 54**: *84*, *85*, *86*, *87*, *88*; ***maculata* 58**: 10; ***marcescibilis* 46**: 25; **58**: 11; ***microrhiza* 58**: 6, 7, 24; ***minima* 58**: 18; ***multipedata* 58**: 24; ***murcida* 46**: 175, 181; **56**: 273; **58**: 24; ***narcotica* 58**: 4, 24; ***niveobadia* 58**: 21, 24; ***noli-tangere* 58**: 19, 24; ***obtusata* 46**: 175, 181; **58**: 17, 24; ***ocellata* 52**: 12; **58**: 24; ***olympiana* 58**: 16, 24; **60**: 137, 138, 139, 140, 154, 155; **63**: 251, 260; ***ornatispora* 54**: *88*, *89*, *90*; ***panaeoloides* 15**: 201, 204, 205; **58**: 19, 24; ***pannucioides* 58**: 19; ***papyracea* 60**: 137, 138, 140, 145, 146, 147, 148, 150, 163, 164, 167, 168; ***pennata* 58**: 22, 23; **60**: 140; ***phegophila* 58**: 20, 24; ***piluliformis* 44**: 222; **46**: 177, 183; **52**: 10;

58: 17; **63**: 260; ***polycystis*** **58**: 6, 7, 24; ***populina*** **58**: 9; ***prona*** **14**: 78, 226; **46**: 8, 83; **58**: 7; ***prona*** **f. *cana*** **46**: 26; ***prona*** **f. *prona*** **46**: 26; ***pseudocorrugis*** **58**: 21; ***pseudogracilis*** **58**: 6, 7, 24; ***pseudolimicola*** **54**: 86, 87; ***pygmaea*** **16**: 171; **58**: 15; **60**: 137, 138, 139, 151, 152, 153, 165, 168; ***rannochii*** **58**: 17; ***rostellata*** **60**: 140, 159; ***rugosa*** **58**: 2; ***saccharioleus*** **58**: 20; ***sarcocephala*** **24**: 109; **25**: 108; **44**: 89, 221; **46**: 178, 183; **58**: 16; **60**: 137, 140, 141, 144, 167, 168; ***senex*** **58**: 24; ***silvestris*** **23**: *262*, *263*, *264*; ***spadicea*** **14**: 88; **27**: 219; **32**: 224; **58**: 16; **60**: 137, 138, 140, 141, 142, 143, 144, 148, 149, 160, 164, 167, 168; ***spadiceogrisea*** **14**: 106; **52**: 12; **58**: 21, 22; ***spadiceogrisea*** **f. *vernalis*** **58**: 21; ***sphagnicola*** **58**: 18, 24; ***spintrigera*** **58**: 12; ***spintrigeroides*** **58**: 16; **60**: 137, 138, 139, 140, 156, 157, 158, 159, 165; ***squamifera*** **f. *minima*** **14**: 113; ***squamosa*** **18**: 159, 161, 178; ***squamulifera*** **f. *minima*** **14**: 78; ***suaveolens*** **58**: 20; ***suavissima*** **58**: 20; ***subatrata*** **41**: 52; ***subcernua*** **60**: 137, 149, 168; ***sublateritia*** **60**: 144; ***submicrospora*** **58**: 11, 24; ***subpalustris*** **54**: 86, 87, 88; ***subpapillata*** **58**: 16, 24; ***sulcata*** **58**: 2; ***tenuicula*** **58**: 18; ***tephrophylla*** **58**: 19, 24; ***torpens*** **15**: 205; ***typhae*** **6**: *169*, *170*, *171*, *172*, *173*, *174*, *175*; **7**: 44, 54, 56, 191; **11**: 247, 248; **14**: 98; **58**: 3, 10; ***typhae*** **f. *acoris*** **58**: 3; ***typhae*** **var. *sulcatotuberculosa*** **6**: 170, *173*, *174*, *175*; ***umbrina*** **60**: 140; ***variata*** **60**: 137, 139, 140, 160, 161, 162, 166, 167; ***velutina*** **24**: 84; **28**: 175; **32**: 224; **43**: 87; **44**: 89; ***vernalis*** **32**: 224; **58**: 2; ***vinescens*** **54**: 86, 88.

PSEUDAEGERITA matsushimae **40**: 79.

PSEUDALLESCHERIA boydii **39**: 162, 163; **44**: 136; **48**: 23.

PSEUDEUROTIUM ovale **33**: 171; **39**: 162.

PSEUDEVERNIA furfuracea **63**: 225, 230.

PSEUDOABSIDIA vulgaris **34**: 113, 120.

PSEUDOANGUILLOSPORA gracilis **49**: 12, 13, 19; ***prolifera*** **49**: 12; ***stricta*** **49**: 7, 8, 9, 10, 11, 19.

PSEUDOARACHNIOTUS roseus **39**: 162.

PSEUDOBAEOSPORA oligophylla **7**: 87; **56**: 239, 243, 245; ***pillodii*** **56**: 239, 243, 245.

PSEUDOBALSAMIA microspora **8**: 1.

PSEUDOBATHELIUM epiphyllum **56**: 160.

PSEUDOBELTRANIA havanensis **41**: 29, *33*, *34*, *34*, *35*, *35*; ***penzigii*** **41**: 35.

PSEUDOBLASTENIA cyclospora **56**: 160.

PSEUDOBOLETUS astraeicola **57**: 1, 42; **60**: 35, 56; ***parasiticus*** **45**: 1, *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*; **47**: 183; **57**: 10, 15, 24, 25, 33, 40, 41, 42; **60**: 31, 32, 34, 55, 56.

PSEUDOCENANGIUM succineum **35**: 97.

PSEUDOCERCOSPORA malloti-repandi **60**: 246.

PSEUDOCERCOSPORELLA herpotrichoides **41**: 165; **42**: 231; **52**: 142, 151.

PSEUDOCHAETE tabacina **63**: 195, 197, 198.

PSEUDOCLITOCYBE beschidica **34**: 57, 70, 71; **43**: 117; **59**: 74; ***cyathiformis*** **22**: 198; **29**: 28; **34**: 71; **46**: 175, 179, 181; **59**: 74; ***expallens*** **52**: 9; ***obbata*** **30**: 198; ***oregonensis*** **34**: 71.

PSEUDOCOPRINUS disseminatus **4**: 53; ***impatiens*** **14**: 113.

PSEUDOCRATERELLUS pseudoclavatus **29**: 200; ***sinuosus*** **29**: 199, 200; **63**: 252, 260; ***undulatus*** **52**: 10.

PSEUDOCYPHELLARIA allanii **56**: 160; ***argyracea*** **56**: 160; ***billardierei*** **56**: 160; ***cinnamomea*** **56**: 160; ***colensoi*** **56**: 160; ***coronata*** **56**: 160; ***degelii*** **56**: 160; ***delisea*** **56**: 160; ***fimbriata*** **56**: 160; ***flavicans*** **56**: 160; ***homoeophylla*** **56**: 160; ***maculata*** **56**: 160; ***psilophylla*** **56**: 160; ***rubella*** **56**: 160; ***subvariabilis*** **56**: 160.
PSEUDODIPLODIA avenae **40**: *86*, *87*, *88*, *89*, *90*, *91*, *92*, *93*, *94*.
PSEUDODISCULA endogenospora **28**: 153.
PSEUDOFAVOLUS cucullatus **55**: 37.
PSEUDOGLIOMASTIX protea **63**: 97.
PSEUDOGRAPHIS pinicola **63**: 217, 222, 225, 237.
PSEUDOGYMNOASCUS appendiculatus **63**: 66; ***caucasicus*** **20**: *160*, *161*, *162*; ***dendroideus*** **63**: 66; ***roseus*** **20**: *160*, *161*, *162*, *162*; **44**: 47; **53**: 288, 291, 292; **63**: 66; ***verrucosus*** **63**: 66; ***vinaceus*** **19**: 223, 225; **20**: *160*, *161*, *162*, *162*.
PSEUDOHELOTIUM hydnicola **59**: 105; ***pineti*** **13**: 157, 213; **35**: *93*, *94*, *95*, 98, 99; **41**: 94; ***pruinosum*** **41**: 198; ***vernale*** **41**: 88, 93.
PSEUDOHIATULA conigena **14**: 106; **27**: 219; ***esculenta*** **14**: 89; ***stephanocystis*** **22**: 198; **35**: 91; ***tenacella*** **14**: 77, 106; **35**: 91.
PSEUDOHYDNUM gelatinosum **10**: 66; **12**: 188; **14**: 88, 89, 125; **16**: 156; **18**: 163, 221; **20**: 110; **22**: 251; **24**: 178; **27**: 222; **46**: 288; **53**: 251; **56**: 275; **63**: 230, 260.
PSEUDOHYGROPHORUS vesicarius **20**: 74.
PSEUDOLACHNEA hispidula **44**: 146.
PSEUDOLAGAROBASIDIUM acaciicola **59**: 87, 88; ***subvinosum*** **64**: 34.
PSEUDOMASSARIA sepincolaeformis **26**: 43, 48, 52, 56.
PSEUDOMBROPHILA deerrata **20**: 15; **21**: 55; **22**: 216; **30**: 5; **35**: 73, *138*, *139*, *140*; ***disciformis*** **31**: 70; **35**: 74, 138; ***fellneri*** **42**: 137, 143, 144; ***guldeniae*** **20**: 8, 14, 15, 17; **22**: 216; **30**: *5*, *6*, *7*; **35**: 23; **42**: 143; ***uncinata*** **31**: 70; **35**: 74, 138.
PSEUDOMERULIUS elliottii **64**: 39.
PSEUDOMONAS aeruginosa **33**: 235; **52**: 168; ***odorans*** **13**: 194; ***putida*** **39**: 56; ***syringae*** **55**: 268, 269.
PSEUDOMONILIA inexpectata **11**: 149; ***matalensis*** **12**: 161.
PSEUDOMYCENA corticola **4**: 8.
PSEUDOMYCODERMA matalense **12**: 161.
PSEUDONIPTERA quercina **58**: 128, 129.
PSEUDOOMPHALINA compressipes **48**: 199, 200, 202; ***graveolens*** **48**: 199; ***kalchbrenneri*** **48**: *199*, *200*, *201*, *202*, *203*, *204*, *205*; ***pachyphylla*** **48**: 200.
PSEUDOPARMELIA texana **56**: 160.
PSEUDOPATELLINA conigena **35**: 97.
PSEUDOPERONOSPORA cubensis **43**: 14; **52**: 144; **56**: 127; **60**: 103; ***humuli*** **31**: 223; **53**: 93, 98; **56**: 127; **57**: 272; **60**: 103; ***urticae*** **56**: 127; **60**: 103.
PSEUDOPETRAKIA kambakkamensis **38**: 113; **41**: 35.
PSEUDOPEZIZA jonesii **28**: 118; ***medicaginis*** **28**: 118; **32**: 111; ***tracheiphila*** **10**: 137; ***trifolii*** **35**: 240.

PSEUDOPIPTOPORUS chocolatus **59**: 167.
PSEUDOPITHYELLA minuscula **37**: 245.
PSEUDOPLEA briosiana **28**: 118.
PSEUDOPLECTANIA melaena **7**: 30; **14**: 89; **25**: 109, 111; **27**: 224; **28**: 121; **35**: 73, 74, 141; **59**: 61; ***nigrella*** **7**: 30; **14**: 77, 106; **22**: 212; **35**: 21, 74, 140, 141, 240; ***nigrella*** **var.** ***episphagnum*** **35**: 74; ***sphagnophila*** **35**: 74, 138; ***vogesiaca*** **35**: 74.
PSEUDORHIZINA californica **28**: 90; ***korshinskii*** **15**: 42, 44; ***sphaerospora*** **15**: *42*, *43*, *44*, *45*; **27**: 224; **28**: 90; **35**: 74, 141; **52**: 93; **59**: 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63; ***sphaerospora*** **f.** ***gabretae*** **15**: *42*, *43*, *44*, *45*; **35**: 74; **59**: 55.
PSEUDOSEPTORIA donacis **56**: 213.
PSEUDOSPIROPES cubensis **40**: 142, 154; ***hughesii*** **61**: 89; ***longipilus*** **33**: 147; ***obclavatus*** **33**: 144, 147; **49**: 80; ***simplex*** **46**: 48; **49**: 80; **61**: 89; ***subuliferus*** **61**: 89, 91.
PSEUDOSTYPELLA translucens **35**: 100.
PSEUDOTAPESIA pilatii **3**: *30*, *31*, *32*.
PSEUDOTIS abietina **23**: 125; ***apophysata*** **23**: 126; ***radiculata*** **9**: 17; ***unicolor*** **23**: *123*, *124*, *125*, *126*; **42**: 198.
PSEUDOTOMENTELLA echinospora **12**: 67, 68; **26**: 37; ***flavovirens*** **12**: *67*, 68, *68*, 70; ***mucidula*** **12**: 68; ***nigra*** **12**: 68; **26**: 37; ***submollis*** **12**: 67, 68, 72; ***submollis*** **f.** ***immaculata*** **12**: 68; ***submollis*** **f.** ***submollis*** **12**: 68; ***zygodesmoides*** **12**: 68.
PSEUDOTRICHIA guatopoensis **49**: 221; **50**: 78; ***mamillata*** **49**: 221; **50**: 78; ***mutabilis*** **49**: 219, *220*, *221*, *222*; **50**: 78, 80; ***pachnostoma*** **49**: 221; **50**: 78; ***viburnicola*** **50**: 80; ***xanthotricha*** **50**: 74, *78*, *79*, *80*.
PSEUDOVALSA aucta **12**: 146; ***lanciformis*** **13**: 156, 221; **61**: 89, 93; ***macrosperma*** **12**: 185; **13**: 218; ***occulta*** **49**: 200; ***platanoides*** **12**: 186; **13**: 219, 220, 223.
PSILACHNUM acutum **33**: *201*, 202, *202*, *203*, *204*; **39**: 214; **45**: 140; ***chrysostigmum*** **31**: 137; ***cotoneastris*** **45**: 134, 139, 141; ***graminum*** **39**: 208, 210; ***inquilinum*** **31**: 137; **44**: 145; ***laeve*** **45**: 134, 140, 141; ***lateritioalbum*** **39**: 206; ***martialis*** **39**: 212; ***thelypteridis*** **31**: 132, 135.
PSILOCISTELLA cejpii **32**: 204; **39**: 207; **46**: 152; ***conincola*** **33**: 201, 204; ***fonticola*** **37**: 66; ***lignatilis*** **31**: *195*, 196, *196*, *197*; **39**: 211; ***nympharum*** **39**: 213; ***obsoleta*** **31**: 193, *195*, *196*, *196*, *197*, *197*; **41**: 201; ***parca*** **45**: 134, 136, 137; ***priapi*** **39**: 215; ***quercina*** **31**: 193, *195*, *196*, *197*, *197*; **39**: 210, 215; ***quercina*** **var.** ***barbata*** **39**: 216.
PSILOCYBE aeruginosa **52**: 7; ***allenii*** **64**: 181, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193; ***ammophila*** **8**: 144; **11**: 5; **16**: 158; **17**: *71*, *72*, *74*, *75*; ***arcana*** **58**: 75, 76; **60**: 174, 175, 177, 178, 179, 181, 182, 183, 184, 188, 189; ***atrobrunnea*** **7**: 43, 44; **27**: 43; **39**: 27, 29; ***australiana*** **64**: 191; ***aztecorum*** **27**: 42; ***azurescens*** **60**: 174, 177, 179, 180; **64**: 182, 184, 185, 186, 190, 192; ***baeocystis*** **27**: 42; **64**: 182; ***bohemica*** **37**: *177*, *178*, *179*, *180*, *181*; **39**: *26*, *27*, *28*, 33, *59*, *60*, *61*, *62*, 179; **48**: 12; **58**: 75, 76, 78, 79; **60**: 173, 174, 175, 177, 179, 182, 185, 187, 188; ***bullacea*** **43**: 83; ***caerulescens*** **7**: 140; **64**: 185; ***caerulescens*** **var.** ***mazatecorum*** **27**: 42; **30**: 54; ***callosa*** **39**: 59, 61; **60**: 174, 188; ***cernua*** **60**: 145, 148; ***cernua*** **var.** ***farinulenta*** **60**: 145; ***collybioides*** **27**: 45; **28**: 122; **37**: 179; **39**: 26, 27; ***coprinifacies*** **7**: 140; **17**: *9*, *10*, *11*, 108; **27**: *42*, *43*, *44*, *45*, *46*; **30**: 54; **37**: 177, 179, 180; **39**: *26*, *27*, *28*, *29*, 33, 59, 61, 179; **58**: 79; **60**: 187; ***coprophila*** **13**: 159;

14: 79; ***coprophila* var. *subcoprophila* 13**: 98, 102, 154; **31**: 36; ***crobula* 32**: 224; **35**: 110; **39**: 61; **43**: 83; **44**: 89; **46**: 174, 180; **63**: 260; ***cubensis* 7**: 140; **19**: 128; **27**: 45; **30**: 54; **39**: 61; **48**: 15, 16, 55, 103, 104, 105; **64**: 185; ***cyanescens* 7**: 140; **27**: 42, 45; **39**: *26*, *27*, *28*, 59; **43**: 93; **44**: 222, 223; **46**: 83; **48**: 12, 15; **58**: 75, 78; **60**: 173, 174, 176, 177, 179, 180, 181, 184, 187, 188, 189; **64**: 181, 182, 184, 185, 186, 189, 190, 192, 193; ***cyanofibrillosa* 64**: 182, 190, 191; ***cyanofriscosa* 64**: 184, 185; ***eucalypta* 64**: 191; ***farinulenta* 60**: 145; ***fasciata* 64**: 185; ***fascicularis* 52**: 8; ***fimetaria* 27**: 43, 45; **60**: 174; ***gallaeciae* 60**: 174; ***hispanica* 60**: 174; ***inquilina* 43**: 83; **52**: 9; ***insiliens* 22**: 241; ***lateritia* 52**: 247; ***liniformans* 48**: 12; **60**: 174; ***magica* 43**: *82*, *83*, *84*; **60**: 193, 194, 195, 196; ***mairei* 30**: 54; **35**: 241; **37**: 179; **39**: *26*, *27*, *28*, *29*, *30*, *31*, *32*, *33*, *34*, *35*, 61; **60**: 173, 174, 187, 189; ***mazatecorum* 12**: 114; **30**: 54; ***medullosa* 60**: 174; ***merdaria* 14**: 79, 104; ***mexicana* 12**: 114, 254; **27**: 42; **39**: 59; **64**: 185; ***montana* 43**: 83; **44**: 89; **46**: 30; **60**: 193, 194, 196; ***moravica* 58**: 75, 76, 78; **60**: 174, 175, 177, 179, 185, 186, 188; ***moravica* var. *macrospora* 58**: 76; ***moravica* var. *moravica* 58**: 77, 78; **60**: 174, 175, 177, 184, 188; ***moravica* var. *sternberkiana* 58**: 75, 76, 77, 78; **60**: 174, 175, 177, 184, 186; ***muscorum* 43**: 83; ***ovoideocystidiata* 64**: 182, 184, 185, 191; ***papyracea* 60**: 145; ***pelliculosa* 64**: 182, 191; ***phyllogena* 60**: 189; ***physaloides* 14**: 77; **46**: 8, 30; ***puberula* 60**: 174; ***sarcocephala* 60**: 144, 149, 167; ***semilanceata* 7**: 191; **14**: 104; **24**: 105; **27**: *42*, *43*, *44*, *45*, *46*; **28**: 122; **30**: 21, 54; **36**: 187; **39**: *26*, *27*, *28*, *29*, *30*, *31*, *32*, *33*, *34*, *35*, 59, *60*, *61*, *62*; **41**: 52; **43**: 93; **44**: 89, 140, 222, 223; **46**: 84; **48**: 12, 15, 103; **60**: 174, 189; **64**: 185; ***semilanceata* var. *coerulescens* 17**: 9; ***semperviva* 27**: 42; ***septentrionalis* 64**: 191; ***serbica* 27**: 45; **37**: 179; **39**: *26*, *27*, *28*, 59; **58**: 75; **60**: 173, 177, 178, 180, 183, 184, 189; **64**: 182, 192; ***serbica* var. *arcana* 64**: 185; ***serbica* var. *moravica* 64**: 186, 190; ***spadicea* 4**: 76; **60**: 141, 144, 145, 148, 149; ***strictipes* 60**: 174, 189; ***stuntzii* 48**: 15; **64**: 182, 191; ***subaeruginascens* 64**: 191; ***subaeruginosa* 27**: 42; **48**: 16; **64**: 184, 185, 186, 191, 192; ***sublateritia* 52**: 213; ***sylvatica* 64**: 182; ***tasmanica* 64**: 191; ***tenax* 31**: 37; ***turficola* 7**: *42*, *43*, *44*; **14**: 96, 100; **39**: 27; ***yungensis* 27**: 43; ***zapotecorum* 27**: 43.

***PSILOLECHIA clavulifera* 56**: 160; ***leprosa* 56**: 160; ***lucida* 51**: 175.

***PSILOPEZIA albida* 31**: 167; ***aquatica* 26**: 213, 214; ***atroviolacea* 23**: 26; ***babingtonii* 15**: 72; **22**: 184; **25**: 109; **28**: 121; **31**: 164, 167, 168; **35**: 74, 138, 140, 141; ***bohemica* 15**: 72; **31**: 167; **35**: 74; ***myrothecioides* 31**: 167; ***nummularia* 14**: 78; **23**: 26; **35**: 75, 138, 140; ***rivicola* 35**: 75, 138, 140.

***PSILOSPHAERIA pulviscula* 50**: 170.

***PSORA deciphrens* 53**: 288, 291, 292; ***saviczii* 56**: 160.

***PSOROMA contortum* 56**: 160; ***epiphyllum* 56**: 160; ***microphyllizans* 56**: 160.

***PTERULA gracilis* 12**: 217; ***multifida* 13**: 74, 75, 84; **14**: 125, 128, 129; **21**: 53; **23**: 206; **44**: 140, 142.

***PTERYGIOPSIS affinis* 56**: 160.

***PTYCHOGASTER lindtneri* 20**: 119.

***PTYCHOVERPA bohemica* 14**: 73, 78, 117; **16**: 156; **18**: 191; **20**: 110; **21**: 74, 75, 97; **22**: 233; **24**: 178; **35**: 75, 141, 240; **36**: 200; ***bohemica* var. *pallida* 35**: 75, 88.

PUCCINIA abrotani **56**: 129; ***absinthii*** **14**: 103; **56**: 129; **57**: 263, 272; ***acetosae*** **53**: 100, 112, 113, 114; **56**: 129; **57**: 263; **62**: 92, 95; ***actaeae-agropyri*** **30**: 102; **31**: 72, 74, 75; ***actaeae-elymi*** **30**: 101, 102; **31**: 72, 74; **52**: 64; ***acunae*** **27**: *207*, *208*, 209, *209*; ***adenostegiae*** **52**: 64; ***adoxae*** **56**: 129; **57**: 263, 270, 272; ***aecidii-leucanthemi*** **56**: 129; ***aegilopis*** **21**: 16; ***aegopodii*** **8**: 176; **53**: 101, 113; **56**: 129; **62**: 99; ***aethiopica*** **46**: 322; ***agropyri*** **26**: 9; **30**: 101; **31**: 72, 73; ***agropyri*** **f. *europaea*** **30**: 101, 103; ***agropyri*** **var. *europaea*** **30**: 101, 103; ***agropyrina*** **26**: 9; **30**: 101, 103; **31**: 72, 74; ***albescens*** **56**: 129; ***allii*** **56**: 129; ***alpina*** **10**: 54; **56**: 129; ***alternans*** **20**: 43; **30**: 103; ***altimurica*** **47**: 196; ***andersonii*** **56**: 138; ***angelicae*** **56**: 129; ***angelicae-mamillata*** **53**: 101, 112, 115; **56**: 129; **57**: 263, 270, 271; ***annularis*** **14**: 103; ***anthoxanthi*** **17**: 24; **21**: 14; **37**: 143; ***antirrhini*** **56**: 129; ***apii*** **56**: 129; ***arenariae*** **44**: 146; **53**: 101, 112; **56**: 129; **57**: 263, 271; **62**: 93; ***arenariicola*** **53**: 101, 112; **56**: 123, 129; **62**: 93, 99; ***arenariicola*** **var. *caricis-montanae*** **56**: 129; ***argentata*** **53**: 101; **56**: 129; **57**: 263, 270; **62**: 99; ***aromatica*** **56**: 129; **62**: 93; ***arrhenatheri*** **14**: 103; **21**: 15; ***arrhenathericola*** **56**: 129; **57**: 263, 271; ***artemisiella*** **14**: 103; **56**: 129; **57**: 263; **62**: 93; ***artemisiicola*** **56**: 129; ***asarina*** **29**: 29; **35**: 110, 241; **53**: 101; **56**: 129; ***asparagi*** **56**: 129; ***asperulae-aparines*** **56**: 129; ***asperulae-cynanchicae*** **56**: 129; ***asperulae-odoratae*** **56**: 129; ***asteris*** **56**: 129; ***astrantiae*** **46**: 322; **47**: 196; **56**: 129; ***athamanthae*** **14**: 103; ***australis*** **56**: 129; ***avenae*** **f. *avenae*** **21**: 13; ***avenae*** **var. *agrosteos*** **21**: 13; ***avenae*** **var. *alopecuri*** **21**: 13; ***avenae*** **var. *calamagrosteos*** **21**: 13; ***avenae*** **var. *coronata*** **21**: 12, 13; ***avenae*** **var. *festucae*** **21**: 13; ***avenae*** **var. *intermedia*** **21**: 12, 13; ***avenae*** **var. *lolii*** **21**: 13; ***avenae*** **var. *sertata*** **21**: 13; ***avenae-pubescentis*** **17**: 24; **21**: 14; ***avenastri*** **17**: 23; ***balsamitae*** **56**: 129; ***bardanae*** **56**: 130; **57**: 263; ***barkhausiae-rhoeadifoliae*** **56**: 130; ***baryi*** **14**: 103; ***baudysii*** **52**: 64; ***behenis*** **56**: 130; ***betonicae*** **56**: 130; ***bistortae*** **53**: 101, 112, 113, 115; **56**: 130; **57**: 257, 263, 270; **62**: 93; ***blythiana*** **10**: 192; ***bohemica*** **40**: 191; ***bornmuelleri*** **52**: 64; ***brachycyclica*** **56**: 130; ***brachypodii*** **16**: 44, 45, 52, 54; **56**: 130; **62**: 88, 99; ***brachypodii*** **f. sp. *agrostidis*** **16**: 44, 45, 52, 54; ***brachypodii*** **f. sp. *dactylidis*** **16**: 44, 45, 52, 54; ***bromidis*** **17**: *21*, *22*, *23*, *24*, *25*, *26*; ***bromi-maximi*** **30**: 103; ***bromina*** **20**: *38*, *39*, *40*, *41*, *42*, *43*, *44*; **22**: *206*, *207*, *208*, *209*, *210*, *211*; **29**: 135, 137; **31**: 73; **53**: 102; ***bromina*** **subsp. *bromina*** **var. *bromina*** **56**: 130; ***bromina*** **subsp. *symphyti-bromorum*** **var. *paucipora*** **56**: 130; ***bromina*** **var. *bromina*** **21**: 12; **29**: 135; ***bromina*** **var. *paucipora*** **21**: 12, 13; **22**: *206*, *207*, *208*, *209*, *210*, *211*; **29**: 135, 136, 138; **30**: 103; ***bulbocastani*** **40**: 191; ***bullata*** **14**: 103; **21**: 221; **33**: 155; ***bupleuri-falcati*** **56**: 130; ***calcitrapae*** **62**: 93; ***calthae*** **53**: 102, 112; **56**: 130; **57**: 257, 263, 270, 272; ***calthicola*** **53**: 102, 112, 114; **56**: 130; ***campanulae*** **56**: 130; ***carbonacea*** **46**: 322; ***carduorum*** **56**: 130; ***cari-bistortae*** **53**: 102; ***caricicola*** **56**: 130; ***caricina*** **56**: 130; ***caricina*** **var. *caricina*** **56**: 130; ***caricina*** **var. *pringsheimiana*** **56**: 130; ***caricina*** **var. *ribesii-pendulae*** **56**: 130; ***caricina*** **var. *ribis-nigri-paniculatae*** **56**: 130; ***caricis*** **56**: 138; ***carlinae*** **56**: 130; ***carthami*** **56**: 130; ***celakovskyana*** **14**: 103; ***centaureae*** **53**: 102, 113; **56**: 130; **57**: 263; ***centaureae-vallesiacae*** **56**: 130; ***cephalandrae*** **46**: 326; ***cerinthes-agropyrina*** **21**: 16; **30**: 103; ***cervariae*** **56**: 130; ***cesatii*** **14**: 103; **56**: 130; ***chaerophylli*** **44**: 146; **56**: 130; **57**: 264; **62**: 93; ***chamaedryos*** **56**: 130; ***chitralensis*** **21**: 221; ***chondrillae*** **56**: 130; **57**: 264; ***chondrillina*** **56**: 130; ***chrysanthemi*** **56**: 130; ***chrysosplenii*** **56**: 130; ***cichorii*** **14**: 103; **56**: 130; ***cicutae*** **56**: 130; ***ciliata*** **27**: 211; ***circaeae*** **56**: 130; ***cirsii***

35: 241; ***clematidis-secalis*** **31**: 73; ***cnici*** **57**: 264; ***cnici*** **var.** ***cnici*** **56**: 130; **62**: 93; ***cnici*** **var.** ***crassiuscula*** **56**: 130; ***cnici-oleracei*** **56**: 138; **62**: 93, 99; ***coaetanea*** **56**: 130; ***confinis*** **52**: 64; ***conglomerata*** **53**: 92, 103, 112, 114; **56**: 130; **62**: 88, 99, 100; ***conii*** **56**: 130; ***constricta*** **56**: 130; ***convolvuli*** **56**: 130; ***cordiae*** **27**: 211; ***coronata*** **14**: 103; **32**: *174*, *175*, *176*, *177*, *178*, *179*, *180*, *181*; **57**: 264; **62**: 93; ***coronata*** **f. sp.** ***festucae*** **38**: 31; ***coronata*** **var.** ***avenae*** **28**: *80*, *81*, *82*; **38**: 31; **41**: 97, 98, *100*, *101*, *102*, *103*, 165; **44**: 243; **45**: 101; **56**: 130; ***coronata*** **var.** ***avenae*** **f. sp.** ***avenae*** **21**: 13; ***coronata*** **var.** ***coronata*** **21**: 13; **38**: 31; **39**: 39; **41**: 165; **56**: 130; ***coronata*** **var.** ***intermedia*** **21**: 13; **56**: 130; ***coronifera*** **17**: 23; **21**: 13; **28**: 80; ***corticola*** **27**: 211; ***cotonata*** **53**: 103, 112, 114; ***crepidis*** **56**: 130; ***crepidis-grandiflorae*** **56**: 130; ***cruchetii*** **56**: 130; ***cryptandri*** **52**: 64; ***cyani*** **56**: 130; ***cynodontis*** **56**: 130; ***dactylidina*** **56**: 123; ***dentariae*** **56**: 130; ***depauperans*** **40**: 191; ***deschampsiae*** **53**: 103, 112; **56**: 130; **57**: 264; ***difformis*** **56**: 130; ***digraphidis*** **56**: 130; ***dioicae*** **56**: 130; ***dispersa*** **14**: 103; **20**: 38; **21**: 12, 16; **45**: 100, 101; ***dispersa*** **f. sp.** ***agropyri*** **30**: 101, 103; ***dispersa*** **f.** ***tritici*** **21**: 16; ***distincta*** **53**: 116; **57**: 264; ***divergens*** **56**: 130; ***doronicella*** **56**: 130; ***drabae*** **42**: 188; ***dracunculina*** **56**: 130; ***echinopis*** **56**: 130; **57**: 264; ***epilobii*** **53**: 103, 105, 113; **56**: 130; **57**: 264, 272; ***epilobii*** **subsp.** ***palustris*** **53**: 103; ***erikssonii*** **56**: 130; ***expansa*** **10**: 192; ***extensicola*** **var.** ***extensicola*** **56**: 130; ***extensicola*** **var.** ***linosyridi-caricis*** **56**: 130; ***fergussonii*** **56**: 130; ***ferruginosa*** **56**: 130; ***festucae*** **53**: 103, 113; **56**: 130; **57**: 264; ***fibigiae*** **47**: 196; ***ficalhoana*** **31**: 175; ***fuckelii*** **42**: 188; **56**: 130; ***fuscella*** **f.** ***montecristensis*** **27**: 207; ***galanthi*** **56**: 127, 130; ***galii-verni*** **53**: 103, 112, 113; **56**: 130; **57**: 264, 270, 272; ***gei*** **41**: 4; ***gei-parviflori*** **41**: 4; ***gentianae*** **56**: 130; ***geranii-sylvatici*** **56**: 130; ***gerascanthi*** **27**: 207, 210; ***gibberosa*** **21**: 14; **56**: 130; ***gibberulosa*** **58**: 201; ***glechomatis*** **56**: 130; **57**: 264; ***globulariae*** **56**: 130; ***graminis*** **2**: 73; **12**: 62; **14**: 102, 103, *145*, *146*, *147*; **16**: *44*, *45*; **23**: 236, 238; **27**: 181; **29**: 26, 29; **33**: 155; **36**: 67; **37**: 113, 129; **38**: 65; **41**: 165; **45**: 100, 101; **46**: 96; **53**: 103; **56**: 123, 130; **57**: 257, 265, 270; **62**: 99; ***graminis*** **f.** ***agropyri*** **21**: 12, 14, 15; **38**: 87; ***graminis*** **f.** ***macrospora*** **21**: 12, 14, 15; ***graminis*** **f. sp.** ***agropyri*** **28**: 80, 82; ***graminis*** **f. sp.** ***avenae*** **38**: 87, 88; **41**: 101; ***graminis*** **f. sp.** ***dactylidis*** **29**: 30; **38**: 37, 88; ***graminis*** **f. sp.** ***lolii*** **38**: 88; ***graminis*** **f. sp.** ***phlei-pratensis*** **38**: 88; ***graminis*** **f. sp.** ***secalis*** **38**: 88, 89; ***graminis*** **f. sp.** ***tritici*** **38**: 196; **41**: 99; **45**: 53; ***graminis*** **f.** ***tritici*** **2**: 73; ***graminis*** **subsp.** ***graminicola*** **21**: 12, 14, 15; **23**: 240; **29**: 30; **37**: 111, *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*, *138*, *139*, *140*, *141*, *142*, *143*, *144*, *145*, *146*, *147*, *148*, *149*, *150*; **38**: 33, 66, 80, 86; **39**: 39; **56**: 123, 130; **62**: 94; ***graminis*** **subsp.** ***graminis*** **21**: 12, 14, 15; **23**: 239; **37**: 111, *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*, *138*, *139*, *140*, *141*, *142*, *143*, *144*, *145*, *146*, *147*, *148*, *149*, *150*; **38**: *65*, *66*, *67*, *68*, *69*, *70*, *71*, *72*, *73*, *74*, *75*, *76*, *77*, *78*, *79*, *80*, *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*, 171; **56**: 130; ***graminis*** **subsp.** ***graminis*** **var.** ***stakmanii*** **28**: 80; ***graminis*** **subsp.** ***lolii*** **21**: 12, 14, 15; ***graminis*** **subsp.** ***major*** **21**: 12, 14, 15; **37**: 131; ***graminis*** **subsp.** ***media*** **21**: 12, 14, 15; ***graminis*** **subsp.** ***minor*** **21**: 12, 14, 15; ***graminis*** **subsp.** ***tritici*** **27**: 112; ***graminis*** **var.** ***agropyri-repentis*** **21**: 14, 15; ***graminis*** **var.** ***calamagrosteos*** **21**: 14, 15; ***graminis*** **var.** ***erikssonii*** **21**: 14, 15; ***graminis*** **var.** ***graminis*** **21**: 12, 14, 15; ***graminis*** **var.** ***lolii*** **21**: 12, 14, 15; ***graminis*** **var.** ***macrospora*** **52**: 64; ***graminis*** **var.** ***stakmanii*** **21**: 12, 14, 15; **38**: 90; ***graminis*** **var.** ***tritici*** **21**: 12, 14, 15; ***graminis*** **var.** ***vulpiae*** **21**: 12, 14, 15; ***granularis*** **46**: 322; ***helianthi*** **6**: 82; **7**: 104; **56**: 130; ***helichrysi*** **46**: 322;

49: 165, 166; ***hieracii*** **56**: 130; **57**: 258, 265; **62**: 88, 89, 94, 100; ***hierochloina*** **56**: 130; ***holcina*** **20**: *38*, *39*, *40*, *41*, *42*, *43*, *44*; **53**: 103, 113; **56**: 130; **57**: 265; ***hordei*** **14**: 145, 147; **29**: 137; **38**: 171; **56**: 130; ***hordei-maritimi*** **30**: 102; **31**: 73, 76; ***hordei-murini*** **55**: 284; **56**: 130; ***horiana*** **55**: 284; **56**: 130; ***humilicola*** **56**: 130; ***hypochoeridis*** **56**: 130; **57**: 265; **62**: 94, 99; ***hysterium*** **56**: 130; ***imperatoriae*** **40**: 191; **53**: 93, 103, 112, 114, 116; ***intybi*** **56**: 130; ***involvens*** **42**: 188; ***iridis*** **56**: 130; ***isiacae*** **56**: 130; ***jaceae*** **14**: 103; **56**: 130; **57**: 265, 272; **62**: 94, 99; ***joerstadii*** **10**: 192; ***kalchbrenneri*** **49**: 165, 166; ***kalchbrenneriana*** **49**: 166; ***kochiana*** **10**: 192; ***komarovii*** **6**: 153; **8**: 48; **40**: 191; **56**: 130; **57**: 265, 270; **62**: 94, 99; ***kusanoi*** **52**: 64; ***lactucarum*** **56**: 130; ***lagenophorae*** **48**: *161*, *162*, *163*, *164*, *165*, *166*, *167*; **53**: 103, 116; **56**: 130; **57**: 265, 270; ***lapsanae*** **35**: 241; **53**: 104; **56**: 130; **62**: 94; ***laschii*** **53**: 104, 112, 113, 114; **57**: 265; ***laschii*** **var.** ***laschii*** **56**: 130; ***laschii*** **var.** ***palustris*** **53**: 104; **56**: 130; ***laschii*** **var.** ***pannonici*** **56**: 130; ***laserpitii*** **56**: 130; ***leontodontis*** **53**: 104, 113; **56**: 130; ***libanotidis*** **56**: 130; ***liliacearum*** **31**: 173, 174; **56**: 130; ***liliacearum*** **var.** ***rossiana*** **31**: 173; ***linearis*** **21**: 14; ***linosyridis-caricis*** **14**: 103; ***linosyridis-vernae*** **56**: 131; ***littoralis*** **56**: 131; ***lojkaiana*** **31**: 175; **56**: 131; ***lolii*** **21**: 13; ***longissima*** **14**: 71; **56**: 131; ***luzulae*** **56**: 131; ***luzulae-maximae*** **53**: 93, 104, 112, 114; **56**: 131; **57**: 265; **62**: 94; ***lycii*** **46**: 322; ***lycoctoni*** **var.** ***trollii*** **58**: 203; ***maculosa*** **53**: 104, 112; **56**: 131; **57**: 265; **62**: 88, 94, 99, 100; ***madritensis*** **20**: 43; ***magelhaenica*** **21**: 12, 15; **37**: 132; **56**: 131; **57**: 265; ***magnusiana*** **33**: 155; **56**: 131; ***major*** **53**: 104, 113; **56**: 131; **57**: 265; ***major*** **var.** ***praecox*** **62**: 89, 94, 99, 100; ***malvacearum*** **29**: 243; **53**: 104, 113; **56**: 131; **57**: 265; ***mei-mamillata*** **56**: 131; **62**: 88, 99, 100; ***melicae*** **21**: 14; **56**: 131; ***menthae*** **29**: 243; **33**: 155; **53**: 104, 113; **56**: 131; **57**: 265; **62**: 94, 99; ***microsora*** **56**: 131; ***milii-effusi*** **31**: 76; ***millefolii*** **56**: 131; ***mixta*** **56**: 131; ***moliniae*** **56**: 131; ***momordicae*** **46**: 322; ***montivaga*** **56**: 131; **62**: 99; ***morthieri*** **58**: 201, 204; ***mougeotii*** **10**: 192; **56**: 131; ***mulgedii*** **53**: 92, 105, 112, 114, 115; **56**: 131; **57**: 265; ***nigrescens*** **56**: 131; ***nitida*** **56**: 131; ***nitidula*** **52**: 64; ***non ramosa*** **9**: 134; ***obscura*** **56**: 131; **57**: 265; ***opizii*** **53**: 105; **56**: 131; ***orchidearum-phalaridis*** **56**: 131; ***oreoselini*** **14**: 103; **56**: 131; ***ornithogali*** **46**: 322; **49**: 166; ***pachycarpi*** **46**: 322; ***pallidefaciens*** **56**: 138; ***paludosa*** **53**: 105, 113, 114, 115; **56**: 131; **57**: 265; ***panciciae*** **11**: 60; **52**: 64; ***pelargonii-zonalis*** **56**: 131; ***perplexans*** **20**: 43; **31**: 73, 74; **53**: 98, 105, 113; **56**: 131; **57**: 266; ***perplexans*** **f.** ***arrhenatheri*** **21**: 12, 15, 16; ***perplexans*** **f.** ***persistens*** **21**: 12, 15, 16; **26**: *9*, *10*, *11*, *12*, *13*, *14*, *15*, *16*, *17*, *18*, *19*, *20*, *21*, *22*; ***perplexans*** **f.** ***triticina*** **21**: 12, 15, 16; ***perplexans*** **var.** ***perplexans*** **21**: 12, 15, 16; ***perplexans*** **var.** ***triticina*** **21**: 12, 15, 16; **26**: *9*, *10*, *11*, *12*, *13*, *14*, *15*, *16*, *17*, *18*, *19*, *20*, *21*, *22*; **27**: 181; **28**: 80, 81; **30**: 103; ***persistens*** **30**: 90, 100, 102; **53**: 91, 105; ***persistens*** **f. sp.** ***agropyri*** **31**: 74; ***persistens*** **f. sp.** ***agrosteos*** **31**: 74; ***persistens*** **f. sp.** ***bromi*** **31**: 74; ***persistens*** **f. sp.** ***clematidis-agropyri*** **31**: 73; ***persistens*** **f. sp.** ***koeleriae*** **31**: 74; ***persistens*** **f. sp.** ***poae*** **31**: 74; ***persistens*** **f. sp.** ***tritici*** **28**: 80, 81; **31**: 74; ***persistens*** **subsp.** ***agropyri*** **var.** ***agropyri*** **56**: 131; ***persistens*** **subsp.** ***agropyri*** **var.** ***agropyrina*** **56**: 131; ***persistens*** **subsp.** ***agropyri*** **var.** ***cerinthes-agropyrina*** **56**: 131; ***persistens*** **subsp.** ***agropyri*** **var.** ***milii-effusi*** **56**: 131; ***persistens*** **subsp.** ***agropyrina*** **30**: 90, 103; **31**: 72, 77, 78; ***persistens*** **subsp.** ***persistens*** **31**: 72, 73, 77, 78; **39**: *225*, *226*, *227*, *228*, *229*, *230*, *231*; **62**: 94; ***persistens*** **subsp.** ***persistens*** **var.** ***heteroecica*** **56**: 131, 132; **62**: 99; ***persistens*** **subsp.** ***persistens*** **var.** ***persistens*** **56**: 131; ***persistens*** **subsp.** ***triticina*** **56**: 131; ***persistens*** **var.** ***persistens*** **30**: 90,

102; **31**: 72, 73, 77, 78; **39**: *225*, *226*, *227*, *228*, *229*, *230*, *231*; ***persistens* var. *tritici* 38**: 90; ***persistens* var. *triticina* 30**: 90, 103; **31**: 72, 77, 78; **39**: 225, *228*, *229*, *230*, *231*; **41**: 165; **44**: 243; **45**: 101; ***peucedani-alsatici* 56**: 131, 132; ***phlei-pratensis* 21**: 14; **37**: 146; **56**: 131; ***phlomidis* 14**: 145, 147; ***phragmitis* 56**: 131; ***picridis* 56**: 131; ***piloselloidarum* 56**: 131; ***pimpinellae* 53**: 105; **56**: 131; ***pimpinellae-bistortae* 53**: 102; ***pleurospermi* 21**: 220, 221; ***poae-nemoralis* 21**: *220*, *221*, *221*, *222*, *222*; **39**: 39; **41**: 165; **53**: 105; **56**: 131; **57**: 266; **62**: 94; ***poae-sudeticae* 21**: 221; **39**: 42; ***poarum* 35**: 110; **39**: 39; **45**: 101; **53**: 105; ***poarum* var. *petasiti-pulchellae* 45**: 101; **56**: 131; **62**: 99; ***poarum* var. *poarum* 56**: 131; **62**: 94; ***podospermi* 56**: 131; ***polygoni* 56**: 131; ***polygoni-amphibii* 56**: 131; ***polygonorum* f. *vivipari* 46**: 324; ***praecox* 35**: 241; **53**: 105, 113; **56**: 131; **57**: 266; ***pratensis* 14**: 103, 107; **17**: 21, *24*, *25*, *26*; **56**: 131; ***prenanthis* 46**: 322; ***pringsheimiana* 35**: 241; ***prostii* 31**: 175; ***ptarmicae* 56**: 131; ***pulsatillae* 14**: 71; **46**: 322; **56**: 131; ***pulverulenta* 53**: 105; **56**: 131; **57**: 266; **62**: 99; ***pumilae-coronatae* 21**: 13; **52**: 64; ***punctata* 14**: 103; **56**: 131; **57**: 258, 266; **62**: 94, 99; ***punctiformis* 53**: 106; **56**: 131; ***pygmaea* 38**: 89; **53**: 106, 112, 114; **56**: 131; **57**: 266, 271; **62**: 97; ***pyrethri* 14**: 103; **56**: 131; ***ramosa* 9**: 134; ***recondita* 17**: 49; **20**: *38*, *39*, *40*, *41*, *42*, *43*, *44*; **21**: 12, 15, 16; **27**: 181; **28**: 80, 81; **29**: 137; **31**: 73; **45**: 100, 101; **56**: 131; **57**: 266; ***recondita* f. *perplexans* 21**: 12, 15, 16; ***recondita* f. *triticina* 21**: 12, 15, 16; ***retecta* 56**: 138; **58**: 203; ***retifera* 53**: 106; **56**: 131; **57**: 266; ***rhynchosiae* 46**: 322, 326; ***ribis* 56**: 131; ***rivalis* 56**: 131; ***rossiana* 31**: 173; ***rubefaciens* 56**: 138; ***rubigo-vera* 20**: 38; **21**: 12, 16; **30**: 103; **31**: 72, 73; **45**: 100, 101; ***rubigo-vera* f. *perplexans* 21**: 15; ***rubigo-vera* var. *agropyri* 31**: 73; ***rubigo-vera* var. *tritici* 30**: 103; **45**: 101; ***ruebsaamenii* 55**: 277, 287; **56**: 131; ***salviae* 56**: 131; ***saniculae* 56**: 131; ***saxifragae* 56**: 131; ***scarlensis* 29**: 30; **30**: 101, 102; ***schelliana* 58**: 203; ***schirajewskii* 56**: 131; ***schismi* var. *schismi* 56**: 131, 132; ***schmidtiana* 56**: 131; ***schneideri* 56**: 131; ***schroeteri* 53**: 93, 106; ***schroeteriana* 56**: 131; ***scillae* 31**: *173*, *174*, *175*, *176*, *177*, *178*; **56**: 131; ***scillae-rubrae* 31**: 175; **56**: 131; ***scirpi* 56**: 131; ***scorzonerae* 56**: 131; ***semadenii* 56**: 131; ***senecionis* 56**: 131; ***senecionis-acutiformis* 48**: 164; ***sertata* 21**: 13; ***sesleriae* 14**: 103; **17**: 24; **56**: 131; ***sessilis* 57**: 266; ***sieversiae* 27**: 181; **41**: 1; ***sieversiae* subsp. *tatrensis* 41**: 2; ***sii-falcariae* 56**: 131; ***silai* 56**: 131; ***silvatica* 53**: 106, 112; **57**: 266; ***singularis* 56**: 131; ***soldanellae* 56**: 131; **58**: 201; ***sorghi* 56**: 131; ***stachydis* 56**: 131; ***stipae* 14**: 103; ***stipae* var. *stipina* 56**: 131; ***striiformis* 39**: 186; **44**: 243; **57**: 266; ***striiformis* var. *dactylidis* 62**: 97; ***striiformis* var. *striiformis* 56**: 131; ***subalpina* 30**: 102; ***sylvatica* 56**: 131; ***symphyti-bromorum* 21**: 12; **22**: 206, 210, 211; ***tanaceti* 35**: 241; **56**: 131; **57**: 266; ***taraxaci* 14**: 103; **53**: 106; **56**: 131; **57**: 266; ***taraxaci-serotini* 52**: 64; **56**: 131; ***tatrensis* 10**: 54; **27**: 181; ***tenuistipes* 56**: 131; ***thalictri-koeleriae* 30**: 102; ***thesii* 56**: 131; ***thlaspeos* 53**: 92, 106, 113, 115; **56**: 131; **57**: 258; ***thulensis* 30**: 102; ***tinctoriicola* 56**: 131; ***tirolensis* 56**: 131; ***triseti* 20**: *38*, *39*, *40*, *41*, *42*, *43*, *44*; **56**: 131; **57**: 266; **62**: 97, 99; ***triticina* 21**: 16; **30**: 103; **45**: 100, 101; ***trollii* 58**: 201, 202, 203, 204, 205, 206; ***tulipae* 31**: 175; ***uliginosa* 11**: 148, 149; **56**: 131; ***urbani* 41**: *1*, *2*, *3*, *4*, *5*, *6*, *7*; ***urticata* 53**: 106, 113; **56**: 123, 131; **57**: 266; ***urticata* var. *biporula* 56**: 131; ***urticata* var. *urticae-acutae* 53**: 106; **56**: 131; **57**: 267; ***urticata* var. *urticae-acutiformis* 56**: 132; ***urticata* var. *urticae-flaccae* 56**: 138; ***urticata* var. *urticae-hirtae* 56**: 132; **57**: 267; ***urticata* var. *urticae-inflatae* 56**: 132; **57**: 267; ***urticata* var. *urticae-pilosae* 56**: 132; ***urticata* var. *urticae-ripariae* 56**: 132;

urticata* var. *urticae-umbrosae **55**: 287; **56**: 132; ***urticata* var. *urticae-vesicariae*** **56**: 132; ***variabilis*** **56**: 132; ***venosa*** **31**: 175; ***veratri*** **56**: 132; ***veronicae*** **56**: 132; ***veronicae-longifoliae*** **56**: 132; ***verruca*** **55**: 287; **56**: 132; ***versicoloris*** **17**: *21*, *22*, *23*, *24*, *25*, *26*; ***vesiculosa*** **56**: 138; **58**: 203; ***violae*** **56**: 132; **57**: 258, 267; ***virgae-aureae*** **53**: 92, 107, 112, 114; **56**: 132; ***volkartiana*** **10**: 53; ***vossii*** **56**: 132; ***vulpinae*** **56**: 132; ***waldsteiniae*** **41**: 4; ***winteriana*** **55**: 287; **56**: 132.

PUCCINIASTRUM agrimoniae **56**: 132; ***areolatum*** **35**: 241; ***circaeae*** **53**: 107; **56**: 132; **57**: 267; **62**: 99; ***epilobii*** **53**: 107, 112, 113; **56**: 132; **57**: 267; **62**: 97; ***pyrolae*** **53**: 107; **56**: 132.

PULCHERRICIUM caeruleum **30**: 157, 158.

PULLULARIA pullulans **3**: 7; **9**: 46; **20**: 51; **35**: 218; **40**: 27; **44**: 47.

PULPARIA amethystina **35**: 75, 134, 138, 142; ***jetelae*** **35**: 75, 88; ***persoonii*** **35**: 75, 88, 134, 138, 139, 141, 142; ***planchonis*** **35**: 76, 142; ***verrucispora*** **47**: 196; **52**: 64.

PULVEROBOLETUS cramesinus **22**: 106; **25**: 138; ***gentilis*** **10**: 29; ***lignicola*** **19**: 180, 181; **24**: 105; **25**: *135*, *136*, *137*, *138*, *139*; **43**: 9; ***ravenelii*** **11**: 48; **57**: 29, 30, 37; ***retipes*** **43**: 9; ***subacidus*** **11**: 49; ***sulphureus*** **19**: 181.

PULVEROLEPIOTA roseolanata **58**: 250, 259.

PULVINARIA bohemica **15**: 72; **35**: 74; ***bohemica* var. *alba*** **31**: 167; **35**: 74; ***oocardii*** **15**: 72; **35**: 74, 75; ***oocardii* var. *alba*** **35**: 75.

PULVINULA alba **31**: 70; **35**: 76, 138, 142; ***constellatio*** **14**: 78; **15**: 72, 75; **16**: 107; **17**: 68; **23**: 25, 26, 230; **24**: 109; **35**: 76, 138, 142; ***constellatio* f. *fuckelii*** **35**: 76; ***convexella*** **14**: 78, 218; **35**: 76, 138, 142; ***etiolata*** **38**: 174; ***globifera*** **23**: 232; ***globifera* f. *tetraspora*** **35**: 76; ***globifera* var. *etiolata*** **23**: 232; ***haemastigma*** **16**: 108; **21**: 239; **35**: 76, 142; ***haemastigma* var. *luteoflava*** **35**: 76, 138; ***heamastigma*** **23**: *24*, *25*, *26*, 205, 231, 232; ***heamastigma* var. *luteoflava*** **23**: 24, 25; ***lacteoalba*** **23**: 231; **35**: 76, 138; ***niveoalba*** **23**: 222, 231, 232; **35**: 76, 142; **47**: 196; **52**: 64; ***salmonicolor*** **38**: 174.

PUNCTELIA ulophylla **56**: 160.

PUSTULARIA alutacea **35**: 137; ***catinus*** **14**: 75, 78; **15**: 76; **16**: 112; **23**: 26; **25**: 109; **35**: 84; ***cerea*** **24**: 64; **35**: 69; ***cochleata*** **35**: 137; ***coronaria*** **6**: *113*, *114*, *115*; **7**: 154; **8**: 192; **14**: 225, 227, 228; **18**: 13; **35**: 79; ***gaillardiana*** **31**: 70; ***lechithina*** **26**: 213; ***macrocalyx*** **6**: 113; **17**: 74; **35**: 79; ***macrocalyx* var. *coronaria*** **3**: 47; ***patavina*** **28**: 132; ***pustulata*** **35**: 137; ***reparda*** **35**: 137; ***riparia*** **35**: 137; ***spiralis*** **35**: 137; ***stevensoniana*** **24**: 68; **35**: 68; ***vesiculosa*** **1**: 98; **35**: 72; ***vesiculosa* var. *cerea*** **24**: 64; **35**: 72; ***violacea*** **35**: 68.

PUSTULINA catinus **33**: 162; **35**: 84; ***cupularis*** **32**: 221; **35**: 85; ***gaillardiana*** **35**: 85; ***velata*** **31**: 70; **35**: 85.

PYCNIDIOPHORA dispersa **18**: *82*.

PYCNOPORELLUS alboluteus **17**: *174*, *175*, *176*, *177*, 179, 184, 185; **28**: 26, *27*, *28*, *29*, *30*, 32, 34; ***fibrillosus*** **11**: 156, 168; **17**: 51, *174*, *175*, *176*, 177, *177*, *178*, *179*, 184, 185; **21**: 55, 57; **26**: 38; ***fulgens*** **30**: 169; **40**: 219; **44**: 125; **56**: 291, 292, 295, 296, 297, 298, 299, 300, 301.

PYCNOPORUS cinnabarinus **11**: 160, 169; **14**: 87; **16**: 156, 218; **17**: 53, 108, 127, 162; **18**: 60, *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*, *138*, *139*, *140*, *141*, *142*, 163; **20**: 102, 110; **21**: 129; **23**: 78, 202; **24**: 106, 178; **26**: 37; **27**: 222; **30**: 55; **31**: 115; **36**: 36; **41**: 52; **44**: 142; **49**: 139, 141, 185;

55: 37, 104; ***coccineus*** **18**: 130, 142; ***sanguineus*** **11**: 160; **18**: 130, 142; **30**: 55; **36**: 45; **41**: 52; **55**: 37.
PYCNOTHYRIUM junci **56**: 203, 207, 214, 218, 220.
PYRAMIDOSPORA casuarinae **23**: 135, 138; ***densa*** **23**: 138.
PYRENIDIUM actinellum **51**: 173.
PYRENOCHAETA convolvuli **52**: 64; ***grisea*** **39**: 161; ***mackinnonii*** **39**: 162; ***romeroi*** **39**: 161, 162; ***unguis-hominis*** **39**: 162.
PYRENOPEZIZA betulicola **39**: 207; ***cotoneastri*** **62**: 29; ***escharodes*** **62**: 20, 31; ***fuckelii*** **14**: 12, 19, 20; ***galii-veri*** **44**: 145; ***lychnidis*** **14**: 19; **62**: 19, 20, 21, 26, 29, 30; ***petiolaris*** **62**: 29; ***rubi*** **44**: 145; **62**: 30; ***salicis*** **62**: 29; ***sphaerioides*** **14**: 19; ***sphaerioides*** **f. *lychnidis*** **62**: 21, 26.
PYRENOPHORA avenae **53**: 151, 156; ***ciliata*** **12**: 148; ***fenestrata*** **12**: 148; ***graminea*** **61**: 127; ***lolii*** **43**: 49; ***moravica*** **52**: 64; ***teres*** **61**: 127, 134, 135, 136; ***teres*** **f. sp. *maculata*** **61**: 127, 131; ***teres*** **f. sp. *teres*** **61**: 127, 131; ***tritici-repentis*** **52**: *152*, *153*; **57**: 314; **61**: 125, 126, 127, 128, 129, 130, 131, 133, 134, 135, 136, 137.
PYRENOSTIGME siparunae **52**: 64.
PYRENULA macrospora **56**: 160.
PYRGILLUS javanicus **56**: 160.
PYRICULARIA aquatica **63**: 146; ***caricis*** **42**: *81*, *82*, *83*; ***grisea*** **42**: 81; ***luzulae*** **42**: 80, 81, 82; ***oryzae*** **38**: 195; **42**: 81.
PYRICULARIOPSIS parasitica **40**: 155.
PYRONEMA buchsii **23**: 86, 87, 94, *223*, *224*, *225*; **35**: 16; ***collemoides*** **23**: 224; **35**: 76, 137; ***confluens*** **3**: 86; **16**: 108; ***dispersum*** **35**: 76; ***domesticum*** **2**: 120, 121; **16**: 108; **35**: 76, 138, 141; ***marianum*** **35**: 77; ***marianum*** **β *ochraceum*** **46**: 324; ***melalomum*** **35**: 4; ***minimum*** **31**: 69; **35**: 7; ***omphalodes*** **2**: 122; **3**: 86; **14**: 79; **16**: 108; **22**: 185; **35**: 44, 76, 77, 138; ***omphalodes*** **var. *claviforme*** **35**: 77; ***phaeospermum*** **35**: 137; ***praelatum*** **35**: 19; ***rhizopogon*** **35**: 137; ***tapesioides*** **35**: 137; ***thuemenii*** **23**: 87, 224; ***thuemenii*** **var. *gabretae*** **27**: 224; **35**: 16.
PYROPOLYPORUS robinsoniae **55**: 33.
PYRRHODERMA adamantinum **64**: 18.
PYRRHOSPORA laeta **56**: 160; ***quernea*** **56**: 160.
PYTHIACYSTIS citrophthora **16**: 200.
PYTHIUM acanthicum **15**: 169, 170; ***acanthinum*** **31**: 42; ***akanense*** **18**: 40; ***anandrum*** **31**: 42; ***aphanidermatum*** **18**: *36*, *37*, *38*, *39*; **51**: 167; ***butleri*** **18**: 37; ***debaryanum*** **15**: 169, 171, 172; **22**: 51, 53, 54; **31**: 41, 44, 45, 47, 49, 50; **32**: 116; **38**: 6; ***elongatum*** **44**: 47; ***entophytum*** **18**: 39; ***fecundum*** **18**: 39; ***gracile*** **18**: 39; ***graminicolum*** **31**: 62; ***insidiosum*** **48**: 26; ***intermedium*** **32**: 230; ***irregulare*** **31**: 42; ***mamillatum*** **31**: 42; ***mastophorum*** **16**: 25; ***megalacanthum*** **16**: *23*, *24*, *25*; **31**: 43; ***megalacanthum*** **var. *callistephi*** **16**: 23; ***monospermum*** **18**: 36, 39; ***oligandrum*** **31**: *41*, *42*, *43*, *44*, *45*, *46*, *47*, *48*, *49*, *50*, *51*; **32**: 113, 116, 228, 230; **38**: 4, 7; **41**: 165; **44**: 48; ***polymastum*** **16**: 25; ***spinosum*** **44**: 48; ***ultimum*** **15**: 163, 169, 171, 172; **31**: 41, 44, 45, 47, 50, 64; **32**: 116; **36**: 70; **38**: 4; **44**: 47; **51**: 157; ***ultimum*** **var. *ultimum*** **51**: 158, *160*, *161*, *162*, *164*, *165*, *166*, *167*, *168*.
PYXINE sorediata **56**: 160.

QUADRICLADIUM aquaticum **53**: 20.
QUATERNARIA dissepta **12**: *146*, *147*, *148*; **61**: 89, 91; ***moravica*** **52**: 65; ***persoonii*** **7**: 137; ***quaternata*** **8**: 93; **11**: 184; **13**: 217; **18**: 164; **26**: 50; **27**: 134, *139*, 140, *140*, *141*, 147, 148; **31**: 1, 2; **35**: 240.
QUELETIA mirabilis **9**: *92*, *93*, *94*.
QUERCELLA aurantiaca **20**: 74.
RABENHORSTIA tiliae **13**: 158, 221.
RACHISIA spiralis **1**: 35.
RACODIUM rupestre **23**: *16*, *17*, *18*, *19*, *20*, *21*, *22*, *23*.
RADOTINEA caudata **14**: 17.
RADULODON americanus **30**: 40; ***erikssonii*** **30**: 40; ***licentii*** **30**: *38*, *39*, *40*; ***morganii*** **30**: 40.
RADULOMYCES confluens **23**: 76; **30**: 40; **33**: 156; **36**: 25, 28, 144; **47**: 199, 204; ***molaris*** **30**: 40; **32**: 224; **33**: 162; **35**: 109; **36**: 28.
RADULUM kmetii **47**: 196; ***laetum*** **22**: 251; ***membranaceum*** **14**: 117, 226; **22**: 251; ***membranaceum*** **f. *albiceps*** **64**: 25; ***orbiculare*** **7**: 138; **13**: 156; **25**: 105; ***quercinum*** **6**: 94; **8**: 89; **13**: 184, 185; ***radula*** **7**: 138.
RAMALINA anceps **56**: 160; ***arabum*** **56**: 160; ***bourgeana*** **56**: 160; ***celastri*** **56**: 160; ***crispatula*** **56**: 160; ***deminuta*** **56**: 160; ***densirostra*** **56**: 160; ***farinacea*** **50**: 235; ***fastigiata*** **50**: 235; ***fraxinea*** **23**: *15*, *16*, *17*, *18*, *19*, *20*, *21*, *22*, *23*; **50**: 235; ***glaucescens*** **56**: 160; ***implectans*** **56**: 160; ***lacera*** **56**: 160; ***laevigata*** **56**: 160; ***leiodea*** **56**: 160; ***maderensis*** **56**: 160; ***sprengeri*** **56**: 160; ***subfraxinea*** **var. *subfraxinea*** **56**: 160; ***superfraxinea*** **56**: 160; ***tenuissima*** **56**: 160.
RAMARIA apiculata **12**: 127; **13**: 75; **14**: 21, 23, 77, 88; **22**: 193; **27**: 222; ***aurea*** **5**: 74; **36**: 23; ***bataillei*** **58**: 267, 268, 269, 270; ***botrytis*** **1**: 7; **5**: 74; **10**: 186, 188; **15**: 99; **52**: 10; ***botrytoides*** **15**: 99; ***bourdotiana*** **14**: 21, 22, 24, 88; **27**: 223; ***crispula*** **14**: 112; **21**: 122, 125; **36**: 23, 25; ***cristata*** **18**: 10, 13; **19**: 17; **56**: 282; ***decurrens*** **52**: 10; ***epichnoa*** **3**: 19; ***eumorpha*** **44**: 222; ***farinosa*** **9**: 134; ***fennica*** **36**: 189; ***fennica*** **var. *fennica*** **58**: 269; ***flaccida*** **14**: 77, 112; ***flava*** **5**: 74; **10**: 186; **18**: 13; **21**: 53; **52**: 10; ***formosa*** **5**: 74; **10**: 186, 188; **15**: 98, 99; **19**: 115; **21**: 53; **32**: 224; **36**: 23; **48**: 98; **52**: 8; ***fumigata*** **14**: 112; **46**: 288, 289; ***gracilis*** **13**: 76, 84; **17**: 43, 44; ***holorubella*** **15**: 99; ***invalii*** **10**: 187; **14**: 77; **27**: 223; **32**: 224; **35**: 109; **38**: 221; ***luteoflaccida*** **14**: 24; ***mairei*** **5**: 22; **13**: 76, 84; **14**: 75, 112; **21**: 53; **27**: 223; ***myceliosa*** **14**: 24; ***ochraceovirens*** **10**: 187; **14**: 77, 126; **15**: 191; **16**: 156; **18**: 13, 222; **23**: 79; **24**: 84; **32**: 224; ***pallida*** **1**: 55; **13**: 76; **42**: 158; **48**: 98; ***polypus*** **14**: 24; ***pusilla*** **21**: 125; ***stricta*** **14**: 21, 24, 112; **27**: 223; **32**: 224; ***subbotrytis*** **15**: *98*, *99*, *100*, *101*; **36**: 189; ***subbotrytis*** **var. *intermedia*** **15**: *99*, *100*, *101*; ***testaceoflava*** **58**: 269; ***velenovskyi*** **12**: 191.
RAMARICIUM occultum **22**: 255.
RAMARIOPSIS crocea **14**: 112; **15**: 191; ***kunzei*** **13**: 80, 85; **15**: 191; **20**: 129; **32**: 208; ***kunzei*** **var. *deformis*** **36**: 202; ***subarctica*** **25**: 10; **45**: 35.
RAMICHLORIDIUM cerophilum **39**: 162.
RAMICOLA olivacea **20**: 71.
RAMONIA interjecta **58**: 112.

RAMULARIA achyrophori-uniflori **52**: 65; ***bubakiana*** **52**: 65; ***bulgarica*** **52**: 65; ***lappulae*** **52**: 65; ***linariae*** **52**: 65; ***magnusiana*** **38**: 240; ***plantaginis*** **35**: 241; ***rhei*** **52**: 65; ***richardiae*** **46**: 322; ***rumicis*** **46**: 322; ***stachydis*** **14**: 104; ***urticae*** **35**: 241; ***variabilis*** **19**: 62, 63.
RAMULINA ustulata **35**: 73.
RAVENELIA baumiana **52**: 65; ***glabra*** **46**: 322; ***rhei*** **52**: 65.
REBENTISCHIA massalongii **49**: 220, 222, 223; ***pomiformis*** **49**: 222; ***unicaudata*** **49**: 222.
RESINICIUM bicolor **27**: 223; **36**: 75; **40**: 96; **44**: 142; **56**: 276.
RESUPINATUS applicatus **30**: 198; **33**: 165; ***cyphelliformis*** **20**: 72, 73.
RETICULARIA sphaeroidalis **12**: 218.
RETOCYBE milliaris **1**: 6; **20**: 71, 72.
RHABDOCLINE pseudotsugae **34**: 228; **43**: 244.
RHABDOSPORA astragalicola **52**: 65; ***euphrasiae*** **52**: 65; ***hranicensis*** **52**: 65; ***inaequalis*** **13**: 221; ***melampyricola*** **52**: 65; ***pulsatillae*** **52**: 65; ***securinegae*** **52**: 65.
RHAGADOSTOMA lichenicola **24**: *226*, *227*, 228, *228*.
RHAMPHORIA pyriformis **61**: 89, 91, 92.
RHEOSPORANGIUM aphanidermatum **18**: 36, 37.
RHEXOAMPULLIFERA fagi **64**: 73, 74, 77; ***moravica*** **64**: 73, 74, 75, 76, 77; ***subglobosa*** **64**: 74, 77.
RHINOCLADIELLA anceps **43**: 96, 107; ***aquaspersa*** **44**: 6, 10, 11, 136; ***atrovirens*** **59**: 233, 234, 238; ***compacta*** **39**: 159, 162; ***mansonii*** **33**: 172; **35**: 217; ***nuceps*** **44**: 48; ***pedrosoi*** **39**: 160; ***spinifera*** **39**: 159, 162.
RHINOCLADIUM schenckii-buermannii **39**: 163.
RHINOSPORIDIUM seeberi **39**: 162; **44**: 1, 4, 6, 12, 136.
RHINOTRICHUM bloxamii **23**: *210*, *211*, *212*, *213*, *214*, *215*, *216*, *217*, *218*, *219*, *220*, *221*; ***pulchrum*** **30**: 4; ***ramosissimum*** **30**: 4; ***tenerum*** **30**: 4.
RHIZINA ferruginea **23**: 93; **27**: 129; ***inflata*** **16**: 156; **19**: 16; **35**: 77; ***undulata*** **14**: 79; **15**: 42; **16**: 156; **18**: 13; **23**: 79; **24**: 105; **35**: 77, 138, 141; **53**: 288, 291, 292.
RHIZOCARPON disporum **50**: 232; ***geographicum*** **50**: 232; ***lavatum*** **51**: 175; ***lecanorinum*** **51**: 175; ***obscuratum*** **51**: 175, 177; ***oederi*** **51**: 175; ***tavaresii*** **56**: 160.
RHIZOCTONIA fragariae **32**: 172; ***solani*** **3**: 9; **6**: 36; **11**: 81; **15**: 178; **19**: 108; **22**: 50, 51, 53, 54; **28**: 117, 118; **31**: 42, 63, 64; **32**: 229, 231, 233; **37**: 117; **38**: 2, 4, 7, 195; **43**: 155; **44**: 48; **45**: 41; **47**: 152, 154; **50**: 103, 104; **51**: 168; **52**: 142, 224; **55**: 261, 262, 263, 264, 265, 266, 267, 268, 269; **56**: 223, 224, 225, 226; ***violacea*** **5**: 28; **10**: *240*, *241*, *242*.
RHIZOMORPHA tenualis **46**: 322.
RHIZOMUCOR miehei **53**: 288, 291, 292; **61**: 149, 154, 155, 157; ***parasiticus*** **44**: 196; ***pusillus*** **39**: 150, 161, 162; **44**: 4, 6, 196; **48**: 27; **55**: 255, 256, 257.
RHIZOPODELLA melastoma **14**: 76.
RHIZOPOGON aestivalis **4**: 36; ***aestivus*** **2**: 63, 64; **4**: 91; ***aestivus*** **var.** ***vittadinii*** **4**: 91; ***briardii*** **30**: 228; ***carneus*** **9**: 187, 188; ***graveolens*** **2**: 4, 63; ***graveolens*** **f.** ***sulphurea*** **2**: 63, 64, 69; ***luteolus*** **2**: 63; **8**: 185; **14**: 130; **18**: 111; **21**: 54; ***macrocoilos*** **39**: 68; ***mohelensis*** **14**: 104; ***provincialis*** **4**: 91; ***roseolus*** **2**: 93; **12**: 63, 128; **14**: 104; **18**: 111; **22**: 50, 53, 54; **33**: 166;

roseolus* var. *foetens **14**: 77, 104; ***roseolus* var. *sulphureus*** **14**: 112; ***rubescens*** **4**: 36; ***sulphureus*** **2**: 63, 64; ***vulgaris*** **14**: 77; **18**: 111, 115.

RHIZOPUS arrhizus **23**: 66; **24**: 163, 207, 213; **26**: 167, 171, 172, 175, 177; **29**: 212; **31**: 207, 208, 210; **32**: 61, 228; **37**: *28*, *29*, *30*; **39**: 163; **41**: 8, 12, 13; **44**: 6, 48; **47**: 295; **48**: 27, 81, 82, 83, 85; **55**: 89, 93, 96; **59**: 129, 132; ***arrhizus* var. *arrhizus*** **44**: 196; ***artocarpi*** **35**: 212; ***chinensis*** **23**: 65, 66; ***cohnii*** **26**: *167*, *168*, *169*, *170*, *171*, *172*, *173*, *174*, *175*, *176*, *177*; **27**: 242; **32**: 61, 62; **44**: 48, 197; ***delemar*** **40**: 67; ***microsporus*** **24**: 163; **26**: 167; **32**: 61; **61**: 149, 151, 154, 155; ***niger*** **44**: 48; ***nigricans*** **4**: 100; **14**: 52, 54, 55, 58; **24**: 163, 207, 213, 214; **26**: 172, *233*, *234*, *235*, *236*; **27**: 48, 50; **31**: 207, 208, 210; **33**: *86*, *87*, *88*, *89*, *90*, *91*, *171*, *172*, *173*; **35**: 48, 212; **40**: 27, 68, 70; **44**: 38, 48; **46**: 102, 109; **47**: 295; **59**: 241, 242, 247, 248; ***nodosus*** **44**: 48; ***oligosporus*** **55**: 141; ***oryzae*** **20**: 182; **24**: 163, 207, 213, 214; **26**: 167, 169, 171, 172, 176, 177; **27**: 242; **30**: 20; **31**: 207, 208, 210; **32**: 61; **37**: 90; **39**: 150, 163; **44**: 48, 196; **52**: 168; **55**: 106, 110, 121; **59**: 208, 210; **60**: 84; **61**: 154; ***racemosus*** **61**: 155; ***ramosus*** **37**: 168; **45**: 25, 26; ***rhizopodiformis*** **39**: 163; **44**: 6, 197; ***stolonifer*** **33**: 231, 232; **35**: 212; **40**: 24, 26, 27; **41**: 12; **43**: 99, 102; **44**: 48; **48**: 81; **50**: 103; **51**: 162, 164; **52**: 130, 222; **55**: 89, 93, 96, 99, 100, 256; **56**: 227, 228, 235; **59**: 128, 129, 132, 134, 208, 210, 211; **60**: 81, 82; **61**: 154; ***suinus*** **26**: 167, 171, 175; ***umbellatus*** **37**: 168.

RHIZOSCYPHUS ericae **59**: 215, 216, 217, 218, 219, 220, 224.

RHIZOSPHAERA kalkhoffii **59**: 113; ***pini*** **59**: 113.

RHODOCOLLYBIA butyracea **50**: 181, 184; **60**: 18; ***butyracea* f. *asema*** **63**: 260; ***butyracea* f. *butyracea*** **50**: 184; ***distorta*** **63**: 260; ***giselae*** **50**: *181*, *182*, *182*, *183*, *183*, *184*, *184*; **52**: 65; ***maculata*** **63**: 260.

RHODOCYBE fallax **31**: 34; **33**: 156; ***gemina*** **52**: 213; ***mundula*** **59**: 74; ***nitellina*** **18**: 161; ***obscura*** **31**: 35; ***parilis*** **52**: 213; ***popinalis*** **31**: 35; **43**: 87; **44**: 221; **46**: 84; **59**: 74, 76; ***truncata*** **14**: 77, 113; **19**: 50; **26**: 123; **28**: 175; **30**: 54; **34**: 39, 41; **35**: 110; **44**: 221; ***xylophila*** **29**: *157*, *158*, *159*, *160*, *161*, *162*, *163*, *164*, *165*.

RHODOFOMES roseus **44**: 235.

RHODONIA placenta **61**: 194.

RHODOPAXILLUS mundulus **6**: *94*, *95*, *96*, *97*; **14**: 113; ***nigrescens*** **6**: *94*, *95*, *96*, *97*; **7**: 160; ***nimbatus*** **19**: 50; ***nudus*** **5**: *122*, *123*; **10**: 28, 187; ***obscurus*** **6**: *94*, *95*, *96*, *97*; **7**: 160; **14**: 77; **31**: 35; ***panaeolus*** **11**: 128; **18**: 116; ***saevus*** **4**: 37; **10**: 187; ***sudus*** **11**: 128; ***truncatus*** **30**: 54.

RHODOPEZIZA tuberculata **47**: *261*, *262*, *263*, 265.

RHODOPHYLLUS araneosus **9**: 8, 9; ***ardosiacus*** **14**: 78; ***asprellus*** **14**: 79; ***babingtonii*** **9**: 8, 9; **15**: 225; ***byssisedus*** **22**: 198; ***caccabus*** **13**: *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*, *138*, *139*; ***caliginosus*** **26**: 123; ***cancrinus*** **19**: 123; ***cetratus*** **10**: 8, 9; **14**: 225; ***chalybaeus*** **14**: 78; ***clypeatus*** **19**: 194; ***coelestinus*** **18**: 204, 205; ***cyanulus*** **18**: *204*, *205*, *206*; ***dysthales*** **9**: 8, 9; ***euchrous*** **14**: 78, 83; ***fallax*** **14**: 113; ***helodes*** **9**: 8, 9; ***hirtipes*** **10**: 8; **14**: 113; ***icterinus*** **8**: 32, 36, 37, 39; ***icterinus* f. *gracillimus*** **20**: 69; ***incanus*** **14**: 71, 223; ***indutus*** **9**: 8, 9; ***infulus*** **20**: 167; ***jubatus*** **9**: 8, 9; ***lampropus*** **14**: 78; ***lividoalbus*** **29**: 27; ***lividus*** **13**: 7, 9; **14**: 75, 111, 117, 124, 229; **15**: 168; **19**: 128; **34**: 78, 79; ***madidus*** **30**: 228; ***majalis*** **14**: 117; ***mammosus*** **19**: 18; ***nidorosus*** **13**: 136; **14**: 75, 113, 117, 225; **25**: 108; ***parkensis*** **14**: 104; ***phaeocephalus*** **9**: 8, 9; ***placidus*** **14**: 76, 88; **24**: 109; **25**: 108, 111; ***politus*** **14**: 113; ***porphyrophaeus*** **16**: 21;

prunuloides **18**: 12; ***rhodocylix*** **14**: 112; ***rhodopolius*** **14**: 74, 113, 117, 225; **19**: 128; **23**: 177; **25**: 108; **34**: 78, 79; ***rickenii*** **9**: 9; ***rubroviolascens*** **14**: 112; ***rusticoides*** **14**: 104; **24**: 109; ***sarcitus*** **14**: 75; **18**: 12; ***saundersii*** **17**: 108; **19**: 194; ***sericellus*** **14**: *78*, *79*, *80*, *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*, *92*, *93*, *94*, *95*, *96*, *97*, *98*, *99*, *100*, *101*, *102*, *103*, *104*; ***sericeoides*** **13**: 136; ***sericeus*** **13**: 136; ***serrulatus*** **14**: 104; ***sinuatus*** **14**: 75; **15**: 168; **23**: 177, 179; ***speculus*** **14**: 75; ***staurosporus*** **9**: 5; **10**: 1, 8; **18**: 12; **25**: 108; ***svrcekii*** **23**: *10*, *11*, *12*; **39**: 247; ***undatus*** **30**: 228; ***vernum*** **14**: 78; ***vernus*** **10**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*; **12**: 251; **13**: 135; **23**: 171, 174, 177, 179; ***vernus*** **f. *entolomoides*** **10**: 8; ***vernus*** **f. *gracilis*** **10**: 8; ***vernus*** **f. *papillata*** **10**: 8; ***vernus*** **f. *robusta*** **10**: 8; ***vernus*** **f. *typica*** **10**: 8; ***versatilis*** **9**: 6, 8; ***viridulus*** **9**: 5, 6, 7, 8, 9; **52**: 93.

RHODOSPORIDIUM diobovatum **38**: 17; **39**: 241; ***infirmominiatum*** **38**: 17; ***sphaerocarpum*** **32**: 149; **39**: 241; ***toruloides*** **32**: 149; **35**: 214; **38**: 17; **39**: 241.

RHODOTORULA aurantiaca **15**: 115; ***aurea*** **15**: 118; **32**: 145; ***bronchialis*** **32**: 149; ***flava*** **15**: 115; ***glutinis*** **11**: 211; **13**: 120, 162; **15**: 115; **16**: 240, 243; **18**: 32; **32**: 36, 39, 149; **33**: 106; **35**: 214; **36**: 123, 124; **38**: 17; **43**: *227*, *228*, *229*, *230*, *231*, *232*, *233*; **44**: *154*, *155*, *156*, *157*, *158*, *159*; **45**: 44, *104*, *105*, *106*, *107*, *108*, *109*, *110*; **53**: 226, 227; **54**: 241, 242, 243; ***glutinis*** **var. *glutinis*** **39**: 47, 241; ***gracilis*** **32**: 103, 149; ***graminis*** **33**: 106, 115; **35**: 193, 195; **39**: 47, 241; ***laryngis*** **32**: 150; ***minuta*** **11**: 211; **13**: 120; **15**: 115; **16**: *240*, *241*, *242*, *243*; **19**: 116, 119; **20**: 182; **32**: 36, 40, 244; **33**: 106; **35**: 193, 195, 229; **36**: 53, 54, 168; **38**: 17; **39**: 241, 242; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; **48**: 147, 148, 150, 151; ***minuta*** **var. *minuta*** **32**: 150; **33**: 116; ***mucilaginosa*** **11**: *211*, *212*, *213*, *214*; **13**: 120, *160*, *161*, *162*; **14**: 52, 54, 55, 57; **15**: 115; **16**: *238*, *239*, *240*, *241*, *242*, *243*; **18**: 32; **19**: 116, 119; **20**: 182; **32**: 151; **39**: 163; **53**: 226, 227; **60**: 81, 82, 84; **63**: 97, 98, 99; ***mucilaginosa*** **var. *alba*** **11**: *212*, *213*, *214*; **27**: 242; ***nitens*** **32**: 145; ***pallida*** **15**: 115; **16**: 237, 242, 243; **32**: 36, 40, 150, 244; **33**: 107; **39**: 242; **42**: 116, 118; ***peneaus*** **32**: 145; ***pilimanae*** **32**: 151, 244; **33**: 107, 116, 231, 232; **34**: 84, 85; **36**: 123, 124, 168; **38**: 17; **39**: 163, 242; ***rosea*** **33**: 115; ***rubra*** **11**: 211; **13**: 120; **15**: 115; **32**: 36, 38, 151, 244; **33**: 106, 231, 232; **34**: *84*, *85*, *86*; **35**: 229; **36**: 53, 54, 125, 168; **38**: 17; **39**: 162, 163, 241, 242; **42**: 116, 118; **43**: *223*, *227*; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; **46**: 273, 275, 277, 281; **48**: 147, 148, 150, 151; ***rubra*** **var. *alba*** **32**: 151; ***sphaerica*** **36**: 53; ***terrea*** **32**: 149; ***texensis*** **var. *minuta*** **32**: 150; ***vuilleminii*** **33**: 116; ***zsoltii*** **32**: 150.

RHODOTUS palmatus **30**: 54; **31**: 34; **41**: 52; **55**: 187, 194, 195.

RHOPOGRAPHUS filicinus **12**: 146, 149; ***pteridis*** **12**: 149.

RHYNCHOSPHAERIA zimmermannii **52**: 65.

RHYNCHOSPORIUM secalis **40**: 91, 94.

RHYPAROBIUS cookei **16**: 110; ***crouanii*** **13**: 97, 102; **35**: 7; ***crustaceus*** **16**: 110; **35**: 77, *137*, *138*, *139*; ***fallax*** **22**: 305; ***hyalinellus*** **35**: 77, 137, 138, 139; ***kutakii*** **35**: 137; ***leporinus*** **35**: 137; ***mirabilis*** **35**: 77; ***murinus*** **14**: 169, 175; **15**: 73; **17**: 68; **35**: 8; ***pachyascus*** **35**: 77, 139; ***pelletieri*** **15**: 73; **35**: 85; ***polysporus*** **23**: 205; **25**: 151, 157, 160; **35**: 77, 138, 139; ***sexdecimsporus*** **25**: 152, 153, 158; **35**: 77, 138, 139; ***tenacellus*** **13**: 97; **35**: 7, 77, 139.

RHYTIDHYSTERIUM rufulum **23**: 256, *258*, 259, *259*, *260*, *261*.

RHYTISMA acerinum **11**: 136; **16**: 90; **18**: 158; **56**: 276; **63**: 260; ***grewiae*** **46**: 322; ***salicinum*** **16**: 90; **44**: 77, 91, 145.

RICKENELLA fibula **38**: 213; **44**: 89; **46**: 123; **52**: 7; **56**: 276; **63**: 260; ***mellea*** **46**: 123; ***setipes*** **44**: 89; **56**: 276.

RICKIA berlesiana **14**: 49, 50, 51; ***wasmannii*** **14**: 49.

RIGIDOPORUS albostygius **64**: 7; ***corticola*** **44**: 124, 125, 231, 232; **45**: 154; **46**: 236; **49**: 139; ***crocatus*** **59**: 61; **64**: 3, 6, 7, 8; ***latemarginatus*** **26**: 82; **33**: 156; **42**: 131, 132, 134; **55**: 27; ***lineatus*** **55**: 38, 41; ***moeszii*** **42**: 131; ***nigrescens*** **21**: 56, 57; **64**: 3, 6, 7, 8; ***obducens*** **46**: 229; **49**: 139; ***philadelphi*** **44**: 125; ***populinus*** **30**: 55; **35**: 109; **41**: 52; **49**: 139; ***pouzarii*** **64**: 3, 5, 6, 7, 8, 9, 10, 11; ***ravidus*** **44**: 125, 231, 232; **46**: 237; ***sanguinolentus*** **36**: 36; **55**: 33; ***surinamensis*** **55**: 38; ***ulmarius*** **30**: 166, 167; ***undatus*** **31**: 117; ***vinctus*** **55**: 39, 42; **64**: 6, 7, 8, 11.

RIMBACHIA arachnoidea **54**: 145, 146, *147*, *148*, *149*; ***bryophila*** **54**: 145, 146, 150, 151, 153; ***neckerae*** **54**: 145, 146, *152*, *153*.

RIMULA faginea **49**: 216.

RINODINA alba **56**: 160; ***atrocinerea*** **56**: 160; ***beccariana*** **56**: 160; ***brandii*** **56**: 155, 160; ***cana*** **56**: 160; ***canariensis*** **56**: 155, 160; ***colobina*** **56**: 160; ***dalmatica*** **56**: 160; ***gennarii*** **56**: 161; ***milvina*** **56**: 161; ***nigricans*** **56**: 161; ***nimbosa*** **23**: 105; ***olivaceobrunnea*** **56**: 161; ***orculata*** **56**: 161; ***peloleuca*** **56**: 161; ***poeltiana*** **56**: 155, 161; ***santorinensis*** **var. *santorinensis*** **56**: 161.

RIOPA davidii **48**: 318.

RIPARTITES helomorpha **7**: 192; **11**: 128; **14**: 98; ***tricholoma*** **18**: 13; **44**: 89.

ROCCELLA babingtonii **56**: 161; ***fuciformis*** **56**: 161; ***linearis*** **56**: 161; ***teneriffensis*** **56**: 161; ***vicentina*** **56**: 161.

ROESLERIA hypogaea **10**: 94.

ROMANOA terricola **35**: 216.

ROPALOSPORA viridis **56**: 160.

ROSELLINIA acaciae **48**: 178, 179; ***aquila*** **39**: 15; **61**: 89, 92; ***aquila*** **var. *glabra*** **13**: 157; ***aquiloidea*** **48**: *178*, *179*; ***bonarensis*** **48**: 181; ***congesta*** **48**: 181; ***dimidiata*** **48**: 181; ***glandiformis*** **48**: 178; ***lakshadweepensis*** **48**: *180*; ***mammiformis*** **39**: 17; **44**: 146; ***necatrix*** **34**: 142; ***niesslii*** **18**: 187, 188; ***petriniae*** **48**: *180*, *181*; ***rimincola*** **14**: 224; ***sanctae-cruciana*** **48**: 180, 182.

ROSELLINITES areolatus **47**: 211; ***congregatus*** **47**: 211.

ROSTRAUREUM tropicale **61**: 98.

ROSTROCORONOPHORA geranii **28**: 220, 221.

ROZITES caperata **4**: 21; **5**: 75; **16**: 21, 158; **18**: 115, *223*, *224*, *225*; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **20**: 110; **24**: 178; **43**: 59.

RUBINOBOLETUS rubinus **23**: 81, 82; **57**: 11, 14, 39, 40; **58**: 32.

RUSSULA abietum **54**: 178, *180*, *181*, *182*, 184, *186*, *187*, *188*, 190; ***acetolens*** **43**: *193*, *194*, *194*, *195*, *195*, 202, 203; ***acrifolia*** **43**: 197; **52**: 9; **58**: 50, 53, 58, 59; **63**: 260; ***acris*** **43**: 204; ***adulterina*** **43**: 195; ***adusta*** **3**: 28; **4**: 159; **8**: 166, 167; **12**: 195, 198; **18**: 13; **19**: 15, 17, 19; **34**: 78; **40**: 96; **43**: 197; ***aerina*** **33**: 48; ***aeruginea*** **3**: 79, *124*, *125*; **4**: 149; **5**: 146; **7**: 159; **8**: 114, 167, 168; **18**: 12; **19**: 17; **20**: 59; **29**: 111, 185; **30**: 25; **32**: 224; **33**: 48, 165; **34**: 78; **38**: 221; **42**: 161; **44**: 89, 221; **46**: 287; **58**: 47, 53, 55; ***aeruginosa*** **43**: 205; **44**: 223; ***albonigra*** **12**: 195, 198; **19**: 114;

32: 224; **34**: 78; **38**: 221; **52**: 5; **59**: 74, 76; ***alnetorum* 43**: 195; ***alutacea* 6**: 48; **12**: 214; **14**: 75, 106, 225; **18**: 161; **40**: 244, 245; **43**: 195; **52**: 10; ***amara* 1**: 53; **12**: 198; ***amethystina* 46**: 170, 172; **56**: 272; ***amoena* 6**: 144; **28**: 174; **29**: 33; **34**: 78; **44**: 222; **58**: 48, 53, 58, 60; ***amoena* f. *violeipes* 6**: 144; ***amoenicolor* 52**: 10; **58**: 60; ***amoenolens* 43**: 199; **64**: 198; ***anthracina* 58**: 51, 53, 57, 58; ***aquosa* 10**: *23*, *24*, *25*, *26*, *27*; **12**: 171; **43**: 204; ***atropurpurea* 5**: 8, 9; **8**: 166, 167; **10**: 26, 116; **11**: 172; **14**: 75, 112, 130; **15**: 14; **32**: 224; **33**: 165; **34**: 38, 78; **43**: 199; **58**: 52, 53, 55, 63; ***atropurpurea* var. *depallens* 11**: 172; ***atropurpurea* var. *dissidens* 11**: 172; ***atropurpurea* var. *krombholzii* 36**: 202; ***atropurpurea* var. *pantherina* 11**: 172; ***atrorubens* 10**: *24*, *25*, *26*; **58**: 47, 53, 56, 63; ***aurantiaca* 7**: 172; ***aurantiolutea* 21**: 227; ***aurata* 1**: 114; **6**: 113; **11**: 46; **14**: 75, 111, 112, 126, 225; **21**: 228; **29**: 28; **30**: 198; **33**: 165; **35**: 110; **38**: 221; **52**: 10; ***aurea* 43**: 196; **58**: 50, 51, 53, 56; ***aureocitrina* 43**: 196; ***aurora* 10**: 25; **14**: 75, 117; **40**: 241, 243; **43**: 204; **46**: 170, 172; **59**: 75; ***aurora* var. *cretacea* 15**: 14; ***autumnalis* 7**: 153; **10**: 24, 26, 27; **12**: 172; ***azurea* 1**: 54; **5**: 101; **9**: 36; **14**: 126; **15**: 208; **16**: 144; **18**: 13; **33**: 165; ***badia* 1**: 53, 54; **2**: 36; **4**: 149; **5**: 101, 111, 129; **6**: 49; **8**: 166, 167; **10**: 116, 187; **14**: 126, 225; **18**: 13; **19**: 17, 115; **25**: 108; **32**: 224; **33**: 49; **34**: 76, 78; **43**: 202; ***barlae* 54**: 178, 181, 182, 183, 185, 186, 187, *188*, *189*, *190*; ***barlae* var. *pseudomelliolens* 54**: 178, 181, 187; ***betularum* 44**: 89; **63**: 260; ***betulina* 7**: 171; **15**: 60; **23**: 4, 7; ***brevipes* 29**: 28; **32**: 224; **33**: 165; **43**: 196; **56**: 271; ***brunneoviolacea* 7**: 172; **46**: 170, 172; **58**: 47, 53, 57, 58; ***caerulea* 12**: 197; **19**: 15, 17, 19, 20; ***carminea* 43**: 204; ***carnicolor* 7**: 168, 171; ***carpini* 58**: 51, 53, 57, 58; ***caseosa* 43**: 205; ***cavipes* 43**: 199; **52**: 213, 215; ***cessans* 36**: 187; ***chamaeleontina* 1**: 16, 53; **14**: 225; **15**: 208; **19**: 16; **29**: 28; **33**: 47, 165; **34**: 78; **35**: 110; **38**: 221; **40**: 236, 240, 242, 243, 245; **43**: 200, 202, 203; **58**: 62; ***chamaeleontina* f. *batschiana* 40**: 236; ***chamaeleontina* f. *lutea* 40**: 236; ***chamaeleontina* var. *maxima* 40**: 234, 236, 243, 245; ***chamaeleontina* var. *ochracea* 40**: 236; ***chamaeleontina* var. *subcristulata* 40**: 236; ***chloroides* 15**: 14; **18**: 10, 13; **19**: 115; **34**: 78; **43**: 197; **46**: 171; **58**: 52, 53, 56; **63**: 260; ***chrysodacryon* 33**: 165; ***cicatricata* 54**: 180, 181, 186; ***cinerascens* 10**: 113; ***clariana* 43**: 196; ***claroflava* 1**: 53; **5**: 101; **16**: 158; **18**: 2, 6; **21**: 56, 97; **26**: 123; **35**: 241; **44**: 124; ***clusii* 5**: 110; **15**: 209; **43**: 199; ***coerulea* 1**: 53; **4**: 148; **7**: 172; **10**: 28; **43**: 196; ***columbaria* 33**: 47; **39**: 246; ***columbaria* var. *pirospora* 33**: 48; ***consobrina* 1**: 53; **3**: 91; **14**: 112; **18**: 10, 13; ***cremeoavellanea* 21**: *225*, *226*, *227*, *228*; ***crocea* 43**: 200, 202; ***cupreola* 47**: 45, 48, *52*, *53*, *54*; ***curtipes* 6**: 48; ***cyanoxantha* 1**: 54; **3**: 52; **4**: 148; **5**: 41, 73, 133; **7**: 73, 77, 79; **8**: 166, 168; **9**: 36, 38; **12**: 197; **14**: 87, 111, 225; **16**: 188; **18**: 10, 12, 91; **25**: 108; **27**: 219; **32**: 224; **33**: 165; **34**: 78; **35**: 110; **38**: 221; **44**: 222; **46**: 68, 71, 169, 170, 287; **52**: 5; **56**: 271, 285; **58**: 47, 48, 49, 50, 51, 52, 53, 56; ***cyanoxantha* var. *peltereaui* 25**: 111; ***cyanoxantha* var. *variata* 3**: 79; ***cypriani* 43**: 203, 204; ***deceptiva* 21**: 231; ***decipiens* 21**: 225, *228*, *229*, *230*, *231*; **25**: 62; **30**: 228; **33**: 49; **52**: 9; **58**: 52, 53, 56, 58; ***decolorans* 1**: 16, 54; **5**: 101; **8**: 167; **10**: *114*, *115*, *116*; **14**: 94, 96, 125, 128, 129; **16**: 117, 118; **19**: 115; **34**: 78; **43**: 196, 201; ***delica* 3**: 8, 52; **5**: 41, 115; **6**: 145, 148; **8**: 166, 168; **14**: 87; **22**: 198; **27**: 219; **34**: 78; **43**: 196, 197; **44**: 89; **52**: 5; **58**: 50, 53, 56; ***delica* var. *chloroides* 14**: 225; ***delica* var. *puta* 30**: 228; ***densifolia* 3**: 52; **8**: 168; **14**: 77; **18**: 13; **19**: 16; **25**: 108; **34**: 78; **43**: 197; **52**: 10; **56**: 272; **58**: 48, 52, 54, 58, 59; **63**: 260; ***depallens* 7**: 168; **10**: 113; **12**: 197, 199; **15**: 58, 60; **43**: 200, 201; ***drimeia* 5**: 110; ***dryadicola* 47**: 45, 48, 55; ***duportii* 54**: 189, 190; ***emetica* 5**: 110, 129; **6**: 39; **9**: 118;

10: 24, 26, 27; **11**: 191; **12**: 117, 172; **14**: 94, 96, 126; **19**: 115; **25**: 108; **32**: 224; **34**: 76, 78, 80; **37**: 109, 128; **43**: 197, 199, 201; **44**: 90, 223; **46**: 170, 172; **48**: 98, 100; **54**: 200; **56**: 271, 282; **57**: 311; **58**: 54, 55, 59; **63**: 260; ***emetica*** **subsp.** ***mairei*** **14**: 87; **27**: 219; ***emetica*** **var.** ***betularum*** **36**: 187; ***emetica*** **var.** ***silvestris*** **44**: 221; **52**: 10; ***emeticella*** **10**: 27; **31**: 114; ***emeticicolor*** **15**: 208; ***erythropoda*** **54**: 177; ***esculenta*** **43**: 195; ***euemetica*** **10**: 26; ***exalbicans*** **1**: 19; **10**: 28; **14**: 112; **15**: *58*, *59*, *60*; **23**: 141; **43**: 200, 201; ***exsucca*** **43**: 197; ***fageticola*** **25**: 62; **27**: 219; ***faginea*** **54**: *177*, *178*, *179*, *180*, *181*, *182*, *183*, *184*, *185*, *186*, *187*, *188*, *189*, *190*; **56**: 270, 272; **58**: 49, 54, 58, 61; ***fallax*** **1**: 53; **10**: *25*, *26*, *27*; **12**: 170, 172; **14**: 89, 112, 117; **27**: 219; ***fallax*** **var.** ***carminea*** **12**: 171, 172; ***fallax*** **var.** ***syringina*** **12**: 171; ***farinipes*** **10**: 28, 187; **12**: 214; **14**: 110, 118, 120; ***fellea*** **8**: 166; **10**: 187, 188; **12**: 213; **14**: 87; **16**: 188; **19**: 115; **27**: 31, 219; **34**: 76, 78, 79; **40**: 241; **46**: 169, 170, 172; **56**: 272, 285; **58**: 48, 50, 54, 55; **63**: 260; ***firmula*** **8**: 167; **14**: 117, 126, 225; **16**: 144; **18**: 13; **19**: 115; **26**: 123; **34**: 78, 79; ***flavispora*** **33**: 47; **43**: 197; ***flavispora*** **var.** ***blumiana*** **33**: 47; ***flavocitrina*** **40**: 234, *243*, *244*, *245*; ***foetens*** **1**: 53; **5**: 6, 9, 129; **6**: 39, 145, 146, 149; **8**: 114, 166, 168; **18**: 10, 13; **19**: 115; **25**: 108; **29**: 28; **33**: 165; **34**: 76, 78; **38**: 221; **43**: 198; **44**: 90, 221, 223; **46**: 173; **52**: 9; **56**: 272; **58**: 61; ***foetens*** **var.** ***grata*** **43**: 198; ***font-queri*** **21**: 227, 228; ***fosteriana*** **15**: 210; ***fragilis*** **6**: 39; **9**: 118; **10**: 26, 27, 163, 168; **22**: 50, 53, 54; **25**: 108; **32**: 224; **34**: 38, 76, 80, *192*, *193*, *194*; **44**: 90; **52**: 6, 213; **56**: 272; **58**: 51, 52, 54, 56, 63; **63**: 260; ***fragilis*** **var.** ***carminea*** **43**: 204; ***fragilis*** **var.** ***salicina*** **12**: 172; ***fragrans*** **43**: 198; ***fragrantissima*** **43**: 198; ***furcata*** **43**: 198; ***furcata*** **β** ***aeruginosa*** **43**: 205; ***furcata*** **var.** ***pictipes*** **43**: 198; ***fuscoochracea*** **14**: 106; ***galochroa*** **32**: 224; ***gigasperma*** **39**: 246; ***gilva*** **21**: 227; **40**: 236, 243; ***gracilis*** **43**: 198; ***gracillima*** **15**: 60; **58**: 47, 54, 55; ***grata*** **43**: 198; ***grata*** **var.** ***laurocerasi*** **43**: 198; ***graveolens*** **58**: 50, 52, 54, 55, 62; ***graveolens*** **var.** ***pseudomelliolens*** **54**: 178; ***grisea*** **4**: 149; **18**: *10*, *11*, *12*; **33**: 47, 48; **40**: 241; **43**: 198; **58**: 48, 50, 54, 55; ***grisea*** **var.** ***olivascens*** **43**: 200; ***helios*** **40**: 234, 243, 245; ***helodes*** **5**: 8, 9; **8**: 180; **12**: 195, 198, 199; **14**: 98; **16**: 117, 118; **23**: 4, 7, 141; **26**: 60; ***heterophylla*** **1**: 114; **4**: 88; **5**: 38; **7**: 159; **8**: 167; **14**: 75; **34**: 78; **46**: *287*, *288*, *289*; **52**: 10; **58**: 50, 51, 52, 54, 56; ***heterophylla*** **var.** ***vesca*** **43**: 205; ***horticola*** **15**: 58, 60; ***hydrophila*** **12**: *170*, *171*, *172*; **36**: 187; ***ilicis*** **30**: 228; ***illota*** **58**: 52, 54, 58, 60, 61; ***incarnata*** **43**: 204; ***innocua*** **43**: 199; ***insignis*** **43**: 199; ***intactior*** **15**: 209, 210; ***integra*** **1**: 114; **6**: 48; **7**: 168, 171, 172; **8**: 166, 167; **9**: 37; **10**: 116; **12**: 198; **16**: 188; **18**: 13, 91; **19**: 16, 115; **21**: 17; **25**: 108; **35**: 110; **56**: 272; ***integra*** **var.** ***adulterina*** **43**: 195; ***ionochlora*** **25**: 108, 111; **43**: 198; ***kavinae*** **23**: 4, 7; ***knauthii*** **30**: 228; ***krombholzii*** **36**: 202; **43**: 199, 201; ***lactea*** **21**: 227; ***laurocerasi*** **1**: 53; **8**: 167; **10**: 28; **12**: 197, 198; **14**: 112; **15**: 14; **16**: 188; **18**: 3; **21**: 57; **23**: 4, 7; **25**: 62, 108; **32**: 224; **35**: 110; **36**: 184; **46**: 170, 172; **58**: 50, 54, 56, 61; ***laurocerasi*** **var.** ***fragrans*** **43**: 198; **52**: 12; ***lepida*** **1**: 54, 114; **5**: 102, 108; **7**: 168; **8**: 167; **12**: 120, 121; **13**: 41, 48; **14**: 89, 111; **16**: 158, 188; **18**: 162; **19**: 115; **23**: 79; **27**: 219; **33**: 48, 165; **34**: 76, 78, 79; **35**: 110; **38**: 221; **42**: 161; **43**: 204, 205; **46**: 173; **58**: 50, 52, 54, 55; ***lepida*** **f.** ***lactea*** **15**: 14; ***leprosa*** **12**: 171; ***lilacea*** **5**: 101; **9**: 36; **12**: 198; **14**: 112; **15**: 206, 207; **23**: 141; **32**: 224; **46**: 171; **58**: 52, 54, 57, 58; ***lilacea*** **var.** ***carnicolor*** **15**: 207; ***lilacea*** **var.** ***emeticicolor*** **15**: 207; ***lilacea*** **var.** ***melzeriana*** **15**: 207; ***lilacea*** **var.** ***retispora*** **15**: 207; ***linnaei*** **43**: 203; ***livescens*** **30**: 228; **43**: 199; ***lundellii*** **1**: *15*, *16*, *17*, *18*; **11**: *170*, *171*, *172*; **12**: 199; **44**: 124; ***lutea*** **1**: 54, 114; **3**: 52; **10**: 28; **12**: 208; **14**: 106; **15**: 14; **16**: 188; **18**: 12;

29: 28; **32**: 224; **34**: 78; **43**: 194, 202, 203; **56**: 272; ***lutea* f. *maxima*** **40**: 243; ***lutea* var. *maxima*** **40**: 243, 245; ***luteorosella*** **40**: 243; ***luteotacta*** **14**: 75, 111, 117, 118, 120, 124, 128; **15**: 14, 209, 210; **18**: 9, 11; **19**: 115; **20**: 165; **24**: 84; **34**: 76, 78; **40**: 119; **43**: 199; ***luteotacta* subsp. *intactior*** **15**: 209, 210; ***luteoviolacea*** **43**: 199; ***luteoviridans*** **6**: 48; ***maculata*** **1**: 18, 53; **5**: 101; **14**: 111, 112, 225; **16**: 224; **21**: 225, *228*, *229*, *230*, *231*; **29**: 33; **46**: 173; **47**: 45, 55, 56; **52**: 4, 9, 14; **58**: 56; ***maculata* var. *decipiens*** **21**: 225, *228*, *229*, *230*, *231*; ***mairei*** **5**: 113; **10**: *26*, *27*, 28; **12**: 171, 172, 213; **34**: 78; **40**: 241; **44**: 222, 223; **46**: 170, 172, 186; **58**: 48, 50, 54, 55; **63**: 260; ***mariae*** **14**: 126; ***medullata*** **33**: 47; **58**: 47, 51, 54, 58, 59, 60; ***melitodes*** **33**: 48; ***melliolens*** **1**: 53; **4**: 149; **5**: 8, 9, 111; **14**: 75, 111, 117, 118, 120, 124, 127, 128; **18**: 10; **21**: 227; **32**: 224; **33**: 48; **43**: 202; **54**: 187; **58**: 50, 54, 56; ***melzeri*** **7**: 172; **21**: 228; **23**: 5, 7; ***minutula*** **14**: 111; **52**: 10; ***mollis*** **1**: 53; **14**: 126, 225; **18**: 116; **43**: 200; ***multicolor*** **43**: 200; ***mustelina*** **4**: 89; **6**: 41; **7**: 77, 79; **8**: 114, 167; **14**: 125, 128, 129; **16**: 117, 118, 187; **19**: 115; **24**: 117; **34**: 78; **44**: 90, 221; **52**: 213; **56**: 272, 281; ***nana*** **45**: 35; **47**: 48, 49; ***nauseosa*** **11**: 172; **14**: 89, 117, 126; **18**: 13; **27**: 219; **34**: 78; **43**: 194; **44**: 90; **46**: 171, 172; **56**: 270, 272, 282; ***nauseosa* var. *flavida*** **14**: 225; ***neglecta*** **40**: 243; **43**: 200; ***nigricans*** **4**: 148; **5**: 104, 105, 130; **8**: 167; **10**: 14, 187; **14**: 87; **18**: 162; **22**: 198; **27**: 219; **32**: 224; **33**: 164, 165; **46**: 169, 170; **52**: 12; **56**: 272; **58**: 48, 49, 50, 52, 54, 56; **63**: 255, 260; ***nitida*** **7**: 172; **18**: 13, 162; **26**: 123; **43**: 196, 198, 199; **56**: 272; ***nobilis*** **10**: 26, 27; **39**: 246; ***norvegica*** **47**: 45, *48*, *49*, *50*, *51*; ***obscura*** **5**: 101; **10**: 113; ***ochracea*** **43**: 202, 203; ***ochroeluca*** **44**: 90; ***ochroleuca*** **8**: 166, 167; **9**: 118; **10**: 187, 188; **12**: 206, 213; **14**: 125; **18**: 162; **19**: 115; **33**: 165; **34**: 76, 78, 79; **37**: 109, 128; **40**: 241; **43**: 200, 201; **44**: 221, 223; **46**: 169, 170, 172; **56**: 270, 271, 281; **58**: 49, 50, 52, 54, 56; **63**: 260; ***odorata*** **58**: 43, 52, 54, 56, 58; ***olivacea*** **1**: 54, 114; **4**: 88; **5**: 6, 9; **6**: *46*, *47*, *48*; **8**: 166; **12**: 58, 198, 199, 214; **13**: 42, 46; **14**: 126; **34**: 78; **43**: 195; **46**: 171, 172; **48**: 98; **52**: 6; ***olivacea* f. *citrina*** **6**: 48; ***olivacea* f. *pavonina*** **6**: 48; ***olivacea* f. *pseudoalutacea*** **6**: 47; ***olivacea* f. *roseolilacina*** **6**: 48; ***olivacea* f. *tabacina*** **6**: 48; ***olivascens*** **43**: 200; ***oreina*** **47**: 52; ***pallidispora*** **43**: 198; ***paludosa*** **1**: 15, 16, 18; **3**: 91; **4**: 88; **5**: 108, 110, 111, 127, 129; **7**: 172; **8**: 167; **10**: 25, *114*, *115*, *116*, 163, 168; **12**: 197, 198; **14**: 125, 128, 129; **16**: 117; **33**: 165; **34**: 78; **44**: 90; **48**: 265; **56**: 272, 282; **63**: 261; ***palumbina*** **4**: 149; **9**: 36; **14**: 75; **19**: 16; **32**: 224; ***pascua*** **47**: 45, 48, *50*, *51*, *51*, *52*, *52*; ***pectinata*** **1**: 53; **4**: 149; **15**: 225; **18**: 10, 12; **19**: 17; **33**: 165; ***pectinata* var. *insignis*** **43**: 199; ***pectinatoides*** **33**: 165; **43**: 199; **58**: 50, 51, 52, 54, 56, 62; ***persicina*** **14**: 113; **15**: 206, *208*, *209*, *210*; **20**: 127; **23**: 141; **35**: 110; **43**: 199; **52**: 12; **58**: 52, 54, 57, 58; ***persicina* var. *intactior*** **15**: 210; ***persicina* var. *rubrata*** **15**: 210; ***picearum*** **43**: 201, 202; ***pictipes*** **43**: 198; ***piperata*** **33**: 49; ***poikilochroa*** **58**: 52, 54, 58, 63; ***polychroma*** **38**: 221; ***porolamellata*** **12**: 199; ***postiana*** **40**: 243; **43**: 200; ***praetervisa*** **58**: 62; ***pseudodelica*** **43**: 197; ***pseudointegra*** **1**: 18; **10**: 28; **14**: 111, 124, 127, 128; **58**: 48, 54, 57, 58, 61; ***pseudomelliolens*** **54**: 178, 181, 186, 187, 189, 190; ***pseudopaludosa*** **1**: 18; ***pseudoromellii*** **58**: 50, 54, 58, 62; ***pubescens*** **10**: 113; ***puellaris*** **14**: 112; **15**: 60; **18**: 12; **19**: 16; **29**: 28; **32**: 224; **34**: 38, 78; **35**: 110; **43**: 201; **44**: 90; **56**: 271; ***puellula*** **21**: 228; ***pulchella*** **15**: 58, 60; **43**: 200, 201; ***pulcherrima*** **1**: 17, 18; ***pumila*** **34**: *35*, *36*, *37*, *38*, *39*, *40*, *41*, *42*, *43*, *44*, 95; **43**: 195; ***punctata*** **1**: 114; **4**: 88; **8**: 166; **10**: *113*, *114*, *115*; **14**: 125, 128, 129; **44**: 90; ***punctata* f. *obscura*** **10**: 113; ***punctata* f. *phoenix*** **10**: 113; ***punctata* var. *seperina*** **10**: 113; ***pungens*** **43**: 201, 202; ***queletii*** **1**: 53; **8**: 167; **12**: 197; **14**: 77, 225; **30**: 228; **32**: 224; **34**: 76, 78; **56**: 270, 272, 282; ***raoultii*** **58**: 48, 54, 58, 60;

59: 75; ***rhodella*** **21**: 228; ***rhodopoda*** **5**: *108*, *109*, *110*, *111*; **12**: 199; **14**: 125; **26**: 123; **34**: 78; **43**: 199; **44**: 90, 140; **56**: 272; ***rhodopoda*** **f. *leucopoda*** **5**: 108; ***rigida*** **39**: 246; **46**: 170, 172; ***risigallina*** **43**: 194, 195, 202, 203; **52**: 4, 6; **58**: 48, 50, 52, 54, 56, 62, 63; ***romagnesii*** **21**: 231; ***romellii*** **6**: 48, 113; **18**: 10; **43**: 195; **52**: 10; **58**: 49, 50, 54, 56, 62; **63**: 261; ***rosacea*** **15**: 60, 210; **33**: 165; **43**: *201*, *202*, *203*, *204*; ***rosea*** **14**: 106; **43**: 201, 202, *203*, *204*, *205*; **52**: 10; **56**: 272; ***roseicolor*** **40**: 236, 243; ***roseipes*** **4**: 149; **10**: 28; **15**: 14; **19**: 15, 16; **40**: 243; ***rubicunda*** **1**: 17; **5**: 110; **12**: 198; **15**: 209, 210; **25**: 62; ***rubra*** **5**: 110; **14**: 112; **34**: 78; **43**: 199, 201; **58**: 48, 54, 57, 58; ***rubra*** **var. *kavinae*** **14**: 113; ***rubroalba*** **40**: 243; ***saliceticola*** **47**: 45, 48, 50, 51; ***salmoneolutea*** **40**: *234*, *235*, *236*, *237*, *238*, *239*, *240*, *241*, *242*, *243*, *244*, *245*, *246*; **46**: 169, 171; ***sanguinaria*** **43**: 193, 201, *202*, *203*, *204*; ***sanguinea*** **5**: 111; **8**: 166, 167; **12**: 197; **14**: 106, 225; **15**: 209, 210; **19**: 18; **29**: 28; **32**: 224; **34**: 76, 78; **43**: 201, 202, 204; ***sanguinea*** **var. *intactior*** **15**: 209, 210; ***sanguinea*** **var. *luteotacta*** **15**: 209, 210; ***sanguinea*** **var. *pseudorosacea*** **14**: 113; ***sanguinea*** **var. *rubicunda*** **15**: 209, 210; ***sardonia*** **1**: 54; **3**: 7; **4**: 148; **5**: 52, 111, 129; **6**: 39; **10**: 187; **11**: 51; **12**: 195, 197, 198; **32**: 224; **34**: 76, 78; **44**: 90; ***seperina*** **10**: 113; **25**: 108, 111; ***sericatula*** **58**: 43, 50, 52, 54, 56, 58; ***smaragdina*** **var. *innocua*** **43**: 199; ***solaris*** **10**: 28; **12**: *212*, *213*, 214; **14**: 110, 118, 120; **15**: 14; **18**: 159, 162, 178; **23**: 201, 202; **46**: 172, 173; **58**: 50, 51, 54, 58, 60; ***sororia*** **8**: 123; **32**: 224; **33**: 165; **34**: 78; **58**: 50, 54, 56; ***sphagnicola*** **36**: 187; ***sphagnophila*** **10**: 113; ***sphagnophila*** **var. *europaea*** **43**: 199; ***subcompacta*** **33**: 47, 48; ***subfoetens*** **12**: 195, 198; **15**: 14; **32**: 224; **36**: 186; **58**: 47, 52, 54, 58, 61; ***subfoetens*** **var. *grata*** **43**: 198; ***subminutula*** **15**: 208; ***subpunctata*** **15**: 210; ***taeniospora*** **43**: 204, 209; ***tinctipes*** **33**: 48; ***torulosa*** **30**: 228; ***turci*** **1**: 53, 114; **3**: 52; **6**: 113; **7**: 168, 172; **8**: 166; **15**: 208; **16**: 188; **18**: 13; **19**: 16; **33**: 48; **34**: 80; **63**: 261; ***undulata*** **39**: 246; **52**: 10; ***urens*** **1**: 17; ***vanillina*** **12**: 198; ***velenovskyi*** **7**: *168*, *169*, *170*, *171*, *172*; **8**: 167; **10**: 28; **12**: 199; **14**: 126, 130; **21**: 227; **23**: 4, 7; **36**: 184; **43**: 201; **58**: 48, 54, 58, 59; ***velutipes*** **43**: 203, 204; ***venosa*** **7**: 172; **12**: 195, 198; **15**: 60; ***versicolor*** **9**: 36; **11**: 172; **15**: 60; **29**: 28; **34**: 38, 78; **36**: 184; **58**: 47, 52, 54, 55; ***vesca*** **4**: 88; **5**: 41; **6**: 144; **7**: 77, 79; **8**: 114, 168; **10**: 113, 168; **13**: 40, 45, 48; **18**: 11, 13; **19**: 17, 115; **21**: 228; **25**: 108; **32**: 224; **33**: 48, 165; **34**: 78; **38**: 221; **42**: 161, 163; **43**: 201, 205; **44**: 90; **46**: 170; **52**: 7; **56**: 271; **58**: 50, 51, 52, 54, 56; ***vesca*** **f. *lactea*** **15**: 14; ***veternosa*** **1**: 17, 19; **15**: 14, 210; **19**: 115; **58**: 48, 50, 54, 57, 58; ***vinacea*** **34**: 38; **36**: 202; ***vinosa*** **10**: 113; **43**: 205; **56**: 272; ***vinosobrunnea*** **52**: 9; ***vinosopurpurea*** **1**: 19; **21**: 230; **32**: 224; **33**: 49; ***violacea*** **10**: 26; **18**: 13; **32**: 224; **58**: 52, 54, 57, 58; ***violeipes*** **46**: 171; **58**: 52, 54, 56, 58, 60; ***violeipes*** **f. *citrina*** **36**: 184; ***virescens*** **3**: 79; **5**: 73, 108, 133, 146; **6**: 144; **7**: 77, 79; **10**: 168; **12**: 54; **14**: 225; **16**: 158; **18**: 115, 144; **23**: 79; **32**: 224; **33**: 165; **34**: 78; **35**: 110; **43**: 205; **58**: 48, 50, 52, 54, 56; ***virescens*** **f. *alba*** **15**: 14; ***viridulorosea*** **43**: 198; ***viscida*** **1**: 114; **3**: 52; **4**: 88, 149; **5**: *6*, *7*, *8*, *9*, 111; **12**: 127, 197, 199; **14**: 77, 125; **15**: 14; **16**: 21; **19**: 115; **33**: 166; **56**: 271; ***vitellina*** **40**: 234, 236; **43**: 202; **58**: 62; ***xerampelina*** **1**: 53; **5**: 8, 9, 101, 127; **6**: *47*, *48*, *49*, 146; **8**: 166, 168; **9**: 36; **10**: 116; **12**: 195, 198; **13**: 41, 48; **18**: 10, 13; **19**: 17, 115; **32**: 224; **33**: 47, 49, 166; **34**: 76, 78; **38**: 221; **43**: 199; **44**: 90; **46**: 171; **47**: 52; **54**: 181, 182, 184, 186, 187; **56**: 272; **63**: 261; ***xerampelina*** **var. *abietum*** **54**: 187; ***xerampelina*** **var. *barlae*** **54**: 178; ***xerampelina*** **var. *duportii*** **54**: 189; ***xerampelina*** **var. *erythropus*** **34**: 78; ***xerampelina*** **var. *olivascens*** **10**: 187; **34**: 78; ***xerampelina*** **var. *pseudomelliolens*** **54**: 185; ***zonatula*** **21**: 228; ***zvarae*** **12**: 198; **58**: 43, 52, 54, 56, 58.

RUSSULIOPSIS laccata **21**: 161, 162; ***laccata* var. *rosella*** **21**: 161, 162; ***laccata* var. *squamosa*** **36**: 58.

RUTSTROEMIA algeriensis **47**: 105; ***baccarum*** **3**: 37; ***bolaris*** **11**: 41, 42; **13**: 155, 156, 158; **14**: 76, 226; ***bulgarioides*** **11**: 240; **56**: 276; ***carbonicola*** **33**: 193, 201, 204, 205; ***conformata*** **36**: 152; ***echinophila*** **36**: 189; **47**: 106; ***elatina*** **4**: 56; **13**: 155, 159, 211, 215; **30**: 194; ***firma*** **11**: 41, 43; **14**: 75, 166, 167, 175; **30**: 194; ***henningsiana*** **36**: 153; ***iridis-aphyllae*** **29**: *129*, *130*, 131, *131*, *132*; ***longipes*** **33**: 155; ***luteovirescens*** **14**: 73; **33**: 155; ***macrospora*** **14**: 87; **16**: 98, 103, 104; **25**: 109, 111; **27**: 225; **44**: 145; **46**: 161; ***palmeri*** **47**: 105; ***pinetorum*** **28**: 135; ***sydowiana*** **47**: 101, 104, 106, 108; ***terrestris*** **41**: 23, 24; ***vacini*** **14**: 112; ***venusta*** **20**: 8, 10, 16; ***websteri*** **47**: 105.

SAAGAROMYCES ratnagiriensis **61**: 111.

SABOURAUDITES gallinae **12**: 43; ***granulosus*** **12**: 44; ***lacticolor*** **12**: 44; ***megninii*** **12**: 44; ***quinckeanus*** **12**: 44; ***radiolatus*** **12**: 44; ***violaceus*** **12**: 46.

SACCARDAEA atra **33**: 158.

SACCHAROMYCES bailii **33**: 110, 111, 116; **34**: 84, 85; **35**: 229; ***baryanus*** **18**: 32; ***bayanus*** **32**: 36, 39, 151; **33**: 110; **34**: 84, 85; **36**: 53, 54, 123, 124, 168; **39**: 107; ***blanchardii*** **15**: 108; ***brassicae*** **11**: 96; ***breweri*** **15**: 110; ***cerevisiae*** **13**: 161, 162, *227*, *228*, *229*, *230*, *231*, *232*; **14**: *52*, *53*, *54*, *55*, *56*, *57*, 153, 157; **19**: 115, 119; **25**: 52; **29**: 153, 154; **32**: 36, 38, 152, 153; **33**: 231, 232; **34**: 84, 85; **35**: 162, 163, 199, 213, 229; **36**: 53, 123, 124, 168, 245, 246; **38**: 17, 18; **39**: 48, 49, *107*, *108*, *109*, *110*, *111*, 114, 115, 237, 238, 239, 242; **40**: 54, 71; **41**: 47; **42**: 116; **48**: 147, 148, 150, 152; **52**: 177; **53**: 225, 226; **55**: 125; **57**: 309; ***cerevisiae* var. *cratericus*** **32**: 152; ***cerevisiae* var. *ellipsoideus*** **32**: 152; **35**: 213; ***chevalieri*** **33**: 110, 117; **36**: 123, 124; ***chevalieri* var. *torulosus*** **32**: 154; ***delbrueckii*** **13**: 161; ***delbrueckii* var. *mongolicus*** **32**: 153, 154; ***ellipsoideus*** **32**: 152; **35**: 213; ***elongisporus*** **32**: 136; ***exiguus*** **32**: 237; **34**: *84*, *85*, *86*; **36**: 53; **39**: 237; ***fragilis*** **13**: 160, 162; **32**: 138; **35**: 213; ***fructuum*** **13**: 162; **33**: 117; ***globosus*** **32**: 36, 41, 153; **33**: 111; ***hansenii*** **32**: 235; ***heterogenicus*** **13**: 227, 232; **14**: 52, 54, 57; **20**: 182; **42**: 116, 117; ***hominis*** **15**: 108, 110; ***hominis* var. *hondurianus*** **15**: 110; ***inconspicuus*** **35**: 229; ***italicus*** **13**: 162; ***kefyr*** **32**: 133; ***kluyveri*** **45**: 104; ***krusei*** **11**: 149; **32**: 133; **44**: 70; ***lindneri*** **33**: 117; ***lithogenes*** **15**: 108, 110; ***membranaefaciens*** **32**: 142; ***microellipsoides*** **32**: 36, 40, 153; **33**: 110, 117; ***minor*** **11**: 96; ***neoformans*** **15**: *108*, *109*, *110*, *111*, *112*, *113*, *114*, *115*, 122; ***neoformans* var. *sheppei*** **15**: 110; ***neoformans* var. *uniguttulatus*** **15**: 111; ***oleaceus*** **39**: 48, 49; ***oviformis*** **13**: 37, 43, 48; **32**: 151; ***paradoxus*** **33**: 117; ***pastorianus*** **32**: 151; **35**: 213; ***plimmeri*** **15**: 108, 110; ***rosei*** **13**: 227, 232; **32**: 36, 40, 154; **33**: 111; ***rouxii*** **34**: *84*, *85*, *86*; **35**: 229; **36**: 53, 54, 123, 124, 168; ***servazzii*** **42**: 116, 117; ***sociasi*** **32**: 239; ***steineri*** **13**: 227, 231; **14**: 52, 53, 57; **25**: 52; ***unisporus*** **32**: 36, 41, 154; **33**: 111; **35**: 229; **39**: 238; ***vini*** **13**: 37, 43, 44, 48; ***willianus*** **35**: 213.

SACCHAROMYCOPSIS fibuligera **35**: 213; **43**: *227*, *228*, *229*, *230*, *231*, *232*, *233*; ***guttulata*** **35**: 213; ***lipolytica*** **39**: 238, 240, 242.

SACCOBOLUS beckii **22**: 303, 306, 308; **23**: 30, 31; **24**: *140*, *141*, *142*, 144, 145; **35**: 77, 138, 139; ***caesariatus*** **24**: 141, 144, 145; ***citrinus*** **35**: 78, 139; ***depauperatus*** **23**: 30, 31; **24**: 142, 144; **25**: 109, 156; **26**: 31; **33**: 155; **35**: 78, 138, 139; ***dilutellus*** **35**: 78, 139; ***dubius*** **35**: 137; ***equinus*** **35**: 137; ***glaber*** **24**: 139, 140, 144; **35**: 78, 138, 139; ***globulifer*** **17**: 188, 189; **23**: 141; **35**: 78;

globuliferellus **17**: 189; ***kervernii*** **14**: 79; **15**: 74; **24**: 140; **35**: 78; ***kervernii*** **var. *anserinus*** **35**: 137; ***leporinus*** **35**: 137; ***minimus*** **23**: 31; **35**: 78, 138; ***murinus*** **35**: 78; ***neglectus*** **22**: 306, 308; **23**: 31; **25**: 109; **26**: 31; **35**: 78; ***obscurus*** **24**: 139, 142, 145; **35**: 78, 139; ***pseudoviolascens*** **24**: 142; **35**: 78; ***saccoboloides*** **24**: 142, 145; ***subcaesariatus*** **24**: 134, 139, 141, 142, 144, 145; **35**: 78, 139; **52**: 65; ***thaxteri*** **24**: 142; ***truncatus*** **33**: 155; **35**: 78, 139; ***verrucisporus*** **23**: 31; **24**: 142; ***versicolor*** **22**: 185; **24**: 141, 142, 143; **35**: 78, 139; ***violascens*** **16**: 110; **22**: 306, 308; **35**: 78; ***violascens*** **var. *boudieri*** **35**: 78.

SACCOMORPHA icmalea **50**: 224.

SACIDIUM gomphocarpi **46**: 322.

SAGENIDIUM molle **56**: 161.

SAGENOMELLA alba **43**: 99; **44**: 48; ***bohemica*** **44**: *240*, *241*, *242*; **56**: 180; ***diversispora*** **59**: 130; ***humicola*** **44**: 241; ***oligospora*** **36**: *101*, *102*, *103*; **44**: 241; ***striatispora*** **38**: 241; **44**: 48; ***verticillata*** **44**: 241, 242.

SAGIOLECHIA atlantica **56**: 161.

SAKSENAEA vasiformis **39**: 163; **44**: 6, 196, 197.

SALMONELLA typhi **13**: 193, 194; ***typhimurium*** **52**: 168; **55**: 110.

SAPROCHAETE saccharophila **26**: *233*, *234*, *235*, *236*, *237*.

SARCINOMYCES petricola **61**: 206.

SARCODON amarescens **15**: 16; **51**: 148; ***atroviridis*** **48**: 14; ***balsamiodorus*** **49**: 37, 39; ***balsamiolens*** **49**: 37, 38, 39; ***commutatus*** **10**: 68; ***cyrneus*** **52**: 10; ***fennicus*** **49**: 38; **51**: 104, 139, 144, 146, 148, 150, 151; **57**: 71, 75, 289, 290, 292, 294, 295, 296; ***fuligineoalbus*** **51**: 107, 109; ***fuligineoviolaceus*** **51**: 104, 139, 140, 146, 151, 153; **57**: 72, 75, 287, 288, 290, 292, 294, 295, 296; ***fumosus*** **10**: 68; ***glaucopus*** **51**: 104, 139, 142, 144, 146, 148, 149; **57**: 70, 75, 287, 290, 292, 294; ***imbricatus*** **5**: 74; **10**: 168; **50**: 209; **51**: 100, 104, 115, 140, 141, 142, 146; **57**: 68, 69, 75, 286, 287, 290, 292, 294, 295; ***infundibulum*** **51**: 109; ***inopinatus*** **10**: 67; ***joeides*** **51**: 100, 104, 139, 140, 146, 151, 152; **57**: 71, 72, 73, 75, 287, 288, 290, 292, 293, 294; ***laevigatus*** **51**: 142; **57**: 287; ***lepidus*** **57**: 287, 290, 292, 293, 294; ***leucopus*** **51**: 105, 140, *142*, *143*, *144*, 148; **57**: 69, 75, 76, 286, 290, 292, 294, 295, 296; ***lundellii*** **57**: 71, 75, 289, 292, 294, 295; ***martioflavus*** **57**: 71, 75, 287, 290, 292, 294; ***murrillii*** **10**: 68; ***piperatus*** **10**: 68; ***regalis*** **57**: 71, 75, 290, 292, 293, 294; ***scabrosus*** **25**: 149; **51**: 104, 139, 140, *146*, *147*, *148*; **57**: 70, 75, 287, 290, 292, 294, 295; ***squamosus*** **57**: 68, 69, 73, 75, 286, 290, 292, 294, 295; ***underwoodii*** **10**: 68; ***versipellis*** **25**: 149; **49**: 35, 39; **51**: 105, 139, 142, 144, 145, 148; **57**: 70, 73, 75, 76, 286, 289, 290, 292, 294, 295, 296.

SARCODONTIA crocea **7**: *117*, *118*, *119*, *120*, *121*, *122*, *123*; **9**: 24; ***mali*** **7**: 118, 120; ***setosa*** **7**: 118; **16**: 156; **18**: 191; **20**: 242; **23**: 201; **30**: 56; **36**: 45, 46.

SARCOMYXA serotina **19**: 5; **27**: 218.

SARCOPORIA polyspora **61**: 187, 188, 189, 190, 191.

SARCOSCYPHA aestiva **2**: 17; **35**: 20, 64; ***alphitoides*** **35**: 136; ***austriaca*** **53**: 288, 291, 292; ***chudei*** **37**: 244, 245; **50**: 29; ***coccinea*** **2**: 15; **9**: 18; **13**: 3; **16**: 156; **23**: 79; **26**: *149*, *150*, *151*, *152*; **32**: 221; **35**: 2, 78, 140, 141; **37**: 245; **52**: 8; ***fusiformis*** **35**: 20; ***hiemalis*** **2**: *15*, *16*; **9**: 17; **14**: 75, 117; **20**: 242; **35**: 21; ***hiemalis*** **var. *urniformis*** **35**: 21; ***kecskemetiensis*** **9**: 17; **35**: 84; ***liliputana*** **37**: 245; ***melaena*** **35**: 73; ***melastoma*** **2**: 15; **14**: 225; **35**: 73; ***protracta*** **2**: 15; **9**: 17;

13: 1; **20**: 242; **35**: 143; ***radiculosa*** **37**: 237; ***saxicola*** **2**: 15, 17; **14**: 224, 227, 228; **16**: 116; **35**: 20, 64, 137; ***serrata*** **37**: 245; ***splendens*** **42**: 195, 198.

SARCOSOMA globosum **2**: 5, 24; **11**: *30*, *31*, *32*; **16**: 156; **18**: 191; **20**: 110, 170; **21**: 97; **23**: 79; **24**: 117, 178; **35**: 79, 141; **58**: 154; ***globosum*** **var.** ***platydiscus*** **11**: 30; ***javanicum*** **37**: 242, 243; ***platydiscus*** **11**: 30.

SARCOSPHAERA ammophila **17**: 71, *73*, *74*, *75*; **35**: 67; ***coronaria*** **2**: 44; **6**: 114; **7**: 152; **17**: 74; **26**: *32*, *33*, *34*, *35*, *36*; **58**: 154; ***crassa*** **26**: *32*, *33*, *34*, *35*, *36*; **33**: 58, 252; **35**: 79, 142; **45**: 34; **48**: 98; ***dargelasii*** **14**: 77, 104; **17**: 74, 75; **23**: 175, 201; **34**: 214; **35**: 79; ***eximia*** **23**: 175, 201; ***macrocalyx*** **17**: 74; **23**: 201.

SARRAMEANA cyamidia **56**: 161.

SARTORYA fumigata **39**: 157.

SATYRUS rubicundus **48**: 274, 276.

SAVORYELLA lignicola **61**: 111, 112; ***paucispora*** **61**: 111, 112.

SAWADAEA bicornis **49**: 116.

SCABROPEZIA scabrosa **52**: 262.

SCEDOSPORIUM apiospermum **39**: 163; **44**: 4, 6, 8, 9, 136; ***prolificans*** **57**: 241.

SCHAERERIA fuscocinerea **50**: 231.

SCHIZONELLA cocconii **56**: 136; ***intercedens*** **56**: 136; ***melanogramma*** **33**: 162; **56**: 136.

SCHIZOPHYLLUM alneum **1**: *93*, *94*; **7**: 158; ***commune*** **5**: 17; **8**: *77*, *78*, *79*, 89; **10**: 77, 78, 83; **11**: 187, 189, 190, 241, 243, 245, 246; **13**: 148; **14**: 226, 246, 247; **16**: 157; **18**: 6, 223; **19**: 18, 176, 178, 231; **22**: 43, 45, 46, 48, 49; **23**: 79; **24**: 231; **25**: 106; **28**: 111; **29**: *105*, *106*, *107*, *108*, *109*; **30**: 21, 56, 159; **32**: 104, 119, 121, 224; **35**: 171, 200, 201, 219; **36**: 23; **37**: 126; **39**: 163, 170; **40**: 195, 196; **44**: 251; **46**: 15, 286; **47**: 204, 293, 297, 301.

SCHIZOPORA archeri **64**: 23, 29, 30, 33; ***carneolutea*** **33**: *19*, *20*, *21*, *22*, *23*, *24*, *25*, *26*, *27*, *28*, *29*, *30*, *31*, *32*, *33*, *34*, *35*; **36**: 186; **39**: 36; **49**: 139; **50**: 140; ***hypolateritia*** **33**: 33; ***paradoxa*** **25**: 106; **30**: 198; **32**: 224; **33**: 19, 22, 23, 33, 162; **35**: 109; **45**: 92; **49**: 139; ***phellinoides*** **32**: 224; **33**: *19*, *20*, *21*, *22*, *23*, *24*, *25*, *26*, *27*, *28*, *29*, *30*, *31*, *32*, *33*, *34*, *35*; ***phellinoides*** **f.** ***tuberculata*** **33**: 21; ***radula*** **45**: 92, 150, 151; **49**: 185; **63**: 261; ***roseotingens*** **64**: 30; ***subiculoides*** **33**: 22, 23, 33; ***versipora*** **25**: 106.

SCHIZOSACCHAROMYCES octosporus **1**: 98; **35**: 162; ***pombe*** **35**: 213; **40**: 54, 55; ***versatilis*** **40**: 52, 58; ***zambettakesi*** **32**: 241.

SCHIZOSTOMA laceratum **9**: 94; **13**: 195, 196.

SCHROETERIA decaisneana **18**: 54.

SCHULZERIA eyrei **3**: 106; **58**: 245; ***grangei*** **16**: 228; **58**: 233; ***grangei*** **f.** ***brunneoolivacea*** **16**: 228.

SCHWANNIOMYCES hominis **32**: 154.

SCINIATOSPORIUM lycii **46**: 322, 326.

SCIRRHIA aspidiorum **12**: 146, 149; ***microspora*** **12**: 149; ***rimosa*** **f.** ***macrospora*** **12**: 143, 146, 149.

SCLEROCOCCUM sphaerale **17**: 158.

SCLEROCONIDIOMA sphagnicola **59**: 111, 112, 113, 114, 115, 116, 117, 118, 120, 121, 122; **61**: 117, 118, 119, 120, 121, 122, 123; **63**: 158.

SCLERODERMA areolatum **30**: 233; **32**: 224; ***aurantium*** **11**: 191; **12**: *120*, *121*, *122*; **13**: 46; **14**: 96; **17**: 127, 129; **18**: 114, 116; **19**: 237, 238; **22**: 50, 53, 54; **25**: 183; **30**: 56; **33**: 166; ***aurantium*** **var. *macrorrhizum*** **18**: 114, 116; ***bovista*** **8**: 144; ***bovonei*** **5**: 160; ***carcinomale*** **13**: 197; ***cervinum*** **58**: 177; ***citrinum*** **25**: 106; **30**: 56; **32**: 224; **33**: 166; **34**: 195; **38**: 221; **45**: 4, 5; **63**: 261; ***fragile*** **64**: 66; ***fuscum*** **5**: *158*, *159*, *160*; ***herculeum*** **15**: 196, 197, 199; ***pileolatum*** **46**: 322; ***pistillare*** **13**: 197; ***pyramidatum*** **46**: 322; ***strobilinum*** **46**: 322; ***verrucosum*** **8**: 123; **17**: 127; **18**: 163; **19**: 15, 17, 19; **32**: 224; **33**: 166; **34**: *192*, *193*, *194*; **38**: 221; **42**: 161, 164, 165; **52**: 10; ***verrucosum*** **var. *bovista*** **18**: 10; ***verrucosum*** **var. *violascens*** **17**: 205; ***vulgare*** **2**: 64; **6**: 77; **13**: 42; **16**: 224; **17**: 127.

SCLERODERRIS lagerbergii **38**: 249.

SCLEROGASTER compactus **14**: 124; ***gastrosporioides*** **10**: 128.

SCLEROPHOMA donacis **36**: 71; ***endogenospora*** **28**: 153; ***mali*** **28**: 151, 153, 154; ***pithyophila*** **13**: 154; **35**: 97; **37**: 111.

SCLEROPHORA nivea **56**: 161.

SCLEROSPORA graminicola **56**: 128; **60**: 103; ***macrospora*** **60**: 103.

SCLEROTINIA aestivalis **52**: *278*, *279*, *280*, *281*, *282*, *283*, *284*, *285*; ***atrostipitata*** **42**: 137, 143, 145; ***baccarum*** **3**: *37*, *38*, *39*, *40*, *41*, *42*; **6**: *41*, *42*, *43*, *44*; **7**: 191; **8**: 179; **14**: 98; ***batschiana*** **11**: 45; ***betulae*** **6**: 82; ***borealis*** **15**: 39, 40; ***candolleana*** **33**: 206; ***caricis-ampullaceae*** **6**: 136; **7**: *115*, *116*, *117*, 160; **15**: 39, 41; ***coryli*** **14**: 74; **29**: 29; ***crataegi*** **13**: 157, 215; ***curreyana*** **1**: 44; **6**: 136; **15**: 39, 40; ***dennisii*** **15**: *35*, *36*, *37*, *38*, *39*, *40*; ***duriaeana*** **6**: 134; **8**: 180; **14**: 98; **15**: 39, 41; ***echinophila*** **47**: 106; ***festucae*** **15**: 39, 40; ***fredericae*** **20**: 8, 12, 13, 16, 17; **38**: 250; ***fructigena*** **3**: 10; ***fuckeliana*** **47**: 104; ***glandicola*** **14**: 112; ***heteroica*** **3**: 41; **6**: 42, 131; **7**: 105, 191; **8**: 179; ***hirtella*** **47**: 105; ***johnsonii*** **13**: 215; ***juncigena*** **6**: 136; **15**: 40; ***kirschsteiniana*** **1**: *42*, *43*, *44*; ***ledi*** **6**: 82, *131*, *132*, *133*; **7**: 160, 191; **14**: 98; ***libertiana*** **6**: 36; **10**: 241; **15**: 173; **35**: 171; ***longisclerotialis*** **6**: 136; **15**: 41; ***luzulae*** **6**: 136; ***megalospora*** **3**: 41; **6**: 41; **8**: 180; ***nervisequa*** **7**: 139; ***oxycocci*** **3**: 41; **6**: 41, 43, 44; **7**: 160; **8**: 179; **14**: 98; ***padi*** **6**: 138; ***pirolae*** **6**: 83; ***pseudoplatani*** **33**: 193, 201, 205, 206; ***pseudotuberosa*** **11**: 41, 45; **22**: 146; **35**: 171; ***rapula*** **15**: *137*, *138*, *139*; ***rhododendri*** **6**: *132*, *133*; ***richteriana*** **15**: 140; ***schoenicola*** **6**: 136; ***scirpicola*** **6**: 136; **15**: 40; ***sclerotiorum*** **5**: 26; **6**: 82; **15**: 40, 169, 173; **36**: 70; **46**: 2, 5, 14; ***sulcata*** **6**: 134; **15**: 41; ***trifoliorum*** **3**: 10; **8**: 96; **11**: 248; **44**: 51; **45**: 43, 44; ***tuberosa*** **1**: 42; **11**: 237; ***urnula*** **3**: 41; **6**: 41, 131, 135; **7**: 160; **8**: 179; **14**: 98; ***vaccinii*** **3**: 41; **6**: 136; ***vahliana*** **6**: 131, 133, 134; **7**: 160; **8**: 179; **14**: 98; **15**: *35*, *36*, *37*, *38*, 40; ***veselyi*** **1**: *42*, *43*, *44*, *45*; **7**: 158; ***vesicariae*** **15**: 41.

SCLEROTIUM aegerita **2**: *25*, *26*, *27*, *28*; **7**: 158; ***album*** **2**: 27; ***cepivorum*** **15**: 137; **38**: 196, *235*, *236*, *237*, *238*, *239*; ***cervinum*** **58**: 177; ***deciduum*** **11**: 81; ***erysiphe corylea*** **12**: 168; ***giganteum*** **9**: 174; ***mycetospora*** **2**: 82, 83; ***rolfsii*** **29**: 43; ***scutellatum*** **13**: 78; ***suffultum*** **12**: 168.

SCODELLINA alba **35**: 66; ***auricula*** **10**: 237; ***cochleata*** **14**: 225; ***grandis*** **14**: 75; ***leporina*** **10**: 236, 237; **14**: 75; **35**: 66; **47**: 268; ***leporina*** **var.** ***minor*** **10**: 237; ***onotica*** **10**: *235*, *236*, *237*; **35**: 67.

SCOLECONECTRIA cucurbitula **35**: 94, 98.

SCOLECOTRICHUM compressum **52**: 65; ***maculicola*** **27**: 237; ***roumegueri*** **38**: 39; ***spiraeae*** **38**: 46.

SCOLICIOSPORUM curvatum **56**: 161; ***umbrinum*** **51**: 175, 177.

SCOPULARIOPSIS acremonium **24**: 162, 164, 165; **25**: *112*, *113*, *114*, *115*, *116*; **39**: 163; ***alboflavescens*** **27**: 167; ***asperula*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; **36**: 101; ***brevicaulis*** **10**: 79, *81*, *82*, *83*, *85*, *86*, *87*; **19**: 109; **20**: 182; **23**: *45*, *46*, *47*, *48*, *245*, *246*, *247*, *248*, *249*; **24**: 164; **26**: 160; **32**: 229, 231; **33**: 83, *86*, *87*, *88*, *89*, *90*, *91*, 231, 232; **35**: 162, 216; **39**: 163; **40**: 24, *26*, *27*, *28*; **41**: 12, 154, 158; **44**: 48; **48**: 83; **50**: 103; **53**: 166, 190, 199; **55**: 89, 93, 96, 98, 99; **57**: 319; **59**: 125, 126, 128, 130, 131, 132, 133, 134, 135; ***brevicaulis*** **var.** ***alba*** **23**: 246; **44**: 48; ***brevicaulis*** **var.** ***candida*** **41**: 12; ***brevicaulis*** **var.** ***glabra*** **25**: 112; ***brevicaulis*** **var.** ***hominis*** **13**: 120; ***brumptii*** **40**: 24, 26, 27; **41**: 12; **43**: 243; **44**: 48; **50**: 103, 104; **55**: 89, 93, 98; **59**: 130, 132, 134; **61**: 154; **63**: 97; ***candida*** **23**: 45; **33**: *86*, *87*, *88*, *89*, *90*, *91*; **35**: 162; **41**: 158; **44**: 48; **55**: 89; **59**: 130, 132, 134; **61**: 151, 154; **63**: 97; ***carbonaria*** **36**: 103; **41**: 12; ***chartarum*** **55**: 90, 93; **61**: 154; ***cinereus*** **35**: 216; ***communis*** **25**: 112; ***fimicola*** **8**: 1; **33**: *86*, *87*, *88*, *89*, *90*, *91*; ***flava*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; **44**: 48; ***fusca*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; **61**: 154; ***koningii*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; ***nivea*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; ***simplex*** **7**: 19, 20; ***verticilloides*** **44**: 20.

SCUTELLINIA ahmadii **63**: 173; ***alnea*** **35**: 79, 138, 140, 141; ***ampullacea*** **17**: 63; **25**: 81, 82, 84, 87, 201; **35**: 79, 138, 140, 141; **38**: 174; ***arenosa*** **25**: *81*, *82*, *83*, *84*, 201; **28**: 22, 25; **31**: 70; ***armatospora*** **23**: 30; **28**: 19, 24; ***asperior*** **23**: 30; ***badioberbis*** **25**: 80, 81, 83; **32**: *70*, *71*, *72*, *73*; **35**: 79, 141; **37**: 248; **38**: 174; **47**: 266; ***beatricis*** **38**: 197, 198; ***cejpii*** **25**: 80, *82*, *83*, *84*, 201; **26**: 122; **28**: 25; **35**: 80, 109, 140; **37**: 248; **38**: 197; ***cervorum*** **25**: 81, *83*, *84*, *85*, *86*, 109; **27**: 224; **32**: 73; **35**: 80, 109, 138, 140, 141; **38**: 149; **44**: 145; ***chiangmaiensis*** **47**: 197; ***colensoi*** **32**: 72, 73; **37**: 246, 248; ***convexa*** **25**: *81*, *82*, *83*; **35**: 80, 141; **38**: 148, 149; ***coprogena*** **54**: 127; ***crucipila*** **38**: 146, 147, 149, 150; **47**: 26; ***cubensis*** **37**: 246; ***diaboli*** **25**: 79, 82, 84, 85; **28**: 19, 24; **35**: 80, 142; ***erinaceus*** **25**: 79, 82, 84; **35**: 80, 140, 141; ***fimicola*** **22**: 32, 35, 39, 40; **25**: 85; **35**: 80, 139; **47**: 197; **52**: 65; ***fujianensis*** **47**: 197; **63**: 170, 173; ***fulvescens*** **47**: 13; ***furcatopila*** **37**: 237, *245*, *246*, *247*, *248*; **47**: 197; ***geneospora*** **50**: *86*, *87*, *88*, 89, *89*, 93, 95, 97; ***gintlii*** **25**: 82, 83; **35**: 80, 138, 140, 141; ***gintlii*** **var.** ***rigidula*** **25**: 83; ***hainesii*** **62**: 3; ***heimii*** **28**: 24, 25; ***hirta*** **15**: 64, 65; **25**: 83, 201; **37**: 248; ***hirtella*** **15**: 64, 65; **17**: 62, 63; **35**: 81; ***hrabanovi*** **31**: 70; **35**: 80, 141; ***hydrogeton*** **25**: 80, 81, 85; **35**: 81; ***immersa*** **25**: 77, 81, 82, 86; **35**: 81, 138, 140; ***insignispora*** **23**: 156, 157; **25**: 85; **35**: 82; **52**: 65; ***ischnotricha*** **32**: 72; ***kerguelensis*** **23**: 158; **25**: 79, 81, 82, 84, 201; **28**: 22; **32**: 75, 76; **35**: 81, 135, 138, 140, 142; ***laevispora*** **50**: 87, 89, *93*, *94*, *95*, *96*, *97*; ***limosa*** **28**: 136; **35**: 81, 138, 142; ***lurida*** **37**: 248; ***lusatiae*** **22**: 188; ***macrospora*** **25**: 80; **28**: 25; **35**: 81, 142; **37**: 248; **63**: 173; ***miniata*** **47**: 243; ***minor*** **25**: 79, 82, 84, 85; **28**: 24; **35**: 81, 140, 142; ***minutella*** **23**: *156*, *157*; **25**: 58, *80*, *81*, *82*; **35**: 81, 141, 142; **38**: 148, 149; **47**: 197; **52**: 66; **63**: 163, 173, 175; ***mirabilis*** **47**: 197; ***nigrohirtula*** **35**: 81, 138, 140; ***nympharum*** **15**: *63*, *64*, 69; **16**: 107, 108; **17**: 62; **25**: 201; **32**: 76; **35**: 81; ***paludicola*** **25**: 79, 82;

28: 24, 25; **35**: 81, 138, 142; ***parvispora*** **28**: 19, *23*, *24*, 25, *25*; ***peloponnesiaca*** **28**: *19*, 20, *20*, *21*, *22*; **32**: 76; ***phlyctispora*** **47**: 265, 266; ***phymatodea*** **47**: 197; **50**: 95; **52**: 66; **63**: 163, 164, 170, 171, 173; ***pilatii*** **25**: 81, 82, 84; **35**: 81, 138, 140; ***pseudotrechispora*** **25**: 80, 82, 84; **35**: 81, 141, 142; **50**: 95; ***pseudoumbrarum*** **25**: 197, 199, 200, 201; **28**: *23*, *24*, 25, *25*; **47**: 197; ***regalis*** **35**: 81, 138, 141; ***rigidula*** **25**: 82, 83; **35**: 82, 138, 140, 141; ***scubalonta*** **47**: 13; ***scutellata*** **14**: 88; **15**: 64, 65; **17**: 63; **18**: 163; **22**: 184; **23**: 27; **25**: *81*, *82*, *83*, *84*, *85*; **27**: 224; **35**: 82, 138, 140, 142; **38**: *146*, *147*, *148*, *149*, *150*, 174, 197; **56**: 276; ***scutellata*** **var.** ***cervorum*** **22**: 184, 185; **32**: 73; ***setosa*** **14**: 88, 112; **16**: 108; **25**: 84, 85; ***setosa*** **f.** ***cervorum*** **32**: 73; **35**: 80; ***setosa*** **var.** ***cervorum*** **32**: 73; ***setosa*** **var.** ***nigrohirtula*** **25**: 85; ***stenosperma*** **16**: 109; **18**: 163; **25**: 201; **35**: 80; **37**: 248; ***stercorea*** **47**: 13; ***subcervorum*** **25**: 77, 81, 82, 86; **35**: 82, 138, 140; ***subglobispora*** **23**: 157, 158; **25**: 85; **35**: 81; ***subhirtella*** **25**: 77, 81, 82, 85; **28**: 24, 25; **35**: 82, 138, *140*, *141*, *142*; **38**: 174; ***superba*** **25**: 80, 82, 85, 201; **35**: 82, 142; **38**: 148; ***texensis*** **28**: 24; **37**: 246; ***torrentis*** **63**: 175; ***totaranuiensis*** **50**: 86, 87, 90, 92, 93; **52**: 66; **63**: 170; ***trechispora*** **23**: 24, 29, 30; **25**: 79, 82, 85; **28**: 24, 25; **35**: 82, 138; ***trechispora*** **var.** ***barlae*** **23**: 24, 29, 30; ***trechispora*** **var.** ***paludicola*** **23**: 24, 29, 30; ***uliginosa*** **63**: 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175; ***umbrata*** **17**: 61, 63; **35**: 81, 82, 141; ***umbrorum*** **15**: 64, 65; **25**: *80*, 81, *81*, *82*, *83*, *84*, 86, 201; **28**: 22, 23, 25; **35**: 82, 138, 140, 142; **50**: 191; ***umbrorum*** **var.** ***limosa*** **25**: 84; ***umbrorum*** **var.** ***pratensis*** **25**: 84.

SCUTIGER pes-caprae **11**: 154, 167; ***skamanius*** **26**: 199; ***subrubescens*** **26**: 196; ***tuberosus*** **11**: 154, 167.

SCYPHARIA coccinea **13**: 3; ***radiculata*** **9**: 17.

SCYTALIDIUM acidophilum **44**: 103; ***album*** **44**: 103; ***allahabadum*** **44**: 104; ***aurantiacum*** **44**: 103; ***flavobrunneum*** **44**: 103; ***fulvum*** **44**: 104; ***hyalinum*** **39**: 163; **44**: 105; ***indonesiacum*** **44**: 104; ***japonicum*** **44**: 105; ***lignicola*** **37**: 29; **44**: 48, 108; **48**: 74; ***multiseptatum*** **44**: *101*, *102*, *103*, *104*, *105*; ***terminale*** **44**: 104; ***thermophilum*** **44**: 104; **61**: 149, 154, 155, 157; ***uredinicola*** **44**: 104; ***vaccinii*** **44**: 104.

SCYTINOSTROMA duriusculum **20**: 219; ***hemidichophyticum*** **20**: *217*, *218*, *219*, *220*; **36**: 75; ***odoratum*** **35**: 240; ***portentosum*** **20**: *217*, *218*; **36**: 75; **54**: *101*, *102*, *103*.

SEBACINA ambigua **8**: 132; ***caesia*** **8**: 132; ***calcea*** **7**: 138; **25**: 106; ***dimitica*** **39**: *53*, *54*, *55*; ***epigaea*** **8**: 131, 132; ***epigaea*** **var.** ***goniophora*** **8**: 133; ***fugacissima*** **39**: 53; ***globospora*** **63**: 193; ***incrustans*** **32**: 224; **35**: 109; ***microbasidia*** **39**: *53*, *54*, *55*; ***strigosa*** **8**: 131, 132; ***uvida*** **7**: 138.

SECOLIGA indigens **24**: 224.

SECOTIUM agaricoides **2**: *125*, *126*, *127*, *128*; **4**: 53, 54; **8**: *151*, *152*, *153*; **9**: 189, 190, 192; **16**: 158; **17**: 164, 203; ***excavatum*** **46**: 322; ***malinvernianum*** **4**: 54; ***szabolcsense*** **4**: 53; ***tenuipes*** **12**: 31, 33, 34, 36.

SEIMATOSPORIUM lichenicola **63**: 79.

SELENASPORA guernisacii **53**: 288, 291, 292.

SELENOSPORELLA curvispora **63**: 158.

SEPEDONIUM chrysospermum **12**: *151*, 152, *152*, *153*, 155, 156; **14**: 24, 25, 41; **33**: *86*, *87*, *88*, *89*, *90*, *91*; **44**: 48; **56**: 276; ***lanuginosum*** **18**: 106, 107; ***niveum*** **55**: 90, 93.

SEPTATIUM alneum **14**: 112.
SEPTOCYLINDRIUM acerinum **33**: 146; ***magnusianum*** **38**: 240; ***pallidum*** **33**: 146; ***veratri*** **28**: 187.
SEPTOFUSIDIUM herbarum **36**: *101*, *102*, *103*; **44**: 49.
SEPTOMYXA aesculi **12**: 186; ***negundinis*** **12**: 186; **13**: 219, 222, 223; **28**: 10, 11; ***tulasnei*** **28**: 10; ***tulasnei*** **subsp.** ***vogelii*** **52**: 66.
SEPTONEMA chaetospira **25**: 25, 27, 28; ***chaetospira*** **var.** ***pini*** **25**: 25, 27, 28; ***secedens*** **31**: 199; ***tetracoilum*** **25**: 25, 27, 28.
SEPTOPEZIZELLA oreadum **41**: 88, 93, 94.
SEPTORIA adanensis **21**: *213*, *214*, *215*; ***altajensis*** **52**: 66; ***anthyllidis*** **52**: 66; ***arundinacea*** **21**: 213; ***avenae*** **57**: 315; ***avenae*** **f. sp.** ***tritici*** **57**: 315; ***baudysiana*** **52**: 66; ***bosniaca*** **52**: 66; ***brissaceana*** **19**: 219; ***buddliae*** **46**: 322; ***carthami*** **52**: 66; ***chanousiana*** **56**: 203, 214, 215, 218, 220; ***diedeckeana*** **52**: 66; ***digitalis*** **18**: *226*, *227*, *228*, *229*, *230*, *231*; ***divergens*** **21**: 215; ***epilobii*** **23**: 35; ***euphorbiae*** **21**: 215, 216; **46**: 322; **49**: 166; ***exotica*** **21**: 219; ***flava*** **52**: 66; ***galeopsidis*** **23**: 35; ***gei*** **14**: 104; ***gentianicola*** **52**: 66; ***humuli*** **21**: 215; ***hyperici*** **14**: 104; ***kalchbrenneri*** **49**: 166; ***levandulae*** **21**: 216; **23**: 35; ***levistici*** **21**: 215, 216; ***ligustrina*** **52**: 66; ***littoralis*** **21**: 217; ***menthae*** **21**: 217; ***menthicola*** **21**: 217; ***minuta*** **56**: 203, 212, 213, 214, 215; ***moeszii*** **52**: 66; ***mougeotii*** **21**: 217; ***nesodes*** **46**: 322; ***nodorum*** **37**: 115; **40**: 91, 94; **41**: 162, 165; **57**: 315; ***oenanthis*** **52**: 66; ***oreoselini*** **23**: 102, 103; ***oxyspora*** **21**: 217; ***phleina*** **52**: 66; ***picbaueri*** **11**: 58; **52**: 66; ***polygonorum*** **23**: 36; ***rhabdocarpa*** **21**: 213, 218; ***scabiosicola*** **23**: 36; ***schlechteriana*** **52**: 66; ***scutellariae*** **19**: 220; **23**: 36; ***stachydis*** **21**: 218; ***strambergensis*** **52**: 66; ***taraxaci*** **21**: 218; ***thermopsidis*** **52**: 66; ***tormentillae*** **21**: 219; ***tritici*** **57**: 315; ***umbelliferarum*** **46**: 322; ***vaccinii-uliginosi*** **52**: 66; ***veronicae*** **21**: 219; ***veronicicola*** **21**: 219; ***wilsonii*** **23**: 36.
SEPTOSPORIUM atrum **9**: 113; ***elaeidis*** **37**: 12, 13.
SEPTOTRULLULA bacilligera **33**: 148.
SEPULTARIA arenicola **2**: 4; **8**: 144; **14**: 78, 112; **21**: 239; **35**: 83, 142; ***arenosa*** **31**: 70; **35**: 83; ***cervina*** **14**: 112; **15**: 65; **35**: 83, 142; ***foliacea*** **17**: 64, 69; **35**: 83, 142; ***herinkii*** **30**: 60; **35**: 83, 138, 142; **52**: 95; ***lanuginosa*** **17**: 64; ***ligniseda*** **35**: 20; ***pediseta*** **50**: 192; ***semitosta*** **62**: 3; ***sepulta*** **35**: 83, 141; ***speluncarum*** **16**: 109; **21**: *239*, *240*, *241*; **24**: 109; ***tenuis*** **15**: 65; **17**: 64, 69; **35**: 83, 89, 138; ***tenuis*** **var.** ***kavinae*** **24**: 109; ***velenovskyi*** **35**: 88; ***veselskyi*** **35**: 83, 138, 141, 167.
SERICEOCYBE pearsonii **16**: 128, 130, 131, 135, 137.
SERICEOMYCES cygneoaffinis **58**: 245, 257; ***medullatus*** **58**: 245, 257; ***menieri*** **58**: 250, 259; ***serenus*** **58**: 238, 256; ***sericifer*** **58**: 239, 256.
SERPULA elliottii **64**: 39; ***himantioides*** **12**: 33, 35; **25**: 106; **33**: 94; **35**: 197; **63**: 261; ***lacrymans*** **12**: 33, 35; **19**: 175; **24**: 67; **28**: 112; **29**: *91*, *92*, *93*, *94*, *95*; **30**: 56; **32**: 106, 224; **33**: *94*, *95*, *96*, *97*; **35**: 200; **41**: 52; **46**: 84, 143; **48**: 54; **50**: 260, *262*, *263*, *265*, *266*, *267*, *268*, *269*; **55**: 107; ***pinastri*** **35**: 197.
SERUMSPORIDIUM melusinae **28**: 159.
SESQUICILLIUM candelabrum **44**: 172; **53**: 215, 218, 220; **55**: 78.

SETCHELLIOGASTER tenuipes **12**: 31, 34.
SETOSCYPHA clavispora **39**: 213; **41**: 196; ***lachnobrachya*** **41**: 196, 205; **44**: 145; **46**: 39.
SETOSPHAERIA pedicellata **45**: 155; ***rostrata*** **39**: 159; **44**: 74; **51**: 164; **53**: 152, 156; ***turcica*** **43**: 50.
SETULIPES androsaceus **41**: 85, 86; **59**: 120, 121; **63**: 233; ***quercophilus*** **41**: 85, 86.
SEYNESIA palustris **10**: 17.
SIGMOIDEA aurantiaca **53**: 314; **63**: 144; ***praelonga*** **63**: 135, 144.
SILLIA ferruginea **13**: 155, 158.
SIMOCYBE centunculus **33**: 166; **63**: 261; ***rubi*** **20**: 71; ***sumptuosa*** **25**: 109, 111; **26**: 123; **44**: 125.
SIMPLICILLIUM lamellicola **57**: 226, 227, 229, 235.
SIPHULA decumbens **56**: 161; ***dissoluta*** **56**: 161; ***fragilis*** **56**: 161.
SIROBASIDIUM cesari **4**: 40.
SIROTHYRIELLA pini-austriacae **35**: 98.
SISTOTREMA alboluteum **45**: 148; **60**: 106, 109; ***brinkmannii*** **36**: 28; ***confluens*** **16**: 156; **22**: 249, 256; **23**: 80; **60**: 105, 106, 109; ***croceum*** **7**: 117, 119, 122, 123; ***dennisii*** **60**: 105, 106, 107, 108, 109, 110; ***hollii*** **45**: 92; ***muscicola*** **45**: 148; **48**: 321; **60**: 106, 109; ***subtrigonospermum*** **37**: 208.
SKELETOCUTIS albocremea **45**: 94; ***amorpha*** **12**: 103; **17**: 182; **18**: 68, 70, 73, 74; **20**: 176; **22**: 127, 193; **42**: 1, 6, 7, 9, 10, 130; **44**: 230; **45**: 148, 149; **63**: 261; ***carneogrisea*** **45**: 10, 14, 148, 149; **63**: 261; ***jelicii*** **48**: 322; ***krawtzewii*** **45**: 91, 93, 94; ***odora*** **42**: 133, 134; **46**: 119; **58**: 153, 154; **59**: 61; ***tschulymica*** **46**: 116, 119; ***uralensis*** **44**: 230; **45**: 94.
SKEPPERIA carpatica **7**: 153, 154; **10**: 54; **37**: 201.
SMARDAEA amethystina **23**: 91; **35**: 83, 141, 142; **62**: 10.
SOLENIA anomala **9**: 144; **13**: 218; **14**: 87; **27**: 223; ***candida*** **9**: 144; ***poriaeformis*** **4**: 84; ***svrcekii*** **7**: 158; **39**: 247; ***villosa*** **7**: 154.
SOLENOPLEA microspora **34**: 127.
SOLENOSPORA holophaea **56**: 161.
SOLORINA crocea **51**: 90; ***saccata*** **23**: *19*, *20*, *21*, *22*, *23*.
SOMMERSTORFFIA spinosa **1**: 30, 32.
SOPHRONIA brasiliensis **48**: 274, 279.
SORDARIA bombardioides **13**: 94, 100, 157; **14**: 224; ***caudata*** **49**: 214; ***curvula*** **13**: 93, 99, 154; ***discospora*** **22**: 302; **44**: 49; ***fimicola*** **14**: 79, 224; **22**: 302, 308; **32**: 229, 231; **44**: 49; **53**: 288, 291, 292; **55**: 77; **59**: 129; **61**: 149, 151, 154, 155, 158; ***heterospora*** **var. *major*** **22**: 302; ***humana*** **55**: 90, 99; ***lignicola*** **49**: 214; ***macrospora*** **14**: 224; **22**: 302, 308; ***minuta*** **var. *tetraspora*** **27**: 167; ***pumila*** **22**: 301; ***tetraspora*** **27**: 167; ***verruculosa*** **45**: 155.
SOROSPORELLA agrotidis **21**: 177; **35**: 218; ***uvella*** **21**: *177*, *178*, *179*, *180*, *181*, *182*, *183*, *184*; **24**: 88; **29**: 212; **35**: 218.
SOROSPORIUM dianthorum **14**: 102; ***holci-sorghi*** **12**: 61; **15**: 235; ***reilianum*** **15**: 235, 240, 241, 244; ***saponariae*** **15**: 159, 160; ***vossianum*** **52**: 82.
SOWERBYELLA angustispora **42**: 193, 195, 197, 198; **47**: 197; ***bauerana*** **42**: 197; ***brevispora*** **42**: *193*, *194*, *195*, *197*, 198, *198*, *199*; ***crassisculpturata*** **42**: 193, 195, 197; **47**: 197; **52**: 66;

densireticulata **42**: 193, 195, 197, 198; **47**: 197; ***fagicola*** **27**: *65*, *66*, *67*, *68*; **35**: 83, 141; **42**: 193, 197, 198; **47**: 197; **52**: 67; ***imperialis*** **42**: *193*, *194*, *195*, *197*, 198, *198*, *199*; ***kaushalii*** **47**: 197; ***pallida*** **42**: 193, 195, 197, 198; **49**: 158; ***parvispora*** **42**: *193*, *194*, *195*, *196*, *197*; ***phlyctispora*** **47**: 261, *263*, *264*, *265*, *266*; ***polaripustulata*** **42**: 193, 195, 197, 198; **49**: 160; **52**: 67; ***radiculata*** **14**: 77, 223; **20**: 127; **23**: 125, 126, 205; **27**: *65*, *66*, *67*, 68, *68*; **28**: 121; **35**: 83, 140, 141; **42**: *193*, *194*, *195*, *196*, 197, *197*; ***radiculata*** **var.** ***percevalii*** **42**: 199; ***reguisii*** **42**: *193*, *194*, *195*, *196*, 198; ***rhenana*** **42**: *193*, *194*, *195*, *196*, 198; **47**: 238; ***unicisa*** **47**: 261, 266, 267, 268; ***unicolor*** **23**: *123*, *124*, *125*, *126*; **27**: *65*, *66*, *67*, 68, *68*; **30**: 228; **35**: 84, 140, 141; **42**: 198.

SPADICOIDES bina **33**: 148, 167; **37**: 18; **61**: 89, 91; ***carpatica*** **37**: 18; ***cubensis*** **37**: 12, 15, 17, 18; ***grovei*** **61**: 89; ***penatium*** **37**: 18.

SPARASSIS crispa **4**: 54; **7**: 64; **8**: 187; **10**: 187; **14**: 126; **15**: 16; **16**: 224; **22**: 51, 53, 54; **30**: 56; **32**: 224; **33**: 162; **36**: 23; **38**: 221; **41**: 52; ***laminosa*** **15**: 16; **24**: 108; ***nemecii*** **7**: 155, 156; **35**: 240; **37**: 201; **59**: 75; ***ramosa*** **5**: 74, 134; ***ramosa*** **var.** ***crispa*** **5**: 74; ***ramosa*** **var.** ***laminosa*** **5**: 74.

SPATHULARIA clavata **7**: 154; **12**: 184, 185; **14**: 126; ***flava*** **36**: 189; ***flavida*** **14**: 77, 106; **53**: 288, 291, 292; ***neesii*** **12**: 184, 185; ***rufa*** **12**: 184.

SPEIROPSIS irregularis **63**: 139; ***pedatospora*** **63**: 144.

SPERMOEDIA nigricans **3**: 90.

SPHACELOTHECA bosniaca **58**: 102; ***candollei*** **58**: 100; ***hydropiperis*** **14**: 102; **25**: 58; **56**: 132; **58**: 100; ***panici-miliacei*** **39**: 147; ***sorghi*** **55**: 288; ***titovii*** **58**: 100; ***ustilaginea*** **58**: 100.

SPHAERELLA agapanthi **46**: 322; ***alnicola*** **27**: 86; ***alni-viridis*** **27**: 93; ***cassinopsis*** **46**: 322; ***cinnamomicola*** **52**: 67; ***cytisi-sagittalis*** **27**: 93; ***exitialis*** **40**: 86; ***geicola*** **46**: 322; ***myrsines*** **46**: 322; ***rhoina*** **52**: 67; ***vogelii*** **52**: 67.

SPHAERIA acclinis **10**: 213; ***aethiops*** **49**: 198; ***africana*** **46**: 322; ***agariciformis*** **58**: 177; ***ambiens*** **10**: 209, 210; ***anthracina*** **40**: 3; ***argillacea*** **26**: 130, 131; ***atriella*** **51**: 23; ***atropunctata*** **33**: 209, 216; ***atropurpurea*** **39**: *19*, *20*, *21*, *22*; ***aurantia*** **14**: 30; ***aurea*** **14**: 30; ***ballota*** **57**: 120; ***brachiata*** **46**: 322; ***bullata*** **57**: 119; ***caffra*** **46**: 322; ***callimorpha*** **50**: 155; ***capitata*** **58**: 176, 177, 178; ***carbonaria*** **52**: 272; ***cariosa*** **51**: 23; ***caudata*** **49**: 214; ***cervispora*** **46**: 322; ***chaetophora*** **28**: 179; ***conostoma*** **39**: 24; ***crustacea*** **51**: 12; ***cucurbitula*** **10**: 89; ***cupularis*** **49**: 202; ***cyanea*** **10**: 239; ***decastyla*** **51**: 3, 19, 21, 23; ***deformans*** **14**: 26; ***deplanata*** **10**: 210; ***depressa*** **57**: 119, 124; ***disciformis*** **57**: 119, 124, 125; ***discreta*** **33**: *207*, *208*, *209*, *210*, 212, 216; **40**: 3; ***entomorrhiza*** **7**: 22; ***flavovirens*** **57**: 129; ***gelatinosa*** **10**: 90; ***grisea*** **57**: 124; ***hemipsila*** **50**: 81; ***hirta*** **29**: 97; ***illita*** **39**: 24; ***immersa*** **50**: 77; ***innumera*** **50**: 151; ***intercepta*** **46**: 323; ***lanceolata*** **46**: 323; ***lateritia*** **14**: 26; ***ligniota*** **43**: 205; ***lutea*** **34**: 135; ***luteovirens*** **10**: 87, 90; ***malorum*** **4**: 101; ***marginata*** **33**: 216; **40**: 3; ***massalongii*** **49**: 222; ***mediterranea*** **40**: 3; ***metuloidea*** **46**: 323; ***multiformis*** **26**: 130; ***mutabilis*** **49**: 219; ***nummularia*** **40**: 2, 3; ***ophioglossoides*** **58**: 176; ***ovoidea*** **25**: 37, 39, 41; **50**: 175; ***owaniae*** **46**: 323; ***picastra*** **49**: 224; ***pilifera*** **10**: 120; **20**: 52; ***placenta*** **57**: 119; ***pulviscula*** **50**: 170; ***refracta*** **46**: 323; ***repanda*** **33**: 207, *209*, *210*, *211*, *212*, *213*, 216, 217; **40**: 2; ***rotula*** **52**: 273; ***scutellata*** **10**: 213; ***sepulta*** **52**: 273; ***serpens*** **39**: *15*, *16*, *17*, *18*, *19*, 21, 23; ***sphecocephala*** **10**: 35; ***stigma*** **57**: 118, 123, 130, 131, 134, 135; ***stigma*** **var.** ***decorticata*** **57**: 123; ***subcorticalis*** **49**: 195; ***torminosa*** **14**: 26;

tubulina **23**: 118; **34**: 132, 135; **57**: 99, 107; ***undulata*** **57**: 135; ***viridis*** **10**: 87; ***xanthotricha*** **50**: 78.
SPHAERIDIOBOLUS brassicae **35**: 84; ***murinus*** **35**: 84, 139, 140, 142.
SPHAERIDIUM candidum **35**: 99.
SPHAERITA endogena **1**: 28.
SPHAEROBOLUS carpobolus **14**: 226; ***stellatus*** **44**: 141; **46**: 6, 13, 31; **56**: 275.
SPHAEROCEPHALUS rufus **19**: 142, 145.
SPHAERODERMA fimicolum **45**: 85.
SPHAERODES fimicola **45**: *85*, *86*, *87*, *88*, *89*; ***retispora*** **var.** ***inferior*** **45**: *85*, *86*, *87*, *88*, *89*.
SPHAERONAEMA amenticolum **10**: *120*, *121*, *122*; ***rufum*** **11**: 94; **48**: 217; ***sorbi*** **13**: 222; ***spinella*** **46**: 323; ***vitreum*** **15**: 178.
SPHAERONAEMELLA rufa **11**: 94.
SPHAEROPHORUS stereocauloides **56**: 161.
SPHAEROPSIS gallae **11**: 125, 127; ***malorum*** **4**: 101; ***pseudodiplodia*** **4**: 101; ***sapinea*** **35**: 98.
SPHAEROPUS equinus **10**: 143.
SPHAEROSPORA asperior **26**: 41; ***brunnea*** **15**: 65; **35**: 84; ***brunnea*** **f.** ***sordida*** **35**: 84; ***confusa*** **35**: 84; ***diaboli*** **14**: 112; **25**: 79, 82, 84, 85; **35**: 80; ***minor*** **25**: 79, 82, 84, 85; **35**: 81; ***ochracea*** **35**: 84; ***sordida*** **35**: 84; ***trechispora*** **11**: 113; **14**: 78; **25**: 79, 82, 85; **26**: 41; **35**: 80, 82, 137; ***trechispora*** **f.** ***paludicola*** **35**: 81; ***trechispora*** **var.** ***barlae*** **35**: 82; ***trechispora*** **var.** ***paludicola*** **35**: 81.
SPHAEROSPORELLA brunnea **15**: 65; **17**: 69; **35**: 84, 138.
SPHAEROSTILBE hypocreoides **46**: 323; ***nigrescens*** **46**: 323; ***rosea*** **46**: 323; **49**: 167.
SPHAEROSTILBELLA aureonitens **55**: 73, 75, 77, 78, 80.
SPHAEROTHECA aphanis **49**: 109; ***balsaminae*** **46**: 307; **49**: 110; ***caricae-papayae*** **46**: 307; ***crotonis*** **46**: 308; ***cucumis*** **46**: 5; ***cucurbitae*** **53**: 288, 291, 292; ***delphinii*** **49**: 109; ***epilobii*** **49**: 109; ***euphorbiae*** **49**: 108; ***ferruginea*** **49**: 109; ***fugax*** **49**: 108; ***fuliginea*** **28**: *44*, *45*, *46*; **37**: 113; **38**: 7; **45**: 43; **46**: 305; **49**: 109; **52**: 143, 144; ***fusca*** **46**: 305, 306; **49**: 109; ***humuli*** **60**: 259; ***humuli*** **var.** ***fuliginea*** **33**: 152; ***macularis*** **60**: 259; ***mors-uvae*** **2**: 4; **6**: 83; **12**: *163*, *164*, *165*, 168, 169; ***niesslii*** **18**: 187, 188; ***pannosa*** **49**: 108; ***spiraeae*** **49**: 109; ***thalictri*** **49**: 109.
SPHAEROZONE ostiolatum **39**: 68; ***tulasnei*** **39**: 68.
SPHAERULINA taxi **7**: 153.
SPHAGNICOLA ciliifera **5**: 46.
SPHINCTRINA kylemoriensis **17**: 157, 158; **29**: 127; ***microcephala*** **17**: 157, 158; ***pedata*** **17**: 157, 158; ***tubaeformis*** **17**: 157, 158; ***turbinata*** **17**: 157, 158; **56**: 161.
SPICARIA aphodii **9**: 137; **10**: 244, 245; **35**: 217; ***decumbens*** **44**: 49; ***divaricata*** **44**: 49; ***elegans*** **44**: 49; ***farinosa*** **9**: *134*, *135*, *136*, *137*, *138*; **10**: *242*, *243*, *244*, *245*; **12**: 47, 48; **35**: 217; **44**: 49; ***farinosa*** **var.** ***verticillioides*** **9**: *135*, *136*, *137*, *138*; **10**: 244; ***fumosorosea*** **9**: 136, 137; **10**: 244, 245; ***fusispora*** **44**: 49; ***heliothis*** **35**: 217; ***prasina*** **35**: 218; ***simplicissima*** **44**: 49; ***violacea*** **35**: 218; **44**: 49.
SPICELLUM roseum **36**: *100*, *101*, *102*, *103*, 107.
SPICULOGLOEA minuta **54**: *37*.

SPILOCAEA eriobotryae **25**: 165; ***oleaginea*** **25**: 165; ***pomi*** **25**: 165; **45**: 42; **52**: 145.
SPINELLUS arvernensis **2**: 41; ***chalybeus*** **2**: *39*, *40*, *41*; ***fusiger*** **2**: *39*, *40*, *41*; ***gigasporus*** **2**: 41; ***macrocarpus*** **2**: *39*, *40*; ***sphaerosporus*** **2**: 40, 41.
SPIROPES balladynae **40**: 155; ***capensis*** **40**: 155; ***caribensis*** **38**: *113*, *114*, *115*; ***dorycarpus*** **38**: 115; ***helleri*** **38**: 115.
SPLANCHNOMYCES cordaeanus **39**: 68; ***tulasneanus*** **39**: 68.
SPONGIPELLIS borealis **7**: 153; **24**: 117; ***bredecelensis*** **19**: 73, 77; **28**: 121; **42**: 131; ***delectans*** **33**: *99*, *100*, *101*, *102*, *103*, *104*, *105*; **36**: 186, 187; **42**: 131; **59**: 75, 77, 79; ***foetidus*** **19**: 73, 77; ***fractipes*** **30**: 181, 182, 183, 185, 186, 187, 188, 190, 191, 232; **45**: 36; **50**: 140; **55**: 187, 196, 198; ***litschaueri*** **6**: 36; **11**: 214, 215, *216*, *217*, 223; **19**: *69*, *70*, *71*, *72*, *73*, *74*, *75*, *76*, *77*; **36**: 186; **40**: 6; ***spumeus*** **19**: *71*, *72*, *73*, 76, 77; **49**: 139; **50**: 306, 309; **55**: 197; ***unicolor*** **11**: 217, 223; **19**: 69, 73, 75.
SPONGOSPORA subterranea **32**: 92.
SPOONEROMYCES helveticus **47**: 197; **52**: 67.
SPORENDOCLADIA bactrospora **45**: 155, 158, 160.
SPORENDONEMA purpurascens **38**: 4.
SPORIDESMIELLA angustobasilaris **41**: 29, 33, 35.
SPORIDESMIUM acutisporum **40**: 156; ***adscendens*** **40**: 156; ***arengae*** **37**: 12, 14; ***asperatum*** **38**: 115, *115*, *116*, *117*; ***asperum*** **38**: 112; ***bambusicola*** **40**: 156; ***bicolor*** **40**: 157; ***dissolvens*** **40**: 142, 156, 157; ***doliiforme*** **35**: 99; ***eupatoriicola*** **40**: 157; ***flagellatum*** **38**: 116; ***folliculatum*** **33**: 144, 148; **61**: 89; ***hormiscioides*** **33**: 148; ***larvatum*** **49**: 210; ***leptosporum*** **38**: 116; **40**: 157; ***macrurum*** **38**: 116; **40**: 157; ***mucosum*** **var. *pluriseptatum*** **34**: 16; ***opacum*** **36**: 106; ***parvum*** **40**: 159; ***pedunculatum*** **61**: 89, 90; ***pluriseptatum*** **34**: 16; ***pseudolmediae*** **40**: 142, 145; ***scirpicola*** **49**: 126; ***sclerotiorum*** **38**: 4; ***tropicale*** **38**: 116; ***tropicale*** **var. *cubense*** **40**: 159; ***tropicale*** **var. *cubensis*** **40**: 142; ***tropicale*** **var. *tropicale*** **40**: 159; ***vagum*** **38**: 117; **40**: 156, 160; ***verrucisporum*** **38**: 116.
SPORIDIOBOLUS ruinenii **33**: 115; ***salmonicolor*** **39**: 241.
SPORISORIUM andropogonis **56**: 137; ***chrysopogonis*** **52**: 67; ***destruens*** **56**: 137; ***neglectum*** **56**: 137; ***sorghi*** **55**: 288; **56**: 137.
SPOROBOLOMYCES alborubescens **38**: 225; **46**: 273, 274, *277*, *278*, *279*; ***boleticola*** **32**: 155; ***coprophilus*** **33**: 115; ***holsaticus*** **39**: 241; ***miniatus*** **32**: 155; ***photographus*** **32**: 155; ***roseus*** **32**: 36, 39, 40, 155; **33**: 106; **39**: 241; **46**: *272*, *273*, *274*, *277*, *278*, *279*, 281; **48**: 147, 148, 149, 150, 151; ***roseus*** **var. *madurae*** **32**: 155; ***salmoneus*** **32**: 155; ***salmonicolor*** **32**: 36, 40, 155; **33**: 106; **39**: 241; **45**: *104*, *105*, *106*, *107*, *108*, *109*, *110*; **54**: 241, 242; ***salmonicolor*** **var. *salmoneus*** **32**: 155.
SPOROCADUS exilis **29**: 103.
SPOROCEPHALIUM capitatum **23**: 210.
SPOROCYBE eumorpha **27**: 98.
SPORODINIA grandis **16**: 27, 28.
SPOROPODIUM flavescens **56**: 161.

SPORORMIA ambigua **22**: 302, 303, 308; ***gigantea*** **22**: 303, 308; ***intermedia*** **13**: 94, 100, 154; **14**: 79; **22**: 303, 308; **26**: 48, 52; **33**: 152; ***minima*** **22**: 303, 308; **33**: 152; ***notarisii*** **22**: 302; ***vexans*** **12**: 146, 149.

SPORORMIELLA minima **55**: 247.

SPOROSCHISMA mirabile **19**: 108; **33**: 148; **50**: 82; **61**: 89, 92; ***nigroseptata*** **38**: 117; **40**: 160; ***saccardoii*** **50**: 82.

SPOROTHRIX cyanescens **58**: 82; ***inflata*** **44**: 49; ***rectidentata*** **39**: 159, 163; ***schenckii*** **10**: 217; **35**: 161, 162, 216; **39**: 163; **44**: 5, 49; **56**: 25; ***schenckii*** **var.** ***luriei*** **35**: 216; **44**: 2, 6, 12, 13, 137; ***schenckii*** **var.** ***schenckii*** **44**: 2, 6, 12, 137.

SPOROTRICHUM aranearum **15**: 152; ***asteroides*** **10**: 217; **44**: 4; ***aureum*** **48**: 320; ***beurmannii*** **10**: 217; ***carnis*** **19**: 223; ***carougeaui*** **10**: *36*, *37*, *38*, *39*, *40*; **13**: 121, 122, 123, 161; ***cejpii*** **15**: 150, 152; ***chlorinum*** **44**: 49; ***councilmanii*** **10**: 217; ***densum*** **15**: 151; ***equi*** **10**: 217; ***flavissimum*** **15**: 151; ***gougerotii*** **9**: *139*, *140*, *141*, *142*, *143*; **10**: 217; **13**: *120*, *121*, *122*, *123*; **44**: 73; ***jeanselmei*** **10**: 217; ***laxum*** **44**: 49; ***lecanii*** **15**: 150, 151, 153; ***lesnei*** **10**: 40; ***lipsiense*** **35**: 217; ***martinekii*** **15**: *150*, *151*, *152*, *153*; ***maydis*** **17**: *12*, *13*, *14*, *15*, *16*, *17*, *18*, *19*; ***minutulum*** **15**: *151*, *152*, *153*; ***pellicula*** **15**: 178; ***petelotii*** **15**: 151, 152; ***praticola*** **44**: 49; ***pulverulentum*** **35**: 200; ***roseum*** **44**: 49; ***rubiginosum*** **30**: 4; ***schenckii*** **9**: 139; **10**: 217, 218, 219, 220; **20**: 182; **39**: 163; **44**: 49; ***schenckii*** **var.** ***gougerotii*** **9**: 140; ***thermophile*** **53**: 152; ***vellereum*** **var.** ***grisea*** **27**: 98; ***verticillatum*** **44**: 49.

SPUMARIA alba **33**: 150; ***mucilago*** **12**: 218; ***physaroides*** **12**: 218.

SQUAMANITA odorata **27**: 219.

STACHYBOTRYS alternans **24**: 164; **44**: 49; ***atra*** **31**: 42; **41**: 9, 12; **44**: 49; **59**: 130; **61**: 157; ***atra*** **var.** ***microspora*** **40**: 160; **53**: 156; ***aurantia*** **47**: 154; ***bisbyi*** **47**: 151, 154, 155; ***chartarum*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; **40**: 24, 26, 27; **44**: 49, 50; **51**: 164; **52**: 222; **53**: 151, 152, 156; **55**: 77, 90, 93, 96, 98; **56**: 228; **61**: 154; ***cylindrospora*** **44**: 49; ***dichroa*** **40**: 24, 26, 27; ***elegans*** **47**: 154; **53**: 152, 156; ***kampalensis*** **40**: 24, 26, 27; ***lobulata*** **44**: 50; ***nephrospora*** **40**: 160; ***parvispora*** **44**: 50.

STACHYLIDIUM bicolor **42**: 28; ***bicolor*** **var.** ***caespitosum*** **42**: 23, 27, 28; ***cubense*** **42**: 28.

STAGONOSPORA bubakii **52**: 67; ***caricicola*** **52**: 67; ***caricinella*** **56**: 215; ***chenopodii*** **52**: 67; ***heraclei*** **37**: 79; ***junciseda*** **56**: 203, 211, 212, 215, 218, 220; ***levistici*** **37**: 77.

STAGONOSPOROPSIS **37**: 80.

STAPHYLOTRICHUM coccosporum **45**: 155, *161*, 162, *162*, *163*.

STECCHERINUM albidum **54**: *7*, *8*, *9*; ***aridum*** **27**: 201, 205; ***ciliolatum*** **64**: 23, 26, 27; ***fimbriatum*** **27**: 205; **29**: 29; **35**: 109; ***laeticolor*** **36**: 24; ***murashkinskyi*** **59**: 75, 76; ***ochraceum*** **18**: 163; **21**: 209; **32**: 224; **33**: 156, 162; **35**: 109; **44**: 142; **54**: 9; ***pallidum*** **54**: 9; ***rhois*** **21**: 57, 59; ***robustius*** **59**: 75, 76.

STEGONSPORIUM pyriforme **12**: 185, 186; **13**: *218*, *219*, *220*, 223.

STEINIA geophana **50**: 282, 290, 291, 295; **56**: 161.

STEMONITIS amoena **13**: 50; **22**: 143; ***axifera*** **25**: 110; **53**: 325; ***cinerea*** **13**: 51; ***cinnabarina*** **20**: 194; ***coccinea*** **22**: 138; ***confluens*** **18**: 58; ***crocea*** **22**: 138; ***ferruginea*** **18**: 59; **25**: 110; ***flavogenita*** **18**: 58, 59; ***fusca*** **2**: 89, 90; **14**: 193; **18**: 180; **35**: 95; **53**: 325; ***glauca*** **13**: 51;

herbatica **18**: 58; **26**: 105, 110; ***lumbricalis*** **20**: 196; ***lutea*** **22**: 134; ***nutans*** **13**: 50; ***ochroleuca*** **22**: 134; ***pallida*** **35**: 95; ***smithii*** **18**: 59; ***splendens*** **18**: 58; ***splendens*** **var.** ***webberi*** **18**: 58; ***tubulina*** **18**: 58.

STEMONITOPSIS subcaespitosa **53**: 325, 343; ***typhina*** **53**: 325.

STEMPHYLIUM botryosum **28**: 118; **40**: 24; **44**: 50; ***consortiale*** **34**: 18; **53**: 151, 152, 153; ***illicis*** **34**: 16; ***lycopersici*** **28**: 157; ***macrosporoideum*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; ***pyriforme*** **44**: 50; ***sarciniforme*** **44**: 50; ***solani*** **44**: 50.

STENELLA araguata **39**: 163.

STENOCLADIELLA neglecta **53**: 4; **63**: 144.

STENOCYBE pullatula **50**: 236.

STEPHANOSPORIUM cereale **36**: 104, 105.

STERELLUM pini **13**: 13; **14**: 97; **18**: 5; **19**: 176; ***rufum*** **13**: 13.

STEREOCAULON anomalum **56**: 161; ***azoreum*** **56**: 161; ***colensoi*** **56**: 161; ***corticatulum*** **56**: 161; ***fronduliferum*** **56**: 161; ***nanodes*** **50**: 230; ***paschale*** **53**: 288, 291, 292; ***ramulosum*** **56**: 161; ***vesuvianum*** **56**: 156, 161; ***virgatum*** **56**: 161.

STEREUM abietinum **13**: 12, 17, 144; **45**: *15*, *16*, *17*, *18*, *19*, *20*, *21*; ***ahmadii*** **39**: 203; ***albobadium*** **60**: 214; ***ambiguum*** **13**: 17; ***amoenum*** **46**: 323; **49**: 166; ***arcticum*** **18**: 147, 151, 155; ***areolatum*** **13**: 12, 16; ***australe*** **60**: 213, 219; ***bicolor*** **13**: 12; **43**: 139; **60**: 216; ***carpaticum*** **13**: 12, 17; ***chailletii*** **7**: 138, 139; **13**: 12, *15*, *16*, *17*; **14**: 77, 88; **23**: 198, 200; ***cinerascens*** **13**: 12; **60**: 216; ***coffeatum*** **43**: 139; ***complicatum*** **60**: 213; ***conchatum*** **45**: 16; ***crassum*** **60**: 215; ***cristulatum*** **45**: 21; ***fasciatum*** **13**: 12; **18**: 147, 151, 152, 155, 156; **36**: 28; **39**: 2, 3, 6, 8, 12, 13; **41**: 207, 208, 210, 216; **60**: 213, 219; ***fechtneri*** **21**: 251; ***ferreum*** **60**: 213; ***frustulatum*** **13**: 12; **18**: 152, 191; **21**: *117*, *118*, *119*; **39**: 195, 196, 202; **40**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*, *138*, *139*, *140*, 225; **45**: 15; ***frustulatum*** **var.** ***subpileatum*** **39**: 195; ***frustulosum*** **4**: 103; **5**: 170; **11**: 188; **12**: 27; **16**: 156; **20**: 110, 170; **21**: 97, *117*, *118*, *119*; **24**: 178; **29**: 10; **39**: 193; **40**: 130; ***fulvum*** **13**: 13; ***fuscum*** **14**: 98; **21**: 55; **23**: 198; **43**: 139; **60**: 216; ***gausapatum*** **13**: 12, 13; **18**: 3; **23**: 198, 200; **33**: 162; **35**: 109; **40**: 224; **45**: 15, 17, 21; **63**: 36; ***glaucescens*** **45**: 16; ***heterosporum*** **30**: 159; ***hirsutum*** **5**: 18, 171; **8**: 77, 89; **9**: 98, 99, 102; **10**: 77; **11**: 99; **13**: 11, 12, 143, 221; **14**: 97, 246, 247; **16**: 34; **18**: 2, 6, 147, 148, *151*, *152*, *153*, 155, 156, 163; **19**: 176; **22**: 45; **29**: 29; **30**: 21, 56, 158, *214*, *215*, *216*, *217*, *218*, *219*, *220*; **31**: 165; **32**: 224; **33**: 162; **35**: 109, 200; **36**: 28; **38**: *156*, *157*, *158*, *159*; **39**: 2, *6*, *7*, *8*, 13; **40**: 129; **41**: 52, 53, 207, 208, 216; **42**: 205, 213; **46**: 286; **47**: 204; **48**: 156; **56**: 48, 275; **63**: 230, 261; ***hirsutum*** **var.** ***elegans*** **39**: 8; ***hiugense*** **39**: 195; ***insigne*** **39**: 193, 195, 202; ***insigne*** **f.** ***resupinata*** **39**: 201; ***insignitum*** **18**: 147, 152, 153, 155, 156; **27**: 223; **39**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*, *10*, *11*, *12*, *13*, *14*, *193*, *194*, *195*, 202; **40**: 129, 225; **41**: 207, 208, 210, 216; **45**: 15; ***kalchbrenneri*** **49**: 166; ***karstenii*** **18**: 3; ***lacunosum*** **45**: 21, 24; ***laxum*** **43**: 139; ***lobatum*** **39**: 2; **41**: 207, 208, 210, 216; **60**: 213, 219; ***lobatum*** **f.** ***intertropicale*** **60**: 219; ***macrocystidiatum*** **39**: 203; ***modestum*** **46**: 323; ***mougeotii*** **12**: 137; ***murrayi*** **13**: 13, 18; **17**: 51; **18**: 159, 163, 178; **21**: 57; **22**: 252; **24**: 105; **36**: 187; **41**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*; ***murrayi*** **f.** ***tuberculosum*** **41**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*; ***murrayi*** **var.** ***tuberculosum*** **41**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*; ***neuwirthii*** **17**: 208; ***nummularium*** **40**: 130, 131; ***ochraceoflavum*** **42**: 205, 208, 213; **60**: 213;

ochroleucum **18**: 147, 151, 155; **21**: 54; **23**: 206; **27**: 223; **42**: 205, 208, 210, 213; ***ostrea*** **13**: 12; **39**: 3, 9; **41**: 207; **60**: 219; ***pannosum*** **43**: 139; ***papyrinum*** **60**: 215, 216; ***pini*** **12**: 139; **13**: 13; **14**: 77; ***pinicolum*** **45**: 16, 17; ***pinophilum*** **45**: 23; ***princeps*** **39**: 203; ***pulverulentum*** **41**: 130; ***purpureum*** **8**: *77*, *78*, *79*; **10**: 78, 83; **11**: 198; **13**: 12, 17, 18, 220; **20**: 216; **22**: 45; **34**: 183; ***quercinum*** **14**: 106; ***radiatum*** **13**: 13; ***rameale*** **8**: 88; **21**: 54, 59; **31**: 117; **32**: 224; **35**: 109; **42**: *205*, *206*, *207*, *208*, *209*, *210*, *211*, *212*, *213*, *214*; **45**: 15; ***reflexulum*** **39**: 194, 202; ***repandum*** **39**: 201; ***rufum*** **13**: 13; ***rugosum*** **4**: 74; **12**: 28, 30; **13**: *12*, *13*, *14*, 218, 220; **14**: 30; **18**: 2; **25**: 106; **29**: 29; **32**: 224; **33**: 162; **35**: 109; **36**: 28; **39**: 7; **40**: 129, 130, 136; **44**: 142; **45**: 21, 24; **46**: 287; **50**: 306, 307, 309, 310; **56**: 275; **63**: 261; ***sanguinolentum*** **4**: 102; **5**: 167; **13**: 12, 13, 144, 219; **17**: 162; **33**: 162; **36**: 28; **40**: 129, 199; **42**: 211, 213; **44**: 142; **56**: 275; **57**: 310; **63**: 222, 225, 230, 261; ***scytale*** **39**: 195, 202; ***semilugens*** **46**: 323; ***sepium*** **39**: 195, 203; ***spadiceum*** **13**: 13, 144; **14**: 75, 224; **36**: 28; **40**: *223*, *224*, *225*, *226*, *227*, *228*, *229*, *230*, *231*, *232*, *233*; **45**: 23; ***sponheimeri*** **40**: 224; ***strictum*** **45**: 21; ***strigosozonatum*** **13**: 13; ***subpileatum*** **5**: 170; **11**: 188; **13**: 13; **39**: 3, *193*, *194*, *195*, *203*, *204*; **40**: 6, 129, 130, 225; **45**: 15; ***subtomentosum*** **18**: *147*, *148*, *149*, *150*, *151*, *152*, *153*, *154*, *155*, *156*; **21**: 56; **24**: 84; **26**: 38, 123; **35**: 240; **36**: 28; **39**: 1, 3, 4, 6, 11, 13; **41**: *207*, *208*, *209*, *210*, *211*, *212*, *213*, *214*, *215*, *216*, *217*, *218*; **44**: 125; **45**: 15; ***sulcatum*** **12**: *26*, *27*, *28*, *29*, *30*; **13**: 12, 14, 15; **27**: 223; ***sulphuratum*** **13**: 12; **14**: 72; **18**: 151; **21**: 54, 59; **23**: 206; **31**: 117; **42**: 205, 211, 213; ***traplianum*** **39**: 3, 11, 12, 194, 202; ***tuberculosum*** **27**: 221; **41**: 130, 131; ***umbrinum*** **11**: 99; **13**: 13; **60**: 215; ***venosum*** **40**: 224; ***versicolor*** **39**: 2, 8; ***versicolor*** **var. *illyricum*** **39**: 3, 6; ***versiforme*** **13**: 13; ***vinosum*** **13**: 13.

STERIGMATOCYSTIS japonica **29**: 212.

STERIGMATOMYCES penicillatus **42**: 117, 118.

STICHOCOCCUS bacillaris **40**: 215.

STICTA damicornis **56**: 161; ***filicinella*** **56**: 161; ***filix*** **56**: 161; ***latifrons*** **56**: 161; ***limbata*** **56**: 161; ***stipitata*** **56**: 161; ***subcaperata*** **56**: 161; ***weigelii*** **56**: 161; ***wrightii*** **56**: 161.

STICTIS arundinacea **16**: 88; ***bella*** **46**: 323; ***fimbriata*** **7**: 139; **14**: 224, 227, 228; **35**: 93, 94, 96, 97.

STICTOSPHAERIA hoffmannii **27**: 145; ***undulata*** **57**: 135.

STIGMATEA rhynchosiae **46**: 323; ***robertianii*** **32**: 221; ***sutherlandiae*** **46**: 323.

STIGMATOLEMMA fimbriatum **12**: 27; ***incanum*** **46**: 323.

STIGMATOMYCES baeri **10**: 205; **22**: 220; ***limnophorae*** **22**: *220*, *221*, *222*, *223*, *224*; ***sarcophagae*** **22**: 220, 223.

STIGMIDIUM aggregatum **24**: 229; ***apophlaeae*** **61**: 73; ***ascophylli*** **61**: 73; ***bellemerei*** **58**: 112; ***cerinae*** **61**: 79; ***cladoniicola*** **61**: 74; ***clauzadei*** **61**: 78; ***dispersum*** **24**: 229; ***epistigmellum*** **61**: 74, 78, 79; ***eucline*** **24**: 220, 223, *226*, *227*, 228, *228*, *229*; ***hesperium*** **61**: 73, 75, 76, 77, 78, 79; ***johnii*** **61**: 79; ***microspilum*** **24**: 229; ***parasiticum*** **61**: 73; ***placynthii*** **61**: 74, 78; ***psorae*** **61**: 74; ***schaereri*** **17**: 152, 153; **24**: 229; **61**: 73, 74; ***squamariae*** **61**: 74, 78; ***stygnospilum*** **17**: 153; **24**: 229; ***xanthoparmeliarum*** **51**: 183, 184.

STIGMINA asperulata **38**: 101, 117.

STILBELLA aciculosa **49**: 49, 51, 52; ***albocitrina*** **49**: 52; ***bulbicola*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; **49**: 51; ***byssina*** **33**: 158; ***flavescens*** **49**: 51; ***thermophila*** **27**: 99, 105; ***tomentosa*** **18**: *180*, *181*, *182*.

STILBOSPORA angustata **12**: 185; **13**: 154, 218, 219; **26**: 123.

STILBUM aciculosum **49**: 51; ***bulbicola*** **49**: 51; ***cavipes*** **13**: 92, 98, 99, 102; ***cineripes*** **46**: 323; ***citrinellum*** **49**: 51; ***connatum*** **46**: 323; ***kalchbrenneri*** **49**: 166; ***pallidulum*** **49**: 51; ***parasiticum*** **18**: 180, 181; ***physaroides*** **46**: 323; ***roseum*** **49**: 167.

STOMIOPELTIS borealis **12**: 192; ***pinastri*** **35**: 95, 98.

STRANGULIDIUM rennyi **21**: *205*, *206*, *206*, *207*, *207*, *208*, *208*; **22**: 147; ***sericeomolle*** **21**: *205*, *206*, *206*, *207*, *207*, *208*, *208*; **22**: 147; **31**: 117; **38**: 203.

STRASSERIA geniculata **35**: 98.

STRATTONIA carbonaria **52**: *272*, *273*.

STREPTOMYCES aureus **10**: 27; ***scabies*** **55**: 268, 269; ***somaliensis*** **44**: 5, 66; ***thermovulgaris*** **35**: 159.

STRICKERIA dorycnii **52**: 67.

STRIGULA complanata **56**: 161; ***maculata*** **56**: 161; ***schizospora*** **56**: 161; ***subtilissima*** **56**: 161.

STROBILOMYCES confusus **64**: 159; ***floccopus*** **10**: 29; **14**: 126; **15**: 13; **16**: 157; **18**: 162; **20**: *164*, *165*, *166*, *167*, *168*, *169*, *170*; **21**: 97; **22**: 110; **23**: 80, 199; **24**: 106; **36**: 187; **46**: 68, 71; **57**: 46; **64**: 141, 142, 144, 152, 153; ***strobilaceus*** **3**: 89; **4**: 111; **5**: 113; **9**: 96; **20**: 129, *164*, *165*, *166*, *167*, *168*, *169*, *170*; **46**: 171, 172, 186; **47**: 173, 175, 177, 178, 181, 182; **57**: 11, 24, 46; **64**: 141, 142, 144, 145, 146, 147, 148, 152, 153, 154, 156, 158, 159, 160, 161; ***strobiliformis*** **64**: 142, 153, 157, 161.

STROBILURUS conigenus **29**: 28; ***esculentus*** **25**: 108; **27**: 219; **43**: 93; **46**: 174, 179; **56**: 276; **63**: 233, 261; ***stephanocystis*** **22**: 198; **32**: 224; ***tenacellus*** **29**: 28.

STROMATINIA cepivorum **15**: 137; ***gladioli*** **15**: 137; ***narcissi*** **15**: 137; ***paridis*** **15**: 137, 138; ***pseudotuberosa*** **11**: 45; ***rapulum*** **15**: *137*, *138*, *139*.

STROMATOSCYPHA fimbriata **12**: 27; **21**: 55; **47**: 204.

STROMATOSPHAERIA decorticata **57**: 123; ***disciformis*** **57**: 124; ***stigma*** **57**: 130.

STROPHARIA aeruginosa **4**: 18, 109; **8**: 48; **11**: 18; **14**: 226; **18**: 162; **19**: 115, *234*, *235*, *236*, *237*, *238*; **21**: 38; **22**: 198; **30**: 54; **32**: 224; **33**: 166; **44**: 90; **46**: 175, 181; **56**: 273; ***aeruginosa*** **var. *calolepis*** **15**: 56; ***aeruginosa*** **var. *squamulosa*** **15**: 58; ***albocrenulata*** **21**: *33*, *34*, *35*, *36*, *37*, *38*, 55; ***albocyanea*** **25**: 109; **46**: 178, 183; ***albonitens*** **7**: 191; **14**: 98; ***aurantiaca*** **21**: 37; ***caerulea*** **46**: 175, 181; ***coerulescens*** **4**: 18; ***coprinifacies*** **4**: 18, 20; **37**: 177, 179, 180; **39**: *26*, *27*, *28*, *29*, 33, 59, 61, 179; **60**: 187; ***coronilla*** **4**: 149; **11**: 18; **14**: 78; **32**: 208, 224; **39**: 61; **43**: 93; **46**: 30, 84; ***coronilla*** **f. *subcoronilla*** **52**: 67; ***cotonea*** **58**: 10; ***cubensis*** **27**: 42, 45; **30**: 54; ***cyanea*** **8**: 48, 123; **15**: 225; **23**: 205; **44**: 90; ***cyanescens*** **7**: 140; ***depilata*** **11**: 13; ***ferrii*** **7**: 158; **14**: 177, 184; ***fimetaria*** **27**: 43, 45; ***hornemannii*** **11**: 13, 16, 17, 18, 19, 20, 220; **12**: 28; **14**: 88, 97; **16**: 21; **21**: 37, 56; **23**: 177; **27**: 33, 219; **43**: 55, 58; **44**: 125; ***hornemannii*** **var. *microspora*** **11**: 17, 20; ***inuncta*** **12**: 123; **15**: 225; ***johnsoniana*** **21**: 38; ***kauffmaniana*** **21**: 38; ***luteonitens*** **14**: 113; ***magnivelaris*** **9**: 144; ***obturata*** **21**: 17; ***percevalii*** **11**: 14; **21**: 37; ***rugosoannulata*** **7**: 158; **30**: 54; **32**: 66, 120; **38**: 53; **39**: 61; **43**: 89, 91, 93; **44**: 210, 222, 223; **46**: 30, 84; ***semiglobata*** **19**: *234*, *235*, *236*, *237*, *238*; **21**: 17; **22**: 198, 306; **30**: 54; **32**: 224; **41**: 52; **44**: 90;

56: 276; ***sphagnicola*** **58**: 18; ***squamosa*** **11**: 18; **21**: 37, 38, 57; **22**: 198; **27**: *43*, *44*, *45*; ***squarrosa*** **11**: 14; ***thrausta*** **21**: 37; ***venenata*** **19**: 128; ***venenosa*** **7**: 140; ***worthingtonii*** **4**: 16; **39**: 26, 27, 33.

STROSSMAYERIA bakeriana **61**: 89; ***basitricha*** **25**: 109, 111; **46**: 48.

STYLOPAGE araea **1**: 34; ***cephalota*** **1**: 31; ***hadra*** **1**: 31, 34, 35; ***haploe*** **1**: 34; ***lepta*** **1**: 34.

STYPELLA vermiformis **44**: 140, 142.

STYSANUS fimetarius **13**: 92, 99, 102; **17**: 138; ***medius*** **44**: 50; ***stemonitis*** **24**: 164, 165; **44**: 50; ***stemonitis*** **var.** ***fimetarius*** **13**: 99; ***verrucosus*** **13**: 99, 102.

SUILLOSPORIUM cystidiatum **12**: 31, 35.

SUILLUS acerbus **41**: 144, 150; ***aeruginascens*** **17**: 89; **18**: 13, 144; **22**: 106; **30**: 54; **33**: 166; **41**: 144, 150; **57**: 21, 23; ***amabilis*** **41**: 150; ***amarellus*** **14**: 144; ***americanus*** **41**: 144, 150; **57**: 22, 23; ***aurantiacus*** **6**: 2; ***bovinus*** **10**: *164*, *165*, *166*, 168, 187; **14**: 96; **16**: 157; **18**: 115; **21**: 97; **22**: 52, 53, 54, 107; **23**: 79; **32**: 224; **38**: 221; **42**: 115; **57**: 4, 22; ***bovinus*** **var.** ***luteoporus*** **34**: 232; ***bovinus*** **var.** ***moravicus*** **34**: 232; ***collinitus*** **31**: 31; **33**: 168; **41**: 144, 150; **57**: 21; ***elegans*** **41**: 150; ***flavidus*** **16**: 157; **18**: 5; **21**: 97; **25**: 142, 143; **41**: 82, 144, 150; **57**: 4, 21, 22; ***flavus*** **41**: 139, 141, 144, 150; ***fluryi*** **33**: 161, 166, 168; **41**: 144, 150; ***granulatus*** **14**: 77, 104; **19**: 16; **22**: 107; **25**: 145; **32**: 224; **33**: 168; **34**: *192*, *193*, *194*; **36**: 78; **41**: 75, 79, 142, 144, 150; **52**: 213; **57**: 21, 22, 23; ***grevillei*** **1**: 38; **10**: 164, 187; **14**: 106; **17**: 89; **18**: 12; **22**: 107; **25**: 141; **33**: 166; **34**: 195; **36**: 78; **41**: 144, 150; **42**: 161, 164, 166; **44**: 90; **57**: 11, 21, 23; ***lakei*** **41**: 139, 143, 144, 150; **57**: 11, 21; ***lakei*** **var.** ***landkammeri*** **57**: 21; ***laricinus*** **41**: 139, 144, 145, 150; **57**: 11, 21; ***luteus*** **10**: 162, 164, 165, 166, 187; **11**: 17; **14**: 77, 104; **19**: 17; **22**: 50, 53, 54, 107; **25**: 142, 145, 148; **29**: 111, 185; **30**: 25, 54, 143; **32**: 224; **33**: 56, 168; **34**: *192*, *193*, *194*, *195*; **36**: 78; **38**: 221; **41**: 139, 144, 146, 151; **45**: 50; **48**: 122; **57**: 5, 11, 21, 22, 23; ***nueschii*** **17**: 89; ***pictus*** **41**: 82, 139, 144, 147, 151; **57**: 4, 11, 22, 23; ***piperatus*** **13**: *88*, *89*, *90*; **14**: 89, 106, 144, 225; **19**: 16; **22**: 107, 198; **25**: 147, 148; ***placidus*** **10**: 187; **16**: 13; **25**: *142*, *143*, *144*; **41**: 144, 148, 151; **57**: 21, 23; ***plorans*** **25**: *142*, *143*, *144*; **30**: 144; ***plorans*** **subsp.** ***placidus*** **15**: 13; ***pseudorubinellus*** **46**: 205; ***rubinus*** **14**: 117, 119, 121, 144, 145; **15**: 13, 81, 83, 85, 86; **22**: 106; ***sibiricus*** **22**: 189, 192, 198, 200; **25**: 140; **57**: 21; ***sibiricus*** **subsp.** ***helveticus*** **25**: 143; **30**: 144; **58**: 154; ***sibiricus*** **subsp.** ***sibiricus*** **25**: 143; ***spectabilis*** **57**: 23; ***tomentosus*** **41**: 151; ***tridentinus*** **1**: 23; **9**: 76, 79, 82; **15**: 13, 159; **17**: 89; **34**: 232; **41**: 139, 149, 151; **57**: 10, 11, 21; ***umbonatus*** **25**: 143; **41**: 150; ***variegatus*** **5**: 132; **10**: 162, *164*, *165*, *166*, 168, 187; **14**: 77, 96; **21**: 95; **22**: 50, 53, 54, 107; **23**: *53*, *54*, *55*, *56*, *57*, *58*, *59*, *60*, *61*, *62*, *63*, *64*, *65*, *66*; **24**: *95*, *96*, *97*, *98*, *99*; **25**: 145; **30**: 54, 143; **32**: 224; **34**: *192*, *193*, *194*, *195*, *196*; **38**: 221; **41**: 83, 151; **57**: 9, 21, 23.

SVRCEKIA macrospora **14**: *216*, *217*, *218*; **35**: 84, 142.

SVRCEKOMYCES guldeniae **30**: *5*, *6*, *7*; **35**: 23; ***pallidus*** **42**: 198; **49**: 158.

SYDOWIELLA fenestrans **26**: 48, 51, 53, 56.

SYMPHYOSIRINIA angelicae **43**: 222; ***chaerophylli*** **43**: 215, 221; **44**: 140, 145; ***galii*** **43**: 222.

SYMPODIELLA acicola **35**: 99; **63**: 153, 156, 157, 158.

SYMPODIOCLADIUM frondosum **50**: 10; **53**: 13, 15.

SYMPODIOMYCOPSIS paphiopedili **58**: 86, 87, 88, 94.

SYNCEPHALASTRUM racemosum **41**: 12, 168; **44**: 50; **50**: 103; **55**: 123.
SYNCEPHALIS cordata **44**: 50; ***cornu*** **23**: 65; ***depressa*** **44**: 50; ***pendula*** **44**: 50; ***sphaerica*** **44**: 50; ***ventricosa*** **44**: 50.
SYNCHAETOPHAGUS balticus **1**: 32.
SYNCHYTRIUM endobioticum **10**: 137; **11**: 198, 251; **21**: 134, 185; **27**: 112; **31**: 223; **32**: 93, 116, 117.
SYNPENICILLIUM album **9**: 134.
SYRINGOSPORA albicans **32**: 130, 132; ***albicans*** **var.** ***claussenii*** **32**: 132; ***claussenii*** **32**: 132; **39**: 158; ***stellatoidea*** **32**: 140; **39**: 158.
SYZYGOSPORA physciacearum **58**: 112.
TAENIOLELLA robusta **38**: 118; ***scripta*** **33**: 144, 148; ***stilbospora*** **35**: 99; **39**: 163.
TAENIOLINA centaurii **40**: 160, 161.
TAENIOSPORA descalsii **56**: 196; ***gracilis*** **var.** ***enecta*** **54**: 256.
TALAROMYCES avellaneus **46**: *263*, *264*, *265*, *266*, *267*, *268*, 270, 271; **47**: 303, 304, 305, 307; **48**: 74, 75; **53**: 178, 181; ***bacillisporus*** **46**: 264, 268; **47**: 303, 307; **48**: 73, 74, 75; **53**: 181, 183; **56**: 10; ***eburneus*** **56**: 10; ***emersonii*** **48**: 73; **53**: 181, 183; **56**: 10; **61**: 149, 154, 155, 157; ***flavus*** **44**: 170; **46**: 109, 111, 263, 265; **47**: 303, 305, 307; **48**: 73, 74, 75; **51**: 78, 81, 82; **52**: 224; **61**: 154; ***luteus*** **44**: 170; **46**: 102, 103; ***purpureus*** **44**: 170; ***striatus*** **48**: 73; ***trachyspermus*** **44**: 170; **47**: *303*, *304*, *305*, 307; **48**: 73, 74; ***unicus*** **53**: 162; ***vermiculatus*** **26**: *114*, *115*; ***wortmannii*** **24**: 208; **44**: 170; **48**: 73; **55**: 90.
TAPELLARIA epiphylla **56**: 161.
TAPESIA airae **64**: 115, 116; ***alpina*** **58**: 130, 132; ***aurantiaca*** **64**: 116, 118; ***aurea*** **31**: 14; ***carnosa*** **16**: 90; ***cinerea*** **58**: 132, 133, 135; ***citrinopigmentosa*** **46**: 149, 155, 159; ***crataegi*** **58**: 130; ***cyathea*** **64**: 110; ***dimorpha*** **64**: 116, 118; ***eriophori*** **58**: 134, 135; ***eriophori*** **var.** ***glyceriae*** **41**: 196; ***evilescenti*** **58**: 145; ***exigua*** **64**: 118; ***flavescens*** **41**: 88, 93, 95; ***fusca*** **13**: 157, 158; **14**: 87; **25**: 109; **27**: 225; **29**: 29; **33**: 155; **35**: 240; **44**: 145; ***globulifera*** **58**: 135, 136, 137; **64**: 110; ***griseopallida*** **46**: 159; ***ladae*** **58**: 137, 138; ***lentiformis*** **64**: 119, 120; ***leucostoma*** **42**: 147; ***melaleucoides*** **16**: 92; **37**: 70; **44**: 145; ***messerschmidii*** **31**: 13; ***moniliae*** **46**: 159; ***mutabilis*** **46**: 154, 160; ***ochroleuca*** **64**: 120, 121; ***peruni*** **58**: 139, 141; ***pezizellaeformis*** **64**: 121, 122; ***phragmitis*** **58**: 134, 141, 143; ***rivularis*** **41**: 88, 93, 95; ***rosae*** **13**: 156; **14**: 224; ***sesleriae*** **58**: 125, 143, 144, 145, 146, 147; ***strobilicola*** **35**: 93, 94; ***tentaculifera*** **64**: 118; ***urnigera*** **64**: 122, 123; ***variabilispora*** **46**: 149, 154, 155, 160.
TAPESINA griseovitellina **41**: 205.
TAPHRINA alni **47**: *223*, *224*, *224*, *225*, *225*, 234; ***auctumnalis*** **50**: 113; ***australis*** **46**: 297; ***betulae*** **50**: 107, 112, 113, 115; ***betulina*** **50**: *107*, *108*, *109*, *109*, *110*, *110*, *111*, *111*, *112*, *112*, *113*, *113*, *114*, *114*, 117; ***carpini*** **11**: 53, 54; **46**: *296*, *297*, *298*, *299*, *300*, *301*, *302*; ***deformans*** **12**: *180*, *181*, *182*, *183*, *184*; **18**: 97; **35**: 214; **44**: *14*, *15*, *16*, *17*, *18*, *19*; **45**: 39; **46**: 140; ***epiphylla*** **12**: 183; **47**: 223, *226*, *227*, *228*, 232, 234; ***johansonii*** **47**: 277, *280*, *281*, *282*; ***lagerheimii*** **50**: 109; ***maculans*** **53**: 288, 291, 292; ***minor*** **14**: 71; ***populina*** **12**: 183; **47**: *277*, *278*, *278*, *279*, *279*, *280*, *280*, *281*, *281*; ***potentillae*** **46**: *138*, *139*, *140*, *141*, *142*; ***sadebeckii*** **47**: 223, *230*, *231*, *232*, 236,

284; ***tosquinetii*** **12**: *180*, 181, *181*, *182*, *183*; **45**: 39; **46**: 139; **47**: 223, *228*, *229*, *230*, 235; ***turgida*** **50**: 109; ***virginica*** **47**: 287; ***viridis*** **47**: *285*, *286*, *287*, *288*.

TAPINELLA atrotomentosa **46**: 50, 54, 56; ***panuoides*** **46**: 50, 53, 55, 56; **53**: 64; **63**: 261; ***panuoides*** **f. *ionipes*** **46**: 55, 56; ***panuoides*** **var. *ionipes*** **46**: 50; ***panuoides*** **var. *rubrosquamulosus*** **46**: 56.

TARICHIUM auxiliare **33**: 170, 171; ***bereschkoveanum*** **19**: 201, 202; ***cimbicis*** **19**: 201, 203; ***cleoni*** **19**: 201, 202; ***dissolvens*** **19**: 201, 203; ***gammae*** **19**: *201*, *202*, *203*, *203*, *204*, *204*; **35**: 212; ***jaczewskii*** **19**: 201, 202; ***megaspermum*** **19**: *201*, *202*, *203*; **35**: 212; ***phytomoni*** **19**: 201, 202; ***pustulatum*** **19**: *201*, *202*, *203*; ***richteri*** **19**: 201, 203; ***uvella*** **21**: 177.

TARZETTA ammophila **17**: 71, *73*, *74*, *75*; ***catinus*** **35**: 84, 141, 142; ***cupularis*** **35**: 85, 88, 136, 138; ***gaillardiana*** **35**: 85, 141; ***rapulum*** **15**: *137*, *138*, *139*; **35**: 70; ***spurcata*** **38**: 174; ***velata*** **35**: 85, 88, 140, 141.

TATRAEA dumbirensis **46**: 149, 153, 161.

TECTELLA calyptrata **19**: 53; ***patellaris*** **19**: 55.

TEICHOSPORA albulae **27**: 86; ***arthoniodes*** **27**: 86; ***chlorospora*** **49**: 213; ***obducens*** **27**: 96; ***pomiformis*** **13**: 156; ***trabicola*** **27**: 86.

TELAMONIA acutissima **14**: 113; ***armillata*** **7**: 94; ***caespitosa*** **52**: 31; ***casimiri*** **22**: 275; ***fechtneri*** **21**: 251; ***flexipes*** **22**: 260, 261, 267, 268, 275; ***fulvocinnamomea*** **22**: 268; ***gentilis*** **12**: 124; **19**: 115; ***helvelloides*** **10**: 29; ***hemitricha*** **11**: 170; **22**: *260*, *261*, *262*, *263*, *264*, *265*, *266*, *267*, *268*, *269*; ***hinnulea*** **2**: 36; **12**: 124; ***majalis*** **12**: 12, 13; ***mirabilis*** **22**: 267; ***olivascens*** **52**: 31; ***paleacea*** **22**: 260, 268; ***paludosa*** **22**: 268, 275; ***rigida*** **22**: 260, 267.

TELOSCHISTES californicus **56**: 161; ***chrysophthalmus*** **56**: 161; ***scorigenus*** **56**: 161; ***sieberianus*** **56**: 161.

TEPHROCYBE carbonaria **43**: 93; ***mephitica*** **30**: 228; ***oldae*** **26**: *210*, *211*, *212*; **44**: 90, 140; ***palustris*** **25**: 109; **37**: 128; **44**: 90; **56**: 282; **63**: 261; ***putida*** **44**: 222, 223; ***rancida*** **22**: 94; **30**: 198; ***tesquorum*** **26**: 212.

TEPHROPHANA palustris **4**: *80*, *81*, *82*.

TERATOSPERMA litchii **40**: 82.

TERFEZIA arenaria **39**: 69; ***boudieri*** **6**: 145; ***leonis*** **11**: 138; **39**: 69; ***oligosperma*** **39**: 68.

TETRABERLINIA moreliana **52**: 329.

TETRABRUNNEOSPORA ellisii **53**: 2, *13*, *14*, *15*, *16*, 24.

TETRACHAETUM elegans **53**: 281; **54**: 256; **63**: 120, 124, 126, 127, 128, 129, 135, 144.

TETRACLADIUM apiense **53**: 286, 287, 289, 291, 292; ***breve*** **53**: 286, 293; ***furcatum*** **53**: 286, 287, 291, 292; **63**: 144; ***marchalianum*** **23**: 137, 138; **53**: 286, 287, 289, 291, 292, 293; **60**: 72; **63**: 120, 124, 128, 129, 133, 136, 144, 148; ***maxilliforme*** **53**: 286, 287, 291, 292; **60**: 72; **63**: 120, 128, 144; ***palmatum*** **53**: 8, 286, 293; ***setigerum*** **53**: 286, 287, 289, 291, 292, 293; **60**: 72; **63**: 120, 128, 144.

TETRACOCCOSPORIUM paxianum **44**: 170.

TETRAPLOA aristata **38**: 118; **40**: 161; **60**: 67; **63**: 144, 148; ***divergens*** **52**: 67.

TETRAPYRGOS nigripes **63**: 206.

THAMNIDIUM elegans **35**: 212; **44**: 170; **46**: 109; ***verticillatum*** **44**: 170.

THANATEPHORUS brevisporus **53**: *122*, *123*, *124*, *125*; **54**: 4; ***fusisporus*** **53**: 123, 124; ***langleiregis*** **46**: 64; ***ochraceus*** **53**: 124; ***ovalisporus*** **46**: 62, 65; ***sterigmaticus*** **46**: 62, 64.
THAXTERIA pezizula **40**: 148; ***phaeostroma*** **47**: *3*, *4*, *5*.
THAXTERIELLA pezizula **38**: 105.
THECAPHORA affinis **50**: 119, *122*, *123*, *124*; **56**: 137; ***hyalina*** **18**: 53; ***saponariae*** **56**: 137; **62**: 99; ***schwarzmaniana*** **58**: 100; ***seminis-convolvuli*** **53**: 111; **56**: 137; ***trailii*** **53**: 92, 111, 113, 114, 115; **57**: 269, 271.
THECAPHORELLA antherarum **53**: 111.
THECOTHEUS holmskjoldii **35**: 85, 138, 139; ***pelletieri*** **15**: 66, 73; **35**: 85, 139.
THEKOPSORA areolata **56**: 132; **57**: 267; **62**: 97; ***goeppertiana*** **53**: 107; **56**: 132; ***guttata*** **53**: 107, 112; **56**: 132; **57**: 267, 271; ***symphyti*** **53**: 107; **56**: 132; **57**: 267; **62**: 97; ***vaccinii*** **53**: 107, 112, 113; **57**: 267, 271.
THELEBOLUS pilosus **13**: 92, 97, 102; ***stercoreus*** **22**: 301, 308; **25**: 152, 158; **26**: 25; **35**: 85, 139.
THELEPHORA abietina **13**: 17; **45**: 16; ***anthocephala*** **14**: 106; ***arachnoidea*** **12**: 70; ***areolata*** **13**: 16; ***atrocitrina*** **10**: *103*, *104*, *105*; **15**: 16, 82; ***bicolor*** **43**: *138*, *139*, *140*, *141*, *142*, *143*, *144*, *145*, *146*; ***biennis*** **12**: 69, 70; ***calcea*** **b. *salicina*** **61**: 201; ***carbonaria*** **24**: 109; ***caryophyllea*** **2**: 44; **3**: *89*, *90*; **11**: 250; **32**: 224; ***chailletii*** **13**: 16; ***conchata*** **45**: 16; ***crispa*** **45**: 16; ***cruenta*** **12**: *137*, *138*, *139*; **52**: 308, 309; ***crustacea*** **12**: 75; ***frustula*** **45**: 23; ***frustulata*** **40**: 130, 131; ***fusca*** **43**: 139; ***fuscocinerea*** **12**: 69; ***gausapata*** **13**: 13; **45**: 21; ***granulosa*** **36**: *72*, *73*, *74*, *75*; ***hirsuta*** **f. *dryina*** **45**: 21; ***intybacea*** **14**: 117, 119, 121; **15**: 82; **32**: 224; ***mesenterica*** **2**: 43; ***mollis*** **12**: 68; ***mollissima*** **12**: 127; **25**: 106, 111; ***mougeotii*** **12**: 137; **52**: 308; ***murrayi*** **13**: 18; **41**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*; ***murrayi*** **f. *tuberculosum*** **41**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*; ***murrayi*** **var. *tuberculosum*** **41**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*; ***palmata*** **4**: 74; **14**: 76; **32**: 224; **33**: 162; **56**: 272; ***perdix*** **40**: 131; ***purpurea*** **13**: 18; ***rugosa*** **13**: 13; ***ruprechtii*** **39**: 8; ***sanguinea*** **27**: 26; ***sanguinolenta*** **13**: 13; ***sinuans*** **40**: 131; ***spadicea*** **40**: 224; **45**: 21, 23; ***terrestris*** **10**: 187; **14**: 96; **15**: 180; **25**: 106; **27**: 34; **32**: 224; **56**: 272; **63**: 261; ***terrestris*** **f. *resupinata*** **36**: 28; **44**: 142; ***umbrina*** **12**: 50, 70; ***vinosa*** **43**: 139; ***zygodesmoides*** **12**: 68.
THELEPORUS calcicolor **64**: 14.
THELIDIUM epipolytropum **24**: 221.
THELOCARPON albidum **50**: 276, 278; ***cyaneum*** **50**: 272; ***depressulum*** **50**: 273; ***epibolum*** **50**: 229, *272*, *273*, *275*, *276*, *277*, *278*, *279*, *280*, *281*, *282*, 285, 290, 295, 296; ***epibolum*** **f. *longisporum*** **50**: 272; ***epibolum*** **var. *epibolum*** **50**: 277, 280; ***epibolum*** **var. *epithallinum*** **50**: 272, 284; ***epilithellum*** **50**: 272, 290, 293; ***imperceptum*** **56**: 161; ***impressellum*** **50**: 272, 273, 278, 280, 285, 300; ***intermediellum*** **50**: 272, 273, 275, *277*, *278*, *279*, *285*, *286*, *286*, *287*, *287*, *288*, *288*; ***intermixtulum*** **50**: 272, 285; ***laureri*** **50**: 224, *232*, *233*, *234*, *272*, *273*, *274*, *275*, *276*, *277*, *278*, 280, *288*, *289*, *290*, 292; ***lichenicola*** **50**: 272, 273, *275*, *276*, *277*, *278*, *279*, *280*, 282, 283, *293*, *294*, *295*, 299; ***macchiae*** **50**: 272; ***olivaceum*** **50**: 273, 275, 278, 279, 298, 300; ***opertum*** **50**: 272, 276; ***pallidum*** **50**: 273, 279, 299, 300; ***prasinellum*** **50**: 272, 274, 290, 291, 293; ***robustum*** **50**: 278; ***superellum*** **50**: 273, 276, 280, 299, 300.
THELOMMA ocellatum **50**: 236; **56**: 161.

THELOPSIS isiaca **56**: 161; ***rubella*** **56**: 161.
THELOTREMA lepadinum **23**: *15*, *16*, *17*, *18*, *19*, *20*, *21*, *22*, *23*; ***megalophthalmum*** **56**: 155.
THERMOACTINOMYCES vulgaris **44**: 5, 67.
THERMOASCUS aurantiacus **50**: 103, 104; **55**: 256; **61**: 149, 154, 155, 157; **63**: 102.
THERMOMYCES lanuginosus **21**: 89; **55**: 253, 255, 256, 257; **61**: 149, 151, 154, 155, 157; ***verrucosus*** **26**: 157.
THERRYA fuckelii **35**: 93; ***pini*** **12**: *225*, *226*, *227*, 231; ***pini*** **var.** ***mughicola*** **12**: *225*, *226*, 230.
THIELAVIA basicola **36**: 69; **44**: 170; ***terricola*** **44**: 170.
THIELAVIOPSIS basicola **19**: 108; **26**: 162; **31**: 61; **39**: 253; **61**: 159; ***paradoxa*** **61**: 149, 151, 154, 158, 159; ***punctulata*** **61**: 149, 151, 154, 158, 159; ***thielavioides*** **61**: 159.
THYRONECTRIA pinicola **13**: 157.
THYRSIDIUM hedericolum **var.** ***carpini*** **13**: 218.
THYSANOPHORA penicillioides **20**: 51; **35**: 99; **44**: 170; **55**: 90; **59**: 121.
THYSANOTHECIUM hookeri **56**: 161.
TIBELLIA dimerelloides **56**: 161.
TICHOTHECIUM lichenicola **17**: 154; ***perpusillum*** **17**: 154, 155; ***pygmaeum*** **17**: 152, 154, 156.
TIEGHEMELLA butleri **34**: 114; ***coerulea*** **39**: 85, 86, *88*, *89*, *90*, *91*, *92*, *93*; ***coerulea*** **var.** ***coerulea*** **39**: 89; ***coerulea*** **var.** ***saccardoi*** **39**: 85, 86, 88, 89; ***cylindrospora*** **37**: 156; ***italica*** **37**: 169; ***japonica*** **37**: 166; ***orchidis*** **39**: 85, 86, 88, 89; ***orchidis*** **var.** ***coerulea*** **39**: 85; ***repens*** **34**: 115, 118, 120; **37**: 166; ***spinosa*** **37**: 154; ***tieghemii*** **39**: 85, 86, 88, 89; ***turkestanica*** **37**: 169.
TILACHLIDIUM brachiatum **43**: 243; ***humicola*** **18**: 182; ***pinnatum*** **18**: 182; ***proliferum*** **18**: 182; ***pubidum*** **18**: 182; ***racemosum*** **18**: 182; ***tomentosum*** **18**: *180*, *181*, *182*; **44**: 146.
TILLETIA anthoxanthi **62**: 79, 80, 81, 84, 85; ***brevifaciens*** **10**: 139; **25**: 180; **29**: 83; ***caries*** **19**: 121, 122; **36**: 67; **42**: 216, 219; **45**: 52; **48**: 213; **56**: 137; ***controversa*** **19**: 42, 121, 122; **25**: 179, 180; **27**: 112; **29**: *83*, *84*, *85*, *86*, *87*, *88*; **39**: 253; **41**: 165; **42**: *215*, *216*, *217*, *218*, *219*, *220*, *221*; **44**: 51, 52, 188; **45**: 41, 52; **46**: *131*, *132*, *133*, *134*, *135*, *136*; **47**: *73*, *74*, *75*, *77*, *78*, *79*; **48**: *207*, *208*, *209*, *210*, *211*, *212*, *213*, *214*, *215*; **50**: 119; **56**: 137; ***foetida*** **19**: 121, 122; **29**: 84, 86, 88; ***holci*** **62**: 80, 85; ***laevis*** **48**: 213; **56**: 137; ***lolii*** **25**: *177*, *178*, *179*, *180*; ***nanifica*** **10**: 139; **29**: 83; ***olida*** **18**: 53; **56**: 137; ***secalis*** **11**: 58; **19**: 121, 122; **56**: 137; ***separata*** **56**: 137; ***sphaerococca*** **56**: 137; ***tritici*** **1**: 108; **10**: 139; **48**: 213; ***triticina*** **21**: 185; ***triticoides*** **10**: 139.
TILLETIOPSIS albescens **58**: 86, 95; ***minor*** **36**: 104, 106; **58**: 95; ***pallescens*** **58**: 86.
TILMADOCHE mutabilis **var.** ***aurantiaca*** **18**: 59.
TILOTUS lenzitiformis **46**: 323.
TINCTOPORELLUS epimiltinus **55**: 39.
TITAEA maxilliformis **53**: 286.
TITAEELLA capnophila **63**: 124, 127, 128.
TOGARIA erebia **20**: 71.
TOGNINIELLA acerosa **61**: 81, 89, 90, 91, 92.
TOLYPOCLADIUM cylindrosporum **31**: 207, 209, 211, 212; **36**: 103; **41**: *219*, *220*, *221*, *222*, *223*, *224*; **55**: 93; ***geodes*** **32**: 229, 231; **37**: 28; **44**: 170; **53**: 242; ***inflatum*** **31**: 207, 209, 211; **36**: 103; **40**: 70; **44**: 170; **59**: 130; ***niveum*** **41**: *219*, *220*, *221*, *222*, *223*, *224*; **44**: 170; **46**: 254.

TOLYPOSPORIUM bullatum **15**: *126*, *127*, *128*; *junci* **56**: 137.
TOMENTELLA asperula **14**: 73; *asterophora* **12**: 76; *atrocyanea* **59**: 181; *atroviolacea* **12**: 70; *atrovirens* **12**: 66; **14**: 76; *badia* **56**: 257; *badiofusca* **f.** *diatrypicola* **12**: 73; *biennis* **12**: 69; *bohemica* **12**: *71*, *72*, *73*; *botryoides* **12**: 76; **14**: 73; *bourdotii* **12**: 76; **14**: 82; **26**: 37; *bourdotii* **f.** *macrospora* **12**: 76; *castanea* **32**: 247; *cervina* **32**: 246; *cinerascens* **14**: 74; *cinereoumbrina* **56**: 257; *coriaria* **14**: 76; *crustacea* **12**: 75; *echinospora* **12**: 68; *epimyces* **12**: 68; *epiphylla* **14**: 76; **26**: 37; *fatrensis* **12**: 72, 76, 77; *ferruginea* **12**: 71; **14**: 117; **43**: 139; *ferruginea* **subsp.** *ferruginella* **12**: 75; *ferruginella* **12**: 75; *ferruginosa* **35**: 109; *fibrillosa* **12**: 76; *fimbriata* **56**: 258; *flavovirens* **12**: 68; *fuliginea* **14**: 73; **32**: 248; *fusca* **12**: 74; *fusca* **subsp.** *mycophila* **12**: 75; *fusca* **var.** *radiosa* **12**: 74; *fuscella* **12**: 74; **14**: 76, 79; **18**: 163; **26**: 37; **33**: 162; *fuscella* **f.** *macrospora* **12**: 74; *fuscella* **f.** *radiosa* **12**: 74; *fuscocinerea* **12**: 69; **56**: 257; *galzinii* **subsp.** *roana* **12**: 71; *galzinii* **subsp.** *subtestacea* **12**: 71; *galzinii* **subsp.** *viridula* **12**: 71; *gibbosa* **12**: 75; **26**: 37; *gilva* **12**: 73; *granosa* **8**: 131, 133; **12**: 76; *griseoumbrina* **12**: 76; *griseoumbrina* **var.** *obscura* **12**: 72, 76; *jaapii* **12**: 75; *juncicola* **12**: 72, 74; *litschaueri* **12**: 75; *livida* **12**: 73; *livida* **f.** *xerophila* **12**: 73; **14**: 72, 82; *macrospora* **12**: 70; **56**: 258; *microspora* **18**: 163; *mollis* **12**: 68; *mucidula* **12**: 68; *mutabilis* **14**: 76; *mutabilis* **subsp.** *gilva* **12**: 73; *mycophila* **12**: 75; **35**: 109; *nigra* **12**: 68; *pallidofulva* **12**: 71; **14**: 73; **26**: 37; **32**: 224; *pannosa* **12**: 75; *phylacteris* **12**: 69; *pilosa* **8**: 131, 133; **14**: 74; *puberula* **32**: 246, 247; *punicea* **12**: 71; *punicea* **f.** *bolaris* **12**: 73; **14**: 76; *punicea* **f.** *microspora* **12**: 73; *punicea* **var.** *bolaris* **12**: 73; *punicea* **var.** *microspora* **12**: 73; *roana* **12**: 71, 72; *roseogrisea* **12**: 68; *roseogrisea* **var.** *lavandulacea* **12**: 68; *rubiginosa* **8**: 133; **12**: 66; **14**: 72, 82; *ruttneri* **26**: 37; *sitnensis* **12**: 50; *smardae* **7**: 158; **16**: 68; *sparsa* **12**: 73; *spinosispora* **56**: 253, 255, 257, 258; *spongiosa* **14**: 73; **35**: 109; *spongiosa* **f.** *brevispina* **12**: 75; *spongiosa* **f.** *murina* **12**: 75; *spongiosa* **var.** *brevispina* **12**: 75; *spongiosa* **var.** *murina* **12**: 75; *subcervina* **26**: 37; *subclavigera* **12**: 72; *subferruginea* **8**: 133; *sublilacina* **32**: 247; *subpilosa* **26**: 37; *subrubiginosa* **8**: 131, 133; **14**: 72, 76, 82; **26**: 37; **35**: 109; *subtestacea* **12**: 71, 73; *testaceogilva* **12**: 75; *trigonosperma* **12**: 76; *tristis* **12**: 70; *umbrina* **12**: 70; *violaceofusca* **32**: 247, 248; *viridula* **12**: 71; *zygodesmoides* **12**: 68.
TOMENTELLAGO aeruginascens **59**: 182.
TOMENTELLASTRUM atroviolaceum **12**: 70; *caesiocinereum* **12**: 69, 70, 72; *fuscocinereum* **12**: 69, 70; *macrosporum* **12**: 70; *umbrinum* **12**: 50, 68, 69, 70; *umbrinum* **f.** *umbrinovirens* **12**: 70.
TOMENTELLINA bombycina **12**: 77; **26**: 37; *bombycina* **var.** *calcarea* **14**: 73.
TONINIA aromatica **56**: 161; *sedifolia* **50**: 226, 230; *toepferi* **56**: 161.
TOPELIA californica **56**: 161; *rosea* **56**: 161.
TOPELIOPSIS muscicola **56**: 161.
TORNABEA scutellifera **56**: 161.
TORPEDOSPORA radiata **61**: 113.
TORRENDIELLA ciliata **41**: 202.
TORRUBIA capitata **58**: 177; *cinerea* **7**: 22; *entomorrhiza* **7**: 22; *militaris* **9**: 18; *ophioglossoides* **58**: 177; *parasitica* **58**: 176; *sphecocephala* **10**: 35; *sphecophila* **10**: 33.

TORRUBIELLA arachnophila* var. *leiopus **14**: 194; ***leiopus*** **56**: 185, 186; ***minutissima*** **46**: 245.
TORULA albida **15**: 121; ***albida* var. *japonica*** **15**: 121; ***aurea*** **15**: 118; ***bantiana*** **44**: 138; ***candicans*** **10**: 133; ***candida*** **25**: 51; **32**: 235; ***chartarum*** **44**: 170; ***conglutinata*** **13**: 154; ***convoluta*** **44**: 170; ***cyanescens*** **46**: 323; ***expansa*** **44**: 170; ***famata*** **25**: 52; ***gelatinosa*** **15**: 121; ***graminis*** **44**: 170; **53**: 156; ***herbarum*** **25**: *25*, *26*, *27*, *28*, 30; **33**: *86*, *87*, *88*, *89*, *90*, *91*, 148, 158; **40**: 24, 26; **61**: 154; ***herbarum* f. *quaternella*** **38**: 118; **40**: 161; ***heteroderae*** **33**: 171; ***heveanensis*** **15**: 118; ***histolytica*** **11**: 21, 22; **15**: 110; **32**: 146; **39**: 159; ***jeanselmei*** **34**: 199; **44**: 73; ***laurentii*** **15**: 108, 113, 115, 116, 118, 119, 122; ***ligniperda*** **11**: 185; ***luteola*** **15**: 122; ***maculicola*** **27**: 237; ***monilioides*** **44**: 170; ***nasalis*** **15**: 110; ***neoformans*** **15**: *108*, *109*, *110*, *111*, *112*, *113*, *114*, *115*, 122; ***neoformans* var. *sheppei*** **15**: 110; ***neoformans* var. *uniguttulatus*** **15**: 111; ***nigra*** **34**: 199; ***plimmeri*** **15**: 108, 110; ***pulcherrima*** **32**: 139; ***pulveracea*** **44**: 170; ***ramosa*** **23**: 221; ***sacchari*** **7**: 19, 20; ***thermophila*** **21**: 89; ***utilis*** **32**: 141; **35**: 213; ***vinosella*** **7**: 19, 20.
TORULASPORA globosa **48**: 147, 148, 149, 150, 152.
TORULOMYCES lagena **44**: 35.
TORULOPSIS acris* var. *granulosa **15**: 121; ***aeria*** **15**: 115, 118; ***albida*** **15**: 121; ***albida* var. *japonica*** **15**: 121; ***anatomiae*** **38**: 223; ***apis*** **38**: 13, 14; ***azyma*** **38**: 223; ***breweri*** **15**: 110; ***burgeffiana*** **18**: 94, 97; **32**: 139; ***candida*** **13**: 37, 44, 47, 49, 162; **18**: 32, 94; **19**: 116, 118, 119; **32**: 36, 38, *235*, *236*, *237*, *238*, *239*, 242, 243, 244; **33**: 108, 231, 232; **34**: *84*, *85*, *86*; **35**: 162, 163, 164, 229; **36**: 123, 124, 168, 245; **38**: 13, 14, 18; **39**: 48, 241; ***carnescens*** **15**: 118; ***colliculosa*** **13**: 37, 48, 49; **19**: 116, 118, 119; **35**: 214; ***costantinii*** **15**: 110; ***dattila*** **13**: 227, 231; ***ernobii*** **18**: 32, 94; **19**: 116, 118, 119; ***famata*** **11**: 212; **13**: 121, 123; **14**: 52, 54, 57, 58; **18**: 94; **19**: 116, 118, 119; **20**: 182; **32**: 235; **39**: 241; ***glabrata*** **13**: 227, 228, 231; **14**: 52, 54, 58; **15**: 115; **16**: 239, *241*, *242*, *243*; **18**: 94, 97; **19**: 116, 118, 119; **20**: 182; **22**: 112; **32**: 36, 41, 236; **33**: 111, 231, 232; **34**: *84*, *85*, *86*; **35**: 163, 164, *229*, *230*, *231*; **36**: 53, 54, 168; **38**: 13, 14; **39**: *107*, *108*, *109*, *110*, *111*, 114, 163, 240, 242; **44**: 6, 11, 138; ***globosa*** **20**: 182; **22**: 202, 204, 205; ***groppengiesseri*** **35**: 162; ***heveanensis*** **15**: 118; ***holmii*** **16**: *240*, *241*, *242*, *243*; **32**: 36, 40, 155, 237; **33**: 110; ***hominis*** **15**: 108, 110; ***hominis* var. *hondurianus*** **15**: 110; ***inconspicua*** **14**: 52, 54, 58; **15**: 115; **16**: *241*, *242*, *243*; **18**: 31, 32, 94, 97; **32**: 36, 41, 237; **33**: 112; **34**: *84*, *85*, *86*; **35**: *162*, *163*, *164*, 193, 195, 229; **36**: 53, 54, 123, 124, 168, 245; **39**: *107*, *108*, *109*, *110*, *111*, 113, 114, 242; **41**: 47; ***kruisii*** **29**: 230; ***laurentii*** **15**: 108, 113, 115, 116, 118, 119, 122; ***liquefaciens*** **15**: 121; ***lithogenes*** **15**: 108, 110; ***luteola*** **15**: 122; ***magnoliae*** **32**: 36, 40, 238; **33**: 110; **35**: 229; **36**: 53, 123, 124; ***molischiana*** **18**: 94; **35**: 162; ***nadaensis*** **15**: 119; ***neoformans*** **15**: *108*, *109*, *110*, *111*, *112*, *113*, *114*, *115*, 122; ***neoformans* var. *sheppei*** **15**: 110; ***neoformans* var. *uniguttulatus*** **15**: 111; ***norvegica*** **32**: 36, 42, 238; **33**: 111; ***papelonensis*** **38**: 223; ***pinus*** **14**: *52*, *53*, *54*, 57; ***plimmeri*** **15**: 108, 110; ***pseudaeria*** **32**: 144; ***pulcherrima*** **32**: 36; **35**: 162, 213, 229; ***rubra*** **32**: 151; ***rubra* var. *alba*** **32**: 151; ***sanguinea*** **13**: 249; ***schatavii*** **29**: 230; ***sphaerica*** **32**: 36, 38, 39, 149, 239; **33**: 106, *108*, *109*, *110*; **34**: 84, 85; **35**: 229, 230; **36**: 123, 124, 168, 245; **39**: 237, 241; ***stellata*** **13**: 37, 48, 49; **18**: 31, 32; **19**: *111*, *112*, *113*; **20**: 182; **22**: 202; **32**: 36, 40, 239; **35**: 162; **36**: 246; ***utilis*** **32**: 40; ***versatilis*** **14**: 52, 54, 58; **35**: 162, 229; ***wickerhamii*** **18**: 94.
TORULOSPORA delbrueckii **46**: 273, 275, *277*, *278*, *279*.

TRACHYSPORA intrusa **43**: 25; **53**: 107, 113; **56**: 132; **57**: 267; **62**: 99.
TRAMETES abietina **5**: 168; **7**: 139; **11**: 189, 190; **14**: 31, 226; **18**: 91, 162; **27**: 221; ***abietina*** **var. *fuscoviolacea*** **19**: 18; **45**: 92; ***abietina*** **var. *sistotrema hollii*** **45**: 92; ***abietis*** **39**: 77; ***alaskana*** **9**: 86, 89, 90; ***albida*** **9**: 86, 89, 90; **30**: 164; ***albida*** **var. *serpens*** **9**: 86, 89, 90; ***albocarneogilvida*** **17**: 28, 30; ***americana*** **11**: 162; ***benzoina*** **25**: 18; ***betulina*** **4**: 102; **5**: 171; **6**: 93; **8**: 89; **11**: 187; ***betulina*** **var. *cubensis*** **19**: 80; ***biformis*** **45**: 94; ***campestris*** **9**: 86, 89, 90; **26**: 82, 83; ***cervina*** **25**: 106, 111; **37**: *49*, *50*, *51*; **60**: 1, 2, 3, 4, 5, 6, 7; ***cinnabarina*** **4**: 57; **11**: 188; **16**: 156, 218; **17**: 53, 108, 127, 162; **27**: 222; **30**: 55; ***colliculosa*** **17**: *27*, *28*, *29*, *30*, *31*, *32*, *33*, *34*, 51; **23**: 201; **33**: 130; **38**: 142; **42**: 133; **47**: 197; ***conchifer*** **11**: 159; ***confragosa*** **15**: 185, 187, 188, 190; **25**: 105; **30**: 54; ***confragosa*** **var. *tricolor*** **47**: 209; ***cotonea*** **55**: 40; ***cubensis*** **55**: 40; ***dependens*** **38**: 139, 140; ***ectypus*** **55**: 40; ***ehringsdorfensis*** **47**: 209; ***ellisiana*** **64**: 17; ***extenuata*** **20**: 242; ***favolipora*** **11**: 159; **45**: 91; ***flavescens*** **9**: 86, 89, 90; **31**: 115; ***gallica*** **11**: 220; **14**: 246, 247; **45**: 96; **49**: 140, 141, 185; ***gallica*** **f. *trogii*** **19**: *176*, *177*, *178*, *179*; ***galzinii*** **64**: 37; ***gausapata*** **39**: 72; ***gibbosa*** **5**: 17, 19, 171; **7**: 154; **8**: 89; **11**: 97, 98, 100, 102, 159; **13**: 184, 185; **17**: 182; **19**: 79; **22**: 45, 48; **25**: 66, 67, 71, 74, 106; **29**: *91*, *92*, *93*, *94*, *95*; **35**: 200; **43**: 134; **48**: 156; **49**: 46, 140, 186; **63**: 261; ***gibbosa*** **f. *amurensis*** **45**: 95; ***gibbosa*** **f. *hirsuta*** **45**: 95; ***gibbosa*** **f. *tenuis*** **19**: 79; **45**: 96; ***havannensis*** **55**: 43; ***heteromorpha*** **5**: 19; **8**: 89; **9**: 85, 86, 88, 89, 90; **11**: 186; **26**: 94; **42**: 2; ***hirsuta*** **5**: 18, 171; **8**: 89; **9**: 99, 102; **11**: 159, 187; **13**: 147, 217; **14**: 97; **15**: 181, 189; **19**: 71, 179; **29**: 29; **30**: 55, *214*, *215*, *216*, *217*, *218*, *219*, *220*; **32**: 104, 121, 224; **33**: 30, 32; **35**: 200; **36**: 36; **40**: 198; **41**: 52; **43**: *31*, *32*, *33*, *34*, 87; **44**: 143, 204, 207, 209, 213, 214; **45**: 51, 91; **46**: 84, 286; **49**: 140; **55**: 43, 104; **63**: 261; **64**: 16; ***hirsuta*** **var. *fibula*** **33**: 162; ***hoehnelii*** **5**: 155; **7**: 140; **11**: 159; **14**: 88, 89; **15**: 182, 190; **21**: 54, 55, 209; **23**: 198, 199; **24**: 109; **25**: 106, 111; **27**: 223; **31**: 114, 115; **36**: 184; **44**: 239; ***kalchbrenneri*** **49**: 167; ***krekei*** **33**: 99, 100; ***kuzyana*** **11**: 218; **45**: 96; ***lactea*** **f. *cyclomycetoidea*** **7**: 138; ***lactinea*** **45**: 95; ***ljubarskyi*** **11**: 159; **37**: 201; **45**: 96; ***maxima*** **55**: 43; ***membranacea*** **55**: 44; ***menziesii*** **64**: 16, 17; ***micans*** **17**: 28, 29, 31, 32; ***micans*** **var. *saliciseda*** **17**: 28; **33**: 129, 130, 132; **42**: 134; ***moesta*** **46**: 323; ***mollis*** **11**: 161, 169; **13**: 219, 222, 223; **14**: 126; ***mons-veneris*** **11**: 161, 169; ***morganii*** **17**: 28, 29; ***multicolor*** **46**: 286; **56**: 276; ***narymica*** **38**: 203, 204; **42**: 134; ***nepevnyi*** **43**: 134; ***occidentalis*** **11**: 162; **55**: 15; ***ochracea*** **63**: 261; ***odora*** **45**: 96; ***odorata*** **11**: 188; **28**: 29; **44**: 234; ***odorata*** **f. *globosa*** **44**: 233; ***odorata*** **f. *irpiciformis*** **44**: 234; ***odorata*** **f. *macropora*** **44**: 234; ***odorata*** **f. *megalopora*** **44**: 234; ***odorata*** **f. *polymorpha*** **44**: 234; ***odorata*** **f. *ptychogastriformis*** **44**: 235; ***odorata*** **var. *piceae-schrenkianae*** **44**: 234; ***ohiensis*** **11**: 157; **13**: 32, 33; **30**: 165, 166; ***pachyodon*** **11**: 156, 217; **33**: 104; ***peckii*** **49**: 165; ***pendula*** **14**: 226; ***pergamena*** **11**: 159, 160, 169; **21**: 55; ***picei*** **39**: 72; ***piceina*** **39**: 72; ***pini*** **1**: 11; **4**: 13; **7**: 153; **39**: 72, 74; ***pini*** **subsp. *abietis*** **39**: 77; ***pribramensis*** **44**: 230, 235; ***protracta*** **11**: 162, 170; **44**: 234; ***pubescens*** **11**: 159; **36**: 37; **45**: 91; **55**: 44; ***pusilla*** **55**: 44; ***quercina*** **5**: 18, 171; **8**: 89, 90; **10**: 78; **11**: 188; **12**: 201; **14**: 226; **22**: 45, 48; **30**: 54; **35**: 109, 200; ***quercina*** **f. *lenzitoidea*** **19**: 81; **43**: 43; ***quercina*** **f. *minutipora*** **45**: 96; ***radiciperda*** **4**: 13; **5**: 18; **18**: 158; ***raduloides*** **43**: 37; ***ravida*** **46**: 236, 237; ***rigida*** **55**: 13; ***sanguinea*** **28**: 108; **35**: 198; ***scabrosa*** **55**: 44; ***semisupina*** **36**: 184; ***sepium*** **11**: 161, 169; ***serialis*** **7**: 154; **17**: 162; **19**: 176, 178; **24**: 115; **42**: 3; **44**: 236; ***serialis*** **f. *callosa*** **21**: 146;

serialis* f. *corallopoda **44**: 236; ***serialis* f. *tuberosa*** **44**: 236; ***squalens*** **11**: 156; **38**: 140, 141; **42**: 131; **43**: 36; ***stereoides*** **7**: 153; ***styracicola*** **64**: 20; ***suaveolens*** **5**: 171; **11**: 159; **13**: 147; **14**: 226; **32**: 224; **37**: 49; **41**: 52; **49**: 90, 140; **56**: 276; **57**: 326; **60**: 3, 4, 5, 6; ***subrosea*** **11**: 157; ***subsinuosa*** **9**: *83*, *84*, *85*, *86*, *87*, *88*, *89*, 90; **12**: 95, *101*, *102*, *103*, *104*; **19**: 18; **22**: 146; ***sycomori*** **64**: 20; ***tephroleuca*** **45**: 91; ***trogii*** **20**: 175; **21**: 57; **49**: 140; **50**: 140; ***unicolor*** **5**: 19, 171; **8**: 89, 90; **11**: 160; **19**: 69, 73, 75; **26**: 84; **36**: 32; **47**: 204; **49**: 130, 140, 186; ***variiformis*** **9**: 86, 89, 90; ***versatilis*** **55**: 48; ***versicolor*** **2**: 43; **5**: 17, 171; **8**: 89, 90; **9**: 99; **10**: 77; **11**: 159, 241, 243, *245*, *246*; **13**: 184, 186; **14**: 31, 106; **15**: 181, 186, 187, 190; **16**: 34, 143; **17**: 182; **18**: 163, 232; **19**: 179; **22**: 45; **24**: 231; **28**: 110, 113; **29**: 29; **30**: 21, 55, 164; **32**: *104*, *105*, *106*, 224; **33**: 162; **35**: 109, *199*, *200*, *201*; **36**: 164; **37**: 124; **38**: *156*, *157*, *158*, *159*; **40**: 198; **41**: 52, 53; **44**: 143, 209, 216; **46**: 84, 289; **47**: 199, 205, 297; **48**: 156; **49**: 141, 186; **50**: 260, *264*, *265*, *266*, *267*, *268*, *269*, 291, 306, 307, 309, 310; **52**: 156; **55**: 46, 104, 107, 108, 109, 155, 158, 159; **56**: 171, 276; **57**: 311; **63**: 261; **64**: 20; ***villosa*** **41**: 52; **55**: 42, 46; **64**: 18; ***zonata*** **4**: 58; **5**: 171; **11**: 159; **13**: 217; **14**: 106; **36**: 37; ***zonatella*** **35**: 240; **36**: 37.

TRAMETITES eocenicus **47**: *207*, *208*, *209*, *210*, *211*; ***undulatus*** **47**: 209.

TRAMETOPSIS cervina **60**: 3, 7, 8, 9, 10.

TRANZSCHELIA discolor **55**: 287; **56**: 132; ***fusca*** **43**: 25; **53**: 108, 112; **56**: 132; **57**: 267; ***prunispinosae*** **43**: 25; **56**: 132; ***pulsatillae*** **56**: 132; ***thalictri*** **56**: 132.

TRAPELIA corticola **56**: 161; ***geochroa*** **56**: 161; ***involuta*** **50**: 290; ***obtegens*** **51**: 175; ***placodioides*** **51**: *171*, *172*, *173*, *174*, *175*.

TRAPELIOPSIS congregans **56**: 161; ***flexuosa*** **50**: 224, 276, 290; ***glaucolepidea*** **56**: 161; ***granulosa*** **48**: 218; **50**: 290, 295; ***percrenata*** **56**: 161; ***pseudogranulosa*** **50**: 236, 237.

TRECHISPORA christiansenii **56**: 276; ***farinacea*** **43**: 69; **56**: 276; **59**: 181; ***mollusca*** **60**: 105; ***mutabilis*** **36**: 74; ***polyporoidea*** **25**: 129, 130; ***sulphurea*** **35**: 109; ***vaga*** **44**: 143.

TREMATOSPHAERIA britzelmayriana **25**: *38*, *39*, *40*; ***corticola*** **12**: 146, 149; ***fissa*** **49**: 208, 220, 223, 224; ***hydrophila*** **25**: 40; ***megalospora*** **33**: 152; ***morthieri*** **49**: 208, 220, 224, 226; ***paradoxa*** **51**: 27; ***pertusa*** **13**: 156; **25**: 37; ***phaea*** **27**: 86; ***picastra*** **49**: 224; ***piskorzii*** **52**: 67.

TREMATOSPHAERITES lignitum **47**: 211.

TREMELLA alba **46**: 323; ***deliquescens*** **11**: 85; ***diaporthicola*** **63**: 189, 192, 193; ***encephala*** **14**: 97; **21**: 196; **27**: 223; **32**: 224; **63**: 261; ***faginea*** **8**: 77; ***foliacea*** **7**: 92; **13**: 222; **14**: 87, 112; **27**: 223; **32**: 224; **63**: 261; ***frondosa*** **27**: 223; ***fuciformis*** **7**: 154; ***glacialis*** **39**: 53; ***globispora*** **63**: 193; ***grilletii*** **39**: *52*, *53*, *54*, *55*; ***lutescens*** **13**: 218; **14**: 87, 226; **18**: 163; **27**: 223; ***mesenterica*** **2**: 43; **11**: 88; **21**: 196; **26**: 37; **32**: 224; **52**: 11; ***micropera*** **46**: 323; ***mycetophila*** **12**: 199; ***mycophaga*** **7**: 161; **10**: 127; ***obscura*** **10**: 127; ***palmata*** **11**: 88; ***phaeophysciae*** **58**: 112; ***pisiformis*** **11**: *224*, *225*, *226*; **26**: 33; ***simplex*** **10**: 127; ***steidleri*** **14**: 112; **26**: 123; **45**: 36; ***torta*** **11**: 87; ***tuberculariа*** **63**: 193.

TREMELLODON crystallinum **4**: 40; ***gelatinosus*** **6**: 182; **10**: 66; **16**: 156.

TREMISCUS helvelloides **15**: 16; **16**: 156; **17**: 77; **18**: 221, 224, 225; **20**: 110; **21**: 57, 97; **24**: 178; **26**: 37.

TRETOPHRAGMIA nilgirensis **40**: 161.

TRICELLULA aquatica **60**: 72; **63**: 144; ***aurantiaca*** **53**: 22; **60**: 72; **63**: 145; ***ornata*** **56**: 193, 196, 197.

TRICHAPTUM abietinum **44**: 143; **45**: 10, 13, 14, 92, 94; **46**: 286; **49**: 187; **55**: 48; **56**: 276, 286; **63**: 222, 223, 224, 225, 230, 261; ***biforme*** **50**: 141; **64**: 18; ***byssogenum*** **55**: 48; **64**: 17; ***fuscoviolaceum*** **45**: 92, 94, 95; **49**: 141; **56**: 275; ***laricinum*** **45**: 91, 94, 95; ***pargamenum*** **45**: 94, 95; ***sector*** **55**: 48; ***subchartaceum*** **45**: 94; ***versatile*** **55**: 48.

TRICHARIA gilva **14**: 79; **23**: 27; ***praecox*** **23**: 205.

TRICHARINA bisetosa **47**: 197; **52**: 67; ***cretea*** **28**: 19, 20, 23, 136; **35**: 85, 142; **52**: 269; ***gilva*** **28**: 20, 136; **35**: 44, 85, 138, 141; **52**: *268*, *269*; ***mariae*** **35**: 85, 88, 138, 140; ***narkandensis*** **52**: 67; ***praecox*** **35**: 86, 138; **52**: 269; ***subglobispora*** **28**: 129, 136; ***velenovskyi*** **35**: 86, 88, 138, 140, 142.

TRICHASTER melanocephalus **1**: 81, 116; **10**: 22, 23; **11**: 60; **16**: 158.

TRICHIA aculeata **17**: 94; ***affinis*** **17**: *91*, *92*, 93, *93*, *94*; **18**: 164, 180, 181; **20**: 198; **35**: 108; ***affinis*** **var.** ***jackii*** **17**: 93; ***alpina*** **16**: 42; **17**: 91, 94; **44**: 140, 146; ***ayresii*** **20**: 195; ***botrytis*** **17**: 92, 96, 97; **53**: 325; ***chalybaea*** **20**: 194; ***cinerea*** **13**: 50, 51; ***cinnabarina*** **22**: 138; ***citrina*** **20**: 191; ***contorta*** **17**: 91, 92, 95; **20**: 191; **53**: 325; ***contorta*** **var.** ***inconspicua*** **17**: 96; ***contorta*** **var.** ***lutescens*** **17**: 95; ***decipiens*** **17**: 91, 92, 94, 96; **18**: 164; **20**: 189; **25**: 110; **35**: 108; **53**: 325; ***decipiens*** **var.** ***olivacea*** **17**: 96; ***elongata*** **13**: 50; **22**: 143; ***erecta*** **17**: 92, 96; ***fallax*** **17**: 94; ***favoginea*** **17**: *91*, *92*, 93, *93*, *94*; **18**: 164; **53**: 325, 333; ***flexuosa*** **22**: 142; ***floriformis*** **17**: 92, 96, 97; **20**: 189; ***fragiformis*** **20**: 194; ***fragilis*** **17**: 97; ***graniformis*** **22**: 138; ***inconspicua*** **17**: 91, 92, 95; ***inconspicua*** **var.** ***lutea*** **17**: 95; ***lutescens*** **17**: 91, 95; **25**: 110; ***munda*** **53**: 325, 329, 343, 344, 345; ***nana*** **20**: 190; ***neesiana*** **20**: 194; ***nutans*** **13**: 50; ***obtusa*** **20**: 191; ***olivacea*** **17**: 91, 96; ***pachyderma*** **17**: 95; ***persimilis*** **17**: *91*, *92*, 93, *93*; **25**: 110; **53**: 325; ***purpurea*** **22**: 138; ***pyriformis*** **20**: 194; ***rostafinskii*** **17**: 97; ***rubiformis*** **20**: 194, 195; ***rufa*** **22**: 138; ***scabra*** **17**: *91*, *92*, 93, *93*; **18**: 180; **20**: 189; **25**: 110; **53**: 325, 333; ***spongioides*** **20**: 196; ***subfusca*** **17**: 92, 96; ***varia*** **13**: 154, 156; **17**: 91, 92, 94; **18**: 180; **25**: 110; **53**: 325, 333; ***venosa*** **20**: 196; ***verrucosa*** **17**: 91, 94; **20**: 189.

TRICHOBELONIUM caricinum **64**: 124, 125, 126.

TRICHOBOLUS zukalii **35**: 86, 138.

TRICHOCLADIUM angelicum **63**: 145; ***asperum*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; **36**: 104, 105; **44**: 171; ***opacum*** **36**: 104, 106; **40**: 161; **44**: 171; **55**: 77.

TRICHOCOMA paradoxa **10**: 147.

TRICHOCONIS antillana **53**: 314.

TRICHODELITSCHIA bisporula **22**: 303, 304, 308; ***munkii*** **22**: 303, 304, 308.

TRICHODERMA album **33**: 83, *86*, *87*, *88*, *89*, *90*, *91*; **44**: 171; ***atroviride*** **53**: 216, 218, 220; **55**: 78, 90, 93, 96, 98, 99; ***aureoviride*** **44**: 171; ***citrinoviride*** **53**: 216, 218; ***ghanense*** **53**: 252; ***glaucum*** **23**: *246*, *247*, *248*; **24**: 164; **44**: 171; ***hamatum*** **38**: 4; **44**: 171; **46**: 254, 255; **52**: 224; **53**: 216, 218; **55**: 90, 94, 96, 98; **56**: 236; **61**: 151, 154; ***harzianum*** **38**: *235*, *236*, *237*, *238*, *239*; **44**: 171; **45**: 41, 43; **51**: 74, 158, 160, *164*, *165*, *166*, *167*, *168*; **52**: 220, 221, 222, 224, 225; **53**: 152, 216, 218; **55**: 90, 94, 96, 98, 99, 104, 125, 130, 132, 148; **56**: 7, 12, 223, 226, 228, 229, 230, 232, 233, 234, 236; **59**: 130, 132; **61**: 151, 154; ***koningii*** **23**: *245*, *246*, *247*; **24**: 164; **29**: 212; **31**: 209, 211;

37: 28, 29, 31; **38**: 4; **44**: 171; **46**: 102, 109, 255; **53**: 216, 218; **55**: 73, 77, 90, 94, 96; **56**: 236; ***lignorum*** **1**: 106, 107; **3**: 9, 10; **8**: *141*, *142*, *143*; **11**: 185; **20**: 51; **23**: *245*, *246*, *247*, *248*; **44**: 171; **53**: 219; ***longibrachiatum*** **35**: 100; **44**: 171; ***minutisporum*** **53**: 216, 218; ***piluliferum*** **40**: 24, 26; **44**: 171; ***polysporum*** **32**: 229, 231; **35**: 100; **44**: 171; **46**: 255; ***pseudokoningii*** **44**: 171; **55**: 90; **56**: 236; ***reesei*** **40**: 71, 111; **51**: 74; ***saturnisporum*** **53**: 237, 238, 251, 252, 253; ***strictipile*** **55**: 77; ***virens*** **55**: 94, 96; ***viride*** **1**: 106; **3**: 10, 11; **6**: 94; **8**: *89*, *90*, *91*; **19**: *175*, *176*, *177*, *178*, *179*; **23**: 249; **24**: 164, 207, 212; **28**: 35, *40*, *41*, *42*; **31**: 42, 207, 209, 211; **32**: 102, 107, 227, 229, 231; **33**: 60, 83, *86*, *87*, *88*, *89*, *90*, *91*, 148; **35**: 100; **37**: 19, 24, *27*, *28*, *29*, 31, 116; **38**: 4, 7, *236*, *237*, *238*, *239*; **40**: 24, 26, 27, 53, 71, 193; **41**: 9, 12; **44**: 171; **45**: 27, 42, 45; **46**: 1, 4, *87*, *88*, *89*, *90*, *91*, 102, 109, 255; **48**: 78, 81, 83, 85; **50**: 35, 253; **52**: 164, 170, 220, 225; **53**: 152, 164, 166, 216, 218, 219, 220; **55**: 73, 77, 78, 94, 110, 111, 122, 123, 124, 130; **56**: 236.

TRICHODISCUS crossotus **30**: 9; ***heterotrichus*** **30**: 11; ***hooglandii*** **30**: 11; ***prasinus*** **30**: 9; **41**: 196; ***sedi*** **30**: 11; ***virescentulus*** **30**: 11.

TRICHOGLOSSUM confusum **62**: 17; ***hirsutum*** **12**: *243*, *244*, *245*; **49**: *239*, *240*, *241*; **62**: 13, 16, 17; **64**: 135; ***hirsutum*** **f.** ***verrucosum*** **12**: 245; ***hirsutum*** **var.** ***doassansii*** **62**: 17; ***kunmingense*** **62**: 17; ***octopartitum*** **62**: 13, 14, 15, 16, 17; ***peruvianum*** **62**: 17; ***variabile*** **62**: 13, 16, 17; ***walteri*** **62**: 13, 16, 17.

TRICHOLOMA acerbum **3**: 91; **4**: 122, *124*, *125*, *126*, *127*; **10**: 187; **12**: 124; **14**: 75; **23**: 115, 116, 177; **33**: 166; **52**: 7; ***aestuans*** **35**: 241; ***aggregatum*** **1**: 96; **3**: 108; **5**: 73; **14**: 75; **19**: 128, *233*, *234*, *235*, *236*, *237*, *238*; ***aggregatum*** **subsp.** ***cinerascens*** **3**: 61; ***albobrunneum*** **2**: 99; **6**: 40; **10**: 187; **12**: 80; **14**: 77, 225; **19**: 128, *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **22**: 50, 53, 54; **23**: 115; **33**: 166; ***albobrunneum*** **var.** ***romagnesii*** **30**: 228; ***album*** **8**: 75; **11**: 127; **14**: 117, 225; **18**: 162; **23**: 177; **32**: 224; **34**: 79; **52**: 10; ***altaicum*** **22**: 98; ***amarum*** **12**: 78; ***amarum*** **var.** ***alboalutaceum*** **10**: 173; **19**: 100; ***apium*** **14**: 97; **64**: 226; ***arcuatum*** **6**: 41; ***argyraceum*** **12**: 124; **14**: 223; **18**: 13; **29**: 28; **32**: 224; ***atrosquamosum*** **5**: 100; **14**: 125, 225; **18**: 13; **20**: 127; **21**: 1; **52**: 7; ***atrosquamosum*** **subsp.** ***squarrulosum*** **5**: 100; **10**: *122*, *123*, *124*; ***aurantium*** **4**: 143; **14**: 77, 126; **19**: 152; **20**: 127; ***bicolor*** **20**: 230; ***borgsjoeënse*** **64**: 223, 224, 225, 226, 227; ***bresadolianum*** **43**: 51, 57; **52**: 7; ***brevipes*** **2**: 87; **4**: 70; ***bufonium*** **16**: 157; ***caligatum*** **8**: 166, 167; **10**: 250; **14**: 125, *127*, *128*, *129*; **15**: 50; **19**: 142, 143, 152, 153, 199; **30**: 228; ***camarophyllum*** **3**: 27; ***cerinum*** **14**: 77; **61**: 9; ***cingulatum*** **59**: 75, 76; ***cnista*** **4**: 68; ***colossus*** **2**: 11; **4**: 125; **19**: 143, 152, 153, 197; **23**: 116; **26**: 61; **30**: 228; **58**: 154; ***columbetta*** **4**: *29*, *30*; **14**: 113; **18**: 162; **32**: 224; **34**: 78; **44**: 221; **46**: 171, 172; ***conglobatum*** **3**: 28, 108; **21**: *159*, *160*, *161*, *162*, *163*; ***cuneatum*** **2**: 36; ***cuneifolium*** **10**: 29; **14**: 78, 113, 225; ***decastes*** **3**: 61; ***decorum*** **16**: 179; ***equestre*** **3**: 79; **5**: 73; **7**: 73, 77, 79; **10**: 163, 168; **12**: 53, 54; **13**: 125; **16**: 71; **18**: 115; ***farinaceum*** **22**: *98*, *99*, *100*, *101*, *102*, *103*, *104*; ***flavobrunneum*** **2**: 99; **4**: *30*, *31*, *32*; **6**: 188; **7**: 155; **11**: 128, 170; **12**: 251; **19**: 16; **23**: 115, 177; **33**: 166; **34**: 78; **44**: 90; ***flavobrunneum*** **var.** ***netolicense*** **4**: 32; ***flavovirens*** **1**: 38; **14**: 225; **16**: 21, 71; **18**: 13; **19**: 16; **23**: 141; **29**: 111, 184, 185; **30**: 25; **32**: 224; **33**: 166; **34**: 78; **35**: 114; **36**: 9; **45**: 34; **48**: 109; ***focale*** **10**: 29; **19**: *142*, *143*, *144*, *145*, *146*, *147*, *148*, *149*, *150*, *151*, *152*, *153*, 198, 199; **33**: 166; ***fucatum*** **4**: 58, 59; **11**: 127; **14**: 125, 128, 129; **36**: 8; **64**: 226, 229; ***fulvum*** **32**: 224; **44**: 222, 223; **52**: 12; ***furvum*** **11**: 127; ***gambosum*** **2**: 44; **3**: 28, 79, 108; **4**: 29, 109; **5**: 73, 128; **6**: 70, 73; **8**: 71, 72; **12**: 53; **15**: 201, *213*,

214, *215*, *216*; ***gambosum* var. *aestivale*** **19**: 101; ***gausapatum*** **10**: 122; **21**: 5; ***georgii*** **3**: 79; **5**: 73; **7**: 77, 79; **8**: *70*, *71*, *72*, *73*; **10**: 116, 117; **30**: 51; ***georgii* var. *albellum*** **8**: 73; ***georgii* var. *fuscum*** **8**: 75; ***georgii* var. *gambosum*** **8**: 73; ***georgii* var. *graveolens*** **8**: 75; ***georgii* var. *grossum*** **8**: 75; ***georgii* var. *palumbinum*** **8**: 75; ***georgii* var. *pomonae*** **8**: 75; ***gigantulum*** **19**: 198; ***glareosum*** **2**: 37; ***graveolens*** **3**: 27; **5**: 73; ***guernisacii*** **4**: *121*, *122*, *123*, *124*, *125*, *126*, *127*; **6**: 188; **7**: 159; **19**: 198; **23**: 115, 116; ***guldeniae*** **64**: 223, 229, 230; ***guttatum*** **10**: 173; **12**: 78; ***helviodor*** **3**: 91, 92; **7**: 158; **10**: 29, 187; **12**: 123; **14**: 125, 127, 128, 129; **15**: 16; **17**: 108; **18**: 5; **19**: 233; ***holici*** **11**: 127; ***hygrophorus*** **20**: 148; ***imbricatum*** **16**: 27, 28; **19**: 18; **22**: 50, 53, 54; **25**: 76; **32**: 224; **34**: 78; ***immundum*** **14**: 225; ***inamoenum*** **3**: 91, 92; **23**: 172, 177; **34**: 78; ***inodermeum*** **25**: 76; **43**: 55, 57; ***insipidum*** **23**: 116, 117; ***ionides*** **1**: 88; ***ionides* f. *grisea*** **52**: 67; ***irinum*** **23**: 176; ***izarnii*** **11**: 127; ***kavinae*** **7**: 155; ***lascivum*** **10**: 187; **14**: 89; **27**: 219; ***latiusculum*** **2**: 37; ***lentum*** **10**: 173; **19**: 101; ***lepistoides*** **22**: *95*, *96*, *97*, *98*, *99*, *100*, *101*, *102*, *103*, *104*; ***lilacinum*** **7**: 81; ***lobatum*** **23**: 116, 117; ***losii*** **2**: 5; ***luridum*** **11**: 127; **64**: 223, 226, 228, 229, 230, 231; ***luteovirens*** **6**: 159; ***maluvium*** **36**: *7*, *8*, *9*; ***matsutake*** **19**: 128; **38**: 170; ***mirabile*** **10**: 174; ***mongolicum*** **22**: 98; **48**: 284; ***murinaceum*** **10**: 124; ***myomyces*** **23**: 205; ***nictitans*** **4**: 32; **6**: 188; ***nigromarginatum*** **10**: 124; ***nudum*** **1**: *84*, *85*, *86*, *87*, *88*, *89*; **2**: 36, *114*, *115*, *116*, *117*; **3**: 121, 122, 125; **4**: 108; **5**: 73, 122; **7**: 77, 79; **11**: *177*, *178*, *179*; **30**: 52; ***nudum* var. *glaucocanus*** **1**: 87; ***nudum* var. *lilaceus*** **1**: 87; ***nudum* var. *tridentinus*** **1**: 87; ***nudum* var. *violaceofuscidulus*** **1**: 87; ***onychinum*** **11**: 127; ***orirubens*** **5**: *99*, *100*; **10**: 124; **11**: 127; **14**: 75; **15**: 14; **25**: 62; **30**: 198, 228; **59**: 75, 76; **64**: 225, 226; ***panaeolum*** **2**: 37; **19**: 50; **20**: 126; **30**: 52; ***pannonicum*** **22**: *95*, *96*, *97*, *98*, *99*, *100*, *101*, *102*, *103*, *104*; ***pardalotum*** **21**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*, *10*; **23**: 172, 177, 179; **33**: 251, 252; ***pardinum*** **1**: 55; **2**: 105; **3**: 27; **4**: 115, 119, 120; **5**: *97*, *98*, *99*, *100*; **6**: 190; **7**: 160; **8**: 192; **9**: 38, 41, 42; **10**: 118, 119, 124; **12**: 58; **14**: 75, 125, 126, 127, 129; **15**: 14; **21**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*, *10*, 53; **23**: 172, 177, 179; **42**: 225; **48**: 98; ***persicolor*** **14**: 113; ***personatum*** **1**: 87; **2**: 35; **5**: 73; **7**: 77, 79; **21**: 161; ***personatum* f. *minor*** **1**: 87; ***pessundatum*** **2**: *11*, *12*, *13*, *14*, 99, *100*, *101*, 105; **3**: 22; **4**: 121, 124; **6**: 40, *188*, *189*, *190*; **8**: 192; **10**: 29, 187, 188; **12**: 251; **13**: 7, 9; **14**: 77, 126; **18**: 116; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **23**: 115, 116, 177; **33**: 166; **34**: 78; **37**: 122; **44**: 251; ***pessundatum* subsp. *populinum*** **2**: 14; ***pessundatum* subsp. *typicum*** **2**: 14; ***populinum*** **2**: *11*, *12*, *13*, *14*, 99, *100*, *101*; **3**: 22; **6**: *188*, *189*, *190*; **7**: 158; **10**: 187, 188; **12**: 124; **23**: 115; **32**: 224; **33**: 166; **34**: 78; **44**: 120, 251; **59**: 75, 76; ***portentosum*** **1**: 38; **3**: 28, 108; **5**: 73, 133; **7**: 73, 77, 79; **14**: 225; **18**: 115; **19**: 16, *233*, *234*, *235*, *236*, *237*, *238*; **21**: 9; **25**: 145; **29**: 111, 184, 185; **30**: 25; **32**: 224; **33**: 166; **34**: 78; **36**: 9; **37**: 122; **45**: 34, 49; **52**: 213; ***praecox*** **2**: 37; ***praegrande*** **22**: 98; ***preslii*** **25**: 76; ***psammopus*** **10**: 49, 187; **12**: 124; **14**: 78; **33**: 166; ***pseudoacerbum*** **4**: 121, *124*, *125*, *126*, *127*; **10**: 173; **12**: 78, 82; **23**: 116, 117; **32**: 219; ***pseudoputidum*** **11**: 127; ***putidum*** **11**: 127; ***radotinense*** **23**: *115*, *116*, *117*; ***ramentaceum*** **10**: 124; ***resplendens*** **6**: 41; ***robustum*** **4**: 22; **10**: 29, 187; **14**: 113, 126; **19**: 143, 151; ***roseibrunneum*** **20**: 230; ***rutilans*** **4**: 67; **5**: 73; **6**: 35, 40; **20**: 59, 216; ***rutilans* f. *squamosissima*** **36**: 58; ***rutilans* var. *decorum*** **16**: 180; ***sanguinescens*** **11**: 127; ***saponaceum*** **3**: 7, 28, 108; **10**: 163, 168, 187; **18**: 162, 233; **19**: 16, 115, *231*, *232*, *233*, *234*, *235*, *236*, *237*, *238*; **20**: 59; **22**: 50, 53, 54, 199; **23**: 177; **27**: 15; **32**: 224; **34**: 79, 195; **36**: 8; **44**: 222, 223; **46**: 171, 175; **48**: 40; **52**: 4, 5; ***scalpturatum*** **5**: 100; **8**: 123; **14**: 77, 225; **18**: 10, 233; **33**: 166;

34: 79; **35**: 241; **44**: 222, 223; **52**: 7; ***sciodes*** **34**: 78; **46**: 171, 172; ***sejunctum*** **4**: 59; **5**: 73; **6**: 40; **10**: 187; **11**: 127; **12**: 251; **13**: 7, 9, 125; **14**: 75; **18**: 13, 115; **19**: 16, 128; **22**: 147; **23**: 171, 174, 176, 179; **33**: 166; **34**: 79; **36**: 9; **52**: 7; **64**: 229; ***singeri*** **36**: *7*, *8*, *9*, *10*; **43**: 117; ***sordidum*** **1**: 87; **30**: 52; ***squarrulosum*** **52**: 7; ***squarrulosum*** **var.** ***slavkoviense*** **14**: 113; ***stanekii*** **11**: 182; **31**: 181; ***stans*** **2**: 14, 101; **6**: 189; **52**: 11; ***stans*** **var.** ***campestre*** **2**: 101; ***stans*** **var.** ***montana*** **2**: 101; ***stridula*** **27**: 27; ***subannulatum*** **19**: 143, 144, 152, 153; ***subfuscum*** **11**: 127; ***subimbricatum*** **11**: 127; **25**: 76; ***subniveum*** **11**: 127; ***subpulverulentum*** **14**: 113; ***sudum*** **11**: 128; **14**: 104; **15**: 14; ***sulphureum*** **6**: 190; **11**: 127; **12**: 79; **14**: 87, 111, 225, 228; **16**: 157, 164; **18**: 162, 223; **22**: 199; **23**: 79, 177; **27**: 219; **32**: 224; **33**: 166; **34**: 78; **35**: 112, 114, 115; **36**: 174; **44**: 222, 223, 224; **46**: 171, 172; **52**: 7; ***terreum*** **2**: 116; **4**: 109; **5**: 73, 100; **10**: 124; **14**: 77, 89, 106, 225; **18**: 144, 233; **19**: 16, 115, *233*, *234*, *235*, *236*, *237*, *238*; **21**: 9, 161; **22**: 199; **25**: 140, 144; **27**: 219; **28**: 124; **29**: 28; **30**: 198; **32**: 224; **33**: 166; **34**: 79; **42**: 161, 164; **64**: 223, 225, 226; ***terreum*** **var.** ***album*** **52**: 67; ***tigrinum*** **3**: 27; **5**: 55, 98; **21**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*, *10*; ***tricolor*** **10**: 172; **32**: 219, 220; ***tridentinum*** **6**: 189; ***tumulosum*** **2**: 37; ***turritum*** **18**: 116; ***ustale*** **2**: 98, 99, 101; **6**: 40, *189*, *190*; **19**: 128; **21**: 57; **23**: 115, 116; **46**: 171; **52**: 7; **63**: 261; ***ustaloides*** **30**: 228; **52**: 7; ***vaccinoides*** **25**: 75, 76; ***vaccinum*** **4**: 32; **10**: 188; **14**: 77; **16**: 28; **18**: 13; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **22**: 50, 53, 54; **25**: 76; **30**: 54; **34**: 78, *192*, *193*, *194*; **44**: 90, 222, 223; ***versicolor*** **11**: 127; ***virgatum*** **10**: 124; **14**: 125; **16**: 21; **19**: 115; **23**: 177; **35**: 118; ***viridilutescens*** **26**: 122; **28**: 121; **64**: 229; ***zvarae*** **6**: 190.

TRICHOLOMELLA constricta **63**: 8.

TRICHOLOMOPSIS decora **14**: 88; **16**: 173, 179, 180, 186, 190; **18**: 2; **21**: *55*, *56*, *57*; **25**: 109, 111; **27**: 219; **44**: 90, 124; **46**: 177, 193; **63**: 261; **64**: 93, 98; ***ornata*** **16**: 180, 190; **64**: 98, 99; ***osiliensis*** **64**: 93, 94, 95, 96, 97, 98, 99, 100; ***platyphylla*** **12**: 214; **14**: 87; **16**: 181; **18**: 3, 162; **19**: *233*, *234*, *235*, *236*, *237*, *238*; **27**: 216; ***rutilans*** **14**: 88, 97, 106, 226; **16**: 179, 180, 188, 190; **18**: 115; **19**: 18, *233*, *234*, *235*, *236*, *237*, *238*; **23**: 177; **24**: 122; **27**: 219; **32**: 224; **33**: 166; **34**: 79; **38**: 221; **42**: 115; **44**: 90, 222, 223; **46**: 68, 71, 177, 182; **52**: 37, 213; **56**: 274; **63**: 261; **64**: 93, 98, 99; ***sulphureoides*** **41**: 52.

TRICHOMETASPHAERIA pedicellata **45**: 155.

TRICHOMYCES tonsurans **12**: 44.

TRICHOPEZIZA amoena **30**: 14; ***dematiicola*** **31**: 193, 194; ***pygmaea*** **39**: 217; ***virescentula*** **30**: 11; ***winteriana*** **21**: 150.

TRICHOPEZIZELLA nidulus **41**: 200; ***relicina*** **42**: 147.

TRICHOPHAEA abundans **23**: 27; **35**: 44, 86, 138; ***albida*** **14**: 168; ***ampezzana*** **28**: 137; ***bicuspis*** **17**: 61, 64; **32**: 221; ***eguttulispora*** **33**: 15; ***gregaria*** **14**: 76, 126, 168; **15**: 66; **16**: 109; **22**: 184, 185; **25**: 109; **26**: 123; **35**: 86, 139, 142; ***gregaria*** **f.** ***nigrella*** **17**: 64; ***gregaria*** **f.** ***pseudogregaria*** **15**: 66; ***gregaria*** **var.** ***intermedia*** **31**: 70; **35**: 87; ***hemisphaerioides*** **15**: 66; **17**: 64, 69; **23**: 27; **29**: 29; **35**: 86, 138; ***irregularis*** **14**: 168; ***laricina*** **31**: 70; **33**: 17; **35**: 86, 140; ***moravica*** **35**: 86, 138; ***narkandensis*** **47**: 197; ***paludosa*** **14**: 164, 166, 168, 175; **24**: 109; **35**: 86, 140, 142; ***pseudogregaria*** **15**: 66; **16**: 109; **35**: 87, 139, 141, 142; ***salicina*** **31**: 71; **35**: 87, 141; ***tuberculata*** **14**: 168; ***tumidosa*** **47**: 197; **52**: 67; ***vernalis*** **35**: 87, 139; ***woolhopeia*** **14**: 78; **16**: 109; **21**: 239; **29**: 29; **35**: 87, 138, 139, 141, 142; **44**: 145.

TRICHOPHAEOPSIS bicuspis **33**: 13, *15*, *16*, 17, *17*; **35**: 87, *138*, *139*, *140*; ***eguttulispora*** **33**: 16; ***latispora*** **33**: *13*, *14*, *15*, *16*, *17*, *18*; **35**: 87, 140; **47**: 274; ***tetraspora*** **33**: *15*, *16*, *17*.

TRICHOPHYTON acuminatum **12**: 44, 45; ***acutulum*** **12**: 45; ***ajelloi*** **24**: 192, 193, 196; **25**: 55; **27**: *159*, *160*, *161*; **28**: 119; **30**: 21, *41*, *42*, *43*, *44*, *45*, *46*, *47*; **33**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **37**: *94*, *95*, *96*, *97*; **39**: 97, 98, *101*, *102*, *103*; **43**: 243; **44**: 171; ***album*** **12**: 43, 45; ***areolatum*** **12**: 45; ***asteroides*** **10**: 105, 110, 112; **12**: *42*, *43*, *44*, 46; ***avaricum*** **31**: 97, 98; ***bicolor*** **12**: 45; ***castellani*** **12**: 45; ***cerebriforme*** **12**: 42, 45; ***chosenicum*** **12**: 46; ***cineraceum*** **12**: 45; ***circonvolutum*** **12**: 45; ***coccineum*** **12**: 44; ***concentricum*** **12**: 42, 45; **39**: 163; ***crateriforme*** **12**: 42, 44, 45; ***currii*** **22**: 56; ***denticulatum*** **10**: 105; **12**: 44; ***discoides*** **12**: 43, 45; ***effractum*** **12**: 45; ***equinum*** **10**: 105; **12**: 44; **37**: *94*, *95*, *96*, *97*; **39**: 163; **41**: 168; **55**: 273, 274, 275, 276; ***erinacei*** **33**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **39**: 163; ***evolceanui*** **31**: 212; ***exsiccatum*** **12**: 45; ***farinulentum*** **10**: 105; **12**: 44; ***faviforme album*** **9**: 165; **12**: 43; ***faviforme discoides*** **12**: 43; ***faviforme ochraceum*** **12**: 43; ***favus*** **12**: 107; ***felineum*** **10**: 105; **12**: 43; ***ferrugineum*** **11**: 199; **12**: 42, 45; **13**: 186; **39**: 161, 163; ***flavum*** **12**: 45; ***floccosum*** **30**: *41*, *42*, *43*, *44*, *45*, *46*, *47*; ***floccosum*** **var.** ***nigrescens*** **30**: *41*, *42*, *43*, *44*, *45*, *46*, *47*; ***floriforme*** **12**: 45; ***fumatum*** **12**: 44, 45; ***fuscum*** **12**: 45; ***fuscum sulcatum*** **12**: 45; ***gallinae*** **12**: 42, 43; **39**: 163; ***georgiae*** **35**: 215; ***georgii*** **22**: 58; **44**: 171; ***germen*** **12**: 45; ***glabrum*** **12**: 46; ***gloriae*** **22**: 58, 61, 64; ***gourvilii*** **12**: 46; **27**: 158; **39**: 163; ***granulosum*** **10**: 105, *111*, *112*, *113*; **12**: *42*, *43*, *44*; **13**: 171; ***gypseum*** **9**: 143; **10**: 105, 106, 110, *112*, *113*; **11**: 199; **12**: 42, 43; **13**: *171*, *172*, *173*, *174*, *175*, *176*, *177*, *178*, *179*, *180*, *181*; **17**: *102*, *103*, *104*, *105*, *106*, *107*; **45**: 53; ***gypseum*** **var.** ***asteroides*** **10**: *106*, *107*, *108*, *109*, *110*; **11**: 199; **12**: 46; **13**: 172, 186; ***gypseum*** **var.** ***granulosum*** **10**: 107, 108, 111; ***gypseum*** **var.** ***kaufmann-wolfii*** **9**: 143; **10**: *108*, *109*, *110*, *111*; **12**: 46; **13**: 186; ***gypseum*** **var.** ***quinckeanum*** **10**: 106, 109; ***gypseum*** **var.** ***radians*** **10**: 106, 109; ***interdigitale*** **10**: 105; **12**: 44; **39**: 163; **59**: 133; ***kagawaense*** **12**: 44; ***kaufmann-wolfii*** **10**: 105, *110*, *111*, *112*, *113*; **12**: *42*, *43*, *44*, 46; ***kuryangei*** **39**: 163; ***lacticolor*** **10**: 105; **12**: 44; ***lanoroseum*** **12**: 44; ***mansonii*** **12**: 45; ***marginatum*** **12**: 46; ***megalosporon endothrix*** **12**: 44; ***megninii*** **12**: 43, 44; **30**: *41*, *42*, *43*, *44*, *45*, *46*, *47*; **39**: 163; ***mentagrophytes*** **10**: 105; **12**: 44, 47, 109; **13**: 103; **16**: *124*, *125*, *126*; **22**: *56*, *57*, *58*, *59*, *60*, *61*, *62*, *63*, *64*, *65*, *66*; **23**: *45*, *46*, *47*, *48*; **24**: 187, 189, 190, 192, 193, 196; **26**: 229; **27**: 158; **30**: 21, 22; **31**: 212; **32**: 107; **33**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **35**: 215; **37**: 42, 46, 119; **40**: 56; **44**: 117, 171; **45**: 45, 46; **52**: 172, 174; **53**: 190; **57**: 323; **59**: 125, 131, 133; ***mentagrophytes*** **var.** ***erinacei*** **33**: 81; **39**: 163; ***mentagrophytes*** **var.** ***granulosum*** **45**: 45, 46; ***mentagrophytes*** **var.** ***interdigitale*** **18**: *117*, *118*, *119*, *120*, *121*; **20**: 28, 182; **23**: *45*, *46*, *47*, *48*; **26**: 229; **30**: *41*, *42*, *43*, *44*, *45*, *46*, *47*; **33**: 231, 232; **39**: 163; **41**: 160; **44**: 150; **45**: 45; ***mentagrophytes*** **var.** ***mentagrophytes*** **37**: *93*, *94*, *95*, *96*; **39**: 163; **45**: 45; ***mentagrophytes*** **var.** ***moravicum*** **44**: 171; ***mentagrophytes*** **var.** ***persicolor*** **39**: 161; ***mentagrophytes*** **var.** ***quinckeanum*** **20**: 182; **33**: 81; **36**: 239; **37**: *94*, *95*, *96*, *97*; **39**: 163; **45**: 45; ***multicolor*** **12**: 44; ***niveum*** **10**: 105; **12**: 42, 44; ***ochraceum*** **12**: 43, 45; ***ochropyrraceum*** **12**: 45; ***pedis*** **10**: 105; **12**: 44; ***persicolor*** **10**: 105; **12**: 44; **39**: 101, 161; ***phaseoliforme*** **33**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; ***pilosum*** **12**: 45; ***plicatile*** **12**: 45; ***plurizoniforme*** **12**: 44; ***polygonum*** **12**: 45; ***proliferans*** **39**: 163; ***purpureum*** **12**: *42*, *43*, *44*; **13**: 186; ***quinckeanum*** **12**: 43; **39**: 161, 163; ***radians*** **10**: 105, 110, *112*, *113*; **12**: 44;

radiolatum **10**: 105; **12**: 44; ***regulare*** **12**: 44; ***rosaceum*** **12**: *42*, *43*, *44*, 107; **13**: 186; ***roseum*** **12**: 44; ***rotundum*** **12**: 45; ***rubidum*** **12**: 44; ***rubrum*** **12**: 44; **13**: 103; **19**: *111*, *112*, *113*; **22**: 202; **23**: *45*, *46*, *47*, *48*, 162; **24**: 154, 160; **26**: 229; **27**: *156*, *157*, *158*; **30**: 21, 22, *41*, *42*, *43*, *44*, *45*, *46*, *47*; **33**: 231, 232; **35**: 215; **37**: 119; **39**: 163; **41**: 155, *157*, *158*, *159*, *160*; **44**: 150; **59**: 125, 127, 131, 133; **63**: 90; ***rubrum*** **var.** ***nigricans*** **20**: 27, 28, 182, 183; **23**: 127, 128; **27**: 242; **30**: *41*, *42*, *43*, *44*, *45*, *46*, *47*; **35**: 162; ***sabouraudii*** **12**: 44; ***schoenleinii*** **12**: 42, 43, 45; **13**: 172, 186; **20**: 182; **23**: 47; **35**: 215; **39**: 164; ***schoenleinii*** **var.** ***album*** **9**: *165*, *166*, *167*, *168*, *169*; **12**: 43; **13**: 186; ***simii*** **22**: 58, 61, 63, 64; **33**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **36**: *236*, *237*, *238*, *239*, *240*, *241*; **39**: 164; ***soudanense*** **39**: 164; ***spadix*** **12**: 44; ***sulfureum*** **12**: 42, 45, 46, 107; ***terrestre*** **17**: *195*, *196*, *197*, *198*, *199*; **19**: 226; **22**: 57, 58, 65; **24**: 187, 192, 196; **25**: 55; **27**: *159*, *160*, *161*; **31**: 98; **33**: *81*, *82*, *83*, *84*, *85*, *86*, *87*, *88*, *89*, *90*, *91*; **37**: *94*, *95*, *96*, *97*; **39**: 97, 98, 101, 103, 164; **44**: 171; ***thuringiense*** **39**: 164; ***tonsurans*** **12**: *42*, *43*, *44*; **13**: 103, 186; **27**: 158; **35**: 215; **39**: 164; ***tonsurans*** **var.** ***sulfureum*** **12**: 46; **13**: 103; ***umbilicatum*** **12**: 45; ***vanbreuseghemii*** **22**: 57, 58; **27**: 159; **44**: 172; ***verrucosum*** **12**: 42, 43, 45; **30**: *41*, *42*, *43*, *44*, *45*, *46*, *47*; **35**: 215; **37**: *93*, *94*, *95*, *96*, *97*; **39**: 164; **40**: 112; **45**: 46; **55**: 273, 274, 275, 276; ***verrucosum*** **var.** ***album*** **12**: 43; ***verrucosum*** **var.** ***discoides*** **12**: 43; ***verrucosum*** **var.** ***ochraceum*** **12**: 43; ***verrucosum*** **var.** ***verrucosum*** **12**: 43; ***vinosum*** **12**: 44; ***violaceum*** **12**: 42, 46; **13**: 171, 172, 174, *178*, *179*, *180*, 186; **17**: *102*, *103*, *104*, *105*, *106*, *107*; **24**: 192; **35**: 215; **37**: *94*, *95*, *96*, *97*; **39**: 164; ***violaceum*** **var.** ***coccineum*** **12**: 46; ***violaceum*** **var.** ***khartoumense*** **12**: 46; ***yaoundei*** **39**: 164.

TRICHOSCYPHELLA calycina **13**: 155; **14**: 89; **16**: 104, 113; **27**: 225; ***carpatica*** **16**: 104, 113; ***fuckelii*** **16**: 102, 104; ***fuscosanguinea*** **16**: 104; ***gallica*** **16**: 104; ***resinaria*** **16**: 105; ***willkommii*** **11**: 184; **14**: 106; **17**: 162.

TRICHOSPHAERIA melanostigmoides **25**: 39, 40; **27**: 96; ***subcorticalis*** **49**: 195.

TRICHOSPORIUM inflatum **47**: 152; ***maydis*** **17**: *12*, *13*, *14*, *15*, *16*, *17*, *18*, *19*; ***palmicolum*** **17**: 14; ***populneum*** **33**: 170; **44**: 172; ***sphaericum*** **17**: 13, 14, 16, 18; ***tingens*** **35**: 218; ***tomentosum*** **30**: 4.

TRICHOSPORON aculeatum **28**: 163; **35**: 214; ***aquatile*** **28**: 163; ***beigelii*** **35**: 214; **39**: 164; ***capitatum*** **23**: *50*, *51*, *52*; **27**: 242; **28**: 167; **32**: 36, 41, 240; **33**: 111, 231; **35**: *162*, *163*, *164*, 214; **36**: 168; **39**: 164; **43**: *149*, *150*, *151*, *152*, *153*; **45**: 46; ***cutaneum*** **13**: 160, 162; **14**: 52, 54, 58; **15**: 118, 119, 122; **16**: *238*, *239*, *240*, *241*, *242*, *243*; **20**: 182; **23**: 162; **24**: *153*, *154*, *155*, *156*, *157*, *158*, *159*, *160*, *161*; **28**: 163, 167; **32**: 36, 38, 240; **33**: 107, 108, 231; **34**: 84, 85; **35**: *162*, *163*, *164*, 214, 229; **36**: 123, 124, 168, 245; **38**: 15, 16; **39**: 235, 236; **42**: 171, 174; **43**: 152; **48**: 147, 148, 149, 150, 151, 152; **53**: 227; **54**: 241, 242, 243; ***cutaneum*** **subsp.** ***aquatile*** **42**: 171, 172, 174; ***cutaneum*** **subsp.** ***dulcitum*** **42**: 172, 174; ***cutaneum*** **var.** ***aquatile*** **42**: 171, 172, 174; ***cutaneum*** **var.** ***jirovecii*** **24**: 160; **27**: 242; ***cutaneum*** **var.** ***multisporum*** **24**: 159; **28**: 165; ***cutaneum*** **var.** ***peneaus*** **32**: 241; ***cutaneum*** **var.** ***penetrans*** **28**: 165; ***dendriticum*** **11**: 149; ***fermentans*** **13**: 162; **16**: 239, 243; **43**: 153; ***figueirae*** **32**: 241; ***infestans*** **15**: 118, 119, 122; **24**: *153*, *154*, *155*, *156*, *157*, *158*, *159*, *160*, *161*; **32**: 240; ***inkin*** **28**: 163, 165, 167; **38**: 15, 16; ***jirovecii*** **23**: *160*, *161*, *162*; **24**: *153*, *154*, *155*, *156*, *157*, *158*, *159*, *160*, *161*; **28**: 163; **32**: 241, 242; ***krusei*** **11**: 149; ***loboi*** **32**: 241; ***lodderae*** **32**: 140; ***multisporum*** **32**: 240; ***ovoides*** **32**: 240;

penicillatum **43**: 153; ***piscium*** **32**: 143; ***pullulans*** **13**: 161, 162; **16**: 237, 242, 243; **38**: 15, 16; **54**: 242, 243; ***rubrum*** **45**: 170; ***sericeum*** **18**: 94, 96, 97.

TRICHOTHECIUM harzianum **36**: 70; ***plasmoparae*** **42**: 251; ***roseum*** **4**: 100; **19**: 177, 178; **20**: 51; **33**: 83, *86*, *87*, *88*, *89*, *90*, *91*, 149; **35**: 218; **36**: 70; **38**: *235*, *236*, *237*, *238*, *239*; **44**: 172; **50**: 103, 104; **59**: 130.

TRICHOTHYRINA pinophylla **35**: 100.

TRICHURUS spiralis **44**: 172; **55**: 94, 96, 98, 99; **61**: 151, 154, 157; ***terrophilus*** **44**: 172.

TRICLADIUM angulatum **37**: 110; **56**: 200; **60**: 67; **63**: 145; ***anomalum*** **63**: 145; ***attenuatum*** **63**: 145; ***castaneicola*** **60**: 72; **63**: 145; ***caudatum*** **53**: 15, 17, 18, 25; ***chaetocladium*** **53**: 280, 281; **54**: 254, 256; **63**: 120, 124, 127, 128; ***curvisporum*** **63**: 145; ***eccentricum*** **23**: 136, 139; **50**: 3, 10; **63**: 141; ***giganteum*** **37**: 110; ***gracile*** **63**: 145; ***obesum*** **56**: 193, 198, 199; ***splendens*** **37**: 110; **60**: 67; **63**: 126, 145; ***terrestre*** **37**: 110; **63**: 145.

TRIDENTARIA setigera **53**: 286.

TRIFURCOSPORA irregularis **53**: 17, 19, 24; **63**: 145, 148; ***subsessilis*** **53**: 20.

TRIGLYPHIUM alabamense **53**: 20, 22, 24; ***album*** **53**: 22.

TRIGONIPES fascicularis **20**: 72.

TRIGONOPSIS variabilis **35**: 214.

TRIMMATOSTROMA cordae **38**: 118; **40**: 161; ***scutellare*** **35**: 100.

TRINACRIUM robustum **60**: 67; ***subtile*** **60**: 67.

TRIPEDOTRICHUM herbariensis **20**: 160.

TRIPHRAGMIDIUM ulmariae **62**: 97, 99.

TRIPHRAGMIUM filipendulae **14**: 103, 107; **56**: 132; ***ulmariae*** **53**: 108, 112; **56**: 132; **57**: 267.

TRIPLOSPORIUM acaridicum **30**: 208, 212; ***fresenii*** **30**: 207; ***fumosum*** **30**: 208; ***tetranychi*** **30**: 208, 212; **35**: 61, 62.

TRIPOSPERMUM acerinum **14**: 195; ***camelopardus*** **60**: 67; **63**: 124, 128, 145; ***juglandis*** **14**: 193, 194; ***myrti*** **54**: 256; **60**: 67, 71, 72; **63**: 120, 124, 128, 145, 148; ***prolongatum*** **54**: 256.

TRISCELOPHORUS acuminatus **60**: 67; **63**: 120, 124, 127, 128; ***konajensis*** **54**: 256; **60**: 67; ***monosporus*** **23**: 139; **53**: 280, 281; **54**: 254, 256; **60**: 67; **63**: 120, 124, 127, 128, 146.

TRISULCOSPORIUM acerinum **63**: 146, 148.

TRITIRACHIUM album **25**: 114; **30**: 33, 34; ***brumptii*** **14**: 196; ***dependens*** **14**: 193, 195, 196; **25**: *25*, *26*, *27*, *28*, 30, 114, 115; ***heimii*** **25**: *112*, *113*, *114*, *115*, *116*; ***heimii*** **var. *griseum*** **25**: *112*, *113*, 114, *114*, *115*, *116*; ***oryzae*** **39**: 164; **44**: 172; ***rectidentatum*** **39**: 159, 164; ***roseum*** **39**: 164; **55**: 90, 94; ***spicatum*** **25**: 114.

TROCHILA diminuens **56**: 72.

TROGIA crispa **36**: 23.

TROMERA resinae **17**: 161, 162.

TROPOSPORELLA fumosa **25**: 25, 27, 28; ***monospora*** **35**: 100.

TRUNCATELLA truncata **44**: 172.

TRUNCOSPORA ochroleuca **13**: 32, 36; **30**: 165.

TRYBLIDIOPSIS pinastri **29**: 29.

TRYCHOPHYTON mentagrophytes **58**: 117, 119, 120, 122.

TRYPETHELIUM eluteriae **56**: 161; ***tropicum*** **56**: 161.

TUBARIA conspersa **14**: 78; **16**: 140, 141; **35**: 241; ***ferruginea*** **16**: 169; ***furfuracea*** **7**: 53; **8**: 121, 123; **14**: 223; **28**: 175; **32**: 224; **52**: 9; **64**: 197, 198, 199, 202, 204, 205, 206; ***furfuracea*** **f.** ***romagnesiana*** **64**: 199; ***furfuracea*** **var.** ***furfuracea*** **64**: 199; ***furfuracea*** **var.** ***hiemalis*** **64**: 199; ***hiemalis*** **64**: 197, 198, 199, 202, 204, 205, 206; ***hiemalis*** **var.** ***major*** **64**: 204, 205; ***hololeuca*** **64**: 198, 202; ***omphaliaeformis*** **14**: 46, 48; ***pellucida*** **14**: 104; ***praestans*** **64**: 202, 204, 205; ***romagnesiana*** **64**: 197, 198, 199, 202, 206; ***segestria*** **64**: 202, 204, 205; ***serrulata*** **64**: 201, 204.

TUBER aestivum **1**: 91; **2**: 67; **5**: 74; **6**: *24*, *25*, *26*, *27*; **10**: 57, 58; **11**: 144, 145, 197, 201; **14**: 72, 75, 111, 117, 119, 121, 124, 225, 227, 228, 229; **15**: 82; **30**: 228; **39**: 68; **61**: 163, 164, 166, 167, 168, 169, 170; ***aestivum*** **var.** ***tesserulatum*** **39**: 68; ***albus*** **39**: 68; ***bohemicum*** **61**: 164, 167; ***borchianum*** **39**: 68; ***borchii*** **1**: 26; **2**: 67; **3**: 1; **14**: 112; ***brumale*** **61**: 164; ***cibarium*** **5**: 74; **61**: 167; ***culinare*** **39**: 68; ***culinare*** **var.** ***mesentericum*** **39**: 68; ***culinare*** **var.** ***tesselatum*** **39**: 68; ***dryophilum*** **39**: 68; ***excavatum*** **1**: 75; **2**: 67; **4**: 94; **14**: 75, 124; **20**: 127; **39**: 69; **53**: 288, 291, 292; ***excavatum*** **f.** ***globispora*** **2**: 67, 69; ***foetidum*** **1**: 26; ***fulgens*** **4**: 94; **14**: 112; ***lespiaultianum*** **39**: 68; ***magnatum*** **11**: 141; **61**: 164, 166; ***melanosporum*** **5**: 74; **10**: 57; **11**: 139, 144, 145; **14**: 113; **30**: 228; **61**: 164, 166; ***michailowskianum*** **4**: 93, 94; **14**: 75, 112; ***michailowskianum*** **f.** ***medioreticulatum*** **4**: 94; ***michailowskianum*** **f.** ***microreticulatum*** **4**: 94; ***montagnei*** **39**: 69; ***moravicum*** **2**: 58; **14**: 112; ***nitidum*** **4**: 94; ***niveum*** **39**: 69; ***oligospermum*** **39**: 68; ***puberulum*** **1**: 24, 26; ***rapaeodorum*** **1**: *23*, *24*, *25*, *26*, 42; **2**: 59, *67*, 68, *68*, *69*; **14**: 112; ***rufum*** **1**: 25, *40*, *41*, *42*, 75; **2**: 66, 67; **4**: 94; **6**: 29; **14**: 72, 75, 112, 117, 119, 121, 124; **15**: 82; **37**: 109; ***rutilum*** **1**: 42; ***scruposum*** **1**: 23, 40; **2**: 67, 69; **14**: 78; ***tulasneanum*** **39**: 68; ***uncinatum*** **61**: 164, 168, 169; ***vacini*** **2**: 58; **14**: 112.

TUBERCULARIA vulgaris **12**: 151, 154; **13**: 219, 221; **15**: 178; **35**: 100, 241; ***vulgaris*** **var.** ***betulae*** **15**: 178; ***vulgaris*** **var.** ***georginae*** **15**: 178.

TUBEUFIA cerea **33**: 146; **61**: 89; ***heterodermiae*** **58**: 113.

TUBIFERA ferruginosa **35**: 95; **53**: 325; ***ferruginosa*** **var.** ***albostipitata*** **16**: 34, 39, 42; ***stipitata*** **16**: 42.

TUBIPORUS aereus **21**: 166.

TUBULICRINIS borealis **32**: 158; ***calothrix*** **54**: 32, *35*, *36*, *37*, *38*; ***sororius*** **44**: 140, 143; ***subulatus*** **18**: 159, 163, 175, 176, 178.

TUBURCINIA arrhenatheri **45**: 71; ***occulta*** **45**: 71; ***occulta*** **var.** ***arrhenatheri*** **45**: 71; ***rytzii*** **45**: *69*, *70*, *71*, *72*, *73*; ***sesleriae*** **45**: 71.

TUCKERMANOPSIS americana **56**: 161.

TULASNELLA albida **11**: 73; ***albolilacea*** **11**: 74; ***allantospora*** **11**: 70, 74; ***anceps*** **11**: 81; ***araneosa*** **11**: 73; ***bifrons*** **11**: 70, 73; ***brinkmannii*** **11**: 74; ***calospora*** **11**: 78; ***cystidiophora*** **11**: 77; ***deliquescens*** **11**: 78; ***eichleriana*** **11**: 71, 72; ***eichleriana*** **var.** ***lilaceocinerea*** **11**: 72; ***fugax*** **11**: 71; ***fuscoviolacea*** **11**: 70, 74, 75; ***griseorubella*** **11**: 80; ***helicospora*** **11**: 78; ***hyalina*** **11**: 77; ***incarnata*** **11**: 71; ***lactea*** **11**: 70, 72; ***lilacina*** **11**: 71; ***metallica*** **11**: 82; ***microspora*** **11**: 72; ***obscura*** **11**: 79; ***pallida*** **11**: 74; ***pinicola*** **11**: 79; ***pruinosa*** **11**: 70, 72; ***rosella*** **11**: 78; ***rubropallens*** **11**: 74; ***rutilans*** **11**: 70, 75; ***sordida*** **11**: 79; ***thelephoroidea***

11: 72; ***tremelloides*** **11**: 79; ***tulasnei*** **11**: 71, 79; **27**: 223; ***vernicosa*** **11**: 79; ***violacea*** **11**: 70, 74; ***violacea*** **var.** ***lilacea*** **11**: 74; ***violea*** **11**: *69*, *70*, *71*, 72, *72*; **14**: 97; ***violea*** **var.** ***lilaceocinerea*** **11**: 69.

TULASNODEA leprosa **46**: 323.

TULIPISPORA ingoldii **63**: 146.

TULOSTOMA atrum **36**: 249; ***boissieri*** **46**: 323; ***brevipes*** **4**: 99; ***brumale*** **4**: 23; **6**: 164; **7**: 138; **8**: 144; **9**: 133; **14**: 70, 81, 104, 224, 227, 228; **15**: 96; **17**: 75, 206; **18**: 9, 15; **28**: 177; **30**: 198; **34**: 214; ***campestre*** **4**: 23, 99; ***fimbriatum*** **4**: 54; **5**: 125; **6**: 164; **14**: 70, 81, 224, 227, 228; **18**: 110, 114, 116; **26**: 238, 240; **28**: 178; **35**: 241; **58**: 175; ***granulosum*** **4**: 98, 99; **5**: 125; **7**: 159; **8**: 144, 152; **9**: *132*, *133*, *134*, 189; ***hollosii*** **17**: 206; ***kotlabae*** **41**: 174; ***mammosum*** **3**: 46; **4**: 54, 99; **6**: 12; **9**: 96; ***melanocyclum*** **14**: 70, 81; **19**: 186; **28**: 178; ***pedunculatum*** **8**: 51; ***punctatum*** **4**: 99; ***squamosum*** **4**: 54; **33**: 157; ***volvulatum*** **26**: 240; **46**: 323.

TUMULARIA aquatica **63**: 135, 146; ***tuberculata*** **63**: 146.

TYLOPILUS felleus **8**: 114; **14**: 125, 128, 129; **16**: 20, 157; **18**: 115, 197, 202, *222*, *223*, *224*, *225*; **19**: 17; **22**: 110; **23**: 79, 171, 174; **25**: 109; **29**: 243; **32**: 224; **33**: 166; **38**: 221; **42**: 161, 164; **43**: 10, 185; **44**: 222, 223; **46**: *67*, *68*, *69*, 71, 72, 171, 187; **56**: 272; **57**: 11, 26, 33, 34, 35, 36; **63**: 261; ***felleus*** **var.** ***alutarius*** **22**: 110; **32**: 224; ***felleus*** **var.** ***minor*** **32**: 224; ***plumbeoviolaceus*** **23**: 153, 154.

TYLOSPERMA asterophorum **18**: 159, 163, 176, 178.

TYMPANIS alnea **13**: 220; ***hyphodontia*** **35**: 93, 98; ***pithya*** **16**: 105.

TYPHULA athyrii **44**: 140, 143; ***corallina*** **43**: 52; ***erythropus*** **14**: 112, 226; **26**: 37; **44**: 143; **56**: 276; ***incarnata*** **56**: 113, 114, 115, 116, 117, 119; ***ishikariensis*** **56**: 113, 114, 116, 119; ***muscicola*** **13**: 25; ***phacorrhiza*** **13**: 77, 85; **56**: 113, 114, 116; ***quisquiliaris*** **18**: 2; ***sclerotioides*** **43**: 52; **44**: 143; **56**: 114; ***setipes*** **35**: 240; ***subvariabilis*** **56**: 114; ***todei*** **26**: 116, 117; ***trifolii*** **56**: 113; ***uncialis*** **43**: 51, 53; ***variabilis*** **56**: 113, 114, 116.

TYROMYCES albellus **21**: 54; ***albellus*** **f.** ***aurantiacus*** **59**: 149; ***albidus*** **13**: 28; ***albobrunneus*** **10**: *59*, *60*, *61*, *62*, *63*; **11**: 156, 214; **18**: 207, 208, 210, 213, 214; ***aquosus*** **64**: 13, 14; ***aurantiacus*** **59**: 141, 149; ***balsameus*** **22**: *121*, *122*, *123*, *124*, *125*, *126*, *127*, *128*; **32**: 224; **33**: 159, 161, 162; **36**: 186; **42**: 130; ***borealis*** **10**: 63; **11**: 156; ***caesius*** **14**: 89; **17**: 182; **18**: 163; **19**: 77; **27**: 34, 223; **30**: 198; **32**: 224; **33**: 162; **36**: 37; **43**: 37; **44**: 143; ***canadensis*** **45**: 12; ***castaneae*** **11**: 156; ***cerifluus*** **43**: 38; ***chioneus*** **43**: 38; **45**: 92; **50**: 306, 307, 309, 310; **59**: 143, 149; **60**: 3, 4, 5, 6; ***delectans*** **33**: *99*, *100*, *101*, *102*, *103*, *104*, *105*; ***erubescens*** **13**: *27*, *28*, *29*, 36; ***fissiliformis*** **42**: 132; **59**: 148; ***fissilis*** **12**: 125, 127; **19**: 72, 76; **20**: 185, 187; **32**: 224; **44**: 228; ***floriformis*** **18**: 213, 217; **22**: 121; ***fragilis*** **10**: 62, 63, 188; **13**: 27, 28, 36; **14**: 77; **18**: 2, 5, 207, 208, 210, *212*, *213*, *214*, 217; **19**: 77; **22**: 124, 128; **31**: 114; ***gloeocystidiatus*** **18**: 4, *207*, *208*, *209*, *210*, *211*, *212*, *213*, *214*, *215*, *216*, *217*, *218*; **19**: 77; **21**: 54; **22**: 146; **23**: 200; **24**: 105; **26**: 38; **31**: 117; **33**: 163; ***inocybe*** **39**: 38; ***johnstonii*** **45**: 144, 147, 148; ***kmetii*** **18**: 5; **19**: 69, *74*, *75*, *76*, *77*; **21**: 206; **28**: 26, 27, 32, 34; **43**: 37; **59**: 149; ***kravtzevianus*** **18**: 68, 69, 73; **20**: 176; **61**: 191; ***kymatodes*** **10**: 188; **12**: 127; **22**: *121*, *122*, *123*, *124*, *125*, *126*, *127*, *128*; ***lacteus*** **18**: 163, 207, 210; **19**: 72, 76; **21**: 57; **43**: 37, 38; ***leucomallellus*** **31**: 117; **33**: 159, 161, 162; **36**: 184; **44**: 125; ***lowei*** **21**: 57; **43**: 38; ***mentschulensis*** **36**: 187; ***minusculoides*** **37**: 201; **43**: 38; ***mollis*** **13**: *27*,

28, *29*, *30*, *31*, 36; **24**: 105; **26**: 94; **37**: 108; **45**: 38; ***mollissimus*** **38**: 203, 204; **61**: 191; ***palustris*** **55**: 114; ***pannocinctus*** **18**: 65; **19**: 127; **24**: 84; **25**: 106, 111; **27**: 221; **42**: *130*, *131*, *132*; ***ptychogaster*** **12**: 127; **22**: 146; **25**: 106; **37**: 116; ***raduloides*** **64**: 19; ***resupinatus*** **15**: 184, 190; **21**: 207; **55**: 9; ***revolutus*** **47**: 59, 61; ***semipileatus*** **18**: 2, 68, 70, 73; **20**: 171, 175, 176; **21**: 53; **22**: 146; **24**: 84; **36**: 34; ***semisupinus*** **18**: 159, 163, 178; **20**: 176; **21**: 209; **23**: 205, 206; **33**: 163; **35**: 109; **43**: 36, 39; **44**: 239; **45**: 13, 83; **47**: 188; ***semisupinus*** **f. *piceae*** **45**: 13; ***sericeomollis*** **19**: 72, 76; **21**: *205*, *206*, *207*, *208*; **22**: 147; ***simanii*** **18**: 213, 214, 217; **42**: 131; ***smallii*** **10**: 63; **13**: 27, 30; ***spumeus*** **12**: 126, 127; ***squalens*** **11**: 156; **14**: 97, 100; **38**: 141; ***stipticus*** **13**: 28; **14**: 77, 97; **17**: 183; **18**: 91, 210; **19**: 77; **25**: 106; **27**: 223; **30**: 55, 198; **33**: 163; **35**: 109; **36**: 37; **37**: 115; **40**: 194; **41**: 52; **43**: 36; **44**: 143, 228; ***subcaesius*** **43**: 37; ***subcartilagineus*** **38**: 203; ***subsericeomollis*** **18**: 210, 213, 216, 217; ***subvermisporus*** **46**: 116; ***tephroleucus*** **25**: 106; **43**: 37; ***trabeus*** **18**: 4, 207, 208, 210, 213, 217; ***trabeus*** **var. *resupinatus*** **18**: 4, 207, 208, 210, 213, 217; ***transmutans*** **38**: 203; ***undosus*** **14**: 89; **18**: 207, 208, 210, 213, 214; **21**: 57; **24**: 105; **27**: 223; **37**: 108; ***wakefieldiae*** **43**: 39; ***wynnei*** **23**: 198; **59**: 143.

ULOCLADIUM alternariae **40**: 24, 26; **53**: 156; ***atrum*** **32**: 229, 231; **44**: 172; **53**: 152, 153, 156, 157; **59**: 130; ***botrytis*** **36**: 104, 105; **41**: 12; **44**: 172; **48**: 82, 83; **50**: 103; **53**: 156; **55**: 77; **59**: 130; ***chartarum*** **39**: 164; **40**: 24, 26; **43**: 172; **44**: 172; **51**: 164; **53**: 157; **56**: 228; **59**: 130, 132, 210; **61**: 154; ***consortiale*** **43**: 172; **53**: 157; ***tuberculatum*** **53**: 151, 157.

ULOPORUS mougeotii **7**: 103.

ULUGURIA permira **56**: 150.

UMBELOPSIS versiformis **53**: 219.

UMBILICARIA antarctica **56**: 161; ***crustulosa*** **56**: 161; ***haumaniana*** **56**: 161; ***krempelhuberi*** **56**: 161; ***subglabra*** **50**: 237; ***umbilicarioides*** **56**: 161; ***vellea*** **56**: 161.

UNCIGERA cordae **51**: 38.

UNCINIA acerina **2**: 119; ***laricionis*** **2**: 119; **31**: 11; **41**: 199; ***nardi*** **2**: 119; ***uncipila*** **33**: 204.

UNCINIELLA laricionis **41**: 199.

UNCINULA adunca **49**: 116; ***crotonis*** **46**: 308; ***mori*** **53**: 288, 291, 292; ***prunastri*** **49**: 116; ***vernoniae*** **46**: 306.

UNCINULIELLA australiana **46**: 310.

UNDERWOODIA campbellii **36**: *109*, *110*, *111*, *112*, *113*; ***sparassoides*** **36**: 112.

UNGUICULARIA aconiti **42**: 137, 144, 145; ***cirrhata*** **35**: 109; ***costata*** **56**: 209; ***falcipila*** **3**: 43; ***iridis*** **42**: 137, 144, 146; ***millepunctata*** **40**: 215; **56**: 203, 209; ***pygmaea*** **39**: 217; ***scrupulosa*** **13**: 212; **40**: 216; ***unguiculata*** **40**: 215; **41**: 204; ***verna*** **43**: 215, 221, 222; ***winteriana*** **21**: 150; ***winteriana*** **var. *tetraspora*** **8**: 130, 134.

UNGUICULARIOPSIS ilicincola **41**: 204.

UNGUICULELLA falcipila **3**: *42*, *43*, *44*, *45*; **39**: 207; ***hamulata*** **3**: 43, 44; **39**: 207; **41**: 204; ***sarothamni*** **32**: 204.

UNGULINA annosa **30**: 165; ***betulina*** **3**: 7; ***fuliginosa*** **25**: 19; ***marginata*** **7**: 154; **11**: 229; ***ochroleuca*** **11**: 157, 168; ***ohiensis*** **11**: 157, 168; ***quercina*** **20**: 84; ***ulmaria*** **30**: 167.

URCEOLELLA crispula **21**: 150; **41**: 204; **42**: 147; *graminicola* **43**: 222; *richonis* **52**: 290; *saxifragae* **21**: 146, 149, 150; *spirotricha* **44**: 140, 145; *trichodea* **35**: 93; **49**: 200; *winteriana* **21**: 150.

URCEOLUS sambucinus **20**: 72, 73.

UREDINOPSIS atkinsonii **56**: 138; *filicina* **56**: 132; **57**: 268, 271; **62**: 97.

UREDO avenochloae **17**: *21*, *22*, *23*, *24*, *25*, *26*; *commelyneae* **46**: 323; *dolichospora* **46**: 323; *ecteinanthi* **46**: 323; *lycoctoni* **46**: 323; *lycoseridis* var. *gochnatiae* **27**: *208*, *209*; *moreae* **46**: 323; *polygalae* **46**: 323; *pycnostachydis* **46**: 323; *rhynchosiae* **46**: 323; *symphyti* **62**: 97; *trichophora* **39**: *144*, *145*, *146*, *147*, *148*; *trichophora* var. *crus-galli* **39**: 144; *trichophora* var. *pacifica* **39**: 144; *trichophora* var. *panici-frumentacei* **39**: 144; *wilsonii* **27**: 209.

URNULA craterium **7**: 29; **20**: 242; **30**: 130, 133; **32**: 221; **35**: 87, 140; **43**: 31; **44**: 213, 214; *terrestris* **14**: 126.

UROCYSTIS agropyri **53**: 111; **56**: 137; **57**: 269; *agrostidis* **56**: 137; *anemones* **53**: 111, 112; **56**: 137; *avenae-elatioris* **56**: 137; *avenastri* **45**: 70; **56**: 137; *bolivarii* **25**: 180; *bromi* **56**: 137; *colchici* **56**: 137; *ficariae* **56**: 137; *filipendulae* **18**: 54; **56**: 137; *fischeri* **53**: 111, 113; **56**: 137; **62**: 89, 99; *johansonii* **56**: 137; *junci* **56**: 137; *leimbachii* **55**: 288; **56**: 137; *magica* **56**: 137; *mayorii* **45**: 71; *miyabeana* **56**: 135, 137; *muscaridis* **56**: 135, 137; *occulta* **25**: 180; **44**: 243; **56**: 123, 137; *ornithogali* **56**: 137; *paridis* **56**: 137; *poae* **56**: 137; *primulae* **55**: 289; **56**: 137; *pulsatillae* **56**: 137; *ranunculi* **53**: 111; **56**: 137; **57**: 269; **62**: 91, 100; *ranunculi-auricomi* **56**: 137; *rytzii* **45**: *69*, *70*, *71*, *72*, *73*; *syncocca* **56**: 137; *trientalis* **56**: 137; *ulei* **56**: 137; *violae* **18**: 54; **56**: 137.

UROMYCES acetosae **53**: 108; **56**: 132; *acutatus* **56**: 132; *aecidiiformis* **56**: 132; *airae-flexuosae* **53**: 93, 108, 112; **56**: 132; **57**: 268; **62**: 98; *albucae* **46**: 323; *ambiguus* **56**: 132; *anthyllidis* **56**: 132; **57**: 268; *appendiculatus* **56**: 132; *armeriae* **14**: 103; **56**: 132; *behenis* **56**: 132; **62**: 99; *betae* **7**: 50; **53**: 108; *beticola* **56**: 132; *cacaliae* **56**: 132; *caraganae* **56**: 132; *carneus* **56**: 138; *circinalis* **46**: 323; *cristatus* **14**: 102; **56**: 132; *dactylidis* **53**: 98, 108; **56**: 132; **57**: 268; **62**: 98, 100; *dianthi* **56**: 135; *eriospermi* **46**: 323; *ervi* **56**: 135; **57**: 268; *euphorbiae-corniculatae* **14**: 103; **56**: 135; **57**: 268, 272; *fabae* **14**: 103; *fallens* **57**: 268; *festucae* **14**: 103; **56**: 135; *ficariae* **53**: 108; **56**: 135; **57**: 268; *fulgens* **56**: 135; *gageae* **56**: 135; **57**: 268, 272; *galegae* **56**: 135; *genistae* **53**: 108; **56**: 135; **57**: 268, 272; *geranii* **44**: 146; **53**: 108, 113; **56**: 135; **57**: 268; *gluytiae* **46**: 323; *glycyrrhizae* **56**: 135; *graminis* **56**: 135; *hedysari-obscuri* **56**: 135; *heimerlianus* **56**: 135; *inaequialtus* **56**: 135; *jordianus* **56**: 135; *junci* **53**: 109, 113; **55**: 287; **56**: 132, 135; *kabatianus* **56**: 135; **62**: 98, 100; *kalmusii* **56**: 135; *laburni* **53**: 91, 109; **56**: 135; *lapponicus* **55**: 277; **56**: 138; *limonii* **42**: 188; **55**: 288; **56**: 135; *lineolatus* **56**: 135; *lugubris* **46**: 323; *lupinicolus* **56**: 135; *lycoctoni* **46**: 323; *magnusii* **56**: 135; *microsorus* **46**: 323; *minor* **56**: 135; *moesiacus* **20**: 119; *muscari* **56**: 135; *onobrychidis* **56**: 135; *ononidis* **56**: 135; *orobi* **53**: 109; **56**: 135; **57**: 272; *pallidus* **56**: 135; *papillatus* **46**: 323; *phaseoli* **36**: 70; *phaseoli* f. sp. *vignae* **38**: 196; *phyteumatum* **53**: 92, 109, 112; **56**: 135; **57**: 257, 268, 270; *pisi* **21**: 90, 91; **56**: 135; **57**: 268, 272; *poae* **39**: 39; **53**: 109, 113; **56**: 135; *polemanniae* **46**: 323; *polygoni-avicularis* **53**: 109; **56**: 135; **57**: 268; *pulvinatum* **46**: 323; *punctatus* **56**: 135; *renovatus* **55**: 288; **56**: 135; *rumicis* **44**: 146; **53**: 109, 113;

56: 135; **57**: 268; **62**: 98, 100; ***sarothamni*** **56**: 135; ***scillarum*** **31**: 175; ***scleropoae*** **52**: 67; ***scrophulariae*** **56**: 135; ***scutellatus*** **14**: 103; **56**: 135; ***silphii*** **35**: 241; **56**: 135; **62**: 98, 100; ***sommerfeltii*** **56**: 135; **62**: 88, 99, 100; ***striatus*** **14**: 103; **28**: 118; **56**: 135; ***thapsi*** **14**: 103; ***tinctoriicola*** **14**: 103, 107; **56**: 135; ***trifolii*** **53**: 109; **56**: 135; ***trifolii-repentis*** **53**: 109; **57**: 268; **62**: 98, 100; ***trifolii-repentis*** **var.** ***fallens*** **56**: 135; ***trifolii-repentis*** **var.** ***trifolii-repentis*** **53**: 109; **56**: 135; ***trigonellae*** **56**: 135; ***trollipii*** **46**: 323; ***urgines*** **46**: 323; ***valerianae*** **53**: 109, 113; **56**: 135; **57**: 269; **62**: 98; ***veratri*** **56**: 135; **62**: 88, 99, 100; ***verbasci*** **56**: 135; ***verruculosus*** **56**: 135; **62**: 98, 100; ***viciae-craccae*** **56**: 135; ***viciae-fabae*** **53**: 92, 109; **56**: 135; **57**: 269.

UROPYXIS sanguinea **11**: 60.

USNEA antarctica **56**: 161; ***aurantiacoatra*** **56**: 161; ***barbata*** **1**: 99; **23**: *15*, *16*, *17*, *18*, *19*, *20*, *21*, *22*, *23*; ***capillacea*** **56**: 161; ***chloreoides*** **56**: 161; ***complanata*** **56**: 161; ***densirostra*** **56**: 161; ***filipendula*** **50**: 235; ***florida*** **23**: *15*, *16*, *17*, *18*, *19*, *20*, *21*, *22*, *23*; ***hirta*** **50**: 235; ***poeppigii*** **23**: 23; ***roccellina*** **56**: 161; ***rubicunda*** **56**: 161; ***sprengeri*** **56**: 161.

USTILAGO aegilopsidis **52**: 67; ***anomala*** **18**: 53; **25**: 58; ***avenae*** **12**: 61; **19**: *187*, *188*, *189*, *190*; **56**: 137; ***avicularis*** **56**: 138; ***bullata*** **56**: 137; ***calamagrostidis*** **56**: 137; ***capsularum*** **18**: 53; ***caricis*** **57**: 276; ***carnea*** **14**: 102; ***crus-galli*** **39**: 147; ***cynodontis*** **35**: 219; ***danthoniae*** **46**: 323; ***davisii*** **56**: 138; ***dehiscens*** **58**: 102; ***echinata*** **56**: 137; ***esculenta*** **38**: 169; ***filiformis*** **53**: 111, 113, 115; **56**: 137; **57**: 269; ***flosculorum*** **43**: 16; ***globigena*** **39**: 144; ***grandis*** **56**: 137; ***heleochloae*** **52**: 68; ***holci-avenacei*** **19**: 187; ***hordei*** **12**: 61; **56**: 137; **58**: 84, 99, 100; ***hypodytes*** **14**: 71; **19**: 189, 190; **56**: 137; ***ischaemii*** **14**: 103; ***kuehneana*** **56**: 138; ***longissima*** **35**: 219; ***luzulae*** **56**: 137; ***maydis*** **15**: 235; **35**: 219; **36**: 67; **38**: 195; **43**: 155; **48**: 54; **56**: 137; ***nigra*** **12**: 61; ***nuda*** **44**: 243; **56**: 137; ***ornithogali*** **56**: 137; ***oxalidis*** **18**: 53; **53**: 111, 116; **56**: 137; ***panici-frumentacei*** **39**: 144; ***perennans*** **19**: 187, 190; ***piperi*** **58**: 102; ***pustulata*** **53**: 92; **56**: 138; ***reticulata*** **25**: 58; ***scrobiculata*** **53**: 111; **56**: 138; ***segetum*** **19**: 187, 189, 190; ***serpens*** **56**: 137; ***spermophora*** **56**: 137; ***sphaerogena*** **35**: 219; **39**: 144, 146; ***striiformis*** **45**: 73; **53**: 111, 112, 113, 114; **56**: 137; **57**: 269; ***syntherismae*** **56**: 137; ***trichophora*** **39**: *144*, *145*, *146*, *147*, *148*; **56**: 135, 137; ***trichophora*** **var.** ***crus-galli*** **39**: 144; ***trichophora*** **var.** ***pacifica*** **39**: 144; ***trichophora*** **var.** ***panici-frumentacei*** **39**: 144; ***triseti*** **19**: 189; ***tritici*** **56**: 137; ***turcomanica*** **6**: 154; ***vaillantii*** **56**: 137; ***vavilovii*** **12**: 61; ***violacea*** **14**: 102; **35**: 219; ***zeae*** **11**: 198; **12**: 61; **13**: 244, 248, 249; **15**: 235, 240, 244; **28**: 114; **32**: 113; **35**: 219; **38**: 3.

USTILENTYLOMA brefeldii **53**: 112, 113, 115; **57**: 269.

USTULINA deusta **24**: 84, 105; **25**: 110; **27**: 225; **32**: 221; **44**: 146; **46**: 282, 284, 287, 288, 290; **56**: 275; ***linearis*** **39**: 133; ***tubulina*** **34**: 132; ***vulgaris*** **2**: *46*, *47*, *48*; **13**: 217.

UTHATOBASIDIUM fusisporum **53**: 123.

UTRARIA saccata **5**: 65.

VACINIA anthracina **35**: 73.

VALENTINIA vacini **20**: 73.

VALSA ambiens **10**: *208*, *209*, *210*, *211*, *212*, 214, 216; **13**: 157, 221; **26**: 48, 53, 56; **28**: 3, 5, 6, 17; **31**: 1; **61**: 89; ***ambiens*** **f.** ***elaeagni*** **10**: 212; ***ambiens*** **f.** ***mali*** **10**: 210; ***ambiens*** **f.** ***piri*** **10**: 210; ***ambiens*** **f.** ***piri mali*** **10**: 213; ***amphibola*** **10**: 212, 213; ***auerswaldii*** **10**: 210; ***betulicola*** **10**: 216; ***betulina*** **10**: 216; ***cejpii*** **10**: 208, 215, 216; ***centrophora*** **26**: 54; ***ceratophora*** **10**: 216;

35: 240; ***ceratosperma*** **10**: 216; **26**: 54; ***cincta*** **10**: 210; ***cincta*** **subsp. *acerba*** **10**: 210; ***cypri*** **35**: 240; ***diatrypa*** **27**: 86; ***eutypa*** **26**: 45; ***exudans*** **34**: 139; ***horrida*** **10**: 216; ***infinitissima*** **46**: 323; ***intermedia*** **26**: 53; **29**: *171*, *172*, *173*; **49**: 197; ***malicola*** **10**: 208, 209, *211*, *212*, *213*, *214*, *215*; ***melanodiscus*** **10**: 216; **12**: *23*, *24*, *25*, *26*; **25**: 39, 40; **27**: 86; ***melasperma*** **10**: 213; ***melastoma*** **10**: 210; ***myriocarpa*** **12**: 145; ***oxystoma*** **12**: *23*, *24*, *25*, *26*; **27**: 86; ***pini*** **35**: 94, 96; ***pustulata*** **13**: 217; **26**: 53; ***ribesia*** **26**: 43, 48, 53, 54, 56; ***salicina*** **10**: 213; ***salicina*** **f. *macroconidia*** **13**: 158; ***sorbi*** **13**: 222; ***subcongrua*** **27**: 86; ***truncata*** **12**: *23*, *24*, *25*, *26*; ***venustula*** **52**: 68.

VALSARIA durissima **49**: 205; ***exasperans*** **23**: 259; ***foedans*** **49**: 204, 205; ***gemmata*** **23**: 259; ***mundkurina*** **23**: *256*, *257*, 258, *258*, *259*, *260*; ***neurospora*** **12**: 192; ***rubricosa*** **23**: 259; ***salvadorina*** **23**: 259.

VALSEUTYPELLA tristicha **28**: 4, 6, 8, 13, 14, 16, 17; **31**: *1*, *2*, *3*.

VANDERBYLIA peninsularis **59**: 167.

VARARIA borealis **36**: *72*, *73*, *74*, *75*; ***cremeoavellanea*** **36**: *141*, *142*, *143*; ***dura*** **22**: 147; **36**: 74; ***effuscata*** **36**: 75; ***gallica*** **36**: *141*, *142*, *143*; ***granulosa*** **36**: *72*, *73*, *74*, *75*; ***luteopora*** **16**: 149, 153; **36**: 75; ***ochroleuca*** **13**: 157.

VARGAMYCES aquaticus **60**: 72; **63**: 146.

VARICOSPORIUM delicatum **63**: 146; ***elodeae*** **53**: 25; **60**: 67, 71, 72; **63**: 120, 124, 126, 135, 146; ***tricladiiforme*** **63**: 146; ***trimosum*** **53**: 2, 21, 22, 25.

VARIOLARIA punctata **57**: 124.

VASCELLUM depressum **14**: 224; **17**: 203; **18**: 111; ***pratense*** **17**: 203; **18**: 111, 116; **32**: 208.

VELUTARIA griseovitellina **41**: 205; ***megaspora*** **13**: 211, 216; ***rufoolivacea*** **13**: 153, 216; ***rufoolivacea*** **var. *crataegi*** **13**: 216.

VELUTARINA rufoolivacea **13**: 216.

VELUTICEPS abietina **45**: 16; ***ambigua*** **58**: 154.

VENTURIA cephalariae **46**: 323; ***cerasi*** **25**: 165, 168, 169; ***chlorospora*** **14**: 19, 20; **27**: 237, 239, 240; **28**: 179, 180; **52**: 324, 325; ***crataegi*** **25**: 165; ***ditricha*** **52**: *323*, *324*, *325*, *326*; ***glacialis*** **52**: *323*, *324*, *325*, *326*; ***inaequalis*** **15**: 29, 86, 89, 90; **18**: 48, 52; **25**: 165; **45**: 42, 44; **52**: 145; ***macularis*** **27**: 237, 239; ***niesslii*** **18**: 187, 188; ***palustris*** **31**: 133; ***populina*** **27**: *237*, *238*, *239*; ***pyrina*** **25**: 165; ***saliciperda*** **27**: *238*, *239*, *240*; ***subcutanea*** **52**: *324*, *325*, *325*, *326*, *326*.

VENTURIOCISTELLA venturioides **41**: 199.

VERAMYCES elegans **47**: 3, 4.

VERMICULARIA dematium **33**: 157.

VERONAEA parvispora **35**: 110.

VERONAIA audouinii **22**: 57; ***castellanii*** **22**: 57; ***felinea*** **22**: 57.

VERPA atroalba **35**: 137; ***bispora*** **18**: 191; ***bohemica*** **1**: 96; **2**: 51; **3**: *33*, *34*; **5**: 74; **16**: 156; **21**: 75, 77, 97; **35**: 75; **48**: 123; ***bohemica*** **var. *bispora*** **35**: 75; ***bohemica*** **var. *pallida*** **22**: 42; **35**: 75, 88; ***cerebriformis*** **35**: 88; ***conica*** **14**: 73, 78; **16**: 156; **20**: 110; **21**: 97; **24**: 178; **35**: 88, 139, 141; **36**: 202; ***conica*** **var. *cerebriformis*** **35**: 88, 141; ***conica*** **var. *helvelloides*** **21**: 75; ***digitaliformis*** **16**: 156; **18**: 191; **21**: 74, 75; **35**: 88, 137; ***digitaliformis*** **var. *cerebriformis***

21: *74*, *75*, *76*, *76*; ***fulvocincta*** **21**: 75; **35**: 137; ***grisea*** **35**: 137; ***helvelloides*** **21**: 75; **35**: 88; ***krombholzii*** **14**: 112; **21**: 75; **35**: 88; **36**: 202; ***krombholzii*** **var. *helvelloides*** **35**: 88.
VERPATINIA calthicola **20**: 226, 228; ***duchesnayensis*** **20**: 228; ***spiraeicola*** **20**: 228.
VERRUCARIA nigrescens **61**: 78; ***viridula*** **61**: 78.
VERRUCOSPORA vulgaris **52**: 330.
VERRUCULINA enalia **61**: 111, 112.
VERSIPELLIS parasitica **45**: 2.
VERTICICLADIUM trifidum **35**: 100; **49**: 200; **63**: 153, 156, 157, 158.
VERTICILLIUM agaricinum **2**: 41; **12**: 151, 153, 156; ***alboatrum*** **15**: 169, 176, 177; **28**: 118; **32**: *169*, *170*, *171*; **35**: 218; **37**: 115; **42**: 230; **44**: 172; **53**: 164; **55**: 98; ***aphidis*** **18**: 100, 101; ***bulbillosum*** **44**: 172; ***candelabrum*** **44**: 172; ***capitatum*** **18**: 100; ***catenulatum*** **43**: 238; **44**: 172; ***cellulosae*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; **44**: 172; ***cephalosporum*** **44**: 172; ***chlamydosporium*** **32**: 118, 229, 231; **33**: 172, 174; **44**: 172; ***cinnabarinum*** **44**: 172; ***cinnamomeum*** **18**: 101; **27**: 242; ***corymbosum*** **18**: 100; ***dahliae*** **32**: 111, 112, 169; **35**: 218; **47**: 297; **52**: *219*, *220*, *221*, 223, 224; ***falcatum*** **33**: 170, *172*, *173*, *174*; **44**: 172; ***fungicola*** **36**: 103; **37**: 29, 31; **38**: 4; **44**: 172, 173; ***glaucum*** **44**: 172; ***griseum*** **44**: 172; ***heterocladum*** **18**: *99*, *100*, *101*; ***lactarii*** **12**: *151*, 152, *152*, *153*, *155*, *156*, *157*; ***lamellicola*** **44**: 172; ***lateritium*** **44**: 172; ***lecanii*** **29**: 212; **30**: 33, 34, *118*, *119*, *120*; **31**: 207, 209, 211, 212; **35**: 219; **37**: 31; **38**: 241; **40**: 28; **41**: 166; **44**: 173; **46**: 126, 127; **48**: 61, *92*, *93*; **55**: 90, 94; **57**: 229; ***luteoalbum*** **55**: 90, 94, 98; ***malthousei*** **32**: 67; **38**: 4; **44**: 173; ***minutissimum*** **18**: 100; ***nigrescens*** **32**: 229, 231; **35**: 218; **44**: 173; **55**: 90, 94, 98; ***niveostratosum*** **12**: 151, 154, 155, 157; ***psalliotae*** **38**: 4; **44**: 173; **46**: 248; **55**: 94; ***pulvinulum*** **46**: 323; ***puniceum*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; ***sulphurellum*** **33**: *86*, *87*, *88*, *89*, *90*, *91*; ***tenerum*** **33**: 83, *87*, *88*, *89*, *90*, *91*; **43**: 171; **44**: 172, 173; ***terrestre*** **33**: *87*, *88*, *89*, *90*, *91*.
VEZDAEA acicularis **56**: 162; ***leprosa*** **56**: 162.
VIBRISSEA decolorans **33**: 152; ***leptospora*** **33**: 152; ***pezizoides*** **9**: 163; ***sclerotiorum*** **11**: 249; ***truncorum*** **9**: *161*, *162*, *163*; **14**: 90, 229, 230; **27**: 225.
VIRGARIA nigra **25**: *25*, *26*, *27*, *28*, 30; **38**: 118; **40**: 162.
VIRGARIELLA atra **35**: 110; **40**: 162; ***caribensis*** **40**: 142, 162; ***fusca*** **40**: 162; ***fuscopurpurea*** **40**: 162; ***globigera*** **40**: 162; ***oblonga*** **40**: 162; ***ovoidea*** **40**: 162; ***sphaerica*** **38**: 119; **40**: 162.
VOLUCRISPORA aurantiaca **63**: 145; ***graminea*** **53**: 26; **63**: 147; ***ornithomorpha*** **63**: 146.
VOLUTELLA ciliata **44**: 146, 173; ***cinerescens*** **39**: 164; ***georginae*** **15**: 178; ***stipitata*** **33**: 157.
VOLVARIA bombycina **4**: 53, 77; **16**: 157; ***fuscidula*** **12**: 214; ***hypopithys*** **13**: 167, 168; ***media*** **13**: *163*, *164*, *165*, *166*, *167*, *168*; ***murinella*** **14**: 73; **20**: 129; ***perplexa*** **13**: 167, 168; ***plumulosa*** **13**: 167, 168; ***pubipes*** **13**: 168; ***pusilla*** **12**: 59; **13**: 164, 167, 168; ***speciosa*** **6**: 40; **13**: 163, 164, *166*, *167*, *168*; ***temperata*** **12**: 199; ***volvacea*** **2**: 82; **8**: *1*, *2*, *3*, *4*.
VOLVARIELLA bombycina **14**: 113; **16**: 157; **21**: 97; **23**: 199; **28**: 176; **31**: 164; **36**: 186; ***caesiotincta*** **40**: *107*, *108*, *109*; **59**: 75, 76; ***fuscidula*** **14**: 110, 118, 120; ***gloiocephala*** **46**: 18; ***hypopithys*** **14**: 47; **36**: 187; **46**: 18; ***krizii*** **13**: *166*, *167*, *168*; **17**: 108; **21**: 249; ***media*** **14**: 117; ***murinella*** **32**: 224; **35**: 110; ***murinella*** **var. *umbonata*** **40**: 109; ***plumosa*** **14**: 113; ***plumulosa*** **43**: 87; **46**: 17, 18; ***pubescentipes*** **32**: 224; ***pusilla*** **14**: 47, 113; **31**: 35; **46**: 18; ***speciosa*** **46**: 5, 6,

8, 9, 18; ***speciosa* var. *gloiocephala*** **46**: 18; ***surrecta*** **43**: 87; ***taylorii*** **14**: 113; **46**: 13, 18; ***volvacea*** **14**: 112; **29**: 105; **32**: 120; **46**: 8, 9, 18; **48**: 58.
VOLVOCISPORIUM triumfetticola **58**: 86.
VUILLEMINIA comedens **8**: 125; **13**: 217; **14**: 117, 130, 226; **25**: 106; **29**: 29; **33**: 163; ***coryli*** **47**: 199, 205.
WAITEA circinata **24**: 8.
WALDEMARIA pernambucensis **39**: 162.
WALLEMIA sebi **36**: 104, 106; **60**: 81, 82; **63**: 99.
WALLROTHIELLA subiculosa **63**: 97.
WANGIELLA dermatitidis **35**: 218, 221; **39**: 159, 162, 164; **44**: 6, 7, 8, 138.
WARDOMYCES anomalus **44**: 173; ***hughesii*** **47**: 152; ***inflatus*** **47**: *151*, *152*, *153*, *154*; ***pulvinatus*** **44**: 173.
WAWELIA regia **15**: 155, 158.
WAYNEA hirsuta **56**: 155, 162.
WEDDELLOMYCES epicallopisma **51**: 179, 182; ***xanthoparmeliae*** **51**: *179*, *180*, *181*, *182*, *183*, *184*.
WEINMANNIOSCYPHUS messerschmidii **31**: 13; **35**: 94.
WEINZETTLIA rubescens **14**: 116, 119, 120; **20**: 74.
WESTERDYKELLA dispersa **18**: *83*; ***multispora*** **18**: *84*; **44**: 173; **61**: 154, 155; ***ornata*** **18**: *84*; **44**: 173; ***semenovii*** **18**: *83*, *84*.
WHITFORDIA scopulosa **64**: 21.
WOJNOWICIA ephedrae **29**: 97, 101; ***exilis*** **29**: 97, 103; ***graminis*** **29**: 97, 99; ***hirta*** **29**: 97, 99, 101; ***lophostoma*** **29**: 97, 103, 104; ***tenella*** **29**: 97, 99, 101.
WRIGHTOPORIA avellanea **20**: 172; ***lenta*** **38**: 143; **55**: 8; ***pouzarii*** **47**: 92.
WYNNEA americana **17**: 45; ***atrofusca*** **17**: 45, 46.
WYNNELLA **17**: 45, 46; **35**: 88; ***auricula*** **10**: 237; **35**: 88; ***silvicola*** **35**: 88, 142.
XANTHOCHROUS abietis **39**: 72; ***coffeaceus*** **23**: 163, 169; ***corruscans*** **27**: 75; ***cuticularis*** **7**: 153; ***dryadeus*** **27**: 69; ***dryophilus*** **27**: 75; ***glomeratus*** **subsp. *heinrichii*** **24**: *146*, *147*, *148*, 151; ***heinrichii*** **24**: *147*, *148*, *149*, *150*, *151*; ***heinrichii* f. *nodulosus*** **24**: 148; ***hispidus*** **7**: 154; ***krawtzewii*** **17**: *1*, *2*, *3*; **42**: 129, 135; ***obliquus*** **17**: *2*, *3*, *4*, 51; ***pini*** **39**: 72, 74; ***pini* f. *laricis*** **39**: 72; ***pini* subsp. *abietis*** **39**: 77; ***pini* var. *abietis* f. *micropora*** **44**: 236; ***pini* var. *laricis*** **39**: 72; ***pseudoobliquus*** **42**: 135; ***rheades*** **23**: *163*, *164*, *165*, *166*, *167*, *168*, *169*; **32**: 50, 51; ***rheades* f. *corruscans*** **32**: 52; ***rheades* subsp. *corruscans*** **23**: *163*, *164*, *165*, *166*, *167*, *168*, *169*; **27**: 75; ***rheades* subsp. *tamaricis*** **23**: *163*, *164*, *165*, *166*, *167*, *168*, *169*; **32**: 47; ***rheades* subsp. *vulpinus*** **23**: 163; ***rheades* var. *coffeaceus*** **23**: *163*, *164*, *165*, *166*, *167*, *168*, *169*; ***rheades* var. *corruscans*** **32**: 52; ***ribis*** **49**: 190, 191; ***ribis* f. *aceris*** **49**: 191; ***ribis* f. *fagi*** **49**: 190, 191; ***ribis* f. *quercus*** **49**: 190, 191; ***ribis* var. *quercus*** **49**: 190, 191; ***suberosomollis*** **26**: 91; **42**: 135; ***tamaricis*** **32**: 47; ***tamaricis* f. *corneus*** **32**: 50; ***versatilis*** **49**: 191; ***versatilis* f. *suffocata*** **49**: 190.
XANTHOMONAS vesicatoria **39**: 253.

XANTHOPARMELIA australasica **56**: 162; ***conspersa*** **50**: 232; **51**: 182, 183, 184; ***plittii*** **56**: 162; ***somloensis*** **51**: 182, 183, 184.

XANTHOPORIA andersonii **17**: *1*, *2*, *3*, *4*, *5*, *6*, *7*.

XANTHORIA calcicola **50**: 237; ***elegans*** **56**: 162; ***flammea*** **56**: 162; ***fulva*** **56**: 162; ***ligulata*** **56**: 162; ***parietina*** **50**: 237; ***polycarpa*** **56**: 162; ***resendei*** **56**: 162.

XENASMA insperatum **27**: 206; ***parvisporum*** **36**: 141, 143, 144; ***pulverulentum*** **36**: 141, 144; ***tulasnelloideum*** **35**: 109.

XENASMATELLA sanguinescens **27**: 201, 202, 205; ***subflavidogrisea*** **27**: 206; ***tulasnelloidea*** **27**: 206.

XENODOCHUS carbonarius **53**: 109, 113; **56**: 135.

XENOSPHAERIA oligospora **24**: 221.

XENOSPORIUM berkeleyi **40**: 162; ***cubense*** **42**: 23, 25, 28; ***mirabile*** **42**: 29.

XEROCARPUS abietinus **45**: 16; ***frustulatus*** **40**: 131.

XEROCOMELLUS armeniacus **60**: 49, 52; ***chrysenteron*** **60**: 46, 49, 52; ***engelii*** **60**: 49, 52; ***fennicus*** **60**: 50, 52; ***marekii*** **60**: 50, 52; ***porosporus*** **60**: 50, 51, 52; ***pruinatus*** **60**: 50, 52; ***riparielllus*** **60**: 50, 52; ***rubellus*** **60**: 50, 52.

XEROCOMUS armeniacus **4**: 111; **19**: 18; **22**: 106, 107, 108; **31**: 31; **32**: 224; **45**: 1; **60**: 30, 49; ***armeniacus*** **var.** ***luteolus*** **52**: 68; ***armeniacus*** **var.** ***venosipes*** **60**: 45; ***astraeicola*** **7**: 103, 160; **45**: 2; **57**: 41, 42; **60**: 35; ***auriporus*** **6**: 24, 114; ***badius*** **4**: 50; **5**: 74, 129; **8**: 112; **9**: 148; **10**: 44, 163, 164, 188; **14**: 77, 89, 96, 125; **16**: 20; **18**: 13, 115, 193, 194, 198, 199; **19**: 15, 17, 19, 115; **20**: 59; **21**: *94*, *95*, *96*; **22**: 50, 53, 54, 108; **23**: 176, 178; **25**: 109; **27**: 213; **29**: 73, 110, 111, 185; **30**: 24, 25; **32**: 224; **33**: 166; **34**: *9*, *10*, *11*, *12*; **38**: 221; **42**: 115, 120, 158, 165, 168; **44**: 90; **45**: 1; **47**: 182; **56**: 271; **57**: 33; **60**: 34; **64**: 144; ***badius*** **f.** ***labyrinthicus*** **14**: 41, 49; ***boudieri*** **18**: 194; ***chrysenteron*** **5**: 74; **9**: 148; **10**: 44, 164, 168, 188; **14**: 76, 87, 104, 225; **18**: 10, 162; **19**: 17; **20**: 60; **21**: *94*, *95*, *96*; **22**: 107, 199; **23**: 81, 82; **29**: 111, 185; **30**: 25; **31**: 31; **32**: 224; **33**: 166; **38**: 221; **40**: 241; **43**: 5, 185; **44**: 90; **45**: 1; **46**: 68, 69, 71, 268; **56**: 271; **60**: 30, 34, 49; **63**: 261; ***chrysenteron*** **var.** ***robustus*** **44**: 113; **47**: 197; ***chrysonemus*** **60**: 34, 38, 41; ***communis*** **60**: 34, 49; ***coniferarum*** **20**: *5*, *6*; ***cramesinus*** **5**: 77; **18**: 11; **43**: 9; ***depilatus*** **60**: 34, 55; ***fennicus*** **60**: 34, 49; ***ferrugineus*** **60**: 30, 31, 32, 34, 36, 37, 41; ***flavus*** **30**: 143, *152*, *153*, 154, *154*, *155*; **43**: 117; **60**: 41; ***gentilis*** **14**: 41, 75, 124, 127, 128; **20**: 165; ***impolitus*** **3**: 104; **60**: 34, 55; ***lanatus*** **30**: 154; ***leoninus*** **3**: 102, 104; ***leonis*** **64**: 168; ***lignicola*** **25**: 136; ***marekii*** **60**: 34, 50; ***moravicus*** **18**: 193; **22**: 106; **43**: 9; **52**: 93; **57**: 33; **60**: 34; **64**: 165, 171; ***parasiticus*** **7**: 103; **14**: 96; **15**: 14, 154, 157; **16**: 128, 157, 218; **17**: 53, *127*, *128*, *129*, *130*, *131*; **18**: 2, 60, 115; **20**: 110; **21**: 97; **24**: 178; **26**: 60; **31**: 32; **32**: 224; **33**: 159, 161, 166; **44**: 221; **45**: *1*, *2*, *3*, *4*, *5*, *6*, *7*, *8*, *9*; **57**: 15, 41; ***pelletieri*** **60**: 34; ***porosporus*** **20**: *1*, *2*, *3*, *4*, *5*, *6*, *7*; **36**: 184, 187; **45**: 1; **60**: 30, 34, 50; ***pruinatus*** **60**: 30, 34, 50; **63**: 261; ***pulverulentus*** **4**: 111; **7**: *101*, *102*, *103*, 160; **15**: 14; **18**: 13; **43**: 9; ***quercinus*** **59**: 22; **60**: 49; ***radicicola*** **57**: 42; ***riparielllus*** **60**: 34, 50; ***rubellus*** **24**: 84; **31**: 31; **38**: 221; **44**: 222, 223; **45**: 1; **60**: 34, 50; ***silwoodensis*** **60**: 35, 38, 41; ***spadiceus*** **20**: *1*, *2*, *3*, *4*, *5*, *6*, *7*; **22**: 107; **30**: 154; **31**: 31; **40**: 241; ***subtomentosus*** **5**: 74; **6**: 145; **9**: 148; **10**: 44, 117, 164, 188; **12**: 214; **13**: 148; **14**: 76, 87, 225; **17**: 127; **18**: 10, 13, 194; **19**: 17; **20**: 60; **21**: *94*, *95*, *96*, 161; **22**: 108; **29**: 111, 185; **30**: 24, 25, 154; **33**: 166; **36**: 78; **38**: 221; **41**: 74; **44**: 90; **45**: 1, 6, 7;

57: 41; **60**: 30, 31, 32, 35, 36, 37, 41, 42, 43, 47, 51, 54; **64**: 173; ***subtomentosus* var. *alboochraceus*** **30**: 154; ***subtomentosus* var. *leguei*** **20**: *1*, *2*, *3*, *4*, *5*, *6*, *7*; **31**: 31; **32**: 224; **33**: 161, 166; ***subtomentosus* var. *luteolus*** **60**: 41; ***subtomentosus* var. *xantha*** **30**: 154; ***subtomentosus* var. *xanthus*** **60**: 35, 41; ***truncatus*** **20**: *1*, *2*, *3*, *4*, *5*, *6*, *7*; **60**: 52; ***tumidus*** **3**: 103; **15**: 14; ***variegatus*** **18**: 115; ***zelleri*** **57**: 41.

XEROMPHALIA campanella **46**: 183; **56**: 274.

XEROMPHALINA amara **38**: 209, 212; ***brunneola*** **38**: 205; **52**: *237*, *238*, *239*, *240*, *241*, *242*; ***campanella*** **2**: 24; **6**: 182; **7**: 63, 138; **9**: 161; **14**: 89, 125; **16**: 188; **18**: 162; **20**: 73; **27**: 220; **38**: 205, 206, 208, *213*, *214*, *215*; **43**: 87, 89, 93; **44**: 90, 204, 207, 209; **46**: 177; **52**: 237, 241, 242; **60**: 210; **63**: 261; ***campanella* var. *myriadea*** **52**: *240*, *241*, *242*; ***cauticinalis*** **22**: 200; **38**: 205, 206, 210, 212; **52**: 237; ***cauticinalis* var. *acida*** **38**: 205, 209, 213; ***cornui*** **22**: 192, 199, 200; **38**: 205, 206, 213; **52**: 237; ***fellea*** **38**: *205*, *206*, *207*, *209*, *210*, *211*, *212*, *213*; **52**: 237; ***fraxinophila*** **38**: 209; ***fulvipes*** **38**: 213; ***fulvobulbillosa*** **22**: 200; ***junipericola*** **52**: 237; ***kauffmanii*** **38**: 205, 216; ***minutissima*** **52**: 237; ***typhae*** **7**: 44, 48.

XEROMYCENA myriadophylla **7**: 81.

XEROTUS afer **11**: 162; ***caffrorum*** **46**: 323; ***javanicus*** **8**: 58; ***papuasius*** **46**: 323.

XERULA longipes **30**: 54; **32**: 224; **33**: 166; **41**: 52; ***melanotricha*** **43**: 53, 54; **58**: 154; ***pudens*** **46**: 288, 289; **52**: 7; **58**: 154; ***radicata*** **46**: 176, 182; **52**: 7, 213; **58**: 154; **60**: 210.

XIAMBOLA mirabilis **35**: 100.

XYLARIA acuta **53**: 302; ***apiculata*** **53**: 302; ***arbuscula*** **53**: 302; ***capitata*** **58**: 176, 177; ***carpophila*** **53**: 298; **56**: 276; ***castorea*** **53**: 302; ***clavata*** **2**: 48; ***cornu-damae*** **53**: 302; ***digitata*** **34**: 232; ***enteroleuca*** **53**: 302; ***filiformis*** **14**: 104; **44**: 140, 146; **59**: 185, 195, 196, 197; ***fioriana*** **53**: 302; ***gracilis*** **7**: 22; ***hypoxylon*** **8**: 77; **9**: 24; **11**: 187; **14**: 88; **18**: 164; **22**: 45; **27**: 169, 170, 225; **46**: 286, 290; **52**: 6; **53**: 299; **56**: 275; **63**: 261; ***kurziana*** **27**: 171, 172; ***longipes*** **7**: 140; **31**: 117; **44**: 140, 146; **53**: 302; **61**: 89; ***mali*** **53**: 302; ***moelleroclavus*** **53**: 303; ***papyrifera*** **27**: 171, 172; ***polymorpha*** **2**: 48; **7**: 140; **18**: 164; **32**: 221; **33**: 215; **44**: 146; **53**: 302; **56**: 276; ***schwackei*** **27**: 171, 172; ***stilboidea*** **46**: 324; ***vaporaria*** **8**: 1.

XYLOBOLUS frustulatus **13**: 12; **21**: 55, 56, *117*, *118*, *119*; **24**: 84; **26**: 123; **29**: 10; **40**: *129*, *130*, *131*, *132*, *133*, *134*, *135*, *136*, *137*, *138*, *139*, *140*; ***frustulosus*** **39**: 193; ***subpileatus*** **36**: 186; **40**: 130.

XYLOCOREMIUM flabelliforme **53**: 303.

XYLODON archeri **64**: 29; ***asper*** **64**: 29; ***decolor*** **64**: 33; ***decolorans*** **64**: 33; ***depauperatus*** **64**: 34; ***fimbriiformis*** **64**: 23, 28, 29, 35; ***spathulatus*** **64**: 36; ***versiporus*** **17**: 183; ***versiporus* var. *microporus*** **33**: 19, 21; ***versiporus* var. *phellinoides*** **33**: 21; ***versiporus* var. *pseudoobduscens*** **33**: 21.

XYLOGRAMMA bulgaricum **52**: 68.

XYLOGRAPHA spilomatica **58**: 114; ***vitiligo*** **58**: 105, 113; **63**: 233.

XYLOHYPHA bantiana **44**: 6, 7, 8, 138, 139; ***emmonsii*** **44**: 6, 7, 8, 139.

XYLOMELASMA sordidum **61**: 89, 90, 92.

XYLOMYCES aquaticus **63**: 146; ***chlamydosporis*** **63**: 147.

XYLOPODIUM delestrei **15**: 195, 197, 199, 200.

YPSILINA graminea **53**: 23, 26; **60**: 67, 71, 72; **63**: 147.
ZALERION varia **61**: 111.
ZASMIDIUM cellare **61**: 154, 158.
ZEPHIREA fusispora **20**: 73.
ZIGNOËLLA abietis **51**: 5, 7; ***abietis*** **var.** ***fennica*** **51**: 24; ***aterrima*** **50**: 165; ***conica*** **50**: 175; ***crustacea*** **51**: 3, 12, 17; ***fallax*** **26**: 48, 54; **50**: 162, 175; ***morthieri*** **49**: 224; ***ostioloidea*** **50**: 162; ***ovoidea*** **12**: 150; **25**: 37, 39, 41; **50**: 176; ***papillata*** **50**: 164, 170, 174; ***pulviscula*** **12**: 146, 150; **25**: 41; **26**: 54; **33**: 152; **50**: 162, 170.
ZOBELIA krombholzii **39**: 69.
ZOELLNERIA rosarum **41**: 200.
ZOOPAGE phanera **1**: *33*, *34*, *35*; ***thamnospira*** **1**: 31, 33, 35; ***tryphera*** **1**: 34.
ZOOPHAGUS insidians **1**: 30, 31; ***tentaculum*** **1**: 30, 31.
ZOOPHTHORA eradicans **42**: 33; ***radicans*** **35**: *57*, *58*, *59*, *60*, *61*, *62*; **42**: 31, *33*, *34*, *35*, *36*, *37*, *38*.
ZOPFIA rosatii **39**: 161; ***senegalensis*** **39**: 160; ***tompkinsii*** **39**: 160.
ZOPFIELLA leucotricha **58**: 162.
ZUKALINA fringillarum **35**: 77; ***neglecta*** **35**: 137; ***woolhopensis*** **35**: 77, 137.
ZUNDELIOMYCES polygoni **58**: 100.
ZWACKHIOMYCES sphinctrinoides **50**: 231, 232, 237, 238.
ZYGODESMUS effusus **23**: 221; ***fuscus*** **33**: *87*, *88*, *89*, *90*, *91*; ***laevisporus*** **23**: 221; ***serbicus*** **21**: 70.
ZYGORHYNCHUS exponens **44**: 173; ***griseocinereus*** **44**: 173; ***heterogamus*** **23**: 246, 247; **44**: 37, 173; ***macrocarpus*** **23**: 245; **44**: 173; ***moelleri*** **44**: 173; **46**: 87, 90, 91; **53**: 216, 218; ***vuilleminii*** **23**: *245*, *246*, *247*; **44**: 173.
ZYGOSACCHAROMYCES bailii **39**: 240; ***delbrueckii*** **19**: 115, 119; ***fermentati*** **13**: 37, 44, 48; ***florentinus*** **13**: 37, 44, 48; ***rouxii*** **39**: 237, 239; **57**: 309.
ZYGOSPERMELLA setosa **52**: 68.
ZYGOSPORIUM gibbum **40**: 163; ***masonii*** **38**: 119; ***mycophilum*** **44**: *106*, *107*, *108*; ***oscheoides*** **38**: 119; **40**: 163.
ZYGOWILLIOPSIS caliphornicus **13**: 37, 44, 45, 48, 49.
ZYMONEMA brasiliensis **44**: 134; ***capsulatum*** **11**: 22; ***dermatitidis*** **11**: 22; **39**: 157, 158; ***gilchristii*** **11**: 22.
ZYTHIA fragariae **49**: 198; ***pinastri*** **13**: 157, 213; ***quercicola*** **52**: 68.
ZYTHIOSTROMA pinastri **35**: 98.

INDEX TO GENERA*

* This index contains (1) those genera and relevant volumes/pages where the genera are treated in detail, i.e. with descriptions, illustrations, nomenclatural novelties, discussions, etc., and (2) genera cited separately (without specific epithets).

For all occurrences of a certain genus, see Index to genera and species.

Explanations

ACETABULA **13**: 20; **19**: 37. – *ACHLYA* 1: 28, 33.

LARGE LETTERS: genera treated in detail
SMALL LETTERS: genera cited separately (without specific epithets)
Number in bold: volume
Number in regular font: page

ABORTIPORUS **13**: 145; **49**: 131. – *ABSCONDITELLA* **50**: 224. – *ABSIDIA* **22**: 68, 296; **23**: 187; **24**: 212; **25**: 173; **29**: 119; **30**: 115; **34**: 113; **37**: 151, 252; **39**: 85, 150, 156; **44**: 194. – *ACANTHODOCHIUM* **53**: 303. – *ACANTHOPHIOBOLUS* **28**: 179. – *ACANTHOSTIGMELLA* **49**: 77, 78. – *ACAROMYCES* **58**: 94. – *ACAULIUM* **9**: 10. – *ACERVUS* **37**: 237. – *ACETABULA* **13**: 20; **19**: 37. – *ACHLYA* 1: 28, 33. – *ACIA* **8**: 129; **30**: 38. – *ACIDOMYCES* **61**: 206. – *ACREMONIELLA* **27**: 35. – *ACREMONIELLOPSIS* **27**: 36. – *ACREMONIUM* **27**: 35; **39**: 156; **47**: 151; **57**: 239. – *ACRODICTYS* **37**: 12; **38**: 98; **40**: 143. – *ACRODONTIUM* **53**: 237. – *ACROGENOSPORA* **35**: 98. – *ACROSTALAGMUS* **14**: 193. – *ACROSTAPHYLUS* **27**: 138. – *ACROTHECA* **39**: 157. – *ACTIDIUM* **49**: 208. – *ACTINOCLADIUM* **38**: 99. – *ACTINOMYCES* **44**: 65. – *AEDYCIA* **9**: 57. – *AEGERITELLA* **44**: 165. – *AGARICUS* **5**: 88; **6**: 97, 116; **7**: 1; **8**: 25, 30, 159; **9**: 69, 178; **10**: 55, 197; **12**: 173; **13**: 60, 241; **15**: 160; **16**: 83; **19**: 52; **21**: 120; **22**: 81; **25**: 22; **26**: 65, 226; **28**: 175; **30**: 167, 195; **32**: 65; **34**: 58, 98; **48**: 238, 251, 309; **57**: 303. – *AGONIMIA* **50**: 225. – *AGROCYBE* **23**: 264; **25**: 106; **28**: 175; **36**: 160; **37**: 221; **59**: 71. – *AIVENIA* **31**: 132; **43**: 215. – *AJELLOMYCES* **39**: 157. – *ALATOSESSILISPORA* **60**: 69. – *ALATOSPORA* **53**: 3. – *ALBATRELLUS* **11**: 154; **26**: 194; **43**: 61. – *ALBERTINIELLA* **10**: 256. – *ALBOTRICHA* **41**: 17, 202. – *ALBUGO* **57**: 259; **62**: 91. – *ALEURIA* **25**: 109; **26**: 74; **28**: 129; **34**: 217; **39**: 165; **47**: 237; **63**: 255. – *ALEURODISCUS* **7**: 178; **14**: 88; **27**: 220. – *ALLESCHERIA* **39**: 157. – *ALLESCHERIELLA* **38**: 99. – *ALLESCHERINA* **3**: 237. – *ALLOPHYLARIA* **40**: 204; **43**: 222. – *ALNICOLA* **16**: 161; **20**: 141. – *ALTERNARIA* **8**: 15; **19**: 62; **31**: 100; **34**: 13; **39**: 157; **49**: 119; **59**: 241. – *ALYSIDIUM* **38**: 240. – *AMANITA* **2**: 17, 45; **3**: 76; **4**: 136; **5**: 52; **6**: 138; **7**: 31, 94, 97, 112; **8**: 66; **9**: 176; **14**: 60, 87; **16**: 71; **19**: 83; **20**: 25, 237; **22**: 193, 229; **25**: 106; **27**: 213; **28**: 176; **29**: 30; **31**: 35; **32**: 1, 43, 220; **34**: 92; **36**: 114; **39**: 138; **42**: 65; **44**: 225; **46**: 256; **47**: 145; **48**: 67; **63**: 255. – *AMANITOPSIS* **3**: 122. – *AMAUROCHAETE* **18**: 57. – *AMAURODON* **59**: 177. – *AMBLYOSPORIUM* **12**: 156. – *AMICODISCA* **41**: 16, 201; **52**: 289. – *AMPHISPHAERIA* **12**: 143. – *AMPULLIFERINA* **64**: 77. – *AMYLARIA* **1**: 163, 164, 170. – *AMYLOCORTICIUM* **13**: 10. – *AMYLOCYSTIS* **11**: 156; **14**: 89; **17**: 179; **19**: 9; **27**: 220. – *AMYLOFLAGELLULA* **54**: 235. – *AMYLOPORIA* **46**: 213; **64**: 37. –

AMYLOSPORUS **59**: 171. – *AMYLOSTEREUM* **27**: 220; **63**: 255. – *ANAPTYCHIA* **50**: 226. – *ANGIOPOMOPSIS* **29**: 97. – *ANGUILLOSPORA* **23**: 135; **49**: 15; **53**: 309. – *ANISOPORUS* **27**: 222. – *ANIXIOPSIS* **39**: 157; **44**: 147. – *ANNELLOPHORA* **42**: 23. – *ANOMOPORIA* **20**: 172. – *ANTENNULARIA* **49**: 193. – *ANTHOSTOMA* **12**: 144; **27**: 140. – *ANTHOSTOMELLA* **35**: 94. – *ANTHRACOBIA* **15**: 62; **17**: 61; **19**: 39; **23**: 27. – *ANTHRACOIDEA* **50**: 119; **57**: 275. – *ANTHURUS* **13**: 85; **18**: 243; **23**: 265; **25**: 181. – *ANTRODIA* **11**: 161; **14**: 88; **27**: 221; **38**: 138; **42**: 2; **47**: 189; **55**: 9, 10; **63**: 255. – *ANTRODIELLA* **44**: 238; **45**: 10, 81; **47**: 185; **49**: 21; **63**: 195, 255. – *APHANOCLADIUM* **36**: 100. – *APHELARIA* **13**: 84. – *APIOSORDARIA* **45**: 155. – *APIOSPERMUM* **45**: 113. – *APIOSPORA* **36**: 105; **38**: 99; **40**: 144. – *APOPHYSOMYCES* **44**: 194. – *APORPIUM* **25**: 105; **50**: 134. – *APOSTEMIDIUM* **25**: 109. – *AQUARELLA* **43**: 71. – *ARACHNIA* **44**: 66. – *ARACHNOPEZIZA* **16**: 96; **41**: 205; **42**: 137. – *ARACHNOSCYPHA* **41**: 205. – *ARBORISPORA* **53**: 4. – *ARCYRIA* **13**: 50; **16**: 42; **22**: 132; **25**: 110; **26**: 104; **45**: 27; **53**: 326. – *ARENICOLA* **20**: 69. – *ARMILLARIA* **4**: 54, 141; **20**: 221; **23**: 253; **24**: 54; **27**: 118, 213; **28**: 35, 174; **30**: 195; **40**: 38; **55**: 173; **58**: 209; **59**: 71; **63**: 255. – *ARMILLARIELLA* **14**: 88; **25**: 66, 148; **27**: 218; **31**: 126. – *ARRHENIA* **11**: 172; **33**: 40. – *ARTHONIA* **17**: 150; **24**: 221; **47**: 139. – *ARTHRINIUM* **36**: 105; **40**: 144; **56**: 79, 216. – *ARTHROBOTRYS* **35**: 98. – *ARTHRODERMA* **19**: 227; **31**: 91. – *ARTHROXYLARIA* **53**: 297. – *ASCOBOLUS* **11**: 105; **13**: 94, 211; **14**: 169; **15**: 73; **16**: 109; **17**: 68, 138, 188; **19**: 35; **22**: 185, 305; **24**: 135; **25**: 109, 197; **52**: 271, 295. – *ASCOCHYTA* **15**: 175; **19**: 61; **22**: 186; **37**: 77; **40**: 86; **56**: 209. – *ASCOCODINAEA* **51**: 2. – *ASCOCORTICIUM* **8**: 58; **35**: 92. – *ASCOCORYNE* **27**: 224; **35**: 92; **63**: 255. – *ASCODESMIS* **19**: 33. – *ASCOPHANUS* **13**: 94; **15**: 66; **16**: 110; **17**: 138, 190; **19**: 38; **22**: 305; **23**: 31; **25**: 109, 153; **26**: 25, 29; **28**: 130; **35**: 6. – *ASCORHIZOCTONIA* **52**: 269. – *ASCOSPARASSIS* **37**: 240. – *ASCOTREMELLA* **59**: 186. – *ASCOTRICHOSPORON* **38**: 15. – *ASCOZONUS* **19**: 35; **35**: 7. – *ASPERGILLUS* **3**: 11; **24**: 207; **27**: 151; **28**: 233; **33**: 181; **36**: 47; **38**: 240; **39**: 157; **44**: 8, 67; **45**: 118, 172; **49**: 49, 91; **52**: 128; **53**: 174, 229; **54**: 261; **60**: 83; **63**: 99. – *ASPICILIA* **50**: 227. – *ASPIDELLA* **20**: 240. – *ASTEROPHORA* **14**: 90; **63**: 255. – *ASTEROSTROMA* **25**: 105. – *ASTEROSTROMELLA* **4**: 84. – *ASTROSPORINA* **35**: 103. – *ATHELIA* **18**: 174. – *ATRACTIELLA* **53**: 265. – *ATRACTIUM* **12**: 84. – *ATRACTODORUS* **10**: 239. – *AURANTIOPORUS* **49**: 131, 170. – *AUREOBASIDIUM* **34**: 199. – *AUREOBOLETUS* **11**: 48. – *AURICULARIA* **2**: 42; **13**: 149; **63**: 255. – *AURIFICARIA* **20**: 175. – *AURIPORIA* **39**: 36. – *AURISCALPIUM* **35**: 90. – *BACIDINA* **50**: 228; **58**: 106. – *BACKUSELLA* **45**: 38. – *BADHAMIA* **16**: 34, 116; **18**: 55; **45**: 28; **53**: 326. – *BAEODROMUS* **12**: 62. – *BAEOSPORA* **7**: 80; **14**: 88; **16**: 182; **25**: 106; **27**: 213; **30**: 195; **63**: 255. – *BALANSIA* **27**: 169. – *BALSAMIA* **3**: 76; **4**: 94. – *BANKERA* **9**: 95; **10**: 76; **49**: 35; **51**: 106; **57**: 59, 280, 281. – *BARLAEINA* **17**: 64; **19**: 35. – *BASIDIOBOLUS* **39**: 157; **44**: 194. – *BASIDIORADULUM* **25**: 105; **63**: 255. – *BASIDIOTRICHOSPORON* **38**: 15. – *BATTARRAEA* **18**: 123; **24**: 40. – *BEAUVERIA* **36**: 100; **39**: 157. – *BELONIA* **50**: 229. – *BELONIDIUM* **33**: 193; **41**: 196; **42**: 76, 139; **43**: 69. – *BELONIOSCYPHA* **16**: 97. – *BELONOPSIS* **58**: 125; **64**: 105. – *BELTRANIA* **40**: 84. – *BELTRANIELLA* **40**: 79. – *BERKELELLA* **49**: 78. – *BERKLEASMIUM* **38**: 99; **41**: 29. – *BERLESIELLA* **49**: 77. – *BERTIA* **25**: 110; **26**: 44. – *BIPOLARIS* **43**: 49; **44**: 7, 68. – *BISCOGNIAUXIA* **33**: 209; **40**: 1; **59**: 71. – *BISPORELLA* **31**: 8; **33**: 195; **63**: 255. – *BISPOROSTILBELLA* **53**: 297. – *BJERKANDERA* **27**: 220; **47**: 200; **49**: 131, 171; **63**: 255. –

BLASTOMYCES **11**: 21; **39**: 157; **44**: 9, 69. – ***BLASTOPHORUM*** **35**: 98. – ***BLOXAMIA*** **35**: 98. – ***BLUMERIA*** **49**: 114. – ***BOLBITIUS*** **59**: 1, 2; **63**: 255. – ***BOLETINUS*** **4**: 67; **9**: 76; **22**: 106; **41**: 139; **57**: 19. – ***BOLETOCHAETE*** **57**: 24. – ***BOLETOPSIS*** **11**: 164; **57**: 72, 73, 288, 289. – ***BOLETUS*** **2**: 91; **3**: 69, 97, 102, 127; **4**: 9, 45, 58, 113; **5**: 1, 13, 76, 85, 145; **6**: 87, 175, 184; **7**: 25, 65; **8**: 26, 45, 107, 181; **10**: 188; **12**: 59; **13**: 87; **14**: 40, 89; **15**: 81, 159; **16**: 188; **17**: 89; **18**: 16; **20**: 1; **21**: 61, 164; **22**: 108, 167, 193; **25**: 106; **26**: 118; **27**: 6, 213; **28**: 173; **29**: 30; **30**: 1, 143; **31**: 32; **43**: 8, 52; **44**: 95; **46**: 203; **47**: 173; **57**: 27, 33; **58**: 31; **59**: 11, 22, 23, 71; **60**: 57; **63**: 255. – ***BOLINIA*** **23**: 118; **25**: 110; **27**: 225. – ***BONDARZEWIA*** **11**: 164; **14**: 88; **19**: 102; **25**: 105; **27**: 220. – ***BOTRYOBASIDIUM*** **21**: 69; **23**: 97, 211; **25**: 105; **27**: 220. – ***BOTRYOHYPOCHNUS*** **25**: 105. – ***BOTRYOSPHAERIA*** **39**: 158. – ***BOTRYOTINIA*** **47**: 103. – ***BOTRYTIS*** **15**: 176; **19**: 61; **35**: 98; **56**: 79. – ***BOUBOVIA*** **31**: 71; **35**: 8. – ***BOUDIERA*** **19**: 35; **35**: 189. – ***BOUDIERELLA*** **19**: 34. – ***BOURDOTIA*** **4**: 84; **44**: 31. – ***BOVISTA*** **3**: 72; **5**: 61; **9**: 169; **13**: 149; **15**: 96. – ***BRACHYSPORIELLA*** **37**: 14; **38**: 102; **40**: 144. – ***BRESADOLELLA*** **3**: 239. – ***BRESADOLIA*** **3**: 239. – ***BRESADOLINA*** **3**: 239. – ***BREVIBASIDIUM*** **23**: 76, 97, 101, 213, 214, 220. – ***BRUNCHORSTIA*** **35**: 96. – ***BRUNNIPILA*** **56**: 67; **57**: 139, 143. – ***BRYOSCYPHUS*** **45**: 140. – ***BUCHWALDOBOLETUS*** **57**: 37. – ***BUELLIA*** **17**: 156; **50**: 229. – ***BUGLOSSOPORUS*** **20**: 81. – ***BUGLOSSUS*** **20**: 82, 89. – ***BULGARIA*** **14**: 87; **16**: 97; **25**: 109; **26**: 151; **27**: 224; **63**: 255. – ***BULLERA*** **38**: 11. – ***BYSSOCHLAMYS*** **53**: 176. – ***BYSSONECTRIA*** **10**: 87; **14**: 26. – ***BYSSOSPHAERIA*** **50**: 80. – ***CACUMISPORIUM*** **51**: 1. – ***CALCARISPORA*** **26**: 230; **53**: 7. – ***CALDESIELLA*** **4**: 84. – ***CALLISTOSPORIUM*** **61**: 1. – ***CALLORIOPSIS*** **52**: 256. – ***CALOCERA*** **11**: 92; **14**: 89; **22**: 192; **27**: 220; **63**: 255. – ***CALOCYBE*** **19**: 215; **22**: 193; **31**: 34. – ***CALODON*** **3**: 16. – ***CALOMYXA*** **53**: 329. – ***CALONECTRIA*** **50**: 74. – ***CALOPLACA*** **60**: 275. – ***CALOPORUS*** **44**: 228. – ***CALOSCYPHA*** **19**: 34; **35**: 8. – ***CALVATIA*** **15**: 96; **18**: 111; **28**: 176. – ***CALYCELLA*** **14**: 87; **16**: 98; **27**: 224. – ***CALYCELLINA*** **16**: 98; **41**: 201; **43**: 217; **46**: 33, 149. – ***CALYPTELLA*** **25**: 105; **43**: 54. – ***CALYPTELLOPSIS*** **40**: 203; **41**: 195. – ***CALYPTOSPORA*** **12**: 62. – ***CAMAROPHYLLOPSIS*** **16**: 163. – ***CAMAROPHYLLUS*** **22**: 193; **43**: 52. – ***CAMAROPS*** **34**: 123; **40**: 218; **57**: 97; **59**: 71; **63**: 255. – ***CAMAROSPORIUM*** **11**: 126. – ***CAMPANELLA*** **7**: 11; **2**: 251; **63**: 203. – ***CAMPYLOSPORA*** **23**: 135. – ***CANDIDA*** **10**: 251; **11**: 149; **12**: 8; **13**: 46; **14**: 152; **16**: 83; **19**: 116; **22**: 112; **32**: 38, 130; **33**: 112; **38**: 13; **39**: 158, 236; **44**: 8, 70; **55**: 0. – ***CANTHARELLULA*** **18**: 164. – ***CANTHARELLUS*** **4**: 3, 59; **14**: 87; **18**: 174; **20**: 73; **22**: 192; **25**: 105; **27**: 220; **30**: 198; **63**: 255. – ***CAPITOTRICHA*** **57**: 139, 151, 153. – ***CAPRICOLA*** **58**: 125; **64**: 105. – ***CAPRONIA*** **49**: 77, 211. – ***CARNEOPEZIZELLA*** **41**: 88. – ***CAROMYXA*** **9**: 57. – ***CARPENTELES*** **26**: 115. – ***CARTILOSOMA*** **12**: 101. – ***CATASTOMA*** **3**: 48. – ***CATATHELASMA*** **43**: 57. – ***CATENULARIA*** **37**: 14; **38**: 102. – ***CATINARIA*** **58**: 107. – ***CAUDACREMONIELLA*** **27**: 36. – ***CEJPIA*** **30**: 14. – ***CEJPOMYCES*** **24**: 5. – ***CELOPORTHE*** **61**: 98. – ***CENANGIOMYCES*** **35**: 96. – ***CENANGIOPSIS*** **33**: 196. – ***CENANGIUM*** **35**: 92. – ***CENTROSPORA*** **28**: 185; **49**: 15. – ***CEPHALOSPORIUM*** **12**: 15. – ***CEPHALOTHECA*** **24**: 55. – ***CERACEA*** **11**: 84. – ***CERATELLOPSIS*** **12**: 215; **35**: 91. – ***CERATIOMYXA*** **16**: 34; **25**: 110. – ***CERATOBASIDIUM*** **11**: 80. – ***CERATOCYSTIS*** **8**: 80; **20**: 51; **35**: 94; **62**: 59. – ***CERATOSPORIUM*** **42**: 29. – ***CERATOSTOMA*** **12**: 144. – ***CERATOSTOMELLA*** **20**: 51. – ***CERCIDOSPORA*** **24**: 221. – ***CERCOPHORA*** **49**: 214. – ***CERCOSPORA*** **38**: 193, 230; **41**: 37; **42**: 97; **43**: 155. – ***CERCOSPORIDIUM*** **25**: 166; **38**: 42; **60**: 243. – ***CEREBELLA*** **52**: 81; **54**: 155. –

CERIOPORIOPSIS **48**: 320, 321, 322, 323. – *CERIOSPORA* **18**: 187, 188. – ***CERIPORIA*** **38**: 138; **48**: 315; **49**: 131; **55**: 10; **59**: 71. – ***CERIPORIOPSIS*** **48**: 315; **59**: 71. – *CEROTELIUM* **12**: 62. – ***CERRENA*** **11**: 160; **59**: 83. – ***CETRARIA*** **50**: 230. – ***CEUTHOSPORA*** **35**: 96. – ***CHAETOCALATHUS*** **46**: 240; **54**: 93. – *CHAETOCARPUS* **13**: 17. – ***CHAETOCLADIUM*** **23**: 66. – *CHAETOCONIDIUM* **39**: 158, 160. – ***CHAETOMIDIUM*** **28**: 67. – ***CHAETOMIUM*** **8**: 81; **12**: 144; **17**: 135; **23**: 61, 129; **27**: 162; **28**: 65; **29**: 46; **30**: 200; **58**: 155, 163, 164, 167. – ***CHAETONAEVIA*** **30**: 8; **36**: 146. – *CHAETOPHOMA* **53**: 163. – ***CHAETOPORUS*** **21**: 208. – *CHAETOPYRENA* **10**: 256. – *CHAETOSARTORYA* **45**: 113. – ***CHAETOSPHAERIA*** **12**: 144; **38**: 102; **50**: 73, 151, 165; **51**: 1. – ***CHAETOSPHAERONEMA*** **39**: 158. – *CHAETOSTROMA* **2**: 79. – ***CHALARA*** **35**: 98. – ***CHALCIPORUS*** **57**: 38. – *CHAMAEOTA* **26**: 218; **37**: 173; **60**: 123. – ***CHAMONIXIA*** **25**: 43; **39**: 51. – ***CHAUNOPYCNIS*** **53**: 237. – ***CHEILYMENIA*** **14**: 167; **16**: 106; **19**: 39; **22**: 32, 304; **23**: 30; **27**: 223; **28**: 130; **35**: 8; **38**: 146; **47**: 7; **50**: 189; **54**: 113, 135; **55**: 215, 217; **58**: 149. – ***CHLAMYDOPSIS*** **40**: 74. – *CHLAMYDOPUS* **9**: 94. – ***CHLORIDIUM*** **35**: 98; **37**: 16; **38**: 103, 240; **40**: 144; **41**: 113; **51**: 29. – ***CHLOROCIBORIA*** **16**: 98. – *CHLOROSPERMA* **8**: 86. – ***CHLOROSPLENIUM*** **14**: 87; **16**: 98; **25**: 109; **27**: 224; **46**: 34. – *CHLOROSPORA* **3**: 106. – *CHNOOPSORA* **12**: 62. – ***CHOIROMYCES*** **2**: 69. – ***CHONDROSTEREUM*** **13**: 17. – *CHROMELOSPORIUM* **52**: 259, 263. – *CHROMOCREOPSIS* **34**: 147. – ***CHROMOSPORIUM*** **16**: 29. – ***CHROOGOMPHUS*** **27**: 229; **30**: 81; **63**: 258. – *CHRYSOPORTHELLA* **61**: 98. – ***CHRYSOSPORIUM*** **19**: 223, 227; **39**: 158; **44**: 12, 131. – ***CIBORIA*** **2**: 41; **3**: 21; **5**: 9, 45; **11**: 41; **12**: 219; **13**: 181, 211; **30**: 194; **36**: 152; **43**: 219; **47**: 104; **52**: 277. – ***CIBORINIA*** **47**: 103. – ***CIBORIOPSIS*** **29**: 131. – *CIENKOWSKIA* **45**: 39. – ***CILIOLARINA*** **31**: 198; **35**: 92; **36**: 152; **41**: 19, 200. – ***CINEREOMYCES*** **55**: 10. – ***CIRCINELLA*** **24**: 213; **50**: 245. – *CIRCINOMUCOR* **45**: 25. – ***CIRCINOTRICHUM*** **40**: 84. – *CIRRHOMYCES* **3**: 85, 86, 87, 88, 89, 90, 91. – ***CISTELLA*** **13**: 211; **41**: 202; **46**: 34. – ***CISTELLINA*** **41**: 202. – *CITROMYCES* **40**: 68. – *CLADOBOTRYUM* **19**: 224; **26**: 231; **53**: 249; **5**: 87. – ***CLADOCONIDIUM*** **53**: 9. – ***CLADONIA*** **58**: 107, 108. – ***CLADOSPORIUM*** **35**: 98; **38**: 103; **39**: 158; **40**: 144; **44**: 6, 71; **56**: 80. – ***CLASTEROSPORIUM*** **40**: 144. – ***CLATHRIDIUM*** **35**: 94. – ***CLATHRUS*** **21**: 106; **29**: 205; **50**: 63. – ***CLAUDOPUS*** **4**: 131; **27**: 214. – ***CLAUSSENOMYCES*** **59**: 101, 105, 106, 108, 109. – ***CLAVARIA*** **4**: 83; **5**: 22, 148; **13**: 79; **15**: 102; **16**: 6; **27**: 220. – *CLAVARIACHAETE* **2**: 253, 255. – ***CLAVARIADELPHUS*** **13**: 76; **22**: 192; **27**: 220; **40**: 41. – ***CLAVATOSPORA*** **23**: 135. – ***CLAVICEPS*** **10**: 221; **12**: 232; **42**: 52. – ***CLAVICORONA*** **18**: 240. – ***CLAVIDISCULUM*** **41**: 202. – ***CLAVULICIUM*** **36**: 144. – ***CLAVULINA*** **22**: 192; **25**: 105; **27**: 220; **63**: 255. – ***CLAVULINOPSIS*** **13**: 80; **15**: 191; **57**: 51. – ***CLIMACOCYSTIS*** **12**: 95; **14**: 88; **25**: 105; **27**: 220; **49**: 132. – ***CLIMACODON*** **14**: 88; **25**: 105; **27**: 220; **59**: 71. – ***CLITOCYBE*** **4**: 14, 97; **7**: 13, 93; **8**: 134; **14**: 89; **16**: 164; **18**: 164; **22**: 194; **27**: 214; **28**: 174; **29**: 79; **33**: 36; **43**: 55; **44**: 26; **59**: 72; **63**: 255. – ***CLITOCYBULA*** **16**: 181; **25**: 106; **27**: 214; **63**: 1. – ***CLITOPILUS*** **22**: 194. – *CLOSTRIDIUM* **28**: 239. – ***COCCIDIOIDES*** **39**: 158; **44**: 12, 71. – ***COELOMOMYCES*** **31**: 81. – ***COELOMYCIDIUM*** **28**: 159, 227. – *COELOSPORIUM* **41**: 165. – ***COENOMYCES*** **12**: 110. – ***COLACOGLOEA*** **54**: 31. – ***COLEOSPORIUM*** **35**: 91; **55**: 280; **57**: 261; **62**: 91, 92. – ***COLLEMA*** **19**: 205. – *COLLETOMANGINIA* **34**: 147. – ***COLLETOTRICHUM*** **19**: 57; **39**: 158; **55**: 51. – ***COLLYBIA*** **4**: 79; **5**: 117; **8**: 14; **14**: 48, 87; **18**: 165; **22**: 194; **25**: 106; **27**: 214; **28**: 174; **63**: 255. – ***COLTRICIA*** **55**: 13. – ***COLTRICIELLA*** **38**: 139; **55**: 13. – ***COLUMNOCYSTIS*** **13**: 17, 144; **14**: 88; **27**: 220; **45**: 15. – ***COMATRICHA*** **26**: 104; **45**: 28. – *COMMINUTISPORA* **53**: 288, 291, 292. –

COMPLEXIPES **52**: 269. – *CONCHATIUM* **33**: 196; **40**: 205; **43**: 225; **46**: 152. – *CONIDIOBOLUS* **29**: 174; **31**: 28, 139; **39**: 158; **42**: 105; **44**: 195. – *CONIOBOTRYS* **12**: 32. – *CONIOCHAETA* **22**: 301; **52**: 271. – *CONIOPHORA* **4**: 74; **29**: 62. – *CONIOTHYRIUM* **8**: 168; **35**: 96; **38**: 240. – *CONOCYBE* **10**: 174; **13**: 98; **15**: 201; **16**: 165; **18**: 168; **19**: 43; **20**: 142; **22**: 306; **25**: 107; **26**: 201; **37**: 212; **48**: 295; **51**: 41; **59**: 25, 26, 28, 29, 31, 32, 34, 35, 39, 40, 42, 44, 45, 47, 72. – *CONSETIELLA* **40**: 145. – *COOKEINA* **50**: 21. – *COOLIA* **14**: 88; **27**: 219. – *COPRINOPSIS* **21**: 141. – *COPRINUS* **3**: 114; **4**: 62; **6**: 165; **7**: 127; **10**: 176; **12**: 240; **13**: 97; **14**: 47, 173; **15**: 104, 133, 134; **18**: 169; **20**: 32, 145; **21**: 17, 137; **22**: 195, 306; **25**: 107; **31**: 36; **35**: 44; **36**: 173; **37**: 223; **39**: 158; **62**: 43, 45, 46, 47, 49, 50, 52, 54, 55; **63**: 13, 14, 16, 18, 20, 22, 23, 25, 27, 29, 255. – *COPROBIA* **19**: 40; **32**: 11; **38**: 146. – *COPROTUS* **25**: 154. – *CORDYCEPS* **7**: 21; **8**: 21; **9**: 18, 96; **10**: 31; **14**: 90; **25**: 110; **27**: 169, 225; **54**: 105; **58**: 173, 176, 177. – *CORIOLELLUS* **11**: 160; **13**: 34; **30**: 164. – *CORIOLOPSIS* **55**: 13, 14, 15. – *CORIOLUS* **43**: 36; **45**: 91. – *CORNIOLA* **7**: 91. – *CORNUNTUM* **58**: 125; **64**: 105. – *CORNUTISPORA* **51**: 183. – *CORONELLARIA* **32**: 12; **43**: 71. – *CORTICIUM* **5**: 154; **7**: 177; **8**: 132; **14**: 89; **18**: 175; **25**: 105; **27**: 220. – *CORTINARIUS* **3**: 63; **8**: 4; **9**: 82, 107; **12**: 40; **13**: 52, 168; **14**: 89; **15**: 211; **16**: 128, 167; **17**: 58; **18**: 19, 77, 169; **20**: 75; **22**: 259; **24**: 121, 215; **25**: 107; **27**: 214; **29**: 30; **30**: 195; **34**: 3, 188; **43**: 59; **47**: 65; **48**: 297; **59**: 72; **63**: 255, 256. – *CORYNE* **9**: 90; **11**: 32; **14**: 88; **16**: 98; **27**: 224; **35**: 96. – *CORYNELLA* **16**: 98. – *CORYNESPORA* **38**: 103; **39**: 158; **40**: 82, 145; **41**: 113; **42**: 203. – *CORYNESPORELLA* **41**: 107. – *CORYNESPOROPSIS* **40**: 145; **41**: 109. – *COSTANTINELLA* **25**: 110. – *CRASPEDODIDYMUM* **26**: 70. – *CRATERELLA* **29**: 200. – *CRATERELLUS* **14**: 87; **27**: 220; **29**: 199. – *CRATERIUM* **26**: 106; **35**: 95. – *CREOLOPHUS* **2**: 252. – *CREONECTRIA* **13**: 125. – *CREOPUS* **10**: 88; **18**: 177. – *CREPIDOTUS* **3**: 90; **14**: 89, 171; **18**: 169; **21**: 29; **24**: 78; **27**: 214; **54**: 93; **57**: 299, 300, 303, 304; **61**: 175; **63**: 215, 256. – *CRIBRARIA* **53**: 329. – *CRICUNOPUS* **57**: 20. – *CRINIPELLIS* **16**: 166. – *CRISTINIA* **64**: 33. – *CROCICREAS* **40**: 206; **64**: 127. – *CRONARTIUM* **57**: 261. – *CRUCIBULUM* **12**: 135; **18**: 114; **22**: 200. – *CRUMENULOPSIS* **35**: 92. – *CRYPHONECTRIA* **56**: 45. – *CRYPTOCOCCUS* **15**: 107; **21**: 196; **32**: 38, 144; **33**: 115; **37**: 35; **38**: 12; **39**: 159, 235; **44**: 10, 72; **48**: 183. – *CRYPTODIAPORTHE* **26**: 44; **28**: 10; **49**: 194. – *CRYPTOSPHAERIA* **12**: 145. – *CRYPTOSPORA* **25**: 33. – *CRYPTOSPORIOPSIS* **35**: 96; **55**: 57. – *CUBONIA* **19**: 34. – *CUBONIA* **19**: 34. – *CUCURBITARIA* **12**: 145. – *CUDONIA* **16**: 105. – *CUDONIELLA* **14**: 90; **35**: 92; **63**: 256. – *CUMMINSIELLA* **57**: 261. – *CUNNINGHAMELLA* **24**: 213; **39**: 159; **44**: 195. – *CUPHOCYBE* **37**: 174. – *CURUCISPORA* **60**: 69. – *CURVULARIA* **39**: 159; **44**: 7. – *CUSTINGOPHORA* **50**: 152, 164, 166, 168, 169, 170, 171; **51**: 2. – *CYANOCHAETOPORUS* **21**: 205. – *CYATHUS* **12**: 135; **22**: 200. – *CYCLOCYBE* **20**: 70. – *CYCLOMYCES* **55**: 15, 16. – *CYCLOPORUS* **12**: 138. – *CYLINDRIUM* **35**: 98. – *CYLINDROCARPON* **38**: 240; **39**: 159. – *CYLINDROCARPOSTYLUS* **53**: 237. – *CYLINDROCEPHALUM* **3**: 85, 86, 87, 88, 89, 90, 91. – *CYLINDROSPORIUM* **28**: 96. – *CYLINDROTRICHUM* **51**: 1. – *CYPHELLA* **14**: 241; **15**: 191; **25**: 105; **59**: 72. – *CYPHELLOSTEREUM* **63**: 256. – *CYRTIDULA* **17**: 153. – *CYSTOBASIDIUM* **12**: 191. – *CYSTODERMA* **8**: 60; **22**: 195; **25**: 107; **63**: 256. – *CYSTOLEPIOTA* **47**: 289; **59**: 72. – *CYSTOPEZIZELLA* **37**: 67; **41**: 21; **46**: 152. – *CYSTOSTEREUM* **13**: 18; **14**: 89; **27**: 221; **41**: 129. – *CYTIDIA* **13**: 143. – *CYTIDIELLA* **8**: 125; **42**: 239; **63**: 33. – *CYTOPHYLLOPSIS* **12**: 34, 36. – *CYTOSPORA* **25**: 41; **31**: 155; **35**: 96. – *DACAMPIA* **17**: 151. – *DACRYMYCES* **11**: 85; **12**: 242; **14**: 170; **54**: 11; **63**: 189. –

DACRYOBOLUS **27**: 221; **63**: 256. – ***DACRYOMITRA*** **11**: 94. – ***DACRYONAEMA*** **11**: 94; **48**: 217. – ***DACTYLARIA*** **53**: 237. – ***DACTYLELLA*** **23**: 136. – ***DAEDALEA*** **11**: 160; **25**: 105. – ***DAEDALEOPSIS*** **49**: 132, 172; **63**: 256. – ***DALDINIA*** **27**: 135. – ***DALEOMYCES*** **36**: 109; **57**: 249. – ***DASYOBOLUS*** **16**: 110; **19**: 35; **22**: 305; **35**: 10. – ***DASYSCYPHA*** **13**: 212; **16**: 112. – ***DASYSCYPHELLA*** **41**: 204; **57**: 139, 157, 158, 160. – ***DASYSCYPHUS*** **16**: 93; **21**: 64; **25**: 109; **27**: 224; **30**: 9; **31**: 133; **33**: 197; **35**: 92. – ***DATRONIA*** **27**: 221; **49**: 132, 172; **63**: 256. – ***DEBARYELLA*** **50**: 162. – ***DEBARYOMYCES*** **34**: 21. – ***DEIGHTONIELLA*** **38**: 39. – ***DEKENBACHIA*** **6**: 155. – ***DELASTREOPSIS*** **39**: 68. – ***DELICATULA*** **11**: 102; **12**: 240; **20**: 146; **27**: 214; **54**: 205; **63**: 256. – ***DELISEA*** **12**: 165. – ***DEMATIOSCYPHA*** **31**: 193; **41**: 195; **52**: 289. – ***DEMATOPHORA*** **53**: 303. – ***DENDROCORTICIUM*** **61**: 204. – ***DENDROPHOMA*** **13**: 158. – ***DENDROPHORA*** **60**: 214. – ***DENDROSTILBELLA*** **14**: 193. – ***DENDROTHELE*** **53**: 125; **61**: 197, 198, 203. – ***DENDROTRICHOSCYPHA*** **31**: 9; **41**: 199. – ***DENDRYPHION*** **37**: 72. – ***DENDRYPHIOPSIS*** **38**: 104. – ***DENNISIODISCUS*** **30**: 9; **32**: 204; **41**: 195. – ***DENTINUM*** **14**: 89; **26**: 217; **27**: 221. – ***DENTIPELLIS*** **18**: 175; **27**: 221; **59**: 72; **64**: 25, 27. – ***DERMATANGIUM*** **2**: 36. – ***DERMATEA*** **28**: 151. – ***DERMOLOMA*** **20**: 147; **29**: 31. – ***DESCOLEA*** **37**: 174. – ***DESMAZIERELLA*** **13**: 213; **19**: 38; **35**: 10, 92. – ***DETONIA*** **52**: 263. – ***DIACHEA*** **18**: 57. – ***DIALONECTRIA*** **8**: 92; **10**: 89; **14**: 29; **17**: 136; **25**: 110. – ***DIAPORTHE*** **26**: 44; **28**: 11; **35**: 94. – ***DIATRYPE*** **26**: 44; **27**: 87, 144; **30**: 157; **57**: 117, 119, 123, 124, 129, 130, 132, 135. – ***DIATRYPELLA*** **27**: 87, 145. – ***DIATRYPEOPSIS*** **3**: 214. – ***DICHLAENA*** **45**: 113. – ***DICHOMITUS*** **38**: 140; **46**: 114; **47**: 200; **55**: 16. – ***DICHOSTEREUM*** **2**: 147. – ***DICHOTOMOMYCES*** **49**: 229; **53**: 176. – ***DICRANIDION*** **60**: 69. – ***DICTYDIAETHALIUM*** **16**: 40. – ***DICTYDIUM*** **18**: 181. – ***DICTYOCEPHALOS*** **15**: 196, 197. – ***DICTYOCHAETA*** **40**: 148; **42**: 204; **50**: 152. – ***DICTYOPANUS*** **55**: 16. – ***DICTYOPHALLUS*** **48**: 274. – ***DICTYOPHORA*** **9**: 56. – ***DICTYUCHUS*** **1**: 33. – ***DICYMA*** **5**: 245. – ***DIDERMA*** **12**: 218; **16**: 37; **35**: 95; **53**: 329. – ***DIDONIA*** **46**: 41. – ***DIDYMELLA*** **17**: 151; **40**: 86. – ***DIDYMELLINA*** **24**: 130; **26**: 51. – ***DIDYMIUM*** **16**: 39; **18**: 236; **26**: 106; **35**: 95; **45**: 30. – ***DIDYMOSPHAERIA*** **23**: 256. – ***DIDYMOTRICHIELLA*** **49**: 77. – ***DIMEROMYCES*** **22**: 225. – ***DINEMASPORIUM*** **56**: 76. – ***DIPLOCARPA*** **41**: 195. – ***DIPLOCLADIUM*** **12**: 156. – ***DIPLOGELASINOSPORA*** **53**: 203. – ***DIPLOICIA*** **50**: 230. – ***DIPLOMITOPORUS*** **63**: 256; **64**: 16. – ***DISCHLORIDIUM*** **41**: 31, 110; **42**: 204. – ***DISCINA*** **19**: 36; **25**: 109; **26**: 5; **35**: 10. – ***DISCINELLA*** **25**: 109. – ***DISCIOTIS*** **19**: 38; **35**: 11. – ***DISCISEDA*** **3**: 45; **4**: 22; **15**: 96; **18**: 112; **28**: 176. – ***DISCOCISTELLA*** **16**: 9, 95; **33**: 199; **41**: 202; **42**: 77; **43**: 72. – ***DISCOFUSARIUM*** **12**: 84. – ***DISCOLLA*** **12**: 84. – ***DISCOSIA*** **35**: 96. – ***DISCOSTROMA*** **50**: 163. – ***DISCOTHECIUM*** **23**: 108. – ***DITOPELLA*** **25**: 34. – ***DONKIA*** **27**: 122. – ***DRECHSLERA*** **37**: 72; **39**: 159; **42**: 84; **43**: 45. – ***DRYODON*** **27**: 221. – ***DURELLA*** **13**: 213; **21**: 146. – ***ECCILIA*** **10**: 162; **29**: 31. – ***ECHINOCHAETE*** **38**: 141; **55**: 16. – ***ECHINOPLACA*** **56**: 149. – ***ECHINOSTELIUM*** **26**: 107; **45**: 27; **53**: 332. – ***ECHINULA*** **40**: 216. – ***EDMUNDMASONIA*** **42**: 25. – ***ELADIA*** **44**: 20. – ***ELAPHOCEPHALA*** **37**: 206. – ***ELAPHOMYCES*** **2**: 69; **3**: 54, 75; **14**: 87; **16**: 112; **25**: 110; **27**: 225. – ***ELASTICOMYCES*** **61**: 206. – ***ELFVINGIA*** **11**: 162; **13**: 148; **14**: 88. – ***EMERICELLA*** **53**: 176. – ***EMERICELLOPSIS*** **36**: 106. – ***EMMONSIA*** **26**: 23. – ***ENANTIOPTERA*** **56**: 194. – ***ENCHNOA*** **12**: 145; **49**: 195. – ***ENCOELIA*** **8**: 133; **28**: 131; **36**: 153. – ***ENDOCALYX*** **38**: 105; **40**: 148. – ***ENDOCARPON*** **50**: 231. – ***ENDOCHYTRIUM*** **1**: 28. – ***ENDOCOCCUS*** **50**: 231. – ***ENDOCONIDIOPHORA*** **27**: 98. – ***ENDODOTHELLA*** **12**: 145. – ***ENDOGONE*** **3**: 76; **15**: 161; **24**: 166.

– ***ENDOMYCES*** **12**: 157. – ***ENDOPHRAGMIELLA*** **35**: 99; **38**: 105. – ***ENDOPTYCHUM*** **28**: 176. – ***ENDOSTIGME*** **10**: 137. – ***ENDOTHIELLA*** **61**: 98. – ***ENERTHENEMA*** **45**: 31. – ***ENGLEROMYCES*** **34**: 147. – ***ENGYODONTIUM*** **39**: 159. – ***ENTOLOMA*** **8**: 70; **15**: 160; **27**: 214; **29**: 31; **63**: 256. – ***ENTOMOPHAGA*** **30**: 212. – ***ENTOMOPHTHORA*** **24**: 87; **25**: 118, 231; **27**: 107; **28**: 189; **30**: 207; **42**: 105. – ***ENTOPHLYCTIS*** **7**: 51. – ***ENTYLOMA*** **15**: 173; **18**: 54; **62**: 91. – ***EOCRONARTIUM*** **13**: 25. – ***EOSPHAERIA*** **51**: 2. – ***EPICOCCUM*** **33**: 176; **35**: 99; **54**: 155; **56**: 80. – ***EPIDERMOMYCES*** **39**: 159. – ***EPIDERMOPHYTON*** **22**: 202. – ***EPIGLOEA*** **50**: 232. – ***ERIOCERCOSPORA*** **60**: 243. – ***ERIOCORYS*** **57**: 46. – ***ERIOPEZIA*** **12**: 220; **41**: 205. – ***ERIOSCYPHA*** **41**: 196. – ***ERIOSPHAERIA*** **50**: 75. – ***ERIOSPORIOPSIS*** **35**: 96. – ***ERISYPHE*** **21**: 185. – ***ERYNIA*** **41**: 65. – ***ERYSIPHE*** **15**: 173; **21**: 40; **29**: 37; **32**: 80; **43**: 166; **49**: 65, 111; **58**: 189. – ***ESTEYA*** **52**: 227. – ***EUACREMONIELLA*** **27**: 36. – ***EUOIDIUM*** **49**: 116. – ***EUPENICILLIUM*** **53**: 177. – ***EUROTIUM*** **53**: 177. – ***EURYANCALE*** **1**: 33. – ***EURYPORUS*** **57**: 19. – ***EUTYPA*** **25**: 110; **26**: 45; **27**: 88, 142; **59**: 72. – ***EUTYPELLA*** **25**: 36; **26**: 47; **27**: 90. – ***EVERSIA*** **41**: 31. – ***EXARMIDIUM*** **50**: 163. – ***EXIDIA*** **4**: 95; **18**: 175; **25**: 105; **27**: 221; **44**: 31; **59**: 72; **63**: 256. – ***EXOPHIALA*** **39**: 159; **44**: 7, 73. – ***EXSEROHILUM*** **43**: 50; **44**: 7, 74; **45**: 155. – ***FAERBERIA*** **35**: 185; **53**: 36. – ***FARINODISCUS*** **41**: 196. – ***FARLOWIELLA*** **35**: 98; **49**: 215. – ***FARMANOMYCES*** **61**: 116. – ***FAVOLASCHIA*** **8**: 125; **2**: 251, 253. – ***FAVOLUS*** **55**: 16, 19. – ***FEMSJONIA*** **11**: 91. – ***FENESTELLA*** **27**: 91. – ***FENNELLIA*** **53**: 178. – ***FIBRICIUM*** **21**: 207. – ***FIBROCORTICIUM*** **3**: 19. – ***FIBROPORIA*** **38**: 204; **46**: 223. – ***FILOBASIDIELLA*** **46**: 126. – ***FIMARIA*** **1**: 119; **13**: 96; **14**: 90; **19**: 40, 212; **22**: 215; **23**: 158; **27**: 223; **35**: 11. – ***FISTULINA*** **49**: 41, 132. – ***FLABELLOPHORA*** **59**: 164. – ***FLABELLOPILUS*** **11**: 155. – ***FLAGELLOSPORA*** **23**: 136. – ***FLAMMULA*** **6**: 159; **10**: 179; **14**: 89, 174; **52**: 17. – ***FLAMMULASTER*** **52**: 34; **59**: 72; **63**: 256. – ***FLAMMULINA*** **14**: 88; **23**: 190; **25**: 107; **27**: 214; **31**: 57; **32**: 205; **35**: 152; **41**: 54; **60**: 113, 221. – ***FLAVIPORUS*** **31**: 165. – ***FLAVOPHALLUS*** **48**: 278. – ***FLAVOSCYPHA*** **47**: 268. – ***FLOCCULARIA*** **11**: 49; **23**: 13. – ***FLOCCULINA*** **16**: 169; **18**: 170; **25**: 107. – ***FOMES*** **5**: 154; **11**: 158, 228, 230; **14**: 88; **27**: 221; **49**: 132, 172; **55**: 19; **63**: 256. – ***FOMITOPSIS*** **11**: 157; **13**: 146; **14**: 88, 229; **27**: 221; **30**: 165; **34**: 183; **42**: 5; **49**: 132, 173; **55**: 19; **63**: 256. – ***FONSECAEA*** **39**: 159. – ***FONTANOSPORA*** **50**: 3. – ***FRAGOSPHAERIA*** **18**: 82. – ***FRANTISEKIA*** **59**: 141, 144, 146, 150. – ***FRANZPETRAKIA*** **28**: 61. – ***FRIESIA*** **3**: 240. – ***FRIESITES*** **3**: 240. – ***FRIESULA*** **3**: 240. – ***FROMMEELLA*** **55**: 280. – ***FROMMEËLLA*** **57**: 261. – ***FUGOMYCES*** **58**: 81. – ***FUJIMYCES*** **35**: 96. – ***FULIGO*** **16**: 37. – ***FULVIFOMES*** **59**: 92. – ***FUNALIA*** **11**: 161, 218. – ***FUSARIUM*** **10**: 94; **12**: 15, 83, 185; **17**: 98; **19**: 58; **24**: 211; **35**: 99; **38**: 243; **39**: 160; **44**: 8, 75; **50**: 313; **53**: 229; **63**: 101. – ***FUSCOBACTERIUM*** **13**: 194. – ***FUSCOBOLETINUS*** **17**: 89; **57**: 21. – ***FUSCOLACHNUM*** **57**: 140. – ***FUSCOPORIA*** **55**: 19; **59**: 91; **64**: 55. – ***FUSCOSCYPHA*** **41**: 201. – ***FUSICLADIOPSIS*** **25**: 168. – ***FUSICLADIUM*** **25**: 165; **27**: 236. – ***FUSIDIUM*** **14**: 193. – ***FUSISPORIUM*** **10**: 239; **12**: 84. – ***GABARNAUDIA*** **43**: 241. – ***GALACTINIA*** **14**: 164, 219; **15**: 74; **16**: 110; **17**: 68; **19**: 38; **21**: 31; **22**: 90, 181, 217; **23**: 31. – ***GALEOSCYPHA*** **43**: 210. – ***GALERA*** **2**: 88; **51**: 42. – ***GALERELLA*** **20**: 145; **26**: 201, 207. – ***GALERINA*** **14**: 88; **18**: 170; **19**: 45; **25**: 107; **27**: 214; **37**: 224; **52**: 21; **63**: 256. – ***GALEROMYCENA*** **20**: 69. – ***GALEROPSIS*** **13**: 200. – ***GALIELLA*** **37**: 242. – ***GALZINIA*** **37**: 209. – ***GANODERMA*** **10**: 99; **11**: 162; **13**: 148; **25**: 88; **27**: 221; **30**: 163; **35**: 121; **37**: 50; **47**: 200; **49**: 133, 173; **55**: 20, 21; **63**: 257. – ***GARDESIELLA*** **62**: 34. – ***GARNAUDIA*** **40**: 79. – ***GASTROBOLETUS*** **20**: 4. – ***GASTROCYBE*** **58**: 273. – ***GASTROPILA*** **64**: 65. – ***GASTROSPORIUM*** **4**: 99; **15**: 95. – ***GASTROSUILLUS*** **57**: 2, 17. –

GAUTIERIA **2**: 59. – *GEASTER* **1**: 71, 115; **4**: 128; **7**: 34. – *GEASTRUM* **4**: 98; **6**: 58, 118; **8**: 100; **10**: 18; **13**: 149; **15**: 81, 95; **18**: 113; **21**: 192; **24**: 21; **26**: 238; **28**: 177; **36**: 206; **41**: 115. – *GELASINOSPORA* **9**: 47; **48**: 74. – *GELATINOPSIS* **52**: 256. – *GELATINOPULVINELLA* **52**: 256. – *GELATOPORIA* **46**: 114. – *GENEA* **1**: 75; **2**: 66; **3**: 24; **4**: 95; **5**: 3. – *GENICULOSPORIUM* **27**: 133; **34**: 135; **39**: 16, 19, 21; **53**: 240. – *GEOCORYNE* **52**: 257. – *GEOGLOSSUM* **12**: 243; **14**: 160; **45**: 142. – *GEOMYCES* **63**: 65. – *GEOPETALUM* **7**: 185. – *GEOPORA* **16**: 112. – *GEOPYXIS* **7**: 29; **16**: 106; **19**: 38; **22**: 181; **23**: 26; **35**: 12. – *GEOSMITHIA* **56**: 1. – *GEOTRICHUM* **23**: 50; **25**: 114; **32**: 41, 147; **33**: 115; **38**: 15; **39**: 160. – *GEOTUS* **7**: 9, 10, 10, 11, 12, 12, 13, 13, 91. – *GEOTUS* **7**: 9. – *GERRONEMA* **46**: 121; **60**: 197; **63**: 257. – *GIBBERELLA* **14**: 185. – *GIBELLULA* **14**: 193; **56**: 185. – *GLAUCOSPORA* **3**: 106. – *GLOBARIA* **3**: 48. – *GLOEODONTIA* **64**: 28. – *GLOEOPHYLLUM* **7**: 123; **25**: 105; **47**: 200; **49**: 134, 175; **55**: 21, 22; **63**: 257. – *GLOEOPORUS* **9**: 24; **11**: 218; **27**: 220; **43**: 36. – *GLOEOSPORIUM* **9**: 108. – *GLOEOTINIA* **33**: 200. – *GLOEOTULASNELLA* **11**: 75. – *GLOIOCEPHALA* **37**: 175; **60**: 21. – *GLOIODON* **19**: 184; **26**: 218. – *GLONIELLA* **49**: 217. – *GLONIOPSIS* **49**: 216. – *GLONIUM* **35**: 94. – *GNOMONIA* **24**: 129; **26**: 47; **27**: 90; **28**: 219; **49**: 197. – *GOLOVINOMYCES* **59**: 201. – *GOMPHIDIUS* **15**: 160; **22**: 195; **30**: 82. – *GONATOBOTRYUM* **47**: 151. – *GONYTRICHUM* **38**: 105. – *GORGONICEPS* **35**: 92; **38**: 197; **45**: 142. – *GRAMMOTHELE* **55**: 23. – *GRANDINIA* **4**: 85. – *GRANOPHALLUS* **48**: 277. – *GRANULARIA* **2**: 37; **17**: 115, 116, 117, 119. – *GRANULOMANUS* **56**: 186. – *GRAPHIUM* **13**: 98; **20**: 53; **39**: 160. – *GREMMENIELLA* **35**: 96. – *GRIFOLA* **1**: 11; **4**: 27, 74; **11**: 155; **27**: 220; **43**: 36. – *GUEPINIA* **6**: 180. – *GUEPINIOPSIS* **11**: 90. – *GYALIDEOPSIS* **58**: 108. – *GYMNOASCUS* **17**: 135. – *GYMNOMITRULA* **16**: 105. – *GYMNOPILUS* **19**: 46; **25**: 107; **53**: 133; **55**: 161; **59**: 72; **63**: 257. – *GYMNOPUS* **48**: 309; **52**: 41; **60**: 13, 24, 25; **63**: 257. – *GYMNOSPORANGIUM* **57**: 261. – *GYMNOSTELLATOSPORA* **63**: 66. – *GYRODON* **6**: 75; **22**: 106. – *GYRODONTIUM* **64**: 28. – *GYROMITRA* **3**: 34; **8**: 75; **14**: 88; **16**: 111; **19**: 38; **20**: 178; **27**: 224; **28**: 84; **35**: 12; **40**: 11; **48**: 117. – *GYROPHRAGMIUM* **6**: 14; **8**: 144. – *GYROPORUS* **16**: 188; **22**: 106; **25**: 107. – *GYROTHRIX* **38**: 105. – *HAASIELLA* **20**: 135. – *HAEMATOSTEREUM* **13**: 13, 144. – *HAGLUNDIA* **21**: 147; **29**: 61; **32**: 13. – *HALECANIA* **58**: 109. – *HALOBYSSUS* **6**: 35. – *HAMATOCANTHOSCYPHA* **31**: 11; **37**: 65; **41**: 21, 199. – *HAMIGERA* **53**: 178. – *HANSENULA* **13**: 46; **39**: 160, 239. – *HANSFORDIA* **41**: 11. – *HAPALOPILUS* **21**: 205; **47**: 201; **49**: 176; **63**: 257. – *HAPLOGRAPHIUM* **41**: 195. – *HAPLOTRICHUM* **30**: 3; **38**: 105; **40**: 148. – *HEBELOMA* **8**: 10; **47**: 46. – *HEIMIELLA* **39**: 59. – *HELICOCEPHALUM* **26**: 233, 234, 235, 236. – *HELICOGLOEA* **12**: 191. – *HELICOGONIUM* **58**: 137. – *HELICOMA* **38**: 105; **40**: 148; **41**: 33. – *HELICORHOIDION* **38**: 106. – *HELICOSPORIUM* **38**: 106; **40**: 149. – *HELMINTHOSPORIUM* **38**: 107; **40**: 149; **41**: 111. – *HELOLACHNUM* **16**: 10. – *HELOTIUM* **12**: 220; **13**: 124; **14**: 12, 87; **16**: 99; **25**: 109; **27**: 224; **33**: 225. – *HELVELLA* **14**: 6; **15**: 75; **16**: 112; **17**: 70; **19**: 37; **22**: 87, 180; **23**: 34; **26**: 1; **27**: 224; **34**: 214; **35**: 13; **63**: 177, 257. – *HELVELLELLA* **8**: 170; **9**: 151; **14**: 88; **15**: 42; **19**: 34; **27**: 224. – *HEMICARPENTELES* **45**: 113. – *HEMICORYNESPORA* **41**: 109. – *HEMILECCINUM* **60**: 52, 55. – *HEMIMYCENA* **27**: 215; **61**: 27, 30, 33, 35, 36, 38, 39, 41, 43, 48, 50, 53, 56, 58, 60, 61, 62,; 64, 66, 67. – *HEMITRICHIA* **20**: 189; **22**: 307; **25**: 110; **53**: 331. – *HENDERSONIA* **35**: 96. – *HENDERSONULA* **39**: 160. – *HENNINGSOMYCES* **59**: 72. – *HERICIUM* **5**: 120; **14**: 89; **25**: 105; **27**: 221; **52**: 195; **59**: 72. – *HERMATOMYCES* **40**: 149. – *HERPOBASIDIUM* **12**: 191. – *HERPOMYCES* **10**: 204. –

HERPOTRICHIELLA **35**: 94. – ***HETEROBASIDION*** **11**: 157; **30**: 164; **49**: 134, 176; **63**: 257. – ***HETEROCHAETELLA*** **4**: 39; **7**: 106. – ***HETEROPORUS*** **43**: 37. – ***HEXAGONIA*** **55**: 23. – ***HEYDERIA*** **22**: 192; **35**: 92. – ***HIEMSIA*** **23**: 83; **35**: 16. – ***HIRNEOLA*** **13**: 150. – ***HIRSCHIOPORUS*** **11**: 160; **27**: 221. – ***HISTOPLASMA*** **39**: 160; **44**: 11, 129. – ***HJORTSTAMIA*** **60**: 215. – ***HOEHNELOMYCES*** **53**: 265, 272. – ***HOHENBUEHELIA*** **14**: 87; **16**: 176; **27**: 215; **31**: 33; **34**: 61; **47**: 39; **59**: 73. – ***HOLUBOVAEA*** **38**: 107; **40**: 149. – ***HOLUBOVANIELLA*** **40**: 256; **47**: 83. – ***HOPLOTHRIPS*** **20**: 216. – ***HORMIACTELLA*** **35**: 99. – ***HORMIACTIS*** **38**: 241. – ***HORMODENDRON*** **40**: 25. – ***HUMARIA*** **15**: 67; **16**: 106; **19**: 40; **23**: 27. – ***HUMICOLA*** **18**: 102; **21**: 78. – ***HUMPHREYA*** **55**: 24. – ***HYALINIA*** **9**: 112. – ***HYALOPESOTUM*** **56**: 26. – ***HYALOPEZIZA*** **41**: 205. – ***HYALORHINOCLADIELLA*** **56**: 26, 29, 30. – ***HYALOSCYPHA*** **2**: 117; **14**: 88; **16**: 96; **25**: 109; **27**: 224; **31**: 9, 197; **32**: 202; **35**: 92; **36**: 146; **37**: 65; **39**: 205; **40**: 209; **41**: 22; **42**: 79. – ***HYALOTRICHA*** **41**: 205. – ***HYDNANGIUM*** **2**: 62; **3**: 20; **4**: 91, 137. – ***HYDNELLUM*** **10**: 68; **15**: 131; **27**: 221; **32**: 217; **51**: 117; **57**: 61, 62, 63, 64, 65, 66, 67, 68, 282, 283, 284, 285. – ***HYDNOCHAETE*** **12**: 138. – ***HYDNOCRISTELLA*** **25**: 130. – ***HYDNOCYSTIS*** **9**: 186. – ***HYDNOPHLEBIA*** **64**: 25, 29. – ***HYDNOTRYA*** **9**: 185; **59**: 215. – ***HYDNOTRYOPSIS*** **9**: 186. – ***HYDNUM*** **10**: 65; **22**: 193; **63**: 257; **64**: 24, 25, 26, 27, 28, 29. – ***HYDROCYBE*** **12**: 12. – ***HYDROPUS*** **14**: 88; **16**: 182; **25**: 107; **27**: 215; **60**: 125. – ***HYDROTELAMONIA*** **19**: 233, 234, 235, 236, 237, 238. – ***HYGROCYBE*** **4**: 83, 96; **16**: 167; **22**: 195; **24**: 125; **59**: 188, 189. – ***HYGROPHOROPSIS*** **22**: 195; **63**: 257. – ***HYGROPHORUS*** **10**: 232; **12**: 242; **14**: 89; **18**: 170; **22**: 195; **25**: 107; **27**: 215; **28**: 173; **30**: 196; **63**: 257. – ***HYMENOCHAETE*** **10**: 183; **12**: 136; **13**: 144; **14**: 88; **25**: 105; **27**: 221; **47**: 201; **52**: 307; **53**: 141. – ***HYMENOGASTER*** **2**: 5, 61; **3**: 75; **4**: 92; **14**: 150; **59**: 73. – ***HYMENOSCYPHA*** **1**: 237; **47**: 102. – ***HYMENOSCYPHUS*** **29**: 132; **31**: 11, 137; **32**: 17, 157; **33**: 200; **40**: 211; **42**: 139; **43**: 68; **45**: 134; **46**: 35. – ***HYMENULA*** **35**: 97. – ***HYPHODERMA*** **25**: 105. – ***HYPHODISCOSIA*** **35**: 29. – ***HYPHODONTIA*** **27**: 221; **47**: 201; **55**: 188; **63**: 257. – ***HYPHOLOMA*** **4**: 16; **17**: 9; **20**: 34; **27**: 215; **63**: 257. – ***HYPHORADULUM*** **41**: 26. – ***HYPHOZYMA*** **38**: 16. – ***HYPOCHNELLA*** **29**: 63. – ***HYPOCHNICIUM*** **21**: 207; **41**: 26; **45**: 79. – ***HYPOCREA*** **10**: 89; **14**: 31; **27**: 225; **63**: 257. – ***HYPOCRELLA*** **61**: 72. – ***HYPOCREOPSIS*** **13**: 125. – ***HYPOMYCES*** **14**: 30; **18**: 144. – ***HYPOXYLINA*** **34**: 147. – ***HYPOXYLON*** **26**: 129; **27**: 137; **32**: 19; **39**: 15; **40**: 2; **55**: 190; **59**: 73; **63**: 258. – ***HYPSIZYGUS*** **34**: 58. – ***HYSTERANGIUM*** **2**: 59; **3**: 75; **4**: 91; **21**: 107. – ***HYSTEROGRAPHIUM*** **35**: 94. – ***HYSTERONAEVIA*** **56**: 71. – ***HYSTEROPEZIZELLA*** **56**: 72. – ***HYSTEROSTEGIELLA*** **32**: 17. – ***IDRIELLA*** **44**: 162. – ***ILLOSPORIUM*** **17**: 159. – ***IMMOTTHIA*** **57**: 125. – ***INCRUCIPULUM*** **57**: 140, 143. – ***INCRUPILA*** **39**: 218. – ***INCRUPILELLA*** **40**: 204; **41**: 201; **46**: 36. – ***INERMISIA*** **23**: 87, 223; **27**: 224; **35**: 16. – ***INGOLDIA*** **28**: 119. – ***INOCYBE*** **3**: 117; **4**: 83; **6**: 70; **8**: 121; **9**: 157; **10**: 180; **14**: 87, 171; **15**: 160; **16**: 114, 169; **18**: 122, 219; **19**: 47; **20**: 70; **22**: 195; **24**: 100; **25**: 1, 107, 239; **27**: 11, 215; **28**: 138, 195; **29**: 31, 65; **30**: 65, 126, 170, 176, 196; **31**: 15, 189, 201; **32**: 22, 161; **33**: 68, 134, 220; **34**: 45, 158, 165, 169; **35**: 102; **36**: 85, 223; **39**: 126; **43**: 58; **47**: 46; **52**: 329; **63**: 258. – ***INOLOMA*** **12**: 40. – ***INONOTUS*** **11**: 222; **17**: 1; **23**: 163; **24**: 148; **25**: 105; **27**: 69, 221; **30**: 163; **32**: 47; **35**: 25; **36**: 11; **42**: 130; **47**: 159, 201; **49**: 134, 177; **50**: 134; **63**: 258. – ***IODOPHANUS*** **25**: 155. – ***IONOMIDOTIS*** **59**: 73; **64**: 79. – ***IRPEX*** **11**: 161; **28**: 29; **43**: 37; **45**: 92; **50**: 134; **64**: 29, 33, 34, 35, 36, 37. – ***IRPICIPORUS*** **11**: 156, 217. – ***ISCHNODERMA*** **25**: 15, 105; **27**: 221; **44**: 92; **49**: 135, 179; **59**: 73; **63**: 258. – ***ISOSOMA*** **43**: 65. – ***JAFNEA*** **62**: 1. – ***JAFNEADELPHUS*** **27**:

129; **35**: 17. – ***JAHNOPORUS*** **61**: 187. – ***JANSIA*** **9**: 57, 58. – ***JONGIELLA*** **3**: 214. – ***JUGULOSPORA*** **52**: 273. – ***JUNCTOSPORA*** **35**: 99. – ***JUNDZILLIA*** **18**: 58. – ***JUNGHUHNIA*** **55**: 1, 24. – ***KABATINA*** **34**: 200. – ***KALCHBRENNERA*** **49**: 165, 165. – ***KERATINOMYCES*** **23**: 191. – ***KERNIA*** **27**: 165. – ***KIRSCHSTEINIELLA*** **25**: 37. – ***KIRSCHSTEINIOTHELIA*** **49**: 198. – ***KLASTERSKYA*** **35**: 94. – ***KLOECKERA*** **13**: 48; **32**: 41, 148; **39**: 240. – ***KLUYVEROMYCES*** **32**: 39, 148. – ***KNEIFFIA*** **64**: 38. – ***KNEIFFIELLA*** **12**: 77; **64**: 36. – ***KORUNOMYCES*** **40**: 77. – ***KOTLABAEA*** **23**: 85; **28**: 131; **35**: 17. – ***KRIEGERIELLA*** **35**: 94; **49**: 199. – ***KROMBHOLZIA*** **6**: 1; **9**: 1. – ***KROMBHOLZIELLA*** **36**: 77. – ***KUBICKIA*** **11**: 32. – ***KUEHNEROMYCES*** **27**: 215; **52**: 19; **63**: 258. – ***LABOULBENIA*** **10**: 204. – ***LACCARIA*** **14**: 87; **20**: 215; **22**: 161, 196; **25**: 107; **27**: 215; **63**: 258. – ***LACHNASTER*** **41**: 199. – ***LACHNEA*** **1**: 119; **25**: 109. – ***LACHNELLA*** **14**: 90. – ***LACHNELLULA*** **16**: 102; **35**: 92; **41**: 202. – ***LACHNUM*** **12**: 221; **14**: 87; **38**: 201; **41**: 204; **42**: 140; **43**: 225; **56**: 73, 205; **57**: 183, 187, 190, 192, 195, 198, 200, 203, 212, 216. – ***LACTARIUS*** **1**: 110; **2**: 83, 110; **3**: 49, 110; **4**: 85; **5**: 47, 49, 111; **7**: 108; **8**: 40, 153; **9**: 114; **10**: 148, 168; **11**: 50, 119, 174; **12**: 205; **13**: 233; **14**: 87, 230; **15**: 160; **20**: 151; **22**: 12, 20, 196; **23**: 181; **25**: 107; **26**: 141; **27**: 215; **29**: 32; **30**: 196; **33**: 1; **43**: 54, 205; **47**: 54; **52**: 317; **58**: 61, 67; **59**: 73; **63**: 258. – ***LAETICORTICIUM*** **2**: 250. – ***LAETINAEVIA*** **30**: 11. – ***LAETIPORUS*** **11**: 155; **47**: 163, 202; **49**: 135, 179; **63**: 258. – ***LAMBERTELLA*** **30**: 14. – ***LAMPRODERMA*** **24**: 103; **35**: 95; **53**: 333. – ***LAMPROSPORA*** **12**: 223; **15**: 70; **17**: 67; **19**: 35; **22**: 181, 214; **23**: 228; **25**: 109; **26**: 37; **32**: 76. – ***LANGERMANNIA*** **28**: 176; **60**: 231. – ***LANZIA*** **36**: 149; **43**: 73; **47**: 104; **48**: 265. – ***LARICIFOMES*** **11**: 158; **13**: 146. – ***LASIOBELONIUM*** **41**: 196. – ***LASIOBOLUS*** **13**: 96; **14**: 90; **16**: 107; **19**: 39; **22**: 185, 305; **23**: 31; **25**: 109, 156; **27**: 224. – ***LASIOCHLAENA*** **44**: 97. – ***LASIODIPLODIA*** **39**: 160. – ***LASIOSPHAERIA*** **25**: 37, 56; **35**: 94. – ***LASIOSTICTIS*** **35**: 93. – ***LATERIRAMULOSA*** **53**: 9. – ***LAURILIA*** **14**: 89; **27**: 223. – ***LAXITEXTUM*** **43**: 138; **60**: 216. – ***LAZULINOSPORA*** **45**: 75. – ***LECANIA*** **58**: 109, 110. – ***LECANORA*** **50**: 232. – ***LECCINUM*** **14**: 89; **21**: 110; **22**: 110; **25**: 11, 183; **26**: 57; **27**: 9, 214; **32**: 220; **43**: 1; **57**: 43; **59**: 73. – ***LECIOGRAPHA*** **17**: 156. – ***LEIOPODA*** **20**: 70. – ***LEMALIS*** **35**: 97. – ***LEMONNIERA*** **23**: 136. – ***LEMPHOLEMMA*** **19**: 205. – ***LENTARIA*** **27**: 221; **59**: 73. – ***LENTINELLUS*** **7**: 162; **16**: 178; **18**: 170; **19**: 182; **26**: 218; **27**: 216; **31**: 32. – ***LENTINUS*** **4**: 97; **11**: 231; **16**: 176; **21**: 24; **22**: 196; **25**: 107; **27**: 216; **30**: 167; **31**: 214; **53**: 41. – ***LENTOMITA*** **50**: 162. – ***LENZITES*** **11**: 159; **19**: 79; **25**: 105; **44**: 228; **49**: 135; **55**: 24; **63**: 258. – ***LEOCARPUS*** **35**: 95. – ***LEOTIA*** **63**: 258. – ***LEPIOTA*** **2**: 29; **3**: 104; **10**: 30; **13**: 57, 117; **14**: 41; **15**: 217; **16**: 219; **18**: 171; **19**: 48; **22**: 196; **24**: 217; **25**: 107; **30**: 196; **58**: 225, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239,; 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251,; 252, 253; **59**: 73; **63**: 258. – ***LEPISTA*** **19**: 49; **25**: 203; **31**: 35; **32**: 218; **63**: 258. – ***LEPROCYBE*** **24**: 215, 216; **3**: 250. – ***LEPTODONTIUM*** **38**: 107. – ***LEPTOGLOSSUM*** **7**: 183; **14**: 174; **25**: 107; **37**: 99. – ***LEPTOGRAPHIUM*** **20**: 53. – ***LEPTOMELANCONIUM*** **35**: 97. – ***LEPTOMITUS*** **14**: 158. – ***LEPTONIA*** **4**: 83; **5**: 123; **7**: 56, 172; **8**: 46; **18**: 204; **27**: 216; **29**: 32; **30**: 197. – ***LEPTOPODIA*** **19**: 37. – ***LEPTOPORUS*** **4**: 75; **27**: 220; **42**: 130; **43**: 37; **44**: 228; **45**: 92. – ***LEPTOSPHAERIA*** **24**: 221; **26**: 47; **34**: 177; **35**: 95; **39**: 160. – ***LEPTOSTROMA*** **35**: 97. – ***LEPTOTRIMITUS*** **20**: 175. – ***LEPTOTUS*** **7**: 8, 89. – ***LEUCOAGARICUS*** **13**: 148. – ***LEUCOCOPRINUS*** **2**: 78; **9**: 125; **13**: 108; **14**: 45. – ***LEUCOCORTINARIUS*** **22**: 196. – ***LEUCOFOMES*** **11**: 157. – ***LEUCOGASTER*** **4**: 93. –

LEUCOGOMPHIDIUS **26**: 219. – ***LEUCOGYROPHANA*** **12**: 32. – ***LEUCOPAXILLUS*** **10**: 172; **12**: 78; **19**: 50, 100; **20**: 30, 66, 229; **22**: 95, 105; **28**: 174; **30**: 197; **32**: 219. – ***LEUCOPHELLINUS*** **1**: 159. – ***LEUCOSCYPHA*** **19**: 39; **22**: 182; **23**: 232; **28**: 132; **35**: 19. – ***LICEA*** **16**: 41; **17**: 47; **22**: 307; **53**: 333. – ***LICHENOMPHALIA*** **63**: 258. – ***LICHENOMYCES*** **24**: 222. – ***LIMACELLA*** **6**: 49. – ***LIMACIUM*** **1**: 80; **3**: 26; **5**: 101, 122. – ***LINDQUISTIA*** **53**: 303. – ***LINDTNERIA*** **14**: 39. – ***LINODOCHIUM*** **35**: 99. – ***LITSCHAUERELLA*** **2**: 250; **3**: 241. – ***LITSCHAUERIA*** **3**: 241. – ***LLOYDELLA*** **27**: 222. – ***LLOYDELLOPSIS*** **13**: 15; **14**: 88; **27**: 220. – ***LOBOA*** **39**: 160; **44**: 10, 132. – ***LOBULICIUM*** **37**: 208. – ***LONGIA*** **8**: 144. – ***LOPADOSTOMA*** **12**: 145; **26**: 49. – ***LOPHARIA*** **40**: 223; **60**: 216. – ***LOPHIOTREMA*** **12**: 146. – ***LOPHIUM*** **35**: 95. – ***LOPHODERMELLA*** **35**: 93. – ***LOPHODERMIUM*** **16**: 88; **35**: 93. – ***LOPHOTRICHUS*** **27**: 98; **28**: 66. – ***LOWEPORUS*** **55**: 27. – ***LUCIOTRICHUS*** **47**: 271. – ***LUNULOSPORA*** **23**: 136. – ***LYCOGALA*** **6**: 156; **13**: 223; **35**: 95. – ***LYCOPERDON*** **1**: 51; **14**: 88; **15**: 96; **18**: 112; **26**: 240; **27**: 222; **28**: 176; **29**: 153; **63**: 258. – ***LYOPHYLLUM*** **10**: 180; **28**: 175; **31**: 33; **43**: 56. – ***LYSURUS*** **28**: 181. – ***MACBRIDEOLA*** **26**: 109. – ***MACOWANITES*** **48**: 240. – ***MACROLEPIOTA*** **22**: 196. – ***MACROMETRULA*** **37**: 174. – ***MACROPODIA*** **9**: 18; **14**: 88; **19**: 37; **27**: 224. – ***MACROSPORIUM*** **14**: 148. – ***MADURELLA*** **39**: 160. – ***MAIREELLA*** **3**: 242. – ***MAIREOMYCES*** **3**: 242. – ***MALASSEZIA*** **39**: 161; **45**: 164. – ***MALOTIUM*** **3**: 196. – ***MARASMIELLUS*** **14**: 89; **27**: 215; **48**: 257; **60**: 22, 24; **63**: 203, 210, 211. – ***MARASMIUS*** **3**: 73; **4**: 72; **5**: 19; **14**: 46, 87; **16**: 186; **22**: 196; **25**: 107; **26**: 117; **27**: 216; **35**: 91; **36**: 1; **42**: 71; **43**: 77; **46**: 209; **56**: 85, 86, 90, 92, 94, 96, 98, 100, 103, 104, 106, 108, 247. – ***MARCELLEINA*** **23**: 25, 233; **25**: 198. – ***MARIAELLA*** **41**: 73; **57**: 21. – ***MARSSONINA*** **34**: 181. – ***MASSARIA*** **26**: 50; **49**: 200. – ***MASSARINA*** **26**: 50. – ***MAUBLANCOMYCES*** **19**: 36. – ***MEGACOLLYBIA*** **26**: 220; **27**: 216; **63**: 258. – ***MEGALODOCHIUM*** **37**: 16. – ***MELAMPSORA*** **35**: 91; **55**: 281; **57**: 262; **62**: 92. – ***MELAMPSORIDIUM*** **55**: 281; **57**: 262; **62**: 92. – ***MELANCONIS*** **10**: 208; **12**: 146, 186; **27**: 91; **28**: 6; **34**: 152; **36**: 118. – ***MELANCONIUM*** **11**: 125; **28**: 14. – ***MELANOCEPHALA*** **38**: 107; **40**: 150; **42**: 25. – ***MELANOCHAETA*** **50**: 81. – ***MELANOGASTER*** **2**: 64; **3**: 75; **20**: 28. – ***MELANOGRAPHIUM*** **38**: 108; **40**: 150. – ***MELANOLEUCA*** **4**: 68; **22**: 196; **37**: 52; **43**: 56. – ***MELANOMMA*** **27**: 93; **50**: 161. – ***MELANOMPHALIA*** **10**: 98. – ***MELANOPHYLLUM*** **8**: 82; **29**: 32; **48**: 241. – ***MELANOPSICHIUM*** **25**: 58. – ***MELANOPUS*** **26**: 86, 89. – ***MELANOSPORA*** **12**: 47, 50; **35**: 94. – ***MELANOTUS*** **59**: 191. – ***MELASMIA*** **34**: 181. – ***MELASTIZA*** **16**: 107; **17**: 62; **19**: 36; **22**: 183; **25**: 197; **26**: 74; **35**: 20; **47**: 237. – ***MELASTIZIELLA*** **17**: 63; **19**: 36, 39, 41. – ***MELASTIZIELLA*** **17**: 63; **19**: 36. – ***MELIDERMA*** **1**: 48. – ***MELINIOMYCES*** **59**: 215. – ***MELODERMA*** **35**: 93. – ***MELOGRAMMA*** **28**: 2. – ***MELOMASTIA*** **13**: 157. – ***MEMBRANICIUM*** **27**: 26. – ***MEMNONIELLA*** **38**: 108; **40**: 150. – ***MENSULARIA*** **1**: 168. – ***MERIMBLA*** **53**: 178. – ***MERIPILUS*** **49**: 135, 179; **63**: 258. – ***MERISMATIUM*** **24**: 222. – ***MERISMODES*** **59**: 193. – ***MERULIUS*** **25**: 105. – ***METASPHAERIA*** **24**: 224. – ***METULODONTIA*** **27**: 203. – ***MICAREA*** **50**: 233; **58**: 110, 111. – ***MICROASCUS*** **27**: 167; **36**: 107. – ***MICROBOTRYUM*** **55**: 283; **57**: 262; **58**: 102; **62**: 98. – ***MICROCOCCUS*** **13**: 184. – ***MICROCOLLYBIA*** **54**: 214. – ***MICRODOCHIUM*** **40**: 151. – ***MICROMPHALE*** **18**: 24, 238; **20**: 18. – ***MICROMUCOR*** **53**: 161. – ***MICROPODIA*** **41**: 200. – ***MICROPOLYSPORA*** **44**: 67. – ***MICROPORELLUS*** **54**: 19; **59**: 153. – ***MICROSCYPHA*** **21**: 148; **30**: 11; **41**: 198. – ***MICROSPHAERA*** **12**: 165; **40**: 30; **42**: 149; **49**: 115. – ***MICROSPORUM*** **15**: 141; **36**: 236; **37**: 42; **39**: 161. – ***MICROSTELLA*** **60**: 69. –

MICROSTOMA **19**: 37. – *MICROTHELIA* **35**: 95. – *MICROTHYRIUM* **35**: 95. – *MILADINA* **26**: 213; **35**: 21. – *MILESIA* **12**: 62. – *MILESINA* **55**: 284. – *MITROPHORA* **19**: 38. – *MITRULA* **11**: 248; **14**: 90; **16**: 105; **27**: 224. – *MOELLERIELLA* **61**: 72. – *MOELLEROCLAVUS* **53**: 303. – *MOELLERODISCUS* **47**: 104. – *MOLINIELLA* **59**: 250. – *MOLLICARPUS* **59**: 166. – *MOLLISIA* **13**: 213; **14**: 17; **16**: 90; **25**: 109; **30**: 12; **32**: 157; **35**: 93; **40**: 213; **42**: 141; **43**: 68; **45**: 135; **46**: 154; **58**: 125, 126, 127, 132, 138, 141, 143, 147. – *MOLLISIELLA* **31**: 13. – *MOLLISINA* **41**: 195. – *MOLLISIOPSIS* **41**: 89. – *MONACROSPORIUM* **61**: 139, 144. – *MONASCUS* **36**: 107. – *MONILIA* **24**: 198. – *MONILIELLA* **36**: 100. – *MONILINIA* **13**: 215; **14**: 198; **15**: 34. – *MONODICTYS* **35**: 99; **38**: 108, 241; **40**: 151. – *MONOSPORELLA* **26**: 160. – *MONOTOSPORELLA* **23**: 136. – *MONTAGNEA* **8**: 143; **15**: 95. – *MONTAGNITES* **6**: 11. – *MORCHELLA* **2**: 48; **3**: 33; **19**: 38; **24**: 32; **28**: 173; **35**: 21. – *MUCOR* **29**: 59; **37**: 90; **39**: 161; **45**: 25. – *MUCRONOPORUS* **22**: 193. – *MUELLERELLA* **17**: 154. – *MUSCICOLA* **43**: 74. – *MUTINUS* **3**: 89; **9**: 56; **21**: 112; **26**: 240. – *MYCENA* **2**: 22, 38; **4**: 6, 79, 152; **5**: 46, 124, 157; **6**: 74; **7**: 44; **9**: 19, 26, 103; **10**: 181; **12**: 36, 59; **14**: 87; **16**: 185, 192; **17**: 35, 77; **21**: 232; **22**: 93, 197; **25**: 107; **27**: 214; **28**: 174; **29**: 33; **30**: 197; **32**: 167; **35**: 32; **38**: 161; **48**: 261; **54**: 161; **59**: 73; **63**: 258, 259. – *MYCENASTRUM* **2**: 85; **3**: 22; **15**: 81; **18**: 113; **28**: 176. – *MYCETINIS* **60**: 26; **63**: 259. – *MYCOBACTERIUM* **13**: 194. – *MYCOCALIA* **17**: 113. – *MYCOCENTROSPORA* **39**: 161; **49**: 7. – *MYCOCLADUS* **45**: 26. – *MYCOENTEROLOBIUM* **38**: 109; **40**: 151. – *MYCOGONE* **12**: 152. – *MYCOLACHNEA* **15**: 62; **16**: 107; **17**: 62; **35**: 23. – *MYCOLEPTODISCUS* **49**: 1. – *MYCOSPHAERELLA* **24**: 130; **26**: 50; **27**: 93; **56**: 73. – *MYCOTYPHA* **41**: 232. – *MYRIANGIUM* **41**: 204. – *MYRIOSCLEROTINIA* **48**: 265. – *MYRIOSTOMA* **15**: 77; **25**: 161; **28**: 177. – *MYROTHECIUM* **14**: 196. – *MYTILIDION* **35**: 95. – *MYTILINIDION* **49**: 217. – *MYXACIUM* **25**: 107. – *MYXARIUM* **39**: 52. – *MYXOTRICHUM* **36**: 107. – *NADSONIA* **13**: 45. – *NADSONIOMYCES* **13**: 45. – *NAEMACYCLUS* **35**: 93. – *NAEMATOLOMA* **14**: 88. – *NAEVIELLA* **56**: 74. – *NAEVIOPSIS* **36**: 147; **55**: 223. – *NANNFELDTIELLA* **35**: 23. – *NANOSCYPHA* **50**: 29. – *NAPOMYCES* **36**: 111. – *NAUCORIA* **14**: 172; **62**: 33. – *NECTRIA* **10**: 89; **13**: 93; **17**: 157; **24**: 224; **25**: 110; **27**: 95; **35**: 100; **51**: 157; **59**: 73; **63**: 259. – *NECTRIELLA* **24**: 224. – *NECTRIOPSIS* **14**: 29; **18**: 177. – *NEMANIA* **39**: 16, 129; **54**: 79; **59**: 74. – *NEMATOCTONUS* **61**: 144. – *NEMATOLOMA* **27**: 215. – *NEMECOMYCES* **48**: 283. – *NEOBULGARIA* **7**: 92; **14**: 87; **16**: 102; **25**: 109; **27**: 224; **63**: 259. – *NEOCLITOCYBE* **63**: 203. – *NEOCOSMOSPORA* **57**: 239. – *NEODASYSCYPHA* **57**: 139, 168. – *NEOERYSIPHE* **60**: 251. – *NEOGYROMITRA* **19**: 36; **25**: 109. – *NEOHYGROCYBE* **30**: 60; **52**: 93. – *NEOLENTINUS* **53**: 51. – *NEOSARTORYA* **53**: 178. – *NEOTESTUDINA* **39**: 161. – *NEOTTIELLA* **15**: 62; **16**: 115; **19**: 39; **22**: 183; **23**: 26. – *NEOURNULA* **37**: 242. – *NIDULA* **12**: 135. – *NIDULA* **12**: 135; **17**: 115, 125. – *NIDULARIA* **12**: 132; **17**: 113. – *NIESSLELLA* **18**: 187, 188. – *NIESSLIA* **35**: 94. – *NIGROFOMES* **55**: 27. – *NIGROSPORA* **17**: 12. – *NIPTERA* **43**: 226; **56**: 75, 206. – *NITSCHKIA* **40**: 163; **49**: 201. – *NIVEOSTOMA* **42**: 146. – *NOCARDIA* **44**: 66. – *NODULISPORIUM* **27**: 135, 137, 138, 148; **28**: 123; **46**: 264, 268; **48**: 74, 74; **53**: 240, 303; **5**: 88, 98. – *NODULOSPORIUM* **4**: 39. – *NUMMULARIA* **33**: 207. – *NUMMULARIOIDEA* **3**: 214, 217. – *NYCTALIS* **27**: 218. – *NYSSOPSORA* **57**: 263. – *OBOLARINA* **40**: 1. – *OCHOTRICHOBOLUS* **47**: 274. – *OCHROCONIS* **44**: 7, 132. – *OCHROMITRA* **27**: 224. – *OCTAVIANIA* **2**: 61; **4**: 91. – *OCTOSPORA* **17**: 65, 137; **18**: 244; **19**: 40; **22**: 183, 212; **23**: 226; **26**: 138; **28**: 133; **41**: 234; **49**: 149. – *ODONTIA* **27**: 204, 221. – *ODONTICIUM* **64**: 34. – *OEDIPUS* **57**:

27; **60**: 57. – ***OIDIODENDRON*** **35**: 99; **38**: 241; **39**: 161. – ***OIDIUM*** **21**: 69; **23**: 99, 209; **25**: 110; **27**: 225; **30**: 3; **49**: 117. – ***OLIGOPORUS*** **38**: 203; **45**: 144; **47**: 59; **59**: 74; **63**: 259. – ***OLIVEONIA*** **24**: 10. – ***OMBROPHILA*** **9**: 163; **11**: 32, 235; **16**: 102; **25**: 109. – ***OMPHALIA*** **3**: 24; **10**: 159; **27**: 218; **54**: 210. – ***OMPHALIASTER*** **63**: 259. – ***OMPHALINA*** **14**: 88; **16**: 185; **18**: 171; **25**: 108, 193; **27**: 218; **29**: 157; **30**: 197; **50**: 234. – ***OMPHALOTUS*** **36**: 154. – ***ONYCHOCOLA*** **63**: 83. – ***ONYGENA*** **10**: 141. – ***OOGASTER*** **39**: 68. – ***OOMYCES*** **13**: 124. – ***OPEGRAPHA*** **23**: 104; **24**: 224. – ***OPHIOBOLUS*** **26**: 51. – ***OPHIONECTRIA*** **18**: 177. – ***OPHIOSTOMA*** **56**: 19. – ***OPHIOVALSA*** **27**: 95; **28**: 9. – ***ORBILIA*** **13**: 214; **14**: 16; **16**: 92; **28**: 134; **40**: 215; **41**: 22, 91; **46**: 39. – ***ORDUS*** **60**: 69. – ***ORNITHASCUS*** **19**: 35. – ***OSMOPORUS*** **25**: 105; **27**: 222; **42**: 8; **49**: 135. – ***OSSICAULIS*** **59**: 74. – ***OTIDEA*** **4**: 44; **9**: 16; **18**: 176; **19**: 37; **22**: 192; **23**: 26; **35**: 66. – ***OUDEMANSIELLA*** **14**: 88; **24**: 44; **25**: 108; **27**: 27, 218. – ***OXYPORUS*** **4**: 75; **11**: 158; **13**: 147; **25**: 105; **45**: 150; **46**: 228, 234; **49**: 180; **50**: 134; **55**: 27. – ***PACHYDISCA*** **20**: 8. – ***PACHYELLA*** **19**: 38; **43**: 51. – ***PACHYKYTOSPORA*** **17**: 27; **33**: 129; **38**: 142; **49**: 135; **55**: 27. – ***PACHYLEPYRIUM*** **35**: 237. – ***PACHYPHLOEUS*** **3**: 1, 76, 119. – ***PAECILOMYCES*** **21**: 156; **30**: 110; **39**: 161; **44**: 8, 133; **53**: 178. – ***PANAEOLUS*** **31**: 36. – ***PANELLUS*** **8**: 129; **25**: 108; **27**: 218; **31**: 33; **59**: 74, 193; **63**: 259. – ***PANUS*** **18**: 76; **53**: 58. – ***PAPULARIA*** **18**: 103, 105. – ***PARACOCCIDIOIDES*** **39**: 161; **44**: 10, 134. – ***PARADIACHEOPSIS*** **53**: 340. – ***PARAGYRODON*** **23**: 81, 82; **57**: 21. – ***PARAMYCES*** **29**: 105. – ***PARAPTERULICIUM*** **2**: 253. – ***PARASCUTELLINIA*** **29**: 129; **35**: 67; **39**: 135. – ***PARASITELLA*** **45**: 38. – ***PARASYMPODIELLA*** **35**: 99. – ***PARAXEROCOMUS*** **60**: 32, 47. – ***PARMASTOMYCES*** **38**: 203. – ***PARMELIA*** **50**: 234. – ***PARORBILIOPSIS*** **45**: 135; **46**: 157. – ***PASSALORA*** **60**: 243, 244, 247. – ***PATELLARIA*** **23**: 259. – ***PATELLINA*** **35**: 97. – ***PATINELLA*** **31**: 135. – ***PAULLICORTICIUM*** **23**: 73. – ***PAXILLUS*** **3**: 63; **9**: 180; **14**: 176; **18**: 173; **25**: 108; **45**: 129; **46**: 50; **48**: 31; **63**: 259. – ***PELLOPORUS*** **11**: 158. – ***PENICILLIUM*** **7**: 128; **19**: 104; **24**: 208; **27**: 174; **38**: 241; **39**: 161; **42**: 12, 90; **44**: 11, 134; **53**: 179; **63**: 100. – ***PENIOPHORA*** **4**: 85; **7**: 179; **8**: 130; **13**: 141; **14**: 88; **17**: 160; **25**: 105; **27**: 26, 222; **30**: 159. – ***PENIOPHORELLA*** **64**: 38. – ***PERENNIPORIA*** **30**: 165; **38**: 142, 204; **47**: 202; **49**: 136; **50**: 136; **55**: 28; **59**: 164. – ***PERICHAENA*** **26**: 109. – ***PERICONIA*** **38**: 109; **40**: 153; **45**: 158; **56**: 81. – ***PERICONIELLA*** **38**: 109. – ***PERISPORIUM*** **2**: 304. – ***PERONOPLASMOPARA*** **15**: 28; **16**: 56; **20**: 105; **21**: 242; **27**: 112. – ***PERONOSPORA*** **7**: 133; **16**: 119; **18**: 42, 85; **37**: 1; **43**: 13; **51**: 185; **55**: 278, 279; **57**: 259, 260; **62**: 91. – ***PERROTIA*** **16**: 96; **30**: 13; **41**: 198. – ***PESOTUM*** **56**: 26; **59**: 230, 231, 232, 233, 234. – ***PESTALOTIA*** **35**: 171. – ***PESTALOTIOPSIS*** **5**: 245; **56**: 38, 39. – ***PETRAKIELLA*** **28**: 61. – ***PETRAKINA*** **28**: 61. – ***PETRAKIOPELTIS*** **28**: 61. – ***PETRAKIOPSIS*** **28**: 61. – ***PETRAKOMYCES*** **28**: 61. – ***PEYRONELIA*** **35**: 99. – ***PEZICULA*** **35**: 93; **55**: 57. – ***PEZIZA*** **13**: 182; **16**: 107; **17**: 64; **19**: 36; **24**: 57; **25**: 109; **26**: 213; **27**: 224; **28**: 20, 223; **30**: 129, 135; **31**: 71; **32**: 77, 160; **37**: 248; **38**: 121; **43**: 75; **63**: 55. – ***PEZIZELLA*** **12**: 224; **13**: 214; **14**: 18; **18**: 176; **25**: 109; **35**: 93; **36**: 151. – ***PEZIZELLASTER*** **41**: 199; **45**: 138. – ***PEZOLOMA*** **52**: 257. – ***PHACIDIUM*** **35**: 93. – ***PHACOPSORA*** **12**: 62. – ***PHAEOCALICIUM*** **50**: 236. – ***PHAEOCORIOLELLUS*** **11**: 162. – ***PHAEOGALERA*** **51**: 41. – ***PHAEOHELOTIUM*** **30**: 13; **33**: 225; **37**: 67; **41**: 23; **46**: 158. – ***PHAEOHYDNELLUM*** **15**: 132. – ***PHAEOISARIA*** **40**: 153; **42**: 27. – ***PHAEOISARIOPSIS*** **42**: 28. – ***PHAEOLEPIOTA*** **43**: 58. – ***PHAEOLUS*** **20**: 90; **22**: 193; **25**: 105; **45**: 93; **49**: 136; **63**: 259. – ***PHAEOMARASMIUS*** **27**: 218. – ***PHAEOPORUS*** **57**: 35. – ***PHAEORAMULARIA*** **60**: 243. – ***PHAEOSCYPHA*** **41**: 201. – ***PHAEOSPHAERIA*** **56**: 206. – ***PHAEOSPORA*** **17**: 155. –

PHAEOSTALAGMUS **35**: 99. – ***PHALLOGASTER*** **21**: 98. – ***PHALLUS*** **9**: 56, 120; **15**: 81; **18**: 111; **25**: 242; **28**: 176; **36**: 211; **40**: 95; **43**: 108; **46**: 328; **48**: 273; **63**: 259. – ***PHANEROCHAETE*** **27**: 26, 222. – ***PHANEROPHLEBIA*** **27**: 201, 202, 203. – ***PHARCIDIA*** **17**: 153. – ***PHELLINUS*** **5**: 154; **11**: 220; **13**: 144; **14**: 89; **19**: 21; **22**: 1, 24, 174, 193, 279; **24**: 146; **25**: 105; **26**: 91; **27**: 222; **29**: 5; **30**: 17, 160, 198; **34**: 208; **39**: 71; **42**: 132; **44**: 230; **47**: 202; **48**: 155; **49**: 136, 180, 189; **50**: 136; **54**: 45; **55**: 28, 29, 30, 33; **59**: 91; **61**: 13; **63**: 259. – ***PHELLODON*** **10**: 74; **51**: 111; **57**: 59, 60, 61, 281, 282. – ***PHELLORINIA*** **15**: 195. – ***PHIALEA*** **13**: 124, 214; **14**: 87; **16**: 102; **27**: 225; **35**: 97. – ***PHIALINA*** **41**: 195. – ***PHIALOCEPHALA*** **56**: 216. – ***PHIALOPHORA*** **31**: 170; **38**: 109; **39**: 162; **44**: 6, 135. – ***PHILLIPSIA*** **50**: 21. – ***PHLEBIA*** **14**: 89; **18**: 175; **27**: 201, 222; **55**: 192; **59**: 74; **63**: 259; **64**: 24. – ***PHLEBIELLA*** **25**: 130. – ***PHLEGMACIUM*** **21**: 223. – ***PHLEOGENA*** **10**: 91. – ***PHLEOSPORA*** **21**: 213. – ***PHLYCTOCHYTRIUM*** **1**: 28. – ***PHOLIOTA*** **4**: 59; **5**: 155; **14**: 88; **16**: 186; **25**: 108; **27**: 218; **32**: 82; **48**: 290; **50**: 45, 201; **52**: 17, 243; **59**: 74; **63**: 259, 260. – ***PHOLIOTINA*** **51**: 41; **52**: 299; **58**: 273, 274, 276, 277, 280, 282. – ***PHOMA*** **25**: 244; **39**: 162. – ***PHOMOPSIS*** **11**: 125; **35**: 97; **45**: 65. – ***PHORCYS*** **12**: 148. – ***PHOSPHOREOMYCES*** **6**: 56. – ***PHRAGMIDIUM*** **57**: 263; **62**: 92. – ***PHRAGMONAEVIA*** **9**: 113. – ***PHRAGMOPORTHE*** **25**: 37, 38, 39. – ***PHRAGMOSPATHULA*** **38**: 109. – ***PHYLLACTINIA*** **49**: 116. – ***PHYLLOBOLETUS*** **57**: 2. – ***PHYLLOPORUS*** **57**: 43; **60**: 43. – ***PHYLLOSTICTA*** **19**: 61, 216; **20**: 205; **23**: 102. – ***PHYLLOTOPSIS*** **25**: 108; **53**: 63; **63**: 260. – ***PHYLLOTREMELLA*** **7**: 191. – ***PHYLLOTUS*** **34**: 72. – ***PHYSALACRIA*** **37**: 175. – ***PHYSARUM*** **16**: 34; **18**: 56, 59; **20**: 61; **26**: 110; **53**: 343. – ***PHYSISPORINUS*** **49**: 183; **55**: 33; **63**: 260. – ***PHYTOPHTHORA*** **15**: 171, 246; **16**: 31, 198; **50**: 13; **55**: 291; **60**: 265. – ***PICEOMPHALE*** **11**: 235; **14**: 89; **27**: 225; **30**: 194. – ***PIEDRAIA*** **39**: 162. – ***PILACRELLA*** **12**: 191. – ***PILATIA*** **16**: 96. – ***PILATOPORUS*** **44**: 229; **49**: 85; **55**: 34. – ***PILEOLARIA*** **25**: 187. – ***PILOBOLUS*** **45**: 38. – ***PILODERMA*** **60**: 110. – ***PINDARA*** **1**: 45; **19**: 37; **22**: 183; **35**: 72. – ***PIONNOTES*** **12**: 84. – ***PIPTOPORUS*** **49**: 138; **63**: 260. – ***PIRELLA*** **45**: 38. – ***PIRICAUDA*** **38**: 111; **40**: 153. – ***PIRICAUDILIUM*** **42**: 200. – ***PIROTTAEA*** **4**: 42, 77; **62**: 19. – ***PISOLITHUS*** **1**: 81. – ***PISTILLARIA*** **26**: 116. – ***PISTILLINA*** **12**: 191. – ***PITHOMYCES*** **38**: 112; **40**: 81, 153. – ***PITYROSPORUM*** **25**: 219; **34**: 29. – ***PLASMOPARA*** **8**: 177; **55**: 280; **57**: 261; **62**: 91. – ***PLATYGLOEA*** **4**: 84. – ***PLECTANIA*** **13**: 1; **19**: 37; **35**: 73. – ***PLEOCHAETA*** **61**: 116. – ***PLEOLPIDIUM*** **1**: 28. – ***PLEOMASSARIA*** **12**: 148. – ***PLEOMELOGRAMMA*** **49**: 78. – ***PLEOPHRAGMIA*** **49**: 203. – ***PLEOSPORA*** **12**: 148; **24**: 132; **26**: 51; **28**: 179. – ***PLEURAGE*** **13**: 93. – ***PLEUROASCUS*** **18**: 82. – ***PLEUROCYBELLA*** **14**: 88; **34**: 71; **63**: 260. – ***PLEUROFLAMMULA*** **52**: 330. – ***PLEUROPHRAGMIUM*** **26**: 223. – ***PLEUROTHECIUM*** **38**: 113. – ***PLEUROTUS*** **1**: 19; **2**: 74; **3**: 23, 61; **4**: 76; **5**: 156; **6**: 20, 54, 85; **14**: 88; **15**: 31; **16**: 175; **19**: 1, 53; **25**: 108; **27**: 218; **28**: 57, 174; **29**: 140; **31**: 142; **36**: 228, 232; **50**: 185; **53**: 64; **63**: 260. – ***PLICARIA*** **4**: 11; **14**: 88, 166; **15**: 75; **19**: 35; **27**: 224; **30**: 129, 135; **35**: 73; **52**: 259. – ***PLICARIELLA*** **52**: 259. – ***PLICATURA*** **63**: 260. – ***PLICATURELLA*** **46**: 55. – ***PLOETTNERA*** **45**: 143. – ***PLUTEOLUS*** **25**: 108. – ***PLUTEOPSIS*** **15**: 205. – ***PLUTEUS*** **4**: 78; **6**: 123; **11**: 46; **14**: 88, 151; **16**: 170; **18**: 171, 241; **22**: 171, 198; **23**: 110; **25**: 108; **26**: 218; **27**: 218; **28**: 176; **43**: 58; **55**: 193; **59**: 74; **60**: 123; **63**: 260. – ***PODAXIS*** **13**: 195. – ***PODOFOMES*** **20**: 174. – ***PODOPHACIDIUM*** **18**: 187, 188. – ***PODOPORIA*** **15**: 183, 190. – ***PODOSCYPHA*** **43**: 52. – ***PODOSORDARIA*** **3**: 215. – ***PODOSPHAERA*** **14**: 187; **25**: 211; **49**: 110. – ***PODOSPORA*** **17**: 136; **22**: 302; **27**: 167. – ***POGONOMYCES*** **55**: 34. – ***POLLACCIA*** **38**: 46. – ***POLONIODISCUS*** **21**: 151. – ***POLYCOCCUM*** **23**: 107; **24**: 227; **51**: 171. – ***POLYDESMIA*** **16**: 103; **21**: 149; **41**: 198.

– *POLYOZELLUS* 2: 254. – *POLYPILUS* 9: 171. – *POLYPORELLUS* 3: 24, 87; 43: 40. – *POLYPORUS* 11: 154, 214; 14: 33, 87; 15: 31; 16: 14; 18: 65; 20: 97, 176, 184; 24: 146; 25: 105; 26: 82; 27: 220; 28: 173; 29: 167; 39: 73; 43: 40; 47: 203; 49: 138, 184; 50: 138; 55: 35, 36; 63: 39, 260; 64: 19, 43, 51. – *POLYTRICHIELLA* 49: 77. – *PORIA* 13: 31; 25: 105; 27: 222; 42: 132; 43: 42; 44: 231; 45: 93; 55: 36, 37. – *PORONIA* 13: 142. – *POROSPHAERELLA* 51: 2. – *POROSPHAERELLOPSIS* 51: 2. – *POROSTEREUM* 60: 219. – *POROTHELEUM* 47: 203. – *PORPHYRELLUS* 14: 87; 16: 188; 20: 164; 27: 219; 57: 35. – *POSTIA* 49: 184; 50: 138. – *POUZARELLA* 47: 92. – *POUZAROPORIA* 46: 57. – *PROPOLOMYCES* 35: 93. – *PROSPODIUM* 25: 186. – *PROSTHECIUM* 26: 52. – *PROTOCREA* 29: 61. – *PROTODONTIA* 12: 187; 14: 40. – *PROTOMYCOPSIS* 3: 170; 4: 47. – *PROTOPARMELIOPSIS* 61: 206. – *PROTOTHECA* 39: 162. – *PROTOUNGUICULARIA* 41: 199; 45: 139. – *PROTUBERA* 21: 106. – *PSALLIOTA* 2: 122. – *PSATHYRA* 6: 169. – *PSATHYRELLA* 11: 247; 14: 88; 15: 204; 16: 170; 17: 71, 186; 18: 173; 23: 262; 25: 108; 27: 219; 28: 175; 43: 58; 54: 83; 58: 1, 4, 6, 7, 8, 9, 10, 11, 12, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24; 59: 74; 60: 137, 141, 145, 151, 154, 156, 160, 166, 167, 168; 63: 260. – *PSEUDEUROTIUM* 39: 162. – *PSEUDOANGUILLOSPORA* 49: 7. – *PSEUDOARACHNIOTUS* 39: 162. – *PSEUDOBAEOSPORA* 56: 239. – *PSEUDOBELTRANIA* 41: 34. – *PSEUDOBOLETUS* 45: 1; 57: 40; 60: 55. – *PSEUDOCENANGIUM* 35: 97. – *PSEUDOCLITOCYBE* 22: 198; 34: 70; 59: 74. – *PSEUDOFAVOLUS* 55: 37. – *PSEUDOFUSICLADIUM* 25: 166. – *PSEUDOFUSICLADIUM* 25: 166. – *PSEUDOGIBELLULA* 56: 186. – *PSEUDOGLOEOSPORIUM* 9: 109. – *PSEUDOGYMNOASCUS* 20: 160. – *PSEUDOHELOTIUM* 35: 93; 41: 93. – *PSEUDOHIATULA* 14: 89; 27: 219; 35: 91. – *PSEUDOHYDNOTRYA* 9: 186. – *PSEUDOHYDNUM* 14: 88; 27: 222; 63: 260. – *PSEUDOLPIDIOPSIS* 1: 28. – *PSEUDOMASSARIA* 26: 52. – *PSEUDOMBROPHILA* 19: 38; 20: 15; 35: 73; 42: 143. – *PSEUDONIPTERA* 58: 128. – *PSEUDOOMPHALINA* 48: 199. – *PSEUDOPATELLINA* 35: 97. – *PSEUDOPETRAKIA* 38: 113. – *PSEUDOPHOMA* 10: 256. – *PSEUDOPLECTANIA* 14: 89; 19: 34; 25: 109; 27: 224. – *PSEUDORHIZINA* 27: 224; 59: 51. – *PSEUDOSEPTORIA* 56: 210. – *PSEUDOSPIROPES* 40: 154. – *PSEUDOTAPESIA* 3: 30. – *PSEUDOTIS* 19: 41. – *PSEUDOTOMENTELLA* 12: 67. – *PSEUDOTRAMETES* 1: 159. – *PSEUDOTRICHIA* 49: 219; 50: 78. – *PSEUDOZYMA* 58: 94. – *PSILACHNUM* 31: 135; 33: 202; 45: 139. – *PSILOCISTELLA* 31: 196; 32: 204; 33: 204; 37: 66; 41: 201; 45: 136. – *PSILOCYBE* 7: 42; 13: 98; 31: 36; 37: 177; 39: 26; 43: 82; 58: 75, 76; 60: 173, 177, 180, 183, 184, 187, 188, 193; 63: 260. – *PSILOPEZIA* 15: 72; 19: 41; 22: 184; 23: 26; 25: 109; 31: 167; 35: 74. – *PTERULA* 13: 74. – *PTERULICIUM* 12: 256. – *PTYCHOVERPA* 19: 38; 21: 74; 35: 75. – *PUCCINIA* 14: 145; 16: 44; 20: 38; 21: 12, 220; 22: 206; 26: 9; 27: 207; 29: 135; 30: 102; 31: 173; 32: 174; 37: 129; 38: 31, 65; 39: 39, 225; 41: 1, 97; 48: 161; 55: 284, 287; 57: 263, 264, 265, 266, 267; 58: 201; 62: 92, 93, 94, 97. – *PUCCINIASTRUM* 57: 267; 62: 97. – *PUCCINIOSTELE* 12: 62. – *PULCHERRICIUM* 30: 157. – *PULPARIA* 35: 75. – *PULVEROBOLETUS* 19: 180; 25: 135. – *PULVINULA* 15: 72; 16: 107; 17: 68; 19: 35; 23: 25, 230; 35: 76. – *PUSTULARIA* 6: 113; 15: 76; 16: 112; 19: 37; 23: 26; 25: 109. – *PYCNOPORELLUS* 17: 174; 28: 26; 56: 291. – *PYCNOPORUS* 14: 87; 18: 129; 27: 222; 49: 139, 185; 55: 37. – *PYCNOTHYRIUM* 56: 214. – *PYRAMIDOSPORA* 23: 138. – *PYRENOCHAETA* 39: 162. – *PYRENOPEZIZA* 14: 19; 16: 92. – *PYRENOPHORA* 61: 125. – *PYRICULARIA* 42:

80. – ***PYRICULARIOPSIS*** **40**: 155. – ***PYRONEMA*** **2**: 120; **16**: 108; **19**: 40; **22**: 185; **27**: 224; **35**: 76. – ***PYRRHOGLOSSUM*** **37**: 174. – ***PYTHIA*** **19**: 34. – ***PYTHIA*** **19**: 34. – ***PYTHIACYSTIS*** **16**: 200. – ***PYTHIUM*** **15**: 170; **16**: 23; **18**: 36; **31**: 41; **51**: 157. – ***QUATERNARIA*** **27**: 140. – ***QUELETIA*** **9**: 92. – ***RADULOMYCES*** **47**: 204. – ***RADULUM*** **25**: 105. – ***RAGNHILDIANA*** **25**: 166. – ***RAMARIA*** **3**: 19; **13**: 75; **14**: 21, 88; **15**: 98, 191; **17**: 43; **21**: 122; **22**: 193; **27**: 222; **58**: 267. – ***RAMARIOPSIS*** **13**: 80; **15**: 191; **25**: 10. – ***RAMICHLORIDIUM*** **39**: 162. – ***RAMICOLA*** **20**: 71. – ***RAMONIA*** **58**: 112. – ***RAMULARIA*** **19**: 62. – ***REBENTISCHIA*** **49**: 222. – ***RECURVOMYCES*** **61**: 206. – ***REHMIA*** **3**: 243. – ***REHMIELLA*** **3**: 243. – ***REHMIELLOPSIS*** **3**: 243. – ***REHMIODOTIS*** **3**: 243. – ***REHMIOMYCELLA*** **3**: 243. – ***REHMIOMYCES*** **3**: 243. – ***REPETOBASIDIUM*** **2**: 250; **37**: 210. – ***RESINICIUM*** **27**: 223. – ***RESTICULARIA*** **12**: 112. – ***RESUPINATUS*** **30**: 198. – ***RETIARIUS*** **60**: 69. – ***RETOCYBE*** **20**: 71. – ***RHAGADOSTOMA*** **24**: 228. – ***RHEXOAMPULLIFERA*** **64**: 73, 74. – ***RHINOCLADIELLA*** **44**: 6, 136. – ***RHINOSPORIDIUM*** **39**: 162; **44**: 12. – ***RHIZINA*** **19**: 36; **35**: 77. – ***RHIZOCTONIA*** **55**: 261. – ***RHIZOMUCOR*** **39**: 162; **44**: 196. – ***RHIZOPHIDIUM*** **1**: 28. – ***RHIZOPODELLA*** **19**: 36. – ***RHIZOPOGON*** **2**: 63; **4**: 91; **18**: 111. – ***RHIZOPUS*** **23**: 65; **24**: 213; **26**: 167; **32**: 61; **39**: 162; **44**: 196. – ***RHIZOSCYPHUS*** **59**: 219. – ***RHODOCOLLYBIA*** **50**: 181; **63**: 260. – ***RHODOCYBE*** **28**: 175; **29**: 157; **31**: 34; **59**: 74. – ***RHODOFOMES*** **44**: 235. – ***RHODOPAXILLUS*** **5**: 122; **6**: 94. – ***RHODOPEZIZA*** **47**: 261. – ***RHODOPHYLLUS*** **9**: 5; **10**: 1; **13**: 130; **14**: 88; **22**: 198; **23**: 10; **25**: 108. – ***RHODOPORUS*** **57**: 34. – ***RHODOSCYPHA*** **49**: 156, 158. – ***RHODOTORULA*** **11**: 211; **19**: 119; **32**: 38, 149; **33**: 115; **38**: 17; **39**: 163, 241. – ***RHODOTUS*** **31**: 34; **55**: 194. – ***RHOPALOMYCES*** **56**: 37. – ***RHOPOGRAPHUS*** **12**: 149. – ***RHYMOVIS*** **46**: 51, 51. – ***RHYPAROBIUS*** **13**: 97; **14**: 169; **15**: 73; **16**: 110; **17**: 68; **19**: 35; **25**: 157. – ***RHYTIDHYSTERIUM*** **23**: 259. – ***RHYTISMA*** **16**: 90; **63**: 260. – ***RICKENELLA*** **63**: 260. – ***RICKIA*** **14**: 49. – ***RIGIDOPORUS*** **30**: 166; **49**: 139; **55**: 38, 39; **64**: 3. – ***RIMBACHIA*** **54**: 145. – ***ROBILLARDIA*** **23**: 137, 139. – ***ROBINCOLA*** **64**: 105. – ***ROSELLINIA*** **48**: 177. – ***ROSTKOVITES*** **57**: 20. – ***ROZELLA*** **1**: 28. – ***RUBINCOLA*** **58**: 125. – ***RUBINOBOLETUS*** **23**: 81; **57**: 39. – ***RUSSULA*** **1**: 15, 52; **3**: 124; **5**: 6, 38, 108; **6**: 46, 144; **7**: 168; **10**: 23, 113; **11**: 170; **12**: 170, 212; **14**: 87; **15**: 58, 206; **16**: 117, 187; **21**: 225; **22**: 198; **25**: 108; **27**: 219; **28**: 174; **29**: 33; **30**: 198; **33**: 47; **34**: 35; **40**: 234; **43**: 194; **47**: 49; **54**: 177; **58**: 61, 62, 63; **59**: 74, 75; **63**: 260, 261. – ***RUTHEA*** **46**: 51. – ***RUTSTROEMIA*** **4**: 56; **11**: 41; **13**: 215; **14**: 87, 166; **16**: 103; **20**: 10; **25**: 109; **27**: 225; **28**: 135; **29**: 131; **30**: 194; **33**: 204; **47**: 104. – ***SACCARDOELLA*** **50**: 163. – ***SACCHAROMYCES*** **13**: 43; **32**: 38, 151; **33**: 116; **39**: 237. – ***SACCOBOLUS*** **15**: 74; **16**: 110; **17**: 189; **19**: 35; **22**: 185, 306; **23**: 30; **24**: 140; **25**: 109; **35**: 77. – ***SAGENOMELLA*** **36**: 101; **38**: 241; **44**: 240. – ***SAKSENAEA*** **39**: 163; **44**: 197. – ***SAMUELSIA*** **61**: 72. – ***SAPROLEGNIA*** **1**: 28, 33; **6**: 154. – ***SARCINA*** **13**: 184. – ***SARCODON*** **25**: 149; **49**: 35; **51**: 138; **57**: 68, 69, 70, 71, 72, 286, 287, 288. – ***SARCODONTIA*** **7**: 117. – ***SARCOMYXA*** **27**: 218. – ***SARCOPORIA*** **61**: 187. – ***SARCOSCYPHA*** **2**: 15; **9**: 17; **26**: 149; **35**: 78; **37**: 244. – ***SARCOSOMA*** **11**: 30; **19**: 36; **35**: 79. – ***SARCOSPHAERA*** **17**: 71; **19**: 38; **26**: 32; **35**: 79. – ***SARCOXYLON*** **34**: 147. – ***SARDODON*** **64**: 225. – ***SAWADAEA*** **49**: 116. – ***SCEDOSPORIUM*** **39**: 163; **44**: 8, 136. – ***SCHIZOPHYLLUM*** **13**: 148; **25**: 106; **29**: 105; **30**: 159; **39**: 163; **47**: 204, 293. – ***SCHIZOPORA*** **25**: 106; **30**: 198; **33**: 19; **49**: 139, 185; **50**: 140; **63**: 261; **64**: 29. – ***SCHROETERIA*** **18**: 54. – ***SCIRRHIA*** **12**: 149. – ***SCLEROCHAETA*** **10**: 256. – ***SCLEROCHAETELLA*** **10**: 256. – ***SCLEROCOCCUM*** **17**: 158. – ***SCLEROCONIDIOMA*** **59**: 111; **61**: 117. – ***SCLERODERMA*** **5**: 158; **18**: 114; **25**: 106; **63**: 261. – ***SCLEROPHOMA*** **35**: 97. –

SCLEROTINIA **1**: 42; **3**: 37; **6**: 41, 131; **7**: 115; **11**: 41; **15**: 35, 173; **20**: 12; **33**: 205; **42**: 145. – ***SCLEROTIUM*** **2**: 25. – ***SCODELLINA*** **10**: 235. – ***SCOLECOBASIDIUM*** **61**: 154, 158. – ***SCOLECONECTRIA*** **35**: 94. – ***SCOPULARIA*** **27**: 99. – ***SCOPULARIOPSIS*** **23**: 45; **25**: 112; **36**: 101; **39**: 163; **59**: 135. – ***SCUTELLINIA*** **14**: 88; **15**: 63; **16**: 108; **17**: 62; **19**: 34; **22**: 39, 184, 188; **23**: 27, 156; **25**: 77, 109, 199; **27**: 224; **28**: 19, 136; **32**: 70; **35**: 79; **37**: 245; **38**: 149, 197; **50**: 85, 89; **63**: 163. – ***SCUTIGER*** **11**: 154. – ***SCYTALIDIUM*** **39**: 163; **44**: 101. – ***SCYTINOSTROMA*** **20**: 217; **54**: 101. – ***SEBACINA*** **8**: 132; **25**: 106; **39**: 53. – ***SECOTIUM*** **2**: 125; **8**: 151. – ***SELENOSPORIUM*** **12**: 84. – ***SEPEDONIUM*** **12**: 152. – ***SEPTOBASIDIUM*** **12**: 191. – ***SEPTOFUSIDIUM*** **36**: 101. – ***SEPTOMYXA*** **12**: 186. – ***SEPTOPEZIZELLA*** **41**: 94. – ***SEPTORIA*** **18**: 226; **21**: 213; **23**: 35; **56**: 76, 214. – ***SEPULTARIA*** **15**: 65; **16**: 109; **17**: 64; **19**: 39; **21**: 239. – ***SERPULA*** **25**: 106; **33**: 94; **46**: 143. – ***SETCHELLIOGASTER*** **12**: 33. – ***SETOSCYPHA*** **41**: 196. – ***SETOSPHAERIA*** **45**: 155. – ***SETULIPES*** **41**: 85. – ***SHANORELLA*** **2**: 60. – ***SIMOCYBE*** **25**: 109; **63**: 261. – ***SIRODESMIUM*** **26**: 161. – ***SIRODOTHIS*** **35**: 98. – ***SIRODOTHIS*** **35**: 98. – ***SIROTHYRIELLA*** **35**: 98. – ***SISTOTREMA*** **60**: 105. – ***SISTOTREMASTRUM*** **2**: 249; **23**: 76. – ***SKELETOCUTIS*** **12**: 103; **22**: 193; **42**: 9; **63**: 261. – ***SMARDAEA*** **23**: 90; **35**: 83. – ***SOLENIA*** **4**: 84; **14**: 87; **27**: 223. – ***SORDARIA*** **13**: 94; **22**: 302. – ***SOROSPORELLA*** **21**: 177. – ***SOROSPORIUM*** **15**: 160, 235. – ***SOWERBYELLA*** **19**: 37; **23**: 123; **27**: 65; **35**: 83; **42**: 193; **47**: 263. – ***SPADICOIDES*** **37**: 18. – ***SPARASSIS*** **59**: 75. – ***SPATHULARIA*** **12**: 184. – ***SPERMOEDIA*** **3**: 90. – ***SPERMOSPORA*** **38**: 43. – ***SPHAERIDIOBOLUS*** **19**: 34; **35**: 84. – ***SPHAERIDIUM*** **35**: 99. – ***SPHAEROBASIDIUM*** **23**: 77. – ***SPHAERODES*** **45**: 85. – ***SPHAERONAEMA*** **10**: 120. – ***SPHAEROPSIS*** **11**: 127; **35**: 98. – ***SPHAEROSPORELLA*** **15**: 65; **19**: 34. – ***SPHAEROTHECA*** **28**: 44; **49**: 108. – ***SPHINCTRINA*** **17**: 157; **29**: 127. – ***SPICARIA*** **10**: 242. – ***SPINACREMONIELLA*** **27**: 36. – ***SPIROPES*** **38**: 113; **40**: 155. – ***SPONGIPELLIS*** **11**: 216; **19**: 69; **30**: 181; **33**: 99; **49**: 139; **50**: 140; **55**: 196; **59**: 75. – ***SPONGIPORUS*** **45**: 147; **46**: 117. – ***SPORASTATIA*** **24**: 227. – ***SPORENDOCLADIA*** **45**: 158. – ***SPORIDESMIELLA*** **41**: 35. – ***SPORIDESMIUM*** **35**: 99; **38**: 115; **40**: 156. – ***SPORIDIOBOLUS*** **39**: 241. – ***SPORISORIUM*** **55**: 288. – ***SPOROBOLOMYCES*** **32**: 39, 155; **39**: 241. – ***SPORODINIA*** **16**: 27. – ***SPORONEMA*** **49**: 198. – ***SPORORMIA*** **12**: 149; **22**: 302; **26**: 52. – ***SPOROSCHISMA*** **38**: 117; **40**: 160. – ***SPOROTHRIX*** **35**: 99; **39**: 163; **44**: 12, 137. – ***SPOROTRICHIELLA*** **40**: 47. – ***SPOROTRICHUM*** **9**: 139; **10**: 36, 217; **15**: 150. – ***SQUAMANITA*** **27**: 219. – ***SQUAMARINA*** **39**: 252. – ***STACHYBOTRYS*** **40**: 160; **47**: 151. – ***STACHYLIDIUM*** **42**: 28. – ***STAGONOSPORA*** **56**: 215. – ***STAPHYLOTRICHUM*** **45**: 162. – ***STECCHERINUM*** **27**: 205; **54**: 7; **59**: 75; **64**: 26. – ***STEMONITIS*** **18**: 58; **25**: 110; **26**: 110; **35**: 95. – ***STEMONITOPSIS*** **53**: 343. – ***STEMPHYLIOMMA*** **40**: 82. – ***STENELLA*** **39**: 163. – ***STEPHANOPUS*** **37**: 174. – ***STEPHANOSPORIUM*** **36**: 105. – ***STEPHENSIA*** **9**: 186. – ***STEREUM*** **4**: 74; **12**: 26; **13**: 143; **14**: 88; **18**: 147; **20**: 216; **25**: 106; **27**: 221; **30**: 158, 214; **39**: 1, 193; **40**: 129; **41**: 207; **42**: 205; **45**: 15; **47**: 204; **60**: 219; **63**: 261. – ***STICTIS*** **16**: 88; **35**: 93. – ***STIGMATOMYCES*** **22**: 220. – ***STIGMIDIUM*** **17**: 153; **24**: 228; **58**: 112; **61**: 73, 76. – ***STIGMINA*** **38**: 117. – ***STILBELLA*** **49**: 49. – ***STOMIOPELTIS*** **35**: 95. – ***STRANGULIDIUM*** **21**: 206. – ***STRASSERIA*** **35**: 98. – ***STRATTONIA*** **52**: 272. – ***STREPTOMYCES*** **44**: 66. – ***STRIATOSPHAERIA*** **51**: 2. – ***STROBILOMYCES*** **3**: 89; **20**: 164; **22**: 110; **57**: 46. – ***STROBILURUS*** **22**: 198; **25**: 108; **27**: 219. – ***STROMATINIA*** **15**: 137. – ***STROPHARIA*** **11**: 13; **14**: 88; **15**: 56; **21**: 33; **22**: 198, 306; **25**: 109;

27: 33, 219; **43**: 58. – ***STROSSMAYERIA*** **25**: 109. – ***STYSANUS*** **13**: 99. – ***SUBULICYSTIDIUM*** **27**: 203. – ***SUILLELLUS*** **57**: 27; **60**: 57. – ***SUILLOSPORIUM*** **12**: 31. – ***SUILLUS*** **14**: 89, 144; **22**: 106, 198; **23**: 53; **24**: 95; **25**: 140, 147; **31**: 31; **41**: 139; **57**: 20. – ***SVRCEKIA*** **14**: 214; **19**: 34; **35**: 84. – ***SVRCEKOMYCES*** **30**: 5. – ***SYDOWIA*** **3**: 244. – ***SYDOWIELLA*** **26**: 53. – ***SYDOWIELLINA*** **3**: 244. – ***SYDOWINA*** **3**: 244. – ***SYDOWINULA*** **3**: 244. – ***SYMPHYOSIRA*** **43**: 221. – ***SYMPHYOSIRINIA*** **43**: 221. – ***SYMPODIELLA*** **35**: 99. – ***SYMPODIOCLADIUM*** **53**: 13. – ***SYNSPICARIA*** **9**: 134. – ***SYNSTERIGMATOCYSTIS*** **9**: 134. – ***SYZYGITES*** **45**: 38. – ***SYZYGOSPORA*** **58**: 112. – ***TAENIOLELLA*** **35**: 99; **38**: 118; **39**: 163. – ***TAENIOLINA*** **40**: 160. – ***TALAROMYCES*** **26**: 114; **53**: 181. – ***TANDONELLA*** **60**: 243. – ***TAPESIA*** **14**: 87; **16**: 92; **25**: 109; **27**: 225; **35**: 93; **41**: 95; **46**: 159; **58**: 125, 130, 132, 134, 135, 137, 139, 141, 143. – ***TAPESINA*** **41**: 205. – ***TAPHRINA*** **11**: 53; **12**: 180; **44**: 14; **46**: 138, 296; **47**: 223, 277, 285; **50**: 107. – ***TAPHROPHILA*** **49**: 78. – ***TAPINA*** **46**: 51, 53. – ***TAPINELLA*** **46**: 50; **63**: 261. – ***TAPINIA*** **46**: 50, 51, 53. – ***TARICHIUM*** **19**: 201. – ***TARZETTA*** **35**: 84. – ***TATRAEA*** **46**: 160. – ***TEICHOSPORA*** **27**: 96. – ***TEICHOSPORELLA*** **50**: 163. – ***TELAMONIA*** **22**: 261. – ***TEPHROCYBE*** **25**: 109; **26**: 210; **30**: 198; **63**: 261. – ***TERMITOMYCES*** **36**: 188; **37**: 173, 175. – ***TETRABRUNNEOSPORA*** **53**: 13. – ***TETRACLADIUM*** **23**: 138; **53**: 285. – ***TETRAPLOA*** **38**: 118; **40**: 161. – ***THAMNOSTYLUM*** **45**: 38. – ***THANATEPHORUS*** **46**: 62; **53**: 122. – ***THAXTERIA*** **40**: 148. – ***THAXTEROGASTER*** **12**: 34. – ***THECAPHORA*** **18**: 53; **50**: 119. – ***THECOPSORA*** **12**: 62. – ***THECOTHEUS*** **15**: 73; **19**: 35; **35**: 85. – ***THEKOPSORA*** **57**: 267; **62**: 97. – ***THELEBOLUS*** **13**: 97; **19**: 34; **22**: 301; **35**: 85. – ***THELEPHORA*** **3**: 89; **10**: 103; **25**: 106; **63**: 261. – ***THELOCARPON*** **50**: 271. – ***THELOMMA*** **50**: 236. – ***THERMOACTINOMYCES*** **44**: 67. – ***THERRYA*** **12**: 225; **35**: 93. – ***THUEMENELLA*** **34**: 147; **4**: 170. – ***THUEMENIDIUM*** **64**: 135. – ***THYRIDARIA*** **50**: 163. – ***THYSANOPHORA*** **35**: 99. – ***TICHOTHECIUM*** **17**: 154. – ***TILACHLIDIUM*** **18**: 180. – ***TILLETIA*** **18**: 53; **19**: 42, 121; **25**: 177; **29**: 83; **42**: 215; **46**: 131; **47**: 73; **48**: 207; **62**: 79. – ***TILLETIOPSIS*** **36**: 106. – ***TINCTOPORELLUS*** **55**: 39. – ***TOLYPOCLADIUM*** **36**: 103; **41**: 219. – ***TOLYPOSPORIUM*** **15**: 126. – ***TOMENTELLA*** **8**: 133; **12**: 70; **32**: 246; **56**: 253. – ***TOMENTELLASTRUM*** **12**: 68. – ***TORRENDIELLA*** **41**: 202. – ***TORULA*** **38**: 118; **40**: 161. – ***TORULOPSIS*** **13**: 47; **19**: 118; **32**: 38, 235; **38**: 13; **39**: 163; **44**: 11, 138. – ***TRACHYPUS*** **36**: 77, 78, 79, 80, 81, 82, 83, 84; **57**: 43. – ***TRACHYSPORA*** **57**: 267. – ***TRAMETES*** **4**: 57; **5**: 155; **9**: 83; **11**: 159; **13**: 147; **14**: 88; **25**: 105; **27**: 221; **30**: 164, 214; **37**: 49; **42**: 134; **43**: 43; **44**: 233; **45**: 95; **47**: 204; **49**: 140, 185; **50**: 140; **55**: 40, 43, 44, 46, 155; **60**: 1; **63**: 261. – ***TRAMETITES*** **47**: 207. – ***TRAMETOPSIS*** **60**: 1. – ***TRANZSCHELIA*** **55**: 287; **57**: 267. – ***TRAPELIOPSIS*** **50**: 236. – ***TREMATOSPHAERIA*** **12**: 149; **25**: 38; **49**: 223. – ***TREMATOSTOMA*** **50**: 162. – ***TREMELLA*** **11**: 224; **14**: 87; **21**: 196; **27**: 223; **58**: 112; **63**: 189, 261. – ***TRETOPHRAGMIA*** **40**: 161. – ***TRIANGULARIA*** **9**: 47. – ***TRICELLULA*** **56**: 196. – ***TRICHAPTUM*** **45**: 94; **49**: 141, 187; **50**: 141; **55**: 48. – ***TRICHARIA*** **19**: 40; **23**: 27. – ***TRICHARINA*** **28**: 20, 136; **52**: 268. – ***TRICHIA*** **16**: 42; **17**: 90, 93; **25**: 110; **53**: 343. – ***TRICHOBOLUS*** **35**: 86. – ***TRICHOCARPUS*** **13**: 17. – ***TRICHOCLADIUM*** **36**: 105; **40**: 161. – ***TRICHODELITSCHIA*** **22**: 303. – ***TRICHODERMA*** **24**: 212; **35**: 100; **53**: 237. – ***TRICHOGLOSSUM*** **49**: 239; **62**: 13. – ***TRICHOLOMA*** **1**: 84; **2**: 11, 98, 99, 100, 114; **3**: 22, 61, 91, 121, 125; **4**: 29, 30, 58, 108, 121; **5**: 97; **8**: 70; **10**: 122; **11**: 127, 177; **13**: 125; **14**: 87; **15**: 213; **16**: 27; **19**: 142, 197; **21**: 1, 159; **22**: 199; **23**: 115; **25**: 75; **27**: 219; **30**: 198; **36**: 7; **43**: 57; **59**: 75; **63**: 261. – ***TRICHOLOMOPSIS*** **14**: 87; **16**: 179; **25**: 109; **27**: 216; **63**: 261; **64**: 93. –

TRICHOPHAEA **14**: 168; **15**: 66; **16**: 109; **17**: 64; **19**: 40; **22**: 185; **23**: 27; **25**: 109; **28**: 137; **35**: 86. – *TRICHOPHAEOPSIS* **33**: 13; **35**: 87. – *TRICHOPHYTON* **9**: 9, 165; **10**: 105; **12**: 42; **13**: 171; **17**: 102, 195; **18**: 117; **19**: 111; **20**: 27, 182; **25**: 55; **27**: 156; **36**: 236; **39**: 163; **55**: 273. – *TRICHOSCYPHELLA* **14**: 89; **16**: 104; **27**: 225; **35**: 94. – *TRICHOSPHAERELLA* **50**: 78. – *TRICHOSPHAERIA* **25**: 40; **27**: 96. – *TRICHOSPORON* **23**: 50, 160; **24**: 153; **28**: 163; **32**: 38, 240; **38**: 15; **39**: 164, 235; **43**: 149. – *TRICLADIELLA* **60**: 69. – *TRICLADIUM* **23**: 139; **53**: 15; **56**: 198. – *TRIFURCOSPORA* **53**: 17. – *TRIGLYPHIUM* **53**: 20. – *TRIGONIPES* **20**: 72. – *TRIMMATOSTROMA* **35**: 100; **38**: 118; **40**: 161. – *TRIPHRAGMIDIUM* **62**: 97. – *TRIPHRAGMIUM* **57**: 267. – *TRIPOSPERMUM* **14**: 194. – *TRISCELOPHORUS* **23**: 139. – *TRITIRACHIUM* **14**: 195; **25**: 114; **39**: 164. – *TROPOSPORELLA* **35**: 100. – *TRYBLIDIELLA* **23**: 259; **41**: 204. – *TUBARIA* **14**: 46; **16**: 140; **28**: 175. – *TUBER* **1**: 23, 40; **2**: 66; **4**: 93; **6**: 24; **10**: 57; **61**: 163. – *TUBERCULARIA* **35**: 100; **38**: 118. – *TUBERIFERA* **45**: 39. – *TUBEUFIA* **58**: 113. – *TUBIFERA* **16**: 42; **35**: 95. – *TUBOSAETA* **57**: 24. – *TUBULICRINIS* **18**: 176. – *TULASNEINIA* **39**: 68. – *TULASNELLA* **11**: 69; **27**: 223. – *TULOSTOMA* **4**: 98; **5**: 125; **15**: 96; **18**: 114; **26**: 240; **28**: 177. – *TYLOPILUS* **22**: 110; **25**: 109; **43**: 10; **57**: 34; **63**: 261. – *TYMPANIS* **16**: 105; **35**: 93. – *TYPHULA* **13**: 77; **43**: 51; **56**: 113. – *TYRANNOSORUS* **49**: 78. – *TYROMYCES* **10**: 59; **13**: 27; **14**: 89; **18**: 207; **19**: 69; **22**: 121; **25**: 106; **27**: 221; **28**: 26; **43**: 39; **64**: 14. – *ULOCLADIUM* **36**: 105; **39**: 164. – *UMBILICARIA* **50**: 237. – *UNCINULA* **49**: 116. – *UNGUICULARIA* **41**: 204; **42**: 145; **43**: 222; **56**: 206. – *UNGUICULARIOPSIS* **41**: 204. – *UNGUICULELLA* **3**: 42; **32**: 204; **41**: 204. – *URCEOLELLA* **21**: 149; **35**: 93; **41**: 204. – *URCEOLUS* **20**: 72. – *UREDINOPSIS* **57**: 268; **62**: 97. – *UREDO* **17**: 21; **27**: 208. – *URNULA* **19**: 36; **35**: 87. – *UROCYSTIS* **18**: 54; **45**: 69; **55**: 288, 289; **62**: 91. – *UROMYCES* **21**: 90; **55**: 287, 288; **57**: 268, 269; **62**: 98. – *URSICOLAMA* **61**: 98. – *USTILAGO* **15**: 235; **18**: 53; **19**: 187; **39**: 144. – *USTILENTYLOMA* **57**: 269. – *USTULINA* **2**: 46; **27**: 225. – *VALENTINIA* **20**: 73. – *VALSA* **10**: 209; **12**: 23; **25**: 40; **26**: 53; **28**: 5; **35**: 94. – *VALSARIA* **23**: 258; **49**: 205. – *VALSELLA* **27**: 181. – *VALSEUTYPELLA* **28**: 13. – *VARARIA* **36**: 72, 141. – *VARICOSPORIUM* **53**: 22. – *VASCELLUM* **18**: 111. – *VELOMYCENA* **7**: 161. – *VELUTARIA* **13**: 216. – *VENTURIA* **15**: 86; **18**: 48; **52**: 323. – *VENTURIOCISTELLA* **41**: 199. – *VERAMYCES* **47**: 3. – *VERMICULARIELLA* **10**: 256. – *VERPA* **3**: 33; **19**: 38; **21**: 74; **22**: 42; **35**: 88. – *VERPATINIA* **20**: 226. – *VERTICICLADIELLA* **27**: 99. – *VERTICICLADIUM* **35**: 100. – *VERTICILLIUM* **12**: 152; **15**: 176; **18**: 99; **24**: 212; **30**: 118; **36**: 103; **38**: 241; **52**: 219. – *VIALAEA* **50**: 163. – *VIBRISSEA* **9**: 161; **14**: 90; **27**: 225. – *VIRGARIA* **38**: 118; **40**: 162. – *VIRGARIELLA* **38**: 119; **40**: 162. – *VISCIPELIS* **57**: 20. – *VITTADINION* **39**: 69. – *VOLUTELLA* **35**: 100; **39**: 164. – *VOLVARIA* **4**: 77; **8**: 1; **13**: 163. – *VOLVARIELLA* **14**: 47; **28**: 176; **31**: 35; **40**: 107; **59**: 75. – *VUILLEMINIA* **25**: 106; **47**: 205. – *WALLEMIA* **36**: 106. – *WANGIELLA* **39**: 164; **44**: 7, 138. – *WARCUPIELLA* **45**: 113. – *WARDOMYCES* **47**: 151. – *WEDDELLOMYCES* **51**: 179. – *WEINMANNIOSCYPHUS* **31**: 13; **35**: 94. – *WESTERDYKELLA* **18**: 82. – *WILCOXINA* **52**: 269. – *WOJNOWICIA* **29**: 97. – *WOLFINA* **37**: 242. – *WORONINA* **1**: 28; **7**: 106. – *WORONINELLA* **7**: 106. – *WRIGHTOPORIA* **20**: 173; **38**: 143. – *WYNNELLA* **17**: 45; **19**: 40; **35**: 88. – *XANTHOCHROUS* **24**: 146; **42**: 135; **44**: 236. – *XANTHOCONIUM* **23**: 153. – *XANTHORIA* **50**: 237. – *XENASMA* **36**: 143. – *XENASMATELLA* **27**: 205. – *XENOGLOEA* **12**: 191. – *XENOKYLINDRIA* **51**: 3, 37, 39. – *XENOSPERMA* **2**: 250. – *XENOSPORIUM* **40**: 162; **42**: 28. – *XEROCOMELLUS* **60**: 44, 49, 50. –

XEROCOMOPSIS **57**: 27; **60**: 35. – ***XEROCOMUS*** **3**: 102; **7**: 101, 103; **13**: 148; **14**: 41, 87; **17**: 127; **18**: 193; **20**: 1; **22**: 107, 199; **25**: 109; **27**: 213; **30**: 154; **31**: 31; **47**: 173; **60**: 29, 41; **63**: 261. – ***XEROMPHALINA*** **14**: 89; **22**: 199; **27**: 220; **38**: 205; **52**: 237; **63**: 261. – ***XERULA*** **43**: 54. – ***XIAMBOLA*** **35**: 100. – ***XYLARIA*** **14**: 88; **27**: 169, 225; **59**: 195; **63**: 261. – ***XYLOBOLUS*** **21**: 117. – *XYLOCREA* **34**: 147. – ***XYLODON*** **64**: 28, 35. – ***XYLOGRAPHA*** **58**: 113. – ***XYLOHYPHA*** **44**: 7, 138. – ***YPSILINA*** **53**: 26. – *YPSILONIDIUM* **46**: 64. – *ZAKATOSHIA* **46**: 249. – *ZANCLOSPORA* **50**: 152; **51**: 2. – ***ZEPHIREA*** **20**: 73. – ***ZIGNOËLLA*** **12**: 150; **25**: 41; **26**: 54. – *ZIGNOINA* **50**: 163. – *ZODIOMYCES* **10**: 204. – ***ZOELLNERIA*** **41**: 200. – ***ZOOPHTHORA*** **35**: 57. – ***ZUKALINA*** **19**: 33. – ***ZWACKHIOMYCES*** **50**: 237. – ***ZYGOSACCHAROMYCES*** **13**: 44; **39**: 240. – ***ZYGOSPORIUM*** **38**: 119; **40**: 163; **44**: 106. – ***ZYGOWILLIOPSIS*** **13**: 44. – ***ZYTHIOSTROMA*** **35**: 98.

INSTRUCTIONS TO AUTHORS

Preparation of manuscripts. Manuscripts are to be submitted in English, German or French. Each manuscript must include an abstract (in English) not exceeding 150 words and a maximum of five key words. The paper will be followed by an abstract in Czech (or Slovak). The journal is responsible for the translation of abstracts into Czech for foreign authors. The text files are to be written in MS Word, graphs in MS Excel. **Avoid any special type of text formatting except for italic and bold options.**

Illustrations and tables. All tables, photographs and figures with their legends should be self-explanatory. Legends to the figures must be written at the end of the text file. Colour photographs (digital files, slides or paper photographs) are accepted. Line drawings and photographs of microstructures must be provided with a scale bar. All illustration should be submitted either as the *original drawing and one clear copy* or as *high resolution graphic files* (TIFF with LZW compression or JPG without compression). The dimension of any figure should not exceed 180 × 260 mm in size (or the digital equivalent in a resolution of 300 dpi). Illustrations should be referred to in the text, e.g. "... spore size (Fig. 1)","... as shown in Fig. 2", "... Figs. 1–5", etc. If the line drawings are scanned, set the resolution to 1200 dpi. *Line drawings* prepared in graphic software such as Corel Draw or Adobe Photoshop cannot depict serrate line contours. *Plates* (labelled as Fig. 1, etc.) consisting of more photographs (labelled a, b, c, etc.) should be prepared either as one high-resolution (300 dpi) TIFF file with LZW compression or as a PowerPoint or PDF preview (whole table) and the original graphic files for each figure (1a, 1b, 1c, etc.).

Nomenclature. Latin names should conform to the current version of the International Code of Botanical Nomenclature. Authors abbreviations are to be written according to the Authors of Fungal Names list on the Index Fungorum web page (http://www.indexfungorum.org/). New taxa must be substantiated by a Latin diagnosis including a reference to the public herbarium where the type specimen is deposited. Authors are asked to use only the acronyms listed in Index Herbariorum (http://sciweb.nybg.org/science2/IndexHerbariorum.asp). Latin names up to the rank of order are to be written in italics. MycoBank numbers are required for nomenclatural novelties (see www.mycobank.org).

References. References must be listed in alphabetical order of the surnames of the first authors. Bibliographies should be written as follows:

Moravec J. (1984): Two new species of *Coprobia* and taxonomic remarks on the genera *Cheilymenia* and *Coprobia* (Discomycetes, *Pezizales*). – Česká Mykol. 38: 146–155. ***(journal article)***

Antonín V., Komínková S. (2010): Helmovka přeútlá (*Mycena adscendens*) – vzácná nebo přehlížená houba? [*Mycena adscendens* – a rare or overlooked fungus?]. – Mykol. Listy 114: 9–14. [in Czech] ***(journal article in local language)***

Ryvarden L. (1978): The *Polyporaceae* of North Europe, Vol. 2. *Inonotus – Tyromyces*. – 507 p. Oslo. ***(book)***

Tommerup I.C., Kuek C., Malajczuk N. (1987): Ectomycorrhizal inoculum production and utilization in Australia. – In: Sylvia D.M., Hung L.L., Graham J.H., eds., Proceedings of the 7th North American conference on mycorrhizae, p. 93–295, Gainesville. ***(book chapter, abstract, article in proceedings)***

Holec J., Suková M. (on-line): New fungal taxa described by Josef Velenovský. – http://katalogy.nm.cz/opac/houby/index.php. [accessed 16 May 2006] ***(data from Internet, with authors but without year of publication).***

Anonymus (2005): Rödlistade arter i Sverige 2005. – http://www.artdata.slu.se/rodlista/. [accessed 16 May 2006] ***(data from Internet, without authors, with year of publication).***

References *in text* should be in one of the following formats: Moravec (1984), (Moravec 1984), or Kühner & Romagnesi (1974). In the case of three or more authors, use the form Tommerup et al. (1987).

Submission. Send all files directly to the managing editor (jan_holec@nm.cz). The size of enclosed files should not exceed 5MB for each e-mail message. If you have more files, send them in separate messages. For large files, use submission via http://www.uschovna.cz/en/.

Manuscript evaluation. All manuscripts will be reviewed by one or two reviewers, and the authors informed about their acceptance, rejection or necessary revisions within three months. If a manuscript is returned for revision, the authors should submit a revised version within one month. Authors should preferably have their English texts approved by a native English speaker.

Proof corrections, reprints. Proofs of the paper will be sent to authors via air mail or as a PDF file. If not returned within two weeks, proof correction will be carried out by the editor. The principal author will receive 30 reprints and a final PDF file free of charge.

Correspondence. All correspondence concerning the journal should be sent to the following address: Czech Mycology, National Museum, Mycological Department, Cirkusová 1740, 193 00 Praha 9, Czech Republic. Phone: +420 281 029 133, e-mail: jan_holec@nm.cz

Czech Mycology, published by the Czech Scientific Society for Mycology. DTP by S. Zmo, STAPS. Printed by Čihák Press, Praha 10. Distributed by the Czech Scientific Society for Mycology, P. O. Box 106, 111 21 Praha 1, and Kubon & Sagner, P. O. Box 340108, 80328 München, Germany.
Registered by the Ministry of Culture of the Czech Republic (MK ČR E 1336).

BSM
REVIEW

CZECH MYCOLOGY / ČESKÁ MYKOLOGIE

ISSN 1211-0981 (printed version)

ISSN 1805-1421 (online version)

http://www.czechmycology.org

is an international scientific journal publishing papers in all aspects of mycology including taxonomy, ecology, physiology and mycofloristics as well as mycological topics in forestry, agriculture and medicine. Czech Mycology will publish full length papers and short communications reporting original research which make a significant contribution to mycology. Review articles are also published.

CONTENTS

HOLEC J., LANDA J., KŘÍŽ M., DANEŠ P.
Index to fungal genera and species published in Czech Mycology, formerly Česká Mykologie, Volumes 1–64 103–384